

# Sharmistha Ghosh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4490633/publications.pdf>

Version: 2024-02-01

44  
papers

785  
citations

623734

14  
h-index

552781

26  
g-index

44  
all docs

44  
docs citations

44  
times ranked

878  
citing authors

#	ARTICLE	IF	CITATIONS
1	Blue Phase III: Topological Fluid of Skyrmions. <i>Physical Review X</i> , 2022, 12, .	8.9	3
2	Development of nematic and orthogonal smectic phases in short-core fluorinated hockey-stick shaped liquid crystal compounds. <i>Journal of Molecular Liquids</i> , 2020, 298, 111989.	4.9	3
3	Chiral Bent-Core Shaped Molecules Exhibiting Unusually Wide Range of Blue Liquid-Crystalline Phases and Multistimuli-Responsive Behavior. <i>Chemistry - A European Journal</i> , 2020, 26, 5859-5871.	3.3	8
4	Nematic-Cybotactic nematic phase transition in a liquid crystal: a dielectric spectroscopic study. <i>Materials Research Express</i> , 2019, 6, 115105.	1.6	5
5	Tuning of bipolar resistive switching and memory characteristics of cadmium sulphide nanorods embedded in PMMA matrix. <i>Materials Research Express</i> , 2019, 6, 115107.	1.6	4
6	Structural organization and molecular self-assembly of a new class of polar and non-polar four-ring based bent-core molecules. <i>Journal of Molecular Liquids</i> , 2019, 295, 111687.	4.9	14
7	SERS active substrates of gold nanoparticles embedded in the pool of 5-CB liquid crystal molecules organized in Langmuir-Reverse Schaefer films: A facile fabrication route to make the topological defects useful. <i>Applied Surface Science</i> , 2019, 484, 1263-1273.	6.1	9
8	Polar Switching and Cybotactic Nematic Ordering in 1,3,4-Thiadiazole-Based Short-Core Hockey Stick-Shaped Fluorescent Liquid Crystals. <i>ACS Omega</i> , 2019, 4, 7711-7722.	3.5	16
9	Observation of polar order and thermochromic behaviour in a chiral bent-core system exhibiting exotic mesophases due to superstructural frustration. <i>Chemical Communications</i> , 2018, 54, 3452-3455.	4.1	14
10	Amide linkage in novel three-ring bent-core molecular assemblies: polar mesophases and importance of H-bonding. <i>Liquid Crystals</i> , 2018, 45, 1549-1566.	2.2	13
11	Impact of terminal polar substitution on elastic, electro-optic and dielectric properties of four-ring bent-core nematic liquid crystals. <i>RSC Advances</i> , 2018, 8, 11509-11516.	3.6	22
12	Self-assembled PEDOT nanoropes: Materials for improving electro optical properties of liquid crystal. <i>Molecular Crystals and Liquid Crystals</i> , 2018, 664, 101-108.	0.9	2
13	Novel achiral four-ring bent-shaped nematic liquid crystals with trifluoromethyl and methyl substituents in the central molecular core: an unusually large Kerr constant in blue phase III of nematic-chiral dopant mixture. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6729-6737.	5.5	17
14	Elastic and dielectric properties of ferroelectric nanoparticles/bent-core nematic liquid crystal blend. <i>European Physical Journal E</i> , 2017, 40, 75.	1.6	10
15	Observation of disordered mesomorphism in three-ring-based highly polar bent-core molecules: design, synthesis and characterisation. <i>Liquid Crystals</i> , 2017, 44, 2247-2258.	2.2	16
16	Elastic constants, viscosity and dielectric properties of bent-core nematic liquid crystals doped with single-walled carbon nanotubes. <i>Liquid Crystals</i> , 2017, 44, 784-797.	2.2	14
17	Sign-inversion of elastic anisotropy in a bent-core nematic liquid crystal doped with carbon nanodots. <i>Journal of Molecular Liquids</i> , 2017, 225, 328-332.	4.9	12
18	Existence of polar switching in the nematic and orthogonal smectic phases in novel four-ring bent-core compounds. <i>Journal of Applied Physics</i> , 2016, 120, .	2.5	13

#	ARTICLE	IF	CITATIONS
19	Antiferroelectric Liquid Crystal/carbon Nano Tube Duo For Achieving Modified Electro-optical Properties; Aiming At Display Applications. <i>Advanced Materials Letters</i> , 2016, 7, 60-64.	0.6	3
20	Ferroelectric-like switching in the nematic phase of four-ring bent-core liquid crystals. <i>Journal of Materials Chemistry C</i> , 2014, 2, 425-431.	5.5	56
21	Imidazolium-based ionic liquids with different fatty acid anions: phase behavior, electronic structure and ionic conductivity investigation. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 16255.	2.8	35
22	Temperature variation dielectric behavior of TiO <sub>2</sub> nanocabbages and doped W-182(AFLC). <i>Journal of Luminescence</i> , 2013, 136, 278-284.	3.1	13
23	Fluorescent unsymmetrical four-ring bent-core mesogens: 2D modulated phases. <i>CrystEngComm</i> , 2013, 15, 10510.	2.6	10
24	Efficient one-step novel synthesis of ZnO nanospikes to nanoflakes doped OAFLCs (W-182) host: Optical and dielectric response. <i>Applied Surface Science</i> , 2013, 280, 405-417.	6.1	7
25	Dielectric and I-V characteristics of high luminous CdS nanostructures with confined geometrical growth. <i>Journal of Molecular Structure</i> , 2013, 1041, 16-22.	3.6	8
26	Exploiting microstructured optical fiber platform for generating temporal parabolic pulse. , 2013, , .		0
27	Switching of ferroelectric liquid crystal doped with cetyltrimethylammonium bromide-assisted CdS nanostructures. <i>Nanotechnology</i> , 2013, 24, 125702.	2.6	35
28	Self-enhanced controllable growth of ZnO micro-flowers from nanospikes and its transformation to nanoparticles by using compositional variation: Essential dielectric switching applications. <i>Journal of Molecular Structure</i> , 2012, 1027, 36-43.	3.6	13
29	Electro-optic and dielectric investigations of a perfluorinated compound showing orthoconic antiferroelectric liquid crystal. <i>Journal of Molecular Liquids</i> , 2012, 175, 91-96.	4.9	14
30	Electric-Field-Induced Formation of Multiwalled Carbon Nanotube Conductive Pathways in Positive Dielectric Anisotropic Nematic Liquid Crystal Host. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 121701.	1.5	1
31	Effect of multiferroic BiFeO <sub>3</sub> nanoparticles on electro-optical and dielectric properties of a partially fluorinated orthoconic antiferroelectric liquid crystal mixture. <i>Europhysics Letters</i> , 2011, 96, 47003.	2.0	22
32	Effect of conducting polymer poly (3,4-ethylenedioxythiophene) (PEDOT) nanotubes on electro-optical and dielectric properties of a ferroelectric liquid crystal. <i>European Physical Journal E</i> , 2011, 34, 35.	1.6	11
33	A Comparative Study of Poly (3,4-ethylenedioxythiophene) (PEDOT) Nanotubes Doped Nematic Liquid Crystal (NLC) System and Carbon Nanotubes (CNT) Doped NLC System for Greater Modification of Electro-Optical Properties of the Host NLC 1770-2. <i>Molecular Crystals and Liquid Crystals</i> , 2011, 545, 22/[1246]-28/[1252].	0.9	3
34	Electric-Field-Induced Formation of Multiwalled Carbon Nanotube Conductive Pathways in Positive Dielectric Anisotropic Nematic Liquid Crystal Host. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 121701.	1.5	3
35	Hybrid carbon nanotube and dye-doped liquid crystal material for holographic imaging. <i>Journal of Materials Science: Materials in Electronics</i> , 2010, 21, 854-859.	2.2	10
36	Multiferroic behavior of lanthanum orthoferrite (LaFeO <sub>3</sub> ). <i>Materials Letters</i> , 2010, 64, 415-418.	2.6	229

#	ARTICLE	IF	CITATIONS
37	Bias dependent relaxation in different phases of an orthoconic antiferroelectric liquid crystal mixture (W-182). <i>Current Applied Physics</i> , 2010, 10, 631-635.	2.4	6
38	Effects of conducting polymer poly(3, 4-ethylenedioxythiophene) nanotubes on the electro-optical and dielectric properties of a nematic liquid crystal 4-n-pentyl-4'-cyanobiphenyl host. <i>Applied Physics Letters</i> , 2010, 96, 073101.	3.3	11
39	Dielectric relaxation spectroscopy and electro-optical studies of a new, partially fluorinated orthoconic antiferroelectric liquid crystal material exhibiting V-shaped switching. <i>Liquid Crystals</i> , 2010, 37, 369-375.	2.2	18
40	Double-peak polarization current response in the unusual SmA <sup>*</sup> phase of a fluorinated high-tilt antiferroelectric liquid crystal. <i>Europhysics Letters</i> , 2010, 89, 16001.	2.0	7
41	Electro-optical and dielectric properties of a high tilt antiferroelectric liquid crystal mixture (W-193B). <i>Journal Physics D: Applied Physics</i> , 2009, 42, 225504.	2.8	15
42	Optical properties of permanent gratings in liquid crystal doped with dye and carbon nanotube. <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 662-668.	2.2	18
43	Bias dependent dielectric relaxation dynamics of electrically tuned large-scale aligned zinc oxide nanorods in nematic liquid crystal host. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	22
44	Carbon nanotube enhanced diffraction efficiency in dye-doped liquid crystal. <i>Journal of Materials Science: Materials in Electronics</i> , 2005, 16, 753-759.	2.2	20