

# Jonas Teilmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4491059/publications.pdf>

Version: 2024-02-01

129  
papers

4,882  
citations

101496

36  
h-index

118793

62  
g-index

133  
all docs

133  
docs citations

133  
times ranked

3611  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Genetic and behavioural data confirm the existence of a distinct harbour porpoise ecotype in West Greenland. <i>Ecological Genetics and Genomics</i> , 2022, 22, 100108.   | 0.3 | 5         |
| 2  | Origin and expansion of the world's most widespread pinniped: Range-wide population genomics of the harbour seal ( <i>Phoca vitulina</i> ). <i>Molecular Ecology</i> , 2022, 31, 1682-1699.  | 2.0 | 9         |
| 3  | Estimating the abundance of the critically endangered Baltic Proper harbour porpoise ( <i>Phocoena phocoena</i> ) using genetic data. <i>Marine Biology</i> , 2022, 165, 1071-1082.  | 0.8 | 10        |
| 4  | Influence of offshore oil and gas structures on seascape ecological connectivity. <i>Global Change Biology</i> , 2022, 28, 3515-3536.  | 4.2 | 28        |
| 5  | Marine mammal hotspots across the circumpolar Arctic. <i>Diversity and Distributions</i> , 2022, 28, 2729-2753.  | 1.9 | 8         |
| 6  | Forecasting shifts in habitat suitability of three marine predators suggests a rapid decline in inter-specific overlap under future climate change. <i>Ecology and Evolution</i> , 2022, 12, .   | 0.8 | 1         |
| 7  | Reference genome and demographic history of the most endangered marine mammal, the vaquita. <i>Molecular Ecology Resources</i> , 2021, 21, 1008-1020.  | 2.2 | 54        |
| 8  | A risk assessment of the effects of mercury on Baltic Sea, Greater North Sea and North Atlantic wildlife, fish and bivalves. <i>Environment International</i> , 2021, 146, 106178.   | 4.8 | 25        |
| 9  | Echolocation activity of harbour porpoises, <i>Phocoena phocoena</i> , shows seasonal artificial reef attraction despite elevated noise levels close to oil and gas platforms. <i>Ecological Solutions and Evidence</i> , 2021, 2, e12055. | 0.8 | 9         |
| 10 | Environmental DNA captures the genetic diversity of bowhead whales ( <i>Balaena mysticetus</i> ) in West Greenland. <i>Environmental DNA</i> , 2021, 3, 248-260.   | 3.1 | 31        |
| 11 | Using environmental variation to optimize aerial surveys of harbour seals. <i>ICES Journal of Marine Science</i> , 2021, 78, 1500-1507.  | 1.2 | 3         |
| 12 | Drivers and constraints on offshore foraging in harbour seals. <i>Scientific Reports</i> , 2021, 11, 6514.   | 1.6 | 11        |
| 13 | Animal tag technology keeps coming of age: an engineering perspective. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20200229.  | 1.8 | 24        |
| 14 | Heart rate and startle responses in diving, captive harbour porpoises ( <i>Phocoena phocoena</i> ) exposed to transient noise and sonar. <i>Biology Open</i> , 2021, 10, .   | 0.6 | 7         |
| 15 | Response to KieÅ, piÅ, ska and Kowalski: A stab in a self-imposed darkness. <i>Ecological Indicators</i> , 2021, 127, 107808.  | 2.6 | 1         |
| 16 | High heart rates in hunting harbour porpoises. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20211596.   | 1.2 | 8         |
| 17 | Bioaccumulation of PCBs, OCPs and PBDEs in Marine Mammals From West Antarctica. <i>Frontiers in Marine Science</i> , 2021, 8, .  | 1.2 | 8         |
| 18 | Health assessment of harbour porpoises (PHOCOENA PHOCOENA) from Baltic area of Denmark, Germany, Poland and Latvia. <i>Environment International</i> , 2020, 143, 105904.  | 4.8 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A comparison of CTD satellite-linked tags for large cetaceans - Bowhead whales as real-time autonomous sampling platforms. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2020, 157, 103213. | 0.6 | 9         |
| 20 | Haematology and clinical blood chemistry in harbour porpoises ( <i>Phocoena phocoena</i> ) from the inner Danish waters. <i>Environment International</i> , 2020, 143, 105937.                                 | 4.8 | 6         |
| 21 | Marine Mammal Biodiversity Around Oil and Gas Platforms - Challenges and Successes of Long-Term Monitoring. , 2020, , .  |     | 3         |
| 22 | Harbor Porpoise ( <i>Phocoena phocoena</i> ) Reaction to a 3D Seismic Airgun Survey in the North Sea. <i>Frontiers in Marine Science</i> , 2020, 6, .  | 1.2 | 23        |
| 23 | Deep diving harbor seals ( <i>Phoca vitulina</i> ) in South Greenland: movements, diving, haul-out and breeding activities described by telemetry. <i>Polar Biology</i> , 2020, 43, 359-368.                   | 0.5 | 7         |
| 24 | Grey seal <i>Halichoerus grypus</i> recolonisation of the southern Baltic Sea, Danish Straits and Kattegat. <i>Wildlife Biology</i> , 2020, 2020, 1-10.  | 0.6 | 15        |
| 25 | Influence of environmental variability on harbour porpoise movement. <i>Marine Ecology - Progress Series</i> , 2020, 648, 207-219.   | 0.9 | 15        |
| 26 | Variation of Male-Male Aggression Patterns in Harbor Seals ( <i>Phoca vitulina</i> ). <i>Aquatic Mammals</i> , 2020, 46, 119-123.  | 0.4 | 4         |
| 27 | Noise affects porpoise click detections - the magnitude of the effect depends on logger type and detection filter settings. <i>Bioacoustics</i> , 2019, 28, 443-458.   | 0.7 | 18        |
| 28 | Porpoises the World Over: Diversity in Behavior and Ecology. <i>Ethology and Behavioral Ecology of Marine Mammals</i> , 2019, , 449-464.   | 0.4 | 3         |
| 29 | Human exposure to PFOS and mercury through meat from baltic harbour seals ( <i>Phoca vitulina</i> ). <i>Environmental Research</i> , 2019, 175, 376-383.   | 3.7 | 10        |
| 30 | Indications of mesopelagic foraging by a small odontocete. <i>Marine Biology</i> , 2019, 166, 1.   | 0.7 | 13        |
| 31 | Long-term sound and movement recording tags to study natural behavior and reaction to ship noise of seals. <i>Ecology and Evolution</i> , 2019, 9, 2588-2601.  | 0.8 | 42        |
| 32 | Diet of seals in the Baltic Sea region: a synthesis of published and new data from 1968 to 2013. <i>ICES Journal of Marine Science</i> , 2019, 76, 284-297.  | 1.2 | 32        |
| 33 | Classifying grey seal behaviour in relation to environmental variability and commercial fishing activity - a multivariate hidden Markov model. <i>Scientific Reports</i> , 2019, 9, 5642.                      | 1.6 | 36        |
| 34 | Phylogenomic insights to the origin and spread of phocine distemper virus in European harbour seals in 1988 and 2002. <i>Diseases of Aquatic Organisms</i> , 2019, 133, 47-56.                                 | 0.5 | 11        |
| 35 | A field effort to capture critically endangered vaquitas <i>Phocoena sinus</i> for protection from entanglement in illegal gillnets. <i>Endangered Species Research</i> , 2019, 38, 11-27.                     | 1.2 | 77        |
| 36 | Trophic position and foraging ecology of Ross, Weddell, and crabeater seals revealed by compound-specific isotope analysis. <i>Marine Ecology - Progress Series</i> , 2019, 611, 1-18.                         | 0.9 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | High rates of vessel noise disrupt foraging in wild harbour porpoises ( <i>Phocoena phocoena</i> ). Proceedings of the Royal Society B: Biological Sciences, 2018, 285, 20172314.                   | 1.2 | 130       |
| 38 | Fine-scale movement responses of free-ranging harbour porpoises to capture, tagging and short-term noise pulses from a single airgun. Royal Society Open Science, 2018, 5, 170110.                  | 1.1 | 27        |
| 39 | Response to "Resilience of harbor porpoises to anthropogenic disturbance: Must they really feed continuously?" Marine Mammal Science, 2018, 34, 265-270.  | 0.9 | 22        |
| 40 | Harbor Seal. , 2018, , 451-455.   |     | 12        |
| 41 | Environmental drivers of harbour porpoise fine-scale movements. Marine Biology, 2018, 165, 95.  | 0.7 | 21        |
| 42 | High field metabolic rates of wild harbour porpoises. Journal of Experimental Biology, 2018, 221, .   | 0.8 | 66        |
| 43 | Click communication in wild harbour porpoises ( <i>Phocoena phocoena</i> ). Scientific Reports, 2018, 8, 9702.  | 1.6 | 86        |
| 44 | Environmental benefits of leaving offshore infrastructure in the ocean. Frontiers in Ecology and the Environment, 2018, 16, 571-578.  | 1.9 | 93        |
| 45 | Basin-scale distribution of harbour porpoises in the Baltic Sea provides basis for effective conservation actions. Biological Conservation, 2018, 226, 42-53.                                       | 1.9 | 57        |
| 46 | Population Wide Decline in Somatic Growth in Harbor Seals "Early Signs of Density Dependence. Frontiers in Ecology and Evolution, 2018, 6, .  | 1.1 | 17        |
| 47 | Predicting the impacts of anthropogenic disturbances on marine populations. Conservation Letters, 2018, 11, e12563.   | 2.8 | 79        |
| 48 | Echoes from the past: Regional variations in recovery within a harbour seal population. PLoS ONE, 2018, 13, e0189674.   | 1.1 | 21        |
| 49 | Oceanic movements, site fidelity and deep diving in harbour porpoises from Greenland show limited similarities to animals from the North Sea. Marine Ecology - Progress Series, 2018, 597, 259-272. | 0.9 | 46        |
| 50 | Long-term tag retention on two species of small cetaceans. Marine Mammal Science, 2017, 33, 713-725.  | 0.9 | 13        |
| 51 | Antarctic seals: Molecular biomarkers as indicators for pollutant exposure, health effects and diet. Science of the Total Environment, 2017, 599-600, 1693-1704.                                    | 3.9 | 12        |
| 52 | Silent porpoise: potential sleeping behaviour identified in wild harbour porpoises. Animal Behaviour, 2017, 133, 211-222.   | 0.8 | 18        |
| 53 | Assessing auditory evoked potentials of wild harbor porpoises ( <i>Phocoena phocoena</i> ). Journal of the Acoustical Society of America, 2016, 140, 442-452.                                       | 0.5 | 16        |
| 54 | Shift of grey seal subspecies boundaries in response to climate, culling and conservation. Molecular Ecology, 2016, 25, 4097-4112.  | 2.0 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Ultra-High Foraging Rates of Harbor Porpoises Make Them Vulnerable to Anthropogenic Disturbance. <i>Current Biology</i> , 2016, 26, 1441-1446.   | 1.8 | 210       |
| 56 | Impacts of Underwater Noise on Marine Vertebrates: Project Introduction and First Results. <i>Advances in Experimental Medicine and Biology</i> , 2016, 875, 631-636.  | 0.8 | 1         |
| 57 | Quantitative Measures of Anthropogenic Noise on Harbor Porpoises: Testing the Reliability of Acoustic Tag Recordings. <i>Advances in Experimental Medicine and Biology</i> , 2016, 875, 1237-1242.             | 0.8 | 2         |
| 58 | Phocine distemper virus (PDV) seroprevalence as predictor for future outbreaks in harbour seals. <i>Veterinary Microbiology</i> , 2016, 183, 43-49.  | 0.8 | 7         |
| 59 | Review of Low-Level Bioacoustic Behavior in Wild Cetaceans: Conservation Implications of Possible Sleeping Behavior. <i>Advances in Experimental Medicine and Biology</i> , 2016, 875, 1251-1258.              | 0.8 | 0         |
| 60 | Comparing Distribution of Harbour Porpoises ( <i>Phocoena phocoena</i> ) Derived from Satellite Telemetry and Passive Acoustic Monitoring. <i>PLoS ONE</i> , 2016, 11, e0158788.                               | 1.1 | 15        |
| 61 | First report on a newborn grey seal pup ( <i>Halichoerus grypus</i> ) in the Danish Wadden Sea since the 16th Century. <i>Marine Biodiversity Records</i> , 2015, 8, .   | 1.2 | 2         |
| 62 | Developing a new research tool for use in free-ranging cetaceans: recovering cortisol from harbour porpoise skin. , 2015, 3, cov016.   |     | 19        |
| 63 | Defining management units for cetaceans by combining genetics, morphology, acoustics and satellite tracking. <i>Global Ecology and Conservation</i> , 2015, 3, 839-850.  | 1.0 | 52        |
| 64 | Do larger tag packages alter diving behavior in harbor porpoises?. <i>Marine Mammal Science</i> , 2015, 31, 756-763.   | 0.9 | 5         |
| 65 | Limited use of sea ice by the Ross seal ( <i>Ommatophoca rossii</i> ), in Amundsen Sea, Antarctica, using telemetry and remote sensing data. <i>Polar Biology</i> , 2015, 38, 445-461.                         | 0.5 | 19        |
| 66 | Pingers cause temporary habitat displacement in the harbour porpoise <i>Phocoena phocoena</i> . <i>Marine Ecology - Progress Series</i> , 2015, 526, 253-265.  | 0.9 | 18        |
| 67 | Disturbance-induced responses of VHF and satellite tagged harbour seals. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014, 24, 712-723.  | 0.9 | 9         |
| 68 | Integrating genetic data and population viability analyses for the identification of harbour seal ( <i>Phocoena vitulina</i> ) populations and management units. <i>Molecular Ecology</i> , 2014, 23, 815-831. | 2.0 | 47        |
| 69 | Abundance of harbour porpoises ( <i>Phocoena phocoena</i> ) in the western Baltic, Belt Seas and Kattegat. <i>Marine Biology</i> , 2014, 161, 745-754.   | 0.7 | 28        |
| 70 | Large scale surveys for cetaceans: Line transect assumptions, reliability of abundance estimates and improving survey efficiency – A response to MacLeod. <i>Biological Conservation</i> , 2014, 170, 338-339. | 1.9 | 4         |
| 71 | Effects of noise and by-catch on a Danish harbour porpoise population. <i>Ecological Modelling</i> , 2014, 272, 242-251.   | 1.2 | 68        |
| 72 | How a simple adaptive foraging strategy can lead to emergent home ranges and increased food intake. <i>Oikos</i> , 2013, 122, 1307-1316.   | 1.2 | 44        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Evaluation of immune and stress status in harbour porpoises ( <i>Phocoena phocoena</i> ): can hormones and mRNA expression levels serve as indicators to assess stress?. <i>BMC Veterinary Research</i> , 2013, 9, 145.              | 0.7 | 35        |
| 74 | PFAS profiles in three North Sea top predators: metabolic differences among species?. <i>Environmental Science and Pollution Research</i> , 2013, 20, 8013-8020.   | 2.7 | 69        |
| 75 | Cetacean abundance and distribution in European Atlantic shelf waters to inform conservation and management. <i>Biological Conservation</i> , 2013, 164, 107-122.  | 1.9 | 314       |
| 76 | Biosonar, dive, and foraging activity of satellite tracked harbor porpoises ( <i>Phocoena</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td (p   | 0.9 | 60        |
| 77 | Geographic, seasonal, and diurnal surface behavior of harbor porpoises. <i>Marine Mammal Science</i> , 2013, 29, E60.  | 0.9 | 15        |
| 78 | Biosonar, diving and movements of two tagged white-beaked dolphin in Icelandic waters. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 88-89, 97-105.  | 0.6 | 23        |
| 79 | Movements and site fidelity of harbour seals ( <i>Phoca vitulina</i> ) in Kattegat, Denmark, with implications for the epidemiology of the phocine distemper virus. <i>ICES Journal of Marine Science</i> , 2013, 70, 186-195.       | 1.2 | 32        |
| 80 | Environmental impact of wind energy. <i>Environmental Research Letters</i> , 2013, 8, 035001.  | 2.2 | 29        |
| 81 | Possible Causes of a Harbour Porpoise Mass Stranding in Danish Waters in 2005. <i>PLoS ONE</i> , 2013, 8, e55553.  | 1.1 | 29        |
| 82 | Re-established stony reef attracts harbour porpoises <i>Phocoena phocoena</i> . <i>Marine Ecology - Progress Series</i> , 2013, 481, 239-248.  | 0.9 | 32        |
| 83 | Negative long term effects on harbour porpoises from a large scale offshore wind farm in the Balticâ€”evidence of slow recovery. <i>Environmental Research Letters</i> , 2012, 7, 045101.  | 2.2 | 61        |
| 84 | Population structure of harbour porpoises in the Baltic region: evidence of separation based on geometric morphometric comparisons. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1669-1676. | 0.4 | 46        |
| 85 | Spatial interactions between marine predators and their prey: herring abundance as a driver for the distributions of mackerel and harbour porpoise. <i>Marine Ecology - Progress Series</i> , 2012, 468, 245-253.                    | 0.9 | 42        |
| 86 | From echolocation clicks to animal densityâ€”Acoustic sampling of harbor porpoises with static dataloggers. <i>Journal of the Acoustical Society of America</i> , 2012, 131, 550-560.  | 0.5 | 90        |
| 87 | Correlation between the seasonal distribution of harbour porpoises and their prey in the Sound, Baltic Sea. <i>Marine Biology</i> , 2012, 159, 1029-1037.  | 0.7 | 46        |
| 88 | Tissue healing in two harbor porpoises ( <i>Phocoena phocoena</i> ) following longâ€”term satellite transmitter attachment. <i>Marine Mammal Science</i> , 2012, 28, E316.   | 0.9 | 15        |
| 89 | Spatial trends of perfluorochemicals in harbor seals ( <i>Phoca vitulina</i> ) from Danish waters. <i>Science of the Total Environment</i> , 2012, 414, 732-737.   | 3.9 | 17        |
| 90 | Behavioural responses of harbour seals to humanâ€”induced disturbances. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2012, 22, 113-121.   | 0.9 | 37        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Managing Underwater Noise in European Waters: Implementing the Marine Strategy Framework Directive. <i>Advances in Experimental Medicine and Biology</i> , 2012, 730, 583-585.   | 0.8 | 3         |
| 92  | High-density areas for harbor porpoises ( <i>Phocoena phocoena</i> ) identified by satellite tracking. <i>Marine Mammal Science</i> , 2011, 27, 230-246.   | 0.9 | 93        |
| 93  | Investigation of mercury concentrations in fur of phocid seals using stable isotopes as tracers of trophic levels and geographical regions. <i>Polar Biology</i> , 2011, 34, 1411-1420.  | 0.5 | 38        |
| 94  | Investigations of Thyroid and Stress Hormones in Free-Ranging and Captive Harbor Porpoises ( <i>Phocoena phocoena</i> ): A Pilot Study. <i>Aquatic Mammals</i> , 2011, 37, 443-453.  | 0.4 | 12        |
| 95  | Harbour porpoises ( <i>Phocoena phocoena</i> ) and wind farms: a case study in the Dutch North Sea. <i>Environmental Research Letters</i> , 2011, 6, 025102.   | 2.2 | 89        |
| 96  | Acoustic surveys confirm the high-density areas of harbour porpoises found by satellite tracking. <i>ICES Journal of Marine Science</i> , 2011, 68, 929-936.   | 1.2 | 24        |
| 97  | Mitochondrial Control Region and microsatellite analyses on harbour porpoise ( <i>Phocoena phocoena</i> ) unravel population differentiation in the Baltic Sea and adjacent waters. <i>Conservation Genetics</i> , 2010, 11, 195-211.                    | 0.8 | 60        |
| 98  | Modelling spatial patterns in harbour porpoise satellite telemetry data using maximum entropy. <i>Ecography</i> , 2010, 33, 698-708.   | 2.1 | 97        |
| 99  | Optimizing survey design for Scandinavian harbour seals: population trend as an ecological quality element. <i>ICES Journal of Marine Science</i> , 2010, 67, 952-958.   | 1.2 | 20        |
| 100 | First Confirmed Record of Grey Seals in Greenland. <i>Arctic</i> , 2010, 63, .   | 0.2 | 8         |
| 101 | The effect of a large Danish offshore wind farm on harbor and gray seal haul-out behavior. <i>Marine Mammal Science</i> , 2009, 26, 614.   | 0.9 | 13        |
| 102 | Pile driving zone of responsiveness extends beyond 20 km for harbor porpoises ( <i>Phocoena</i> ) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 302   | 0.5 | 170       |
| 103 | Stress level in wild harbour porpoises ( <i>Phocoena phocoena</i> ) during satellite tagging measured by respiration, heart rate and cortisol. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 885-892.            | 0.4 | 29        |
| 104 | Harbour porpoise ( <i>Phocoena phocoena</i> ) static acoustic monitoring: laboratory detection thresholds of T-PODs are reflected in field sensitivity. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1085-1091. | 0.4 | 40        |
| 105 | Mass mortality in harbour seals and harbour porpoises caused by an unknown pathogen. <i>Veterinary Record</i> , 2008, 162, 555-556.  | 0.2 | 18        |
| 106 | Shipboard measurements of the hearing of the white-beaked dolphin <i>Lagenorhynchus albirostris</i> . <i>Journal of Experimental Biology</i> , 2008, 211, 642-647.   | 0.8 | 47        |
| 107 | Harbour seal spatial distribution estimated from Argos satellite telemetry: overcoming positioning errors Jakob Tougaard1,*, Jonas Teilmann1, Svend Tougaard2. <i>Endangered Species Research</i> , 2008, 4, 113-122.                                    | 1.2 | 31        |
| 108 | Diet of harbour seals and great cormorants in Limfjord, Denmark: interspecific competition and interaction with fishery. <i>ICES Journal of Marine Science</i> , 2007, 64, 1235-1245.  | 1.2 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Comparison of echolocation behaviour between coastal and riverine porpoises. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 290-297.   | 0.6 | 93        |
| 110 | All at sea with animal tracks; methodological and analytical solutions for the resolution of movement. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 193-210.   | 0.6 | 131       |
| 111 | Comparison of echolocation behaviour between coastal and riverine porpoises. , 2007, , .  |     | 1         |
| 112 | Age- and Sex-Specific Mortality Patterns in an Emerging Wildlife Epidemic: The Phocine Distemper in European Harbour Seals. PLoS ONE, 2007, 2, e887.  | 1.1 | 35        |
| 113 | REACTIONS OF CAPTIVE HARBOR PORPOISES (PHOCOENA PHOCOENA) TO PINGER-LIKE SOUNDS. Marine Mammal Science, 2006, 22, 240-260.  | 0.9 | 50        |
| 114 | The 1988 and 2002 phocine distemper virus epidemics in European harbour seals. Diseases of Aquatic Organisms, 2006, 68, 115-130.  | 0.5 | 215       |
| 115 | Impacts of offshore wind farm construction on harbour porpoises: acoustic monitoring of echolocation activity using porpoise detectors (T-PODs). Marine Ecology - Progress Series, 2006, 321, 295-308.  | 0.9 | 185       |
| 116 | Two Single Nucleotide Polymorphisms in the CYP17 and COMT Genesâ€”Relation to Bone Mass and Longitudinal Bone Changes in Postmenopausal Women with or without Hormone Replacement Therapy. Calcified Tissue International, 2004, 75, 123-132. | 1.5 | 29        |
| 117 | HAUL-OUT ACTIVITY OF RINGED SEALS (PHOCA HISPIDA) DETERMINED FROM SATELLITE TELEMETRY. Marine Mammal Science, 2002, 18, 167-181.  | 0.9 | 24        |
| 118 | Behaviour of ringed seals tagged with satellite transmitters in the North Water polynya during fast-ice formation. Canadian Journal of Zoology, 1999, 77, 1934-1946.  | 0.4 | 59        |
| 119 | Status of the harbour porpoise in Greenland. Polar Biology, 1998, 19, 211-220.  | 0.5 | 19        |
| 120 | Abundance and distribution of harbour porpoises <i>Phocoena phocoena</i> in selected areas of the western Baltic and the North sea. Helgoländer Meeresuntersuchungen, 1993, 47, 335-346.  | 0.2 | 23        |
| 121 | An Index of the Relative Abundance of Wintering Belugas, <i>Delphinapterus leucas</i> , and Narwhals, <i>Monodon monoceros</i> , off West Greenland. Canadian Journal of Fisheries and Aquatic Sciences, 1993, 50, 2323-2335.                 | 0.7 | 28        |
| 122 | Harbour porpoise ( <i>Phocoena phocoena</i> ) densities obtained from aerial surveys north of Fyn and in the Bay of Kiel. Ophelia, 1992, 35, 133-146.   | 0.3 | 19        |
| 123 | Age determination of european harbour seal, <i>Phoca vitulina</i> L.. Sarsia, 1991, 76, 17-21.  | 0.5 | 111       |
| 124 | Movements of walruses (&lt;i>Odobenus rosmarus&lt;/i>) between Central West Greenland and Southeast Baffin Island, 2005-2008. NAMMCO Scientific Publications, 0, 9, 53.   | 0.0 | 23        |
| 125 | Status of the harbour seal ( <i>Phoca vitulina</i> ) in Southern Scandinavia. NAMMCO Scientific Publications, 0, 8, 77.   | 0.0 | 25        |
| 126 | Status of grey seals along mainland Europe from the Southwestern Baltic to France. NAMMCO Scientific Publications, 0, 6, 57.  | 0.0 | 37        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Exploitation of ringed seals (<i>Phoca hispida</i>) in Greenland. NAMMCO Scientific Publications, 0, 1, 130.   | 0.0 | 11        |
| 128 | Abundance of ringed seals (<i>Phoca hispida</i>) in the Kong Oscars Fjord, Scoresby Sund and adjacent areas in eastern Greenland. NAMMCO Scientific Publications, 0, 1, 152. | 0.0 | 2         |
| 129 | Netting and conventional tagging used to study movements of ringed seals (<i>Phoca) Tj ETQq1 1 0.784314 ggBT /Overlock 10  | 0.0 | 13        |