

Chris Salisbury

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4491991/chris-salisbury-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

245
papers

10,700
citations

48
h-index

96
g-index

285
ext. papers

12,990
ext. citations

4.6
avg, IF

6.52
L-index

#	Paper	IF	Citations
245	Defining comorbidity: implications for understanding health and health services. <i>Annals of Family Medicine</i> , 2009 , 7, 357-63	2.9	854
244	Systematic review of whether nurse practitioners working in primary care can provide equivalent care to doctors. <i>BMJ, The</i> , 2002 , 324, 819-23	5.9	755
243	Epidemiology and impact of multimorbidity in primary care: a retrospective cohort study. <i>British Journal of General Practice</i> , 2011 , 61, e12-21	1.6	508
242	Prevalence, determinants and patterns of multimorbidity in primary care: a systematic review of observational studies. <i>PLoS ONE</i> , 2014 , 9, e102149	3.7	491
241	Measures of multimorbidity and morbidity burden for use in primary care and community settings: a systematic review and guide. <i>Annals of Family Medicine</i> , 2012 , 10, 134-41	2.9	376
240	Clinical workload in UK primary care: a retrospective analysis of 100 million consultations in England, 2007-14. <i>Lancet, The</i> , 2016 , 387, 2323-2330	4.0	331
239	Managing patients with multimorbidity in primary care. <i>BMJ, The</i> , 2015 , 350, h176	5.9	324
238	Ambulatory care sensitive conditions: terminology and disease coding need to be more specific to aid policy makers and clinicians. <i>Public Health</i> , 2009 , 123, 169-73	4	239
237	Oral anticoagulants for prevention of stroke in atrial fibrillation: systematic review, network meta-analysis, and cost effectiveness analysis. <i>BMJ, The</i> , 2017 , 359, j5058	5.9	235
236	Patients' preferences within randomised trials: systematic review and patient level meta-analysis. <i>BMJ, The</i> , 2008 , 337, a1864	5.9	198
235	The patient-doctor relationship: a synthesis of the qualitative literature on patients' perspectives. <i>British Journal of General Practice</i> , 2009 , 59, e116-33	1.6	180
234	Effect of financial incentives on incentivised and non-incentivised clinical activities: longitudinal analysis of data from the UK Quality and Outcomes Framework. <i>BMJ, The</i> , 2011 , 342, d3590	5.9	174
233	Multimorbidity: redesigning health care for people who use it. <i>Lancet, The</i> , 2012 , 380, 7-9	4.0	171
232	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. <i>Lancet, The</i> , 2018 , 392, 41-50	4.0	163
231	Which features of primary care affect unscheduled secondary care use? A systematic review. <i>BMJ Open</i> , 2014 , 4, e004746	3	114
230	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM trial): a cluster-randomised controlled trial and cost-consequence analysis. <i>Lancet, The</i> , 2014 , 384, 1859-1868	4.0	112
229	Comparing measures of multimorbidity to predict outcomes in primary care: a cross sectional study. <i>Family Practice</i> , 2013 , 30, 172-8	1.9	109

228	Patients' experience and satisfaction in primary care: secondary analysis using multilevel modelling. <i>BMJ, The</i> , 2010 , 341, c5004	5.9	102
227	The level of need for palliative care: a systematic review of the literature. <i>Palliative Medicine</i> , 2000 , 14, 93-104	5.5	99
226	Coverage and uptake of systematic postal screening for genital Chlamydia trachomatis and prevalence of infection in the United Kingdom general population: cross sectional study. <i>BMJ, The</i> , 2005 , 330, 940	5.9	98
225	Epidemiological, social, diagnostic and economic evaluation of population screening for genital chlamydial infection. <i>Health Technology Assessment</i> , 2007 , 11, iii-iv, ix-xii, 1-165	4.4	96
224	Oral anticoagulants for primary prevention, treatment and secondary prevention of venous thromboembolic disease, and for prevention of stroke in atrial fibrillation: systematic review, network meta-analysis and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2017 , 21, 1-386	4.4	90
223	Prevalence and outcomes of multimorbidity in South Asia: a systematic review. <i>BMJ Open</i> , 2015 , 5, e007335	3.35	87
222	Assessing the implementability of telehealth interventions for self-management support: a realist review. <i>Implementation Science</i> , 2015 , 10, 59	8.4	79
221	Group psychological therapies for depression in the community: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2012 , 200, 184-90	5.4	79
220	Advance telephone notification of follow-up in the healthlines study: a nested study of patients with depression. <i>Trials</i> , 2015 , 16,	2.8	78
219	Testing the effectiveness of user-tested patient information on recruitment rates across multiple trials: meta-analysis of data from the start programme. <i>Trials</i> , 2015 , 16,	2.8	78
218	Implementation of remote consulting in UK primary care following the COVID-19 pandemic: a mixed-methods longitudinal study. <i>British Journal of General Practice</i> , 2021 , 71, e166-e177	1.6	76
217	Using alternatives to face-to-face consultations: a survey of prevalence and attitudes in general practice. <i>British Journal of General Practice</i> , 2016 , 66, e460-6	1.6	73
216	Are people with chronic diseases interested in using telehealth? A cross-sectional postal survey. <i>Journal of Medical Internet Research</i> , 2014 , 16, e123	7.6	70
215	The impact of different models of specialist palliative care on patients' quality of life: a systematic literature review. <i>Palliative Medicine</i> , 1999 , 13, 3-17	5.5	67
214	Is fast access to general practice all that should matter? A discrete choice experiment of patients' preferences. <i>Journal of Health Services Research and Policy</i> , 2008 , 13 Suppl 2, 3-10	2.4	64
213	How do people choose their doctor?. <i>BMJ: British Medical Journal</i> , 1989 , 299, 608-10		64
212	Health needs and service use of parlour-based prostitutes compared with street-based prostitutes: a cross-sectional survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007 , 114, 875-81	3.7	60
211	The content of general practice consultations: cross-sectional study based on video recordings. <i>British Journal of General Practice</i> , 2013 , 63, e751-9	1.6	59

210	A Core Outcome Set for Multimorbidity Research (COSmm). <i>Annals of Family Medicine</i> , 2018 , 16, 132-138.	9	58
209	How should continuity of care in primary health care be assessed?. <i>British Journal of General Practice</i> , 2009 , 59, e134-41	1.6	58
208	Temporal trends in use of tests in UK primary care, 2000-15: retrospective analysis of 250 million tests. <i>BMJ, The</i> , 2018 , 363, k4666	5.9	55
207	Use of a primary care online consultation system, by whom, when and why: evaluation of a pilot observational study in 36 general practices in South West England. <i>BMJ Open</i> , 2017 , 7, e016901	3	53
206	Development and validation of the Multimorbidity Treatment Burden Questionnaire (MTBQ). <i>BMJ Open</i> , 2018 , 8, e019413	3	53
205	A health needs assessment of street-based prostitutes: cross-sectional survey. <i>Journal of Public Health</i> , 2004 , 26, 147-51	3.5	50
204	Evaluation of a general practitioner with special interest service for dermatology: randomised controlled trial. <i>BMJ, The</i> , 2005 , 331, 1441-6	5.9	50
203	Systematic techniques for assisting recruitment to trials (START): study protocol for embedded, randomized controlled trials. <i>Trials</i> , 2014 , 15, 407	2.8	49
202	Implications of comorbidity for primary care costs in the UK: a retrospective observational study. <i>British Journal of General Practice</i> , 2013 , 63, e274-82	1.6	49
201	Patient and carer preference for, and satisfaction with, specialist models of palliative care: a systematic literature review. <i>Palliative Medicine</i> , 1999 , 13, 197-216	5.5	49
200	Comparing the cost of nurse practitioners and GPs in primary care: modelling economic data from randomised trials. <i>British Journal of General Practice</i> , 2006 , 56, 530-5	1.6	49
199	Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. <i>Lancet Psychiatry, the</i> , 2016 , 3, 515-25	23.3	48
198	Use of an electronic consultation system in primary care: a qualitative interview study. <i>British Journal of General Practice</i> , 2018 , 68, e1-e8	1.6	48
197	Alternatives to the face-to-face consultation in general practice: focused ethnographic case study. <i>British Journal of General Practice</i> , 2018 , 68, e293-e300	1.6	47
196	Two sides of the coin—the value of personal continuity to GPs: a qualitative interview study. <i>Family Practice</i> , 2006 , 23, 461-8	1.9	47
195	Economic evaluation of a general practitioner with special interests led dermatology service in primary care. <i>BMJ, The</i> , 2005 , 331, 1444-9	5.9	47
194	TElehealth in CHronic disease: mixed-methods study to develop the TECH conceptual model for intervention design and evaluation. <i>BMJ Open</i> , 2015 , 5, e006448	3	45
193	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, f43	5.9	45

192	The impact of co-located NHS walk-in centres on emergency departments. <i>Emergency Medicine Journal</i> , 2007 , 24, 265-9	1.5	45
191	Self-reported experiences of health services among female street-based prostitutes: a cross-sectional survey. <i>British Journal of General Practice</i> , 2004 , 54, 515-9	1.6	45
190	Roles and identities in transition: boundaries of work and inter-professional relationships at the interface between telehealth and primary care. <i>Health and Social Care in the Community</i> , 2013 , 21, 606-13	3.6	44
189	Practitioners' views on managing childhood obesity in primary care: a qualitative study. <i>British Journal of General Practice</i> , 2009 , 59, 856-62	1.6	44
188	Prevalence, correlates, and outcomes of multimorbidity among patients attending primary care in Odisha, India. <i>Annals of Family Medicine</i> , 2015 , 13, 446-50	2.9	43
187	Partner notification of chlamydia infection in primary care: randomised controlled trial and analysis of resource use. <i>BMJ, The</i> , 2006 , 332, 14-9	5.9	43
186	An observational study comparing quality of care in walk-in centres with general practice and NHS Direct using standardised patients. <i>BMJ, The</i> , 2002 , 324, 1556	5.9	43
185	What is the role of walk-in centres in the NHS?. <i>BMJ, The</i> , 2002 , 324, 399-402	5.9	43
184	A pragmatic randomised controlled trial of the effectiveness and cost-effectiveness of PhysioDirect telephone assessment and advice services for physiotherapy. <i>Health Technology Assessment</i> , 2013 , 17, 1-157, v-vi	4.4	43
183	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. <i>BMJ Open</i> , 2017 , 7, e013816	3	42
182	Preferences for aspects of a dermatology consultation. <i>British Journal of Dermatology</i> , 2006 , 155, 387-92	4	42
181	Impact of NHS walk-in centres on the workload of other local healthcare providers: time series analysis. <i>BMJ, The</i> , 2003 , 326, 532	5.9	42
180	Telehealth for patients at high risk of cardiovascular disease: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2016 , 353, i2647	5.9	41
179	Parents' views and experiences of childhood obesity management in primary care: a qualitative study. <i>Family Practice</i> , 2012 , 29, 476-81	1.9	40
178	Emergency admissions for coronary heart disease: a cross-sectional study of general practice, population and hospital factors in England. <i>Public Health</i> , 2011 , 125, 46-54	4	39
177	Demand for and supply of out of hours care from general practitioners in England and Scotland: observational study based on routinely collected data. <i>BMJ: British Medical Journal</i> , 2000 , 320, 618-21		39
176	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). <i>Health Technology Assessment</i> , 2015 , 19, 1-212, vii-viii	4.4	39
175	Implementing online consultations in primary care: a mixed-method evaluation extending normalisation process theory through service co-production. <i>BMJ Open</i> , 2018 , 8, e019966	3	38

174	Keep it simple? Predicting primary health care costs with clinical morbidity measures. <i>Journal of Health Economics</i> , 2014 , 35, 109-22	3.5	37
173	Patient-doctor depth-of-relationship scale: development and validation. <i>Annals of Family Medicine</i> , 2011 , 9, 538-45	2.9	37
172	Vulvovaginal-swab or first-catch urine specimen to detect Chlamydia trachomatis in women in a community setting?. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 4389-94	9.7	37
171	The demand for out-of-hours care from GPs: a review. <i>Family Practice</i> , 2000 , 17, 340-7	1.9	36
170	Developing a standard short questionnaire for the assessment of patient satisfaction with out-of-hours primary care. <i>Family Practice</i> , 2005 , 22, 560-9	1.9	35
169	Emergency respiratory admissions: influence of practice, population and hospital factors. <i>Journal of Health Services Research and Policy</i> , 2011 , 16, 133-40	2.4	34
168	The chlamydia screening studies: rationale and design. <i>Sexually Transmitted Infections</i> , 2004 , 80, 342-8	2.8	34
167	Opportunistic and systematic screening for chlamydia: a study of consultations by young adults in general practice. <i>British Journal of General Practice</i> , 2006 , 56, 99-103	1.6	34
166	Impact of Advanced Access on access, workload, and continuity: controlled before-and-after and simulated-patient study. <i>British Journal of General Practice</i> , 2007 , 57, 608-14	1.6	33
165	Does Advanced Access improve access to primary health care? Questionnaire survey of patients. <i>British Journal of General Practice</i> , 2007 , 57, 615-21	1.6	33
164	The potential of alternatives to face-to-face consultation in general practice, and the impact on different patient groups: a mixed-methods case study. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-200	1.5	33
163	Telehealth interventions for primary prevention of cardiovascular disease: a systematic review and meta-analysis. <i>Preventive Medicine</i> , 2014 , 64, 88-95	4.3	32
162	The One in a Million Study: creating a database of UK primary care consultations. <i>British Journal of General Practice</i> , 2017 , 67, e345-e351	1.6	32
161	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. <i>BMJ Open</i> , 2017 , 7, e015853	3	32
160	Improving recruitment to a study of telehealth management for long-term conditions in primary care: two embedded, randomised controlled trials of optimised patient information materials. <i>Trials</i> , 2015 , 16, 309	2.8	32
159	Who does not participate in telehealth trials and why? A cross-sectional survey. <i>Trials</i> , 2015 , 16, 258	2.8	32
158	How to design and evaluate interventions to improve outcomes for patients with multimorbidity. <i>Journal of Comorbidity</i> , 2013 , 3, 10-17	4	32
157	Questionnaire survey of users of NHS walk-in centres: observational study. <i>British Journal of General Practice</i> , 2002 , 52, 554-60	1.6	32

156	The Impact of Digital-First Consultations on Workload in General Practice: Modeling Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18203	7.6	32
155	Group cognitive behavioural therapy for women with depression: pilot and feasibility study for a randomised controlled trial using mixed methods. <i>BMC Psychiatry</i> , 2011 , 11, 82	4.2	31
154	The multiplicity and interdependency of factors influencing the health of street-based sex workers: a qualitative study. <i>Sexually Transmitted Infections</i> , 2008 , 84, 381-5	2.8	30
153	Predictive value of inflammatory markers for cancer diagnosis in primary care: a prospective cohort study using electronic health records. <i>British Journal of Cancer</i> , 2019 , 120, 1045-1051	8.7	29
152	Flaking off the suit: Engaging the community in primary health care decision-making. <i>Health Expectations</i> , 2006 , 9, 70-80	3.7	29
151	Predictors of complementary therapy use among asthma patients: results of a primary care survey. <i>Health and Social Care in the Community</i> , 2008 , 16, 155-64	2.6	28
150	Effectiveness and cost-effectiveness of a telehealth intervention to support the management of long-term conditions: study protocol for two linked randomized controlled trials. <i>Trials</i> , 2014 , 15, 36	2.8	27
149	Development and Validation of a Questionnaire to Assess Multimorbidity in Primary Care: An Indian Experience. <i>BioMed Research International</i> , 2016 , 2016, 6582487	3	27
148	Policy makers' Perceptions on the use of evidence from evaluations. <i>Evidence and Policy</i> , 2011 , 7, 429-447.1	4.1	26
147	Improving the management of multimorbidity in general practice: protocol of a cluster randomised controlled trial (The 3D Study). <i>BMJ Open</i> , 2016 , 6, e011261	3	26
146	Conducting a team-based multi-sited focused ethnography in primary care. <i>BMC Medical Research Methodology</i> , 2017 , 17, 139	4.7	25
145	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. <i>Annals of Family Medicine</i> , 2017 , 15, 570-577	2.9	25
144	Comparing care at walk-in centres and at accident and emergency departments: an exploration of patient choice, preference and satisfaction. <i>Emergency Medicine Journal</i> , 2007 , 24, 260-4	1.5	25
143	Walk-in centres in primary care: a review of the international literature. <i>British Journal of General Practice</i> , 2003 , 53, 53-9	1.6	25
142	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. <i>Annals of Family Medicine</i> , 2017 , 15, 515-522	2.9	24
141	Continued prescribing of inappropriate drugs in general practice. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1995 , 20, 199-205	2.2	24
140	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016 , 66, e214-8	1.6	24
139	Protocol for a process evaluation of a cluster randomised controlled trial to improve management of multimorbidity in general practice: the 3D study. <i>BMJ Open</i> , 2016 , 6, e011260	3	23

138	Evaluation of a general practice out of hours cooperative: a questionnaire survey of general practitioners. <i>BMJ: British Medical Journal</i> , 1997 , 314, 1598-9		23
137	Real-time quantitative PCR to determine chlamydial load in men and women in a community setting. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 1824-9	9.7	22
136	Observational study of a general practice out of hours cooperative: measures of activity. <i>BMJ: British Medical Journal</i> , 1997 , 314, 182-6		22
135	Implications of multimorbidity patterns on health care utilisation and quality of life in middle-income countries: cross-sectional analysis. <i>Journal of Global Health</i> , 2019 , 9, 020413	4.3	20
134	Depth of the patient-doctor relationship and content of general practice consultations: cross-sectional study. <i>British Journal of General Practice</i> , 2015 , 65, e545-51	1.6	19
133	Factors associated with consultation rates in general practice in England, 2013-2014: a cross-sectional study. <i>British Journal of General Practice</i> , 2018 , 68, e370-e377	1.6	19
132	Patient-level and practice-level factors associated with consultation duration: a cross-sectional analysis of over one million consultations in English primary care. <i>BMJ Open</i> , 2017 , 7, e018261	3	19
131	The evidence for and against PhysioDirect telephone assessment and advice services. <i>Physiotherapy</i> , 2011 , 97, 78-82	3	19
130	Prioritizing ambulatory care sensitive hospital admissions in England for research and intervention: a Delphi exercise. <i>Primary Health Care Research and Development</i> , 2010 , 11, 41	1.6	19
129	Impact of same-day appointments on patient satisfaction with general practice appointment systems. <i>British Journal of General Practice</i> , 2008 , 58, 641-3	1.6	19
128	Maximising responses to discrete choice experiments: a randomised trial. <i>Applied Health Economics and Health Policy</i> , 2006 , 5, 249-60	3.4	19
127	Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2015 , 16, 47	2.6	18
126	Why do GPs leave direct patient care and what might help to retain them? A qualitative study of GPs in South West England. <i>BMJ Open</i> , 2018 , 8, e019849	3	18
125	Improving access to primary care: eight case studies of introducing Advanced Access in England. <i>Journal of Health Services Research and Policy</i> , 2008 , 13, 33-9	2.4	18
124	Perceptions of patient expectation for an antibiotic: a comparison of walk-in centre nurses and GPs. <i>Family Practice</i> , 2004 , 21, 492-9	1.9	18
123	CRP fishing really inflammatory marker testing in primary care: a qualitative study. <i>British Journal of General Practice</i> , 2016 , 66, e200-6	1.6	18
122	The acceptability to patients of PhysioDirect telephone assessment and advice services; a qualitative interview study. <i>BMC Health Services Research</i> , 2016 , 16, 104	2.9	17
121	The risk of cancer in primary care patients with hypercalcaemia: a cohort study using electronic records. <i>British Journal of Cancer</i> , 2014 , 111, 1410-2	8.7	17

120	Reconfiguring the emergency and urgent care workforce: mixed methods study of skills and the everyday work of non-clinical call-handlers in the NHS. <i>Journal of Health Services Research and Policy</i> , 2012 , 17, 233-40	2.4	17
119	One stop shop versus collaborative integration: what is the best way of delivering sexual health services?. <i>Sexually Transmitted Infections</i> , 2006 , 82, 202-6	2.8	17
118	Implementation of Advanced Access in general practice: postal survey of practices. <i>British Journal of General Practice</i> , 2006 , 56, 918-23	1.6	17
117	Patient-doctor continuity and diagnosis of cancer: electronic medical records study in general practice. <i>British Journal of General Practice</i> , 2015 , 65, e305-11	1.6	16
116	The provision of Same-day care in general practice: an observational study. <i>Family Practice</i> , 2003 , 20, 41-7	1.9	15
115	Cost-effectiveness of telehealth for patients with depression: evidence from the Healthlines randomised controlled trial. <i>BJPsych Open</i> , 2016 , 2, 262-269	5	15
114	Cost-effectiveness of telehealth for patients with raised cardiovascular disease risk: evidence from the Healthlines randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012352	3	14
113	Identification, description and appraisal of generic PROMs for primary care: a systematic review. <i>BMC Family Practice</i> , 2018 , 19, 41	2.6	14
112	The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems (ESTEEM). <i>Trials</i> , 2013 , 14, 4	2.8	14
111	STEMS pilot trial: a pilot cluster randomised controlled trial to investigate the addition of patient direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain. <i>BMJ Open</i> , 2017 , 7, e012987	3	14
110	PhysioDirect telephone assessment and advice services for physiotherapy: protocol for a pragmatic randomised controlled trial. <i>BMC Health Services Research</i> , 2009 , 9, 136	2.9	14
109	Can implementation failure or intervention failure explain the result of the 3D multimorbidity trial in general practice: mixed-methods process evaluation. <i>BMJ Open</i> , 2019 , 9, e031438	3	14
108	Developing quality indicators for community services: the case of district nursing. <i>Quality in Primary Care</i> , 2011 , 19, 155-66		14
107	Patient and practitioners views on the most important outcomes arising from primary care consultations: a qualitative study. <i>BMC Family Practice</i> , 2015 , 16, 108	2.6	13
106	Systematic review of interventions to reduce illicit drug use in female drug-dependent street sex workers. <i>BMJ Open</i> , 2015 , 5, e009238	3	13
105	Being Human: A Qualitative Interview Study Exploring Why a Telehealth Intervention for Management of Chronic Conditions Had a Modest Effect. <i>Journal of Medical Internet Research</i> , 2016 , 18, e163	7.6	13
104	The impact of a named GP scheme on continuity of care and emergency hospital admission: a cohort study among older patients in England, 2012-2016. <i>BMJ Open</i> , 2019 , 9, e029103	3	13
103	Added value and cascade effects of inflammatory marker tests in UK primary care: a cohort study from the Clinical Practice Research Datalink. <i>British Journal of General Practice</i> , 2019 , 69, e470-e478	1.6	12

102	Do depressed and anxious men do groups? What works and what are the barriers to help seeking?. <i>Primary Health Care Research and Development</i> , 2014 , 15, 287-301	1.6	12
101	Overcoming clinical inertia in the management of hypertension. <i>Cmaj</i> , 2006 , 174, 1285-6	3.5	12
100	What do other local providers think of NHS walk-in centres? Results of a postal survey. <i>Public Health</i> , 2005 , 119, 39-44	4	12
99	Do children with non-malignant life-threatening conditions receive effective palliative care? A pragmatic evaluation of a local service. <i>Palliative Medicine</i> , 2002 , 16, 410-6	5.5	12
98	Use of multiple inflammatory marker tests in primary care: using Clinical Practice Research Datalink to evaluate accuracy. <i>British Journal of General Practice</i> , 2019 , 69, e462-e469	1.6	11
97	Qualitative assessment of the primary care outcomes questionnaire: a cognitive interview study. <i>BMC Health Services Research</i> , 2018 , 18, 79	2.9	11
96	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. <i>Emergency Medicine Journal</i> , 2016 , 33, 702-8	1.5	11
95	A pragmatic randomised controlled trial of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems: economic evaluation. <i>BMJ Open</i> , 2013 , 3, e003406 ³		11
94	Assessing palliative care is difficult 2000 , 320, 942-942		11
93	Relational continuity and patients' perception of GP trust and respect: a qualitative study. <i>British Journal of General Practice</i> , 2020 , 70, e676-e683	1.6	11
92	Building the House of Care for people with long-term conditions: the foundation of the House of Care framework. <i>British Journal of General Practice</i> , 2016 , 66, e288-90	1.6	11
91	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , 2018 , 16, 229	11.4	11
90	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. <i>BMJ Open</i> , 2018 , 8, e019845	3	11
89	Better value primary care is needed now more than ever. <i>BMJ, The</i> , 2017 , 359, j4944	5.9	10
88	Cost-effectiveness modelling of telehealth for patients with raised cardiovascular disease risk: evidence from a cohort simulation conducted alongside the Healthlines randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012355	3	10
87	Agreeing the content of a patient-reported outcome measure for primary care: a Delphi consensus study. <i>Health Expectations</i> , 2017 , 20, 335-348	3.7	10
86	Can the outcome of primary care be measured by a Patient Reported Outcome Measure?. <i>British Journal of General Practice</i> , 2014 , 64, 647-8	1.6	10
85	Private Video Consultation Services and the Future of Primary Care. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19415	7.6	10

84	Providing a palliative care service: towards an evidence base 1999 ,		10
83	General practitioners and emergency departments (GPED)-efficient models of care: a mixed-methods study protocol. <i>BMJ Open</i> , 2018 , 8, e024012	3	10
82	What do tests do for doctors? A qualitative study of blood testing in UK primary care. <i>Family Practice</i> , 2017 , 34, 735-739	1.9	9
81	Primary Care Outcomes Questionnaire: psychometric testing of a new instrument. <i>British Journal of General Practice</i> , 2018 , 68, e433-e440	1.6	9
80	Increasing follow-up questionnaire response rates in a randomized controlled trial of telehealth for depression: three embedded controlled studies. <i>Trials</i> , 2016 , 17, 107	2.8	9
79	Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. <i>BMC Family Practice</i> , 2014 , 15, 105	2.6	9
78	Socio-economic position and childhood multimorbidity: a study using linkage between the Avon Longitudinal Study of Parents and Children and the General Practice Research Database. <i>International Journal for Equity in Health</i> , 2013 , 12, 66	4.6	9
77	Using electronic health records to quantify and stratify the severity of type 2 diabetes in primary care in England: rationale and cohort study design. <i>BMJ Open</i> , 2018 , 8, e020926	3	9
76	Do walk-in centres for commuters work? A mixed methods evaluation. <i>British Journal of General Practice</i> , 2009 , 59, e383-9	1.6	8
75	Original Paper: Barriers and facilitators to the implementation of evidence-based medicine in general practice: a qualitative study. <i>European Journal of General Practice</i> , 1999 , 5, 66-70	2.8	8
74	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-238	1.5	8
73	Identifying possible reasons why female street sex workers have poor drug treatment outcomes: a qualitative study. <i>BMJ Open</i> , 2017 , 7, e013018	3	7
72	A computer template to enhance patient-centredness in multimorbidity reviews: a qualitative evaluation in primary care. <i>British Journal of General Practice</i> , 2018 , 68, e495-e504	1.6	7
71	Validation of an improved area-based method of calculating general practice-level deprivation. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 746-51	5.7	7
70	Enhanced enzyme immunoassay with negative-gray-zone testing compared to a single nucleic Acid amplification technique for community-based chlamydial screening of men. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2065-9	9.7	7
69	The implementation of remote consulting in UK primary care following the COVID-19 pandemic: a mixed-methods longitudinal study		7
68	The contribution of depressive disorder characteristics to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021 , 51, 1068-1081	6.9	7
67	Directly Acting Oral Anticoagulants for the Prevention of Stroke in Atrial Fibrillation in England and Wales: Cost-Effectiveness Model and Value of Information Analysis. <i>MDM Policy and Practice</i> , 2019 , 4, 2381468319866828	1.5	6

66	Patient consultation rate and clinical and NHS outcomes: a cross-sectional analysis of English primary care data from 2.7 million patients in 238 practices. <i>BMC Health Services Research</i> , 2019 , 19, 219 ^{2.9}	2.9	6
65	ReceptionistsRole in new approaches to consultations in primary care: a focused ethnographic study. <i>British Journal of General Practice</i> , 2018 , 68, e478-e486	1.6	6
64	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. <i>BMJ Quality and Safety</i> , 2015 , 24, 572-82	5.4	6
63	User satisfaction with commuter walk-in centres. <i>British Journal of General Practice</i> , 2009 , 59, e390-3	1.6	6
62	Patient group directions for antibiotic supply in Walk-in Centres: how legal are they?. <i>British Journal of Community Nursing</i> , 2003 , 8, 209-13	0.6	6
61	Research into practice: accessing primary care. <i>British Journal of General Practice</i> , 2015 , 65, e864-8	1.6	5
60	Access to urgent health care. <i>Emergency Medicine Journal</i> , 2010 , 27, 186-8	1.5	5
59	Under one roof? A population-based survey of patient use and preference for sexual health services. <i>Primary Health Care Research and Development</i> , 2009 , 10, 223	1.6	5
58	Detection of patient psychological distress and longitudinal patient-doctor relationships: a cross-sectional study. <i>British Journal of General Practice</i> , 2012 , 62, e167-73	1.6	5
57	Patient perspectives on telephone triage in general practice - authorsReply. <i>Lancet, The</i> , 2015 , 385, 688 ⁴⁰	4.0	4
56	Cost-effectiveness of a patient-centred approach to managing multimorbidity in primary care: a pragmatic cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e030110	3	4
55	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10-2012/2013: a longitudinal study. <i>BMC Health Services Research</i> , 2017 , 17, 546	2.9	4
54	A pilot cluster randomised controlled trial to investigate the addition of direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain: the STEMS pilot trial protocol (ISRCTN23378642). <i>Pilot and Feasibility Studies</i> , 2015 , 1, 26	1.9	4
53	A multimedia intervention to enhance recruitment to clinical trials in primary care and community settings: process of development and evaluation. <i>Trials</i> , 2013 , 14, P90	2.8	4
52	Urgent care and the patient. <i>Emergency Medicine Journal</i> , 2010 , 27, 181-2	1.5	4
51	Measuring quality in community nursing: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-132	1.5	4
50	Maintaining face-to-face contact during the COVID-19 pandemic: a longitudinal qualitative investigation in UK primary care. <i>BJGP Open</i> , 2021 , 5,	3.1	4
49	Reorganisation of general practice: be careful what you wish for. <i>British Journal of General Practice</i> , 2019 , 69, 517-518	1.6	4

48	Patient understanding of two commonly used patient reported outcome measures for primary care: a cognitive interview study. <i>BMC Family Practice</i> , 2018 , 19, 162	2.6	4
47	Identifying policies and strategies for general practitioner retention in direct patient care in the United Kingdom: a RAND/UCLA appropriateness method panel study. <i>BMC Family Practice</i> , 2019 , 20, 130	2.6	3
46	Assessing the severity of Type 2 diabetes using clinical data-based measures: a systematic review. <i>Diabetic Medicine</i> , 2019 , 36, 688-701	3.5	3
45	Health services changes: is a run-in period necessary before evaluation in randomised clinical trials?. <i>Trials</i> , 2014 , 15, 41	2.8	3
44	RCGP Research Paper of the Year 2013. <i>British Journal of General Practice</i> , 2014 , 64, 584	1.6	3
43	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1391	10.3	3
42	Comparing sensitivity to change of two patient-reported outcome measures in a randomised trial of patients referred for physiotherapy services. <i>Trials</i> , 2013 , 14, O50	2.8	3
41	Making the most of evaluation: a mixed methods study in the English NHS. <i>Journal of Health Services Research and Policy</i> , 2011 , 16, 218-25	2.4	3
40	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-288	1.5	3
39	Measuring the complexity of general practice consultations: a Delphi and cross-sectional study in English primary care. <i>British Journal of General Practice</i> , 2021 , 71, e423-e431	1.6	3
38	Is continuity of primary care declining in England? Practice-level longitudinal study from 2012 to 2017. <i>British Journal of General Practice</i> , 2021 , 71, e432-e440	1.6	3
37	Can continuity of primary care decrease emergency care use? A nested case-control study. <i>Lancet, The</i> , 2016 , 388, S13	4.0	3
36	Research Study Protocol: Using health information systems to address patients concerns in general practice: the COAC Intervention development and feasibility study		3
35	Designing health care for the people who need it: James Mackenzie Lecture 2018. <i>British Journal of General Practice</i> , 2019 , 69, 458-459	1.6	2
34	Development and validation of the Diabetes Severity SCOrE (DISSCO) in 139 626 individuals with type 2 diabetes: a retrospective cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	2
33	Lessons from evaluation of the NHS white paper Our Health, Our Care, Our Say. <i>British Journal of General Practice</i> , 2011 , 61, e766-71	1.6	2
32	The Society for Academic Primary Care: Position Statement April 2011. <i>Primary Health Care Research and Development</i> , 2011 , 12, 183-184	1.6	2
31	Bias in chlamydia prevalence surveys. <i>Lancet, The</i> , 2003 , 362, 1157-8	4.0	2

30	The Impact of Digital-First Consultations on Workload in General Practice: Modeling Study (Preprint)		2
29	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-468	1.5	2
28	Changes in presentations with features potentially indicating cancer in primary care during the COVID-19 pandemic: a retrospective cohort study. <i>BMJ Open</i> , 2021 , 11, e050131	3	2
27	Continuous, risk-based, consultation peer review in out-of-hours general practice: a qualitative interview study of the benefits and limitations. <i>British Journal of General Practice</i> , 2021 , 71, e797-e805	1.6	2
26	Factors influencing streaming to General Practitioners in emergency departments: A qualitative study. <i>International Journal of Nursing Studies</i> , 2021 , 120, 103980	5.8	2
25	Can we achieve better recruitment by providing better information? Meta-analysis of RCTs within a trial (SWATs) of optimised participant information sheets. <i>BMC Medicine</i> , 2021 , 19, 218	11.4	2
24	Does a general practitioner support unit reduce admissions following medical referrals from general practitioners?. <i>Quality in Primary Care</i> , 2011 , 19, 23-33		2
23	Is the future of general practice safe for patients?. <i>British Journal of General Practice</i> , 2019 , 69, 257-258	1.6	1
22	Can paramedics use FRAX (the WHO Fracture Risk Assessment Tool) to help GPs improve future fracture risk in patients who fall? Protocol for a randomised controlled feasibility study. <i>BMJ Open</i> , 2014 , 4, e005744	3	1
21	RCGP Research Paper of the Year 2014: partnership with patients is an important theme in primary care research. <i>British Journal of General Practice</i> , 2015 , 65, 595	1.6	1
20	Managing multimorbidity in primary care. <i>InnovAiT</i> , 2014 , 7, 691-700	0	1
19	The impact of Advanced Access on antibiotic prescribing: a controlled before and after study. <i>Family Practice</i> , 2010 , 27, 554-5	1.9	1
18	Screening for chlamydia. <i>Lancet, The</i> , 2005 , 365, 1539-40	40	1
17	Evaluation of a general practitioner with special interest service for dermatology: randomised controlled trial		1
16	Potential impacts of general practitioners working in or alongside emergency departments in England: initial qualitative findings from a national mixed-methods evaluation. <i>BMJ Open</i> , 2021 , 11, e045453	3	1
15	Workforce predictive risk modelling: development of a model to identify general practices at risk of a supply-demand imbalance. <i>BMJ Open</i> , 2020 , 10, e027934	3	1
14	The development and validation of a prognostic model to PREDICT Relapse of depression in adult patients in primary care: protocol for the PREDICTR study. <i>Diagnostic and Prognostic Research</i> , 2021 , 5, 12	5.5	1
13	The person-based development and realist evaluation of a pre-consultation form for GP consultations. <i>NIHR Open Research</i> , 2021 , 2, 19		1

12	The person-based development and realist evaluation of a summary report for GP consultations. <i>NIHR Open Research</i> , 2, 20		1
11	The consultation open and close study: A feasibility study of a complex intervention. <i>NIHR Open Research</i> , 2, 29		1
10	Does health and social care provision for the community dwelling older population help to reduce unplanned secondary care, support timely discharge and improve patient well-being? A mixed method meta-review of systematic reviews. <i>F1000Research</i> , 2020, 9, 857	3.6	0
9	Danish validation of the Multimorbidity Treatment Burden Questionnaire (MTBQ) and findings from a population health survey: a mixed-methods study. <i>BMJ Open</i> , 2022, 12, e055276	3	0
8	How do they measure up? Differences in stakeholder perceptions of quality measures used in English community nursing. <i>Journal of Health Services Research and Policy</i> , 2020, 25, 142-150	2.4	0
7	Multimorbidity and patient-centred care in the 3D trial - AuthorsReply. <i>Lancet, The</i> , 2019, 393, 129	4.0	
6	Royal College of General Practitioners Research Paper of the Year 2012. <i>British Journal of General Practice</i> , 2013, 63, 426-7	1.6	
5	Effect of Financial Incentives on Incentivized and Nonincentivized Clinical Activities: Longitudinal Analysis of Data From the UK Quality and Outcomes Framework. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 677-679	2.4	
4	Raised inflammatory markers as a predictor of one-year mortality: a cohort study in primary care in the UK using electronic health record data. <i>BMJ Open</i> , 2020, 10, e036027	3	
3	Raised inflammatory markers as a predictor of one-year mortality: a cohort study in primary care in the UK using electronic health record data. <i>BMJ Open</i> , 2020, 10, e036027	3	
2	A framework of models of out-of-hours general practice care 2018, 32-42		
1	AuthorsResponse. <i>British Journal of General Practice</i> , 2019, 69, 490	1.6	