Joao B Sousa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4492056/publications.pdf

Version: 2024-02-01

| 140 | 1,953 citations | 304743 22 h-index | 35 g-index |
|-----------------|-----------------------|-------------------------|---------------------|
| papers | Citations | II-IIIuex | g-maex |
| 140 all docs | 140 docs citations | 140 times ranked | 1913 citing authors |

| # | Article | IF | CITATIONS |
|----|---|---------------------|---------------------------------|
| 1 | Observation of a Griffiths-like Phase in the Magnetocaloric CompoundTb5Si2Ge2. Physical Review Letters, 2006, 96, 167201. | 7.8 | 191 |
| 2 | Tunnel magnetoresistance and magnetic ordering in ion-beam sputtered Co80Fe20/Al2O3 discontinuous multilayers. Journal of Applied Physics, 2001, 90, 4044-4048. | 2.5 | 78 |
| 3 | Superspin-glass nature of discontinuousCo80Fe20/Al2O3multilayers. Physical Review B, 2002, 65, . | 3.2 | 75 |
| 4 | Nanoscale Topography: A Tool to Enhance Pore Order and Pore Size Distribution in Anodic Aluminum Oxide. Journal of Physical Chemistry C, 2011, 115, 8567-8572. | 3.1 | 48 |
| 5 | Exchange enhancement and thermal anneal in Mn76Ir24 bottom-pinned spin valves. Journal of Applied Physics, 2001, 89, 6904-6906. | 2.5 | 46 |
| 6 | Resonant Tunneling through Electronic Trapping States in Thin MgO Magnetic Junctions. Physical Review Letters, 2011, 106, 196601. | 7.8 | 45 |
| 7 | Griffiths-like phase of magnetocaloric <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mi>R</mml:mi><mml:mn>5</mml:mn></mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:ms< td=""><td>sub3.2mml:</td><td>:mr��v><mral:< td=""></mral:<></td></mml:ms<></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:mrow></mml:math> | sub 3. 2mml: | :mr��v> <mral:< td=""></mral:<> |
| 8 | Optical characterisation of anatase: a comparative study of the bulk crystal and the polycrystalline thin film. Thin Solid Films, 2001, 401, 216-224. | 1.8 | 40 |
| 9 | Anomalous behavior of the electrical resistivity in the giant magnetocaloric compoundGd5(Si0.1Ge0.9)4. Physical Review B, 2003, 67, . | 3.2 | 40 |
| 10 | Electroforming, magnetic and resistive switching in MgO-based tunnel junctions. Journal Physics D: Applied Physics, 2009, 42, 105407. | 2.8 | 35 |
| 11 | Training effect in specular spin valves. Physical Review B, 2008, 77, . | 3.2 | 32 |
| 12 | Electromigration in thin tunnel junctions with ferromagnetic/nonmagnetic electrodes: Nanoconstrictions, local heating, and direct and wind forces. Physical Review B, 2005, 72, . | 3.2 | 31 |
| 13 | Transport properties of discontinuous Co/sub 80/Fe/sub 20/Al/sub 2/O/sub 3/ multilayers, prepared by ion beam sputtering. IEEE Transactions on Magnetics, 1999, 35, 2895-2897. | 2.1 | 30 |
| 14 | Domain imaging, MOKE and magnetoresistance studies of CoFeB films for MRAM applications. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2006, 126, 180-186. | 3 . 5 | 29 |
| 15 | Nanopore formation and growth in phosphoric acid Al anodization. Journal of Non-Crystalline Solids, 2008, 354, 5238-5240. | 3.1 | 29 |
| 16 | Cole-Cole Analysis of the Superspin Glass System Co 80 Fe 20 /Al 2 O 3. Phase Transitions, 2003, 76, 367-375. | 1.3 | 27 |
| 17 | The role of dipolar interactions in magnetic nanoparticles: Ferromagnetic resonance in discontinuous magnetic multilayers. Journal of Applied Physics, 2007, 101, 103907. | 2.5 | 27 |
| 18 | Versatile, high sensitivity, and automatized angular dependent vectorial Kerr magnetometer for the analysis of nanostructured materials. Review of Scientific Instruments, 2011, 82, 043902. | 1.3 | 26 |

| # | Article | IF | CITATIONS |
|----|--|--------------------|-----------------------|
| 19 | Resistive switching in nanostructured thin films. Applied Physics Letters, 2009, 94, . | 3.3 | 25 |
| 20 | Influence of co-evaporation technique on the structural and magnetic properties of CoCu granular films. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 29-30. | 2.3 | 23 |
| 21 | Discontinuous transition effects in manganites: magnetization study in the paramagnetic phase. Journal of Magnetism and Magnetic Materials, 2002, 242-245, 655-658. | 2.3 | 23 |
| 22 | Tailoring the physical properties of thin nanohole arrays grown on flat anodic aluminum oxide templates. Nanotechnology, 2012, 23, 425701. | 2.6 | 23 |
| 23 | Tricritical points in La-based ferromagnetic manganites. Journal of Applied Physics, 2003, 93, 7646-7648. | 2.5 | 22 |
| 24 | Pinholes and temperature-dependent transport properties of MgO magnetic tunnel junctions. Physical Review B, 2008, 78, . | 3.2 | 22 |
| 25 | Blocking temperature in exchange coupled MnPtâ^•CoFe bilayers and synthetic antiferromagnets. Journal of Applied Physics, 2005, 97, 10K110. | 2.5 | 21 |
| 26 | Structural and magnetic properties of <pre>cmml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <pre>cmml:mrow> <pre>cmml:msub> <pre>cmml:mrow> <pre>cmml:mtext>Ho</pre>/mml:mtext></pre>/mml:mrow> <pre>cmml:mn> Physical Review B, 2008, 77, .</pre></pre></pre></pre> | 5< ≱n2 ml:n | ın> 2 ‡mml:msu |
| 27 | Insights into the role of magnetoelastic anisotropy in the magnetization reorientation of magnetic nanowires. Physical Review B, 2011, 84, . | 3.2 | 21 |
| 28 | Unveiling the (De)coupling of magnetostructural transition nature in magnetocaloric R5Si2Ge2 (R = Tb | ,) Tj.ETQq | 0 0 0 rgBT /Ov |
| 29 | Anomalous magnetoresistance behavior of CoFe nano-oxide spin valves at low temperatures. Journal of Applied Physics, 2003, 93, 7690-7692. | 2.5 | 19 |
| 30 | Peculiar magnetic and electrical properties near structural percolation in metal-insulator granular layers. Journal of Applied Physics, 2004, 96, 3861-3864. | 2.5 | 19 |
| 31 | The effect of pinhole formation/growth on the tunnel magnetoresistance of MgO-based magnetic tunnel junctions. Journal of Applied Physics, 2009, 106, 073707. | 2.5 | 19 |
| 32 | Magnetic relaxation phenomena in the superspin-glass system [Co80Fe20/Al2O3]10. Journal of Physics Condensed Matter, 2002, 14, 6729-6736. | 1.8 | 18 |
| 33 | Thermopower behavior in the Gd5(Si0.1Ge0.9)4 magnetocaloric compound from 4 to 300 K. Journal of Applied Physics, 2002, 91, 4457-4460. | 2.5 | 18 |
| 34 | Distribution of blocking temperatures in nano-oxide layers of specular spin valves. Journal of Applied Physics, 2007, 101, 113901. | 2.5 | 18 |
| 35 | Understanding the role played by Fe on the tuning of magnetocaloric effect in Tb5Si2Ge2. Applied Physics Letters, 2011, 98, . | 3.3 | 18 |
| 36 | Characterization of electrodeposited Ni and Ni80Fe20 nanowires. Journal of Non-Crystalline Solids, 2008, 354, 5241-5243. | 3.1 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Delocalized versus localized magnetization reversal in template-grown Ni and nanowires. Journal of Magnetism and Magnetic Materials, 2010, 322, 1319-1322. | 2.3 | 17 |
| 38 | Evidence of spin-polarized direct elastic tunneling and onset of superparamagnetism in MgO magnetic tunnel junctions. Physical Review B, 2010, 81 , . | 3.2 | 17 |
| 39 | Exchange bias of MnPt/CoFe films prepared by ion beam deposition. Journal of Applied Physics, 2004, 95, 6317-6321. | 2.5 | 16 |
| 40 | Three-state memory combining resistive and magnetic switching using tunnel junctions. Journal Physics D: Applied Physics, 2007, 40, 5819-5823. | 2.8 | 16 |
| 41 | Influence of surface pre-treatment in the room temperature fabrication of nanoporous alumina. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 3488-3491. | 0.8 | 16 |
| 42 | Comparative study of magnetoresistance and magnetization in nano-oxide specular and nonspecular MnIr/CoFe/Cu/CoFe spin valves from 10 to 300 K. Journal of Applied Physics, 2002, 91, 5321-5324. | 2.5 | 15 |
| 43 | Exchange coupling of bilayers and synthetic antiferromagnets pinned to MnPt. European Physical Journal B, 2005, 45, 207-212. | 1.5 | 15 |
| 44 | Interlayer dipolar interactions in multilayered granular films. Journal of Applied Physics, 2005, 97, 10A723. | 2.5 | 15 |
| 45 | Structural, magnetic and transport properties of ion beam deposited Co thin films. Journal of Non-Crystalline Solids, 2008, 354, 5279-5281. | 3.1 | 15 |
| 46 | Tunneling processes in thin MgO magnetic junctions. Applied Physics Letters, 2010, 96, 262506. | 3.3 | 15 |
| 47 | Exchange biased CoFeB-MgO tunnel junctions at the onset of perpendicular anisotropy with in-plane/out-of-plane sensing capabilities. Journal of Applied Physics, 2012, 111, . | 2.5 | 15 |
| 48 | GMR in co-evaporated Coî—,Ag granular thin films. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 40-42. | 2.3 | 14 |
| 49 | Superspin Glass Behavior of Interacting Ferromagnetic Nanoparticles in Discontinuous Magnetic Multilayers. Phase Transitions, 2002, 75, 73-79. | 1.3 | 14 |
| 50 | Low-field magnetization study of CoFe–Al2O3 multilayers. Journal of Magnetism and Magnetic Materials, 2003, 266, 57-61. | 2.3 | 14 |
| 51 | Impact of the magnetism of nano-oxide layers on the GMR effect in specular spin valves. Journal of Magnetism and Magnetic Materials, 2004, 272-276, 1892-1894. | 2.3 | 14 |
| 52 | Multi-step and anomalous reproducible behaviour of the electrical resistivity near the first-order magnetostructural transition of Gd5(Si0.1Ge0.9)4. Journal of Physics Condensed Matter, 2005, 17, 2461-2476. | 1.8 | 13 |
| 53 | Competing spin-dependent conductance channels in underoxidized tunnel junctions. Applied Physics Letters, 2007, 90, 032501. | 3.3 | 13 |
| 54 | Interlayer Coupling and Magnetoresistance of MnIr-Based Spin Valves: Dependencies on Deposition Rate, Spacer Thickness, and Temperature. IEEE Transactions on Magnetics, 2007, 43, 3143-3145. | 2.1 | 13 |

| # | Article | IF | Citations |
|----|---|--------------------|----------------------|
| 55 | Ruderman–Kittel–Kasuyama–Yoshida and Néel contributions to the interlayer coupling of MnIr-based spin valves: Influence of deposition rate, roughness and spacer thickness. Journal of Applied Physics, 2008, 103, . | 2.5 | 13 |
| 56 | Magnetic and crystal structure of Ho5(SixGe1 \hat{a} °x)4studied by neutron diffraction. Physical Review B, 2009, 80, . | 3.2 | 13 |
| 57 | Magnetoresistance and phase analysis in splat-cooled Feî—,Cu granular alloys. Solid State Communications, 1996, 100, 639-644. | 1.9 | 12 |
| 58 | Evidence of surface anisotropy in magnetic nanoparticles. Journal of Magnetism and Magnetic Materials, 2006, 300, e331-e334. | 2.3 | 12 |
| 59 | Pinholes in thin low resistance MgO-based magnetic tunnel junctions probed by temperature dependent transport measurements. Journal of Applied Physics, 2008, 103, 07A909. | 2.5 | 12 |
| 60 | Study of Nanostructured Array of Antidots Using Pulsed Magnetic Fields. Journal of Low Temperature Physics, 2010, 159, 245-248. | 1.4 | 12 |
| 61 | Magnetic properties of coarse-grained and nanocrystalline Fe–Cr–Sn alloys. Journal of Alloys and Compounds, 2000, 308, 49-55. | 5.5 | 11 |
| 62 | Magnetic states of discontinuous Co80Fe20–Al2O3 multilayers. Journal of Magnetism and Magnetic Materials, 2002, 240, 433-435. | 2.3 | 11 |
| 63 | Thermopower and electrical resistivity behavior near the martensitic transition in Gd5(SixGe1â^x)4 magnetocaloric compounds. Journal of Magnetism and Magnetic Materials, 2005, 290-291, 661-664. | 2.3 | 11 |
| 64 | Nanogranular BaTiO3–CoFe2O4 thin films deposited by pulsed laser ablation. Journal of Applied Physics, 2007, 101, 09M101. | 2.5 | 11 |
| 65 | Design, fabrication, and wafer level testing of (NiFe/Cu)/sub xn/ dual stripe GMR sensors. IEEE Transactions on Magnetics, 1997, 33, 2905-2907. | 2.1 | 10 |
| 66 | Nanoscopic processes of current-induced switching in thin tunnel junctions. IEEE Nanotechnology Magazine, 2006, 5, 142-148. | 2.0 | 10 |
| 67 | Control of hysteretic behavior in flux concentrators. Applied Physics Letters, 2009, 94, . | 3.3 | 10 |
| 68 | Linear field amplification for magnetoresistive sensors. Journal of Applied Physics, 2008, 103, 103914. | 2.5 | 9 |
| 69 | Soft Thin Films for Flux Concentrators. IEEE Transactions on Magnetics, 2009, 45, 168-171. | 2.1 | 9 |
| 70 | Ferromagnetic proximity effect in <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>a</mml:mi><mml:msub><mml:mrow><mml:mtext>-Co</mml:mtext><td>ทกฬ:2nrow</td><td>><9nml:mi>x</td></mml:mrow></mml:msub></mml:mrow></mml:math> | ท กฬ:2 nrow | >< 9 nml:mi>x |
| 71 | Electron scattering processes in Ho5(SixGe1 \hat{a} °x)4compounds: Electrical resistivity studies. Physical Review B, 2011, 83, . | 3.2 | 9 |
| 72 | A user-friendly PC program for evaluation of Mössbauer spectra. Measurement Science and Technology, 1997, 8, 941-946. | 2.6 | 8 |

| # | Article | lF | Citations |
|----|--|-----------|----------------|
| 73 | Magnetic states of granular layered CoFe-Al/sub 2/O/sub 3/ system. IEEE Transactions on Magnetics, 2001, 37, 2200-2203. | 2.1 | 8 |
| 74 | Hyperfine Fields at the Cd Site in La0.67Cd0.25MnO3 CMR Manganites. Hyperfine Interactions, 2001, 133, 89-94. | 0.5 | 8 |
| 75 | Transport properties near the magneto/structural transition of Tb5Si2Ge2. Journal of Non-Crystalline Solids, 2008, 354, 5298-5300. | 3.1 | 8 |
| 76 | Probing atomic rearrangement events in resistive switching nanostructures. Applied Physics Letters, 2010, 96, 043505. | 3.3 | 8 |
| 77 | Electrode band structure effects in thin MgO magnetic tunnel junctions. Applied Physics Letters, 2012, 100, . | 3.3 | 8 |
| 78 | Lowâ€ŧemperature behavior of thermopower in rareâ€earth iron boridesR2Fe14B (R=Nd, Sm, Gd, Tb, Dy, Ho,) Tj | ЕТОдО 0 (| O rgBT /Overlo |
| 79 | GMR in high fluence ion implanted granular thin films. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 13-17. | 2.3 | 7 |
| 80 | Influence of conduction electrons and dipolar interactions on the susceptibility of granular materials. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 112-114. | 2.3 | 7 |
| 81 | Structural imperfection, phase transitions, and the properties of magnetoresistive ceramic and films of La0.66Mn1.23V0.11(c)O2.842â^'V0.16(a). Low Temperature Physics, 2004, 30, 299-304. | 0.6 | 7 |
| 82 | Spin-dependent two-level resistance fluctuations in underoxidized tunnel junctions. Journal of Applied Physics, 2006, 99, 08T301. | 2.5 | 7 |
| 83 | Simulations of refrigeration on integrated circuits using micro-channels. Journal of Non-Crystalline Solids, 2008, 354, 5295-5297. | 3.1 | 7 |
| 84 | Collective dynamics and ferromagnetic order in random planar arrays of magnetic granules. Journal of Applied Physics, 2008, 103, 07B723. | 2.5 | 7 |
| 85 | Magnetic field strength and orientation effects on Co-Fe discontinuous multilayers close to percolation. Physical Review B, 2010, 82, . | 3.2 | 7 |
| 86 | Anomalous behaviour of the electrical resistivity of Y2Fe14B. Journal of Physics Condensed Matter, 1991, 3, 4119-4123. | 1.8 | 6 |
| 87 | Phonon-assisted sd electron scattering in Fe/Cr multilayers. Journal of Magnetism and Magnetic Materials, 1996, 157-158, 730-732. | 2.3 | 6 |
| 88 | Bicrystalline magnetic lateral superlattices. Journal of Magnetism and Magnetic Materials, 1996, 163, 1-4. | 2.3 | 6 |
| 89 | The effect of substrate bias on the properties of NiO/NiFe and NiO/CoFe exchange biased spin-valve sensors. IEEE Transactions on Magnetics, 1998, 34, 3772-3777. | 2.1 | 6 |
| 90 | Giant magneto-resistive granular films grown by laser ablation. Journal of Materials Processing Technology, 1999, 92-93, 534-538. | 6.3 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|--------------|-----------|
| 91 | Current-in-plane transport in granular single layers and multilayers of CoFe in Al2O3. Journal of Magnetism and Magnetic Materials, 2003, 266, 62-67. | 2.3 | 6 |
| 92 | Structural and magnetic study of self- doped La1â^'xâ^'yCaxÃ~yMno3. Journal of Magnetism and Magnetic Materials, 2004, 272-276, 1753-1755. | 2.3 | 6 |
| 93 | Transport and magnetic properties of the Er5Si4 compound. Journal of Alloys and Compounds, 2006, 423, 66-68. | 5 . 5 | 6 |
| 94 | Influence of Pinholes on MgO-Tunnel Junction Barrier Parameters Obtained from Current–Voltage Characteristics. Journal of Nanoscience and Nanotechnology, 2010, 10, 2731-2734. | 0.9 | 6 |
| 95 | Magnetization density in. Journal of Physics Condensed Matter, 1998, 10, 4071-4079. | 1.8 | 5 |
| 96 | Low temperature resistivity studies of Fe–Cr–Sn alloys in alpha and sigma phases. Journal of Alloys and Compounds, 2000, 297, 15-20. | 5 . 5 | 5 |
| 97 | Complex magnetic phase behavior in Gd-rich Gd-Y single crystal alloys. IEEE Transactions on Magnetics, 2001, 37, 2166-2168. | 2.1 | 5 |
| 98 | Magnetic phase behavior for Gd-rich Gd–Y. Journal of Applied Physics, 2003, 93, 8349-8351. | 2.5 | 5 |
| 99 | Effect of rare earth ion in the thermopower of compounds with and R=Gd and Tb. Journal of Magnetism and Magnetic Materials, 2007, 310, e580-e582. | 2.3 | 5 |
| 100 | Magnetic and transport properties of diluted granular multilayers. Journal of Applied Physics, 2009, 106, 113910. | 2.5 | 5 |
| 101 | Local structure in CoFe/Al2O3 multilayers determined by nuclear magnetic resonance. Journal of Magnetism and Magnetic Materials, 2002, 242-245, 943-945. | 2.3 | 4 |
| 102 | Influence of the domain structure of nano-oxide layers on the transport properties of specular spin valves. Journal of Applied Physics, 2007, 101, 09E502. | 2.5 | 4 |
| 103 | Preparation of compounds using RF-induction. Journal of Non-Crystalline Solids, 2008, 354, 5292-5294. | 3.1 | 4 |
| 104 | High Sensitivity Spin Valve Sensors With AF Coupled Flux Guides. IEEE Transactions on Magnetics, 2008, 44, 2472-2474. | 2.1 | 4 |
| 105 | Helimagnetism and field-induced phases in random Gd64Sc36single crystals. Journal of Physics Condensed Matter, 1999, 11, 7115-7124. | 1.8 | 3 |
| 106 | Magnetoresistivity and magnetic phase diagram of Nd2Ni2Sn ternary stannide. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 710-711. | 2.3 | 3 |
| 107 | Magnetic and transport properties of U2Pt2In single crystals. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 885-887. | 2.3 | 3 |
| 108 | Relaxation phenomena in current-induced switching in thin magnetic tunnel junctions. Journal of Magnetism and Magnetic Materials, 2005, 290-291, 1067-1070. | 2.3 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Asymmetric electromigration-driven resistive switching in tunnel junctions. Journal of Non-Crystalline Solids, 2008, 354, 5272-5274. | 3.1 | 3 |
| 110 | A method to investigate the electron scattering characteristics of ultrathin metallic films by in situ electrical resistance measurements. Review of Scientific Instruments, 2009, 80, 073909. | 1.3 | 3 |
| 111 | Magnetization processes in rectangular versus rhombic planar superlattices of magnetic bars. Physical Review B, 2011, 84, . | 3.2 | 3 |
| 112 | Magnetic Behavior of High Density Arrays of Co Bars with Strong Magnetostatic Coupling. Journal of Nanoscience and Nanotechnology, 2012, 12, 7510-7515. | 0.9 | 3 |
| 113 | Anomalous electrical resistivity in metallic multilayer systems and interfacial structural changes. Journal of Magnetism and Magnetic Materials, 1996, 156, 357-358. | 2.3 | 2 |
| 114 | s—d Electron scattering as a sensitive probe to study Fe/Cr multilayer structural differences (MBE/sputtered samples). Journal of Magnetism and Magnetic Materials, 1996, 156, 399-401. | 2.3 | 2 |
| 115 | Transport and magneto-transport properties of U2Ni2Sn. Journal of Magnetism and Magnetic Materials, 1996, 157-158, 698-699. | 2.3 | 2 |
| 116 | Magnetic and transport properties of amorphous Gdâ€"V films. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 251-252. | 2.3 | 2 |
| 117 | Peculiar CIP transport in CoFe/Al2O3 granular layered films across a micro-gap. Journal of Magnetism and Magnetic Materials, 2002, 242-245, 485-488. | 2.3 | 2 |
| 118 | Unusual critical behavior of the electrical resistivity near the first-order magnetostructural transition of Gd5(Si0.1Ge0.9)4. Journal of Magnetism and Magnetic Materials, 2004, 272-276, 2370-2372. | 2.3 | 2 |
| 119 | Anomalous magnetoresistance near the spin reorientation transition of dilute Gd–Y single crystals. Journal of Magnetism and Magnetic Materials, 2004, 272-276, E491-E492. | 2.3 | 2 |
| 120 | Thermopower in specular spin valves. Journal of Alloys and Compounds, 2006, 423, 240-243. | 5.5 | 2 |
| 121 | Temperature dependence of transport properties and exchange field of NiMn based spin valves. Journal of Magnetism and Magnetic Materials, 2007, 316, e973-e976. | 2.3 | 2 |
| 122 | Structural characterization of MnNi and MnPt antiferromagnetic materials for spintronic applications. Journal of Non-Crystalline Solids, 2008, 354, 5275-5278. | 3.1 | 2 |
| 123 | Electron scattering characteristics of polycrystalline metal transition films by in-situ electrical resistance measurements. Journal of Magnetism and Magnetic Materials, 2009, 321, 2494-2498. | 2.3 | 2 |
| 124 | Influence of Micro-Channel Shape and Magnetic Material on the Magneto-Refrigeration Process of Integrated Circuits. Journal of Nanoscience and Nanotechnology, 2010, 10, 2590-2593. | 0.9 | 2 |
| 125 | Magnetothermopower in antiferromagnetically coupled Coâ€Re superlattices. Journal of Applied Physics, 1994, 75, 6551-6553. | 2.5 | 1 |
| 126 | Temperature dependence of the electrical resistivity and magnetoresistance of Co/Au1 â^ Cu multilayers. Journal of Magnetism and Magnetic Materials, 1996, 157-158, 276-278. | 2.3 | 1 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Unusual slow magnetic relaxation on a SmCo2/GdCo2 domain wall junction at low temperature. Journal of Magnetism and Magnetic Materials, 1996, 161, 133-138. | 2.3 | 1 |
| 128 | Deposition of LaCaMnO3 thin films using aerosol-assisted metalorganic chemical vapor deposition (MOCVD) substrate and annealing effects. Journal of Magnetism and Magnetic Materials, 1999, 196-197, 490-492. | 2.3 | 1 |
| 129 | Electromigration-driven resistance switching in non-magnetic tunnel junctions. Journal of Alloys and Compounds, 2006, 423, 181-183. | 5.5 | 1 |
| 130 | Transport Properties of Low Resistance Underoxidized Magnetic Tunnel Junctions. IEEE Transactions on Magnetics, 2007, 43, 2815-2817. | 2.1 | 1 |
| 131 | Magnetic characterization of MnPt/CoFe bilayers using the MOKE technique. Vacuum, 2008, 82, 1486-1488. | 3.5 | 1 |
| 132 | Magnetic and transport studies of if -phase Fe50V50 alloys with different thermal history. Journal of Non-Crystalline Solids, 2008, 354, 5287-5289. | 3.1 | 1 |
| 133 | Ferro I phase and gadolinium. Physical Review B, 2009, 79, . | 3.2 | 1 |
| 134 | Highly Ordered Hexagonal Arrays of TiO2 Nanotubes. Microscopy and Microanalysis, 2015, 21, 5-6. | 0.4 | 1 |
| 135 | Electron–gamma perturbed angular correlation studies on high-TC superconductors. , 2000, 129, 461-473. | | 0 |
| 136 | Magnetic tuning of Fermi level for tunnel spintronics devices. Applied Physics Letters, 2005, 87, 062504. | 3.3 | 0 |
| 137 | Ferromagnetic/mictomagnetic transitions in Fe rich Fe1â^'xAlx alloys: A magnetoresistivity study. Journal of Alloys and Compounds, 2006, 423, 84-86. | 5.5 | 0 |
| 138 | Spin-dependent migration-conduction model for ultra-thin magnetic tunnel junctions. Journal of Magnetism and Magnetic Materials, 2007, 316, e957-e959. | 2.3 | 0 |
| 139 | Quantum effects in atomically perfect specular spin valve structures. Journal of Physics Condensed Matter, 2008, 20, 365205. | 1.8 | 0 |
| 140 | Magnetic properties of amorphous Co0.74Si0.26â^•Si multilayers with different numbers of periods. Low Temperature Physics, 2010, 36, 821-825. | 0.6 | 0 |