

# Rub n A Toscano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4493178/publications.pdf>

Version: 2024-02-01

393  
papers

5,347  
citations

136885

32  
h-index

197736

49  
g-index

443  
all docs

443  
docs citations

443  
times ranked

4969  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regiodivergent synthesis of vinyl trifluoromethanesulfonates $\hat{3}/\hat{1}$ lactones: Via 1,6 addition/intramolecular one-pot annulation of 1,4-dihydropyridines derivated from pyridinyl propenones. <i>Tetrahedron Letters</i> , 2022, 88, 153591.	0.7	1
2	9-Trifluoromethylxanthenediols: Synthesis and Supramolecular Motifs. <i>ACS Omega</i> , 2022, 7, 13520-13528.	1.6	0
3	Indanone-Based Copper(II) Molecular Materials as Potential Semiconductors for Optoelectronic Devices. <i>European Journal of Inorganic Chemistry</i> , 2022, 2022, .	1.0	1
4	Ruthenium complex based on [N,N,O] tridentate -2-ferrocenyl-2-thiazoline ligand for catalytic transfer hydrogenation. <i>Journal of Organometallic Chemistry</i> , 2021, 932, 121630.	0.8	2
5	Tailoring the cavities of hydrogen-bonded amphidynamic crystals using weak contacts: towards faster molecular machines. <i>Chemical Science</i> , 2021, 12, 2181-2188.	3.7	13
6	Expected and Unexpected Products in Half Curcuminoid Synthesis: Crystal Structures of But-3-en-2-ones and 3-Methylcyclohex-2-enones. <i>Crystals</i> , 2021, 11, 404.	1.0	0
7	One-pot synthesis of dihydropyridine carboxylic acids via functionalization of 3-((trimethylsilyl)ethynyl)pyridines and an unusual hydration of alkynes: Molecular docking and antifungal activity. <i>Tetrahedron</i> , 2021, 86, 132086.	1.0	4
8	New cyclolignans of <i>Larrea tridentata</i> and their antibacterial and cytotoxic activities. <i>Phytochemistry Letters</i> , 2021, 43, 212-218.	0.6	6
9	Effect of the nO $\hat{1}$ $\hat{2}$ $\hat{3}$ $\hat{4}$ $\hat{5}$ $\hat{6}$ $\hat{7}$ $\hat{8}$ $\hat{9}$ $\hat{10}$ $\hat{11}$ $\hat{12}$ $\hat{13}$ $\hat{14}$ $\hat{15}$ $\hat{16}$ $\hat{17}$ $\hat{18}$ $\hat{19}$ $\hat{20}$ $\hat{21}$ $\hat{22}$ $\hat{23}$ $\hat{24}$ $\hat{25}$ $\hat{26}$ $\hat{27}$ $\hat{28}$ $\hat{29}$ $\hat{30}$ $\hat{31}$ $\hat{32}$ $\hat{33}$ $\hat{34}$ $\hat{35}$ $\hat{36}$ $\hat{37}$ $\hat{38}$ $\hat{39}$ $\hat{40}$ $\hat{41}$ $\hat{42}$ $\hat{43}$ $\hat{44}$ $\hat{45}$ $\hat{46}$ $\hat{47}$ $\hat{48}$ $\hat{49}$ $\hat{50}$ $\hat{51}$ $\hat{52}$ $\hat{53}$ $\hat{54}$ $\hat{55}$ $\hat{56}$ $\hat{57}$ $\hat{58}$ $\hat{59}$ $\hat{60}$ $\hat{61}$ $\hat{62}$ $\hat{63}$ $\hat{64}$ $\hat{65}$ $\hat{66}$ $\hat{67}$ $\hat{68}$ $\hat{69}$ $\hat{70}$ $\hat{71}$ $\hat{72}$ $\hat{73}$ $\hat{74}$ $\hat{75}$ $\hat{76}$ $\hat{77}$ $\hat{78}$ $\hat{79}$ $\hat{80}$ $\hat{81}$ $\hat{82}$ $\hat{83}$ $\hat{84}$ $\hat{85}$ $\hat{86}$ $\hat{87}$ $\hat{88}$ $\hat{89}$ $\hat{90}$ $\hat{91}$ $\hat{92}$ $\hat{93}$ $\hat{94}$ $\hat{95}$ $\hat{96}$ $\hat{97}$ $\hat{98}$ $\hat{99}$ $\hat{100}$ $\hat{101}$ $\hat{102}$ $\hat{103}$ $\hat{104}$ $\hat{105}$ $\hat{106}$ $\hat{107}$ $\hat{108}$ $\hat{109}$ $\hat{110}$ $\hat{111}$ $\hat{112}$ $\hat{113}$ $\hat{114}$ $\hat{115}$ $\hat{116}$ $\hat{117}$ $\hat{118}$ $\hat{119}$ $\hat{120}$ $\hat{121}$ $\hat{122}$ $\hat{123}$ $\hat{124}$ $\hat{125}$ $\hat{126}$ $\hat{127}$ $\hat{128}$ $\hat{129}$ $\hat{130}$ $\hat{131}$ $\hat{132}$ $\hat{133}$ $\hat{134}$ $\hat{135}$ $\hat{136}$ $\hat{137}$ $\hat{138}$ $\hat{139}$ $\hat{140}$ $\hat{141}$ $\hat{142}$ $\hat{143}$ $\hat{144}$ $\hat{145}$ $\hat{146}$ $\hat{147}$ $\hat{148}$ $\hat{149}$ $\hat{150}$ $\hat{151}$ $\hat{152}$ $\hat{153}$ $\hat{154}$ $\hat{155}$ $\hat{156}$ $\hat{157}$ $\hat{158}$ $\hat{159}$ $\hat{160}$ $\hat{161}$ $\hat{162}$ $\hat{163}$ $\hat{164}$ $\hat{165}$ $\hat{166}$ $\hat{167}$ $\hat{168}$ $\hat{169}$ $\hat{170}$ $\hat{171}$ $\hat{172}$ $\hat{173}$ $\hat{174}$ $\hat{175}$ $\hat{176}$ $\hat{177}$ $\hat{178}$ $\hat{179}$ $\hat{180}$ $\hat{181}$ $\hat{182}$ $\hat{183}$ $\hat{184}$ $\hat{185}$ $\hat{186}$ $\hat{187}$ $\hat{188}$ $\hat{189}$ $\hat{190}$ $\hat{191}$ $\hat{192}$ $\hat{193}$ $\hat{194}$ $\hat{195}$ $\hat{196}$ $\hat{197}$ $\hat{198}$ $\hat{199}$ $\hat{200}$ $\hat{201}$ $\hat{202}$ $\hat{203}$ $\hat{204}$ $\hat{205}$ $\hat{206}$ $\hat{207}$ $\hat{208}$ $\hat{209}$ $\hat{210}$ $\hat{211}$ $\hat{212}$ $\hat{213}$ $\hat{214}$ $\hat{215}$ $\hat{216}$ $\hat{217}$ $\hat{218}$ $\hat{219}$ $\hat{220}$ $\hat{221}$ $\hat{222}$ $\hat{223}$ $\hat{224}$ $\hat{225}$ $\hat{226}$ $\hat{227}$ $\hat{228}$ $\hat{229}$ $\hat{230}$ $\hat{231}$ $\hat{232}$ $\hat{233}$ $\hat{234}$ $\hat{235}$ $\hat{236}$ $\hat{237}$ $\hat{238}$ $\hat{239}$ $\hat{240}$ $\hat{241}$ $\hat{242}$ $\hat{243}$ $\hat{244}$ $\hat{245}$ $\hat{246}$ $\hat{247}$ $\hat{248}$ $\hat{249}$ $\hat{250}$ $\hat{251}$ $\hat{252}$ $\hat{253}$ $\hat{254}$ $\hat{255}$ $\hat{256}$ $\hat{257}$ $\hat{258}$ $\hat{259}$ $\hat{260}$ $\hat{261}$ $\hat{262}$ $\hat{263}$ $\hat{264}$ $\hat{265}$ $\hat{266}$ $\hat{267}$ $\hat{268}$ $\hat{269}$ $\hat{270}$ $\hat{271}$ $\hat{272}$ $\hat{273}$ $\hat{274}$ $\hat{275}$ $\hat{276}$ $\hat{277}$ $\hat{278}$ $\hat{279}$ $\hat{280}$ $\hat{281}$ $\hat{282}$ $\hat{283}$ $\hat{284}$ $\hat{285}$ $\hat{286}$ $\hat{287}$ $\hat{288}$ $\hat{289}$ $\hat{290}$ $\hat{291}$ $\hat{292}$ $\hat{293}$ $\hat{294}$ $\hat{295}$ $\hat{296}$ $\hat{297}$ $\hat{298}$ $\hat{299}$ $\hat{300}$ $\hat{301}$ $\hat{302}$ $\hat{303}$ $\hat{304}$ $\hat{305}$ $\hat{306}$ $\hat{307}$ $\hat{308}$ $\hat{309}$ $\hat{310}$ $\hat{311}$ $\hat{312}$ $\hat{313}$ $\hat{314}$ $\hat{315}$ $\hat{316}$ $\hat{317}$ $\hat{318}$ $\hat{319}$ $\hat{320}$ $\hat{321}$ $\hat{322}$ $\hat{323}$ $\hat{324}$ $\hat{325}$ $\hat{326}$ $\hat{327}$ $\hat{328}$ $\hat{329}$ $\hat{330}$ $\hat{331}$ $\hat{332}$ $\hat{333}$ $\hat{334}$ $\hat{335}$ $\hat{336}$ $\hat{337}$ $\hat{338}$ $\hat{339}$ $\hat{340}$ $\hat{341}$ $\hat{342}$ $\hat{343}$ $\hat{344}$ $\hat{345}$ $\hat{346}$ $\hat{347}$ $\hat{348}$ $\hat{349}$ $\hat{350}$ $\hat{351}$ $\hat{352}$ $\hat{353}$ $\hat{354}$ $\hat{355}$ $\hat{356}$ $\hat{357}$ $\hat{358}$ $\hat{359}$ $\hat{360}$ $\hat{361}$ $\hat{362}$ $\hat{363}$ $\hat{364}$ $\hat{365}$ $\hat{366}$ $\hat{367}$ $\hat{368}$ $\hat{369}$ $\hat{370}$ $\hat{371}$ $\hat{372}$ $\hat{373}$ $\hat{374}$ $\hat{375}$ $\hat{376}$ $\hat{377}$ $\hat{378}$ $\hat{379}$ $\hat{380}$ $\hat{381}$ $\hat{382}$ $\hat{383}$ $\hat{384}$ $\hat{385}$ $\hat{386}$ $\hat{387}$ $\hat{388}$ $\hat{389}$ $\hat{390}$ $\hat{391}$ $\hat{392}$ $\hat{393}$ $\hat{394}$ $\hat{395}$ $\hat{396}$ $\hat{397}$ $\hat{398}$ $\hat{399}$ $\hat{400}$ $\hat{401}$ $\hat{402}$ $\hat{403}$ $\hat{404}$ $\hat{405}$ $\hat{406}$ $\hat{407}$ $\hat{408}$ $\hat{409}$ $\hat{410}$ $\hat{411}$ $\hat{412}$ $\hat{413}$ $\hat{414}$ $\hat{415}$ $\hat{416}$ $\hat{417}$ $\hat{418}$ $\hat{419}$ $\hat{420}$ $\hat{421}$ $\hat{422}$ $\hat{423}$ $\hat{424}$ $\hat{425}$ $\hat{426}$ $\hat{427}$ $\hat{428}$ $\hat{429}$ $\hat{430}$ $\hat{431}$ $\hat{432}$ $\hat{433}$ $\hat{434}$ $\hat{435}$ $\hat{436}$ $\hat{437}$ $\hat{438}$ $\hat{439}$ $\hat{440}$ $\hat{441}$ $\hat{442}$ $\hat{443}$ $\hat{444}$ $\hat{445}$ $\hat{446}$ $\hat{447}$ $\hat{448}$ $\hat{449}$ $\hat{450}$ $\hat{451}$ $\hat{452}$ $\hat{453}$ $\hat{454}$ $\hat{455}$ $\hat{456}$ $\hat{457}$ $\hat{458}$ $\hat{459}$ $\hat{460}$ $\hat{461}$ $\hat{462}$ $\hat{463}$ $\hat{464}$ $\hat{465}$ $\hat{466}$ $\hat{467}$ $\hat{468}$ $\hat{469}$ $\hat{470}$ $\hat{471}$ $\hat{472}$ $\hat{473}$ $\hat{474}$ $\hat{475}$ $\hat{476}$ $\hat{477}$ $\hat{478}$ $\hat{479}$ $\hat{480}$ $\hat{481}$ $\hat{482}$ $\hat{483}$ $\hat{484}$ $\hat{485}$ $\hat{486}$ $\hat{487}$ $\hat{488}$ $\hat{489}$ $\hat{490}$ $\hat{491}$ $\hat{492}$ $\hat{493}$ $\hat{494}$ $\hat{495}$ $\hat{496}$ $\hat{497}$ $\hat{498}$ $\hat{499}$ $\hat{500}$ $\hat{501}$ $\hat{502}$ $\hat{503}$ $\hat{504}$ $\hat{505}$ $\hat{506}$ $\hat{507}$ $\hat{508}$ $\hat{509}$ $\hat{510}$ $\hat{511}$ $\hat{512}$ $\hat{513}$ $\hat{514}$ $\hat{515}$ $\hat{516}$ $\hat{517}$ $\hat{518}$ $\hat{519}$ $\hat{520}$ $\hat{521}$ $\hat{522}$ $\hat{523}$ $\hat{524}$ $\hat{525}$ $\hat{526}$ $\hat{527}$ $\hat{528}$ $\hat{529}$ $\hat{530}$ $\hat{531}$ $\hat{532}$ $\hat{533}$ $\hat{534}$ $\hat{535}$ $\hat{536}$ $\hat{537}$ $\hat{538}$ $\hat{539}$ $\hat{540}$ $\hat{541}$ $\hat{542}$ $\hat{543}$ $\hat{544}$ $\hat{545}$ $\hat{546}$ $\hat{547}$ $\hat{548}$ $\hat{549}$ $\hat{550}$ $\hat{551}$ $\hat{552}$ $\hat{553}$ $\hat{554}$ $\hat{555}$ $\hat{556}$ $\hat{557}$ $\hat{558}$ $\hat{559}$ $\hat{560}$ $\hat{561}$ $\hat{562}$ $\hat{563}$ $\hat{564}$ $\hat{565}$ $\hat{566}$ $\hat{567}$ $\hat{568}$ $\hat{569}$ $\hat{570}$ $\hat{571}$ $\hat{572}$ $\hat{573}$ $\hat{574}$ $\hat{575}$ $\hat{576}$ $\hat{577}$ $\hat{578}$ $\hat{579}$ $\hat{580}$ $\hat{581}$ $\hat{582}$ $\hat{583}$ $\hat{584}$ $\hat{585}$ $\hat{586}$ $\hat{587}$ $\hat{588}$ $\hat{589}$ $\hat{590}$ $\hat{591}$ $\hat{592}$ $\hat{593}$ $\hat{594}$ $\hat{595}$ $\hat{596}$ $\hat{597}$ $\hat{598}$ $\hat{599}$ $\hat{600}$ $\hat{601}$ $\hat{602}$ $\hat{603}$ $\hat{604}$ $\hat{605}$ $\hat{606}$ $\hat{607}$ $\hat{608}$ $\hat{609}$ $\hat{610}$ $\hat{611}$ $\hat{612}$ $\hat{613}$ $\hat{614}$ $\hat{615}$ $\hat{616}$ $\hat{617}$ $\hat{618}$ $\hat{619}$ $\hat{620}$ $\hat{621}$ $\hat{622}$ $\hat{623}$ $\hat{624}$ $\hat{625}$ $\hat{626}$ $\hat{627}$ $\hat{628}$ $\hat{629}$ $\hat{630}$ $\hat{631}$ $\hat{632}$ $\hat{633}$ $\hat{634}$ $\hat{635}$ $\hat{636}$ $\hat{637}$ $\hat{638}$ $\hat{639}$ $\hat{640}$ $\hat{641}$ $\hat{642}$ $\hat{643}$ $\hat{644}$ $\hat{645}$ $\hat{646}$ $\hat{647}$ $\hat{648}$ $\hat{649}$ $\hat{650}$ $\hat{651}$ $\hat{652}$ $\hat{653}$ $\hat{654}$ $\hat{655}$ $\hat{656}$ $\hat{657}$ $\hat{658}$ $\hat{659}$ $\hat{660}$ $\hat{661}$ $\hat{662}$ $\hat{663}$ $\hat{664}$ $\hat{665}$ $\hat{666}$ $\hat{667}$ $\hat{668}$ $\hat{669}$ $\hat{670}$ $\hat{671}$ $\hat{672}$ $\hat{673}$ $\hat{674}$ $\hat{675}$ $\hat{676}$ $\hat{677}$ $\hat{678}$ $\hat{679}$ $\hat{680}$ $\hat{681}$ $\hat{682}$ $\hat{683}$ $\hat{684}$ $\hat{685}$ $\hat{686}$ $\hat{687}$ $\hat{688}$ $\hat{689}$ $\hat{690}$ $\hat{691}$ $\hat{692}$ $\hat{693}$ $\hat{694}$ $\hat{695}$ $\hat{696}$ $\hat{697}$ $\hat{698}$ $\hat{699}$ $\hat{700}$ $\hat{701}$ $\hat{702}$ $\hat{703}$ $\hat{704}$ $\hat{705}$ $\hat{706}$ $\hat{707}$ $\hat{708}$ $\hat{709}$ $\hat{710}$ $\hat{711}$ $\hat{712}$ $\hat{713}$ $\hat{714}$ $\hat{715}$ $\hat{716}$ $\hat{717}$ $\hat{718}$ $\hat{719}$ $\hat{720}$ $\hat{721}$ $\hat{722}$ $\hat{723}$ $\hat{724}$ $\hat{725}$ $\hat{726}$ $\hat{727}$ $\hat{728}$ $\hat{729}$ $\hat{730}$ $\hat{731}$ $\hat{732}$ $\hat{733}$ $\hat{734}$ $\hat{735}$ $\hat{736}$ $\hat{737}$ $\hat{738}$ $\hat{739}$ $\hat{740}$ $\hat{741}$ $\hat{742}$ $\hat{743}$ $\hat{744}$ $\hat{745}$ $\hat{746}$ $\hat{747}$ $\hat{748}$ $\hat{749}$ $\hat{750}$ $\hat{751}$ $\hat{752}$ $\hat{753}$ $\hat{754}$ $\hat{755}$ $\hat{756}$ $\hat{757}$ $\hat{758}$ $\hat{759}$ $\hat{760}$ $\hat{761}$ $\hat{762}$ $\hat{763}$ $\hat{764}$ $\hat{765}$ $\hat{766}$ $\hat{767}$ $\hat{768}$ $\hat{769}$ $\hat{770}$ $\hat{771}$ $\hat{772}$ $\hat{773}$ $\hat{774}$ $\hat{775}$ $\hat{776}$ $\hat{777}$ $\hat{778}$ $\hat{779}$ $\hat{780}$ $\hat{781}$ $\hat{782}$ $\hat{783}$ $\hat{784}$ $\hat{785}$ $\hat{786}$ $\hat{787}$ $\hat{788}$ $\hat{789}$ $\hat{790}$ $\hat{791}$ $\hat{792}$ $\hat{793}$ $\hat{794}$ $\hat{795}$ $\hat{796}$ $\hat{797}$ $\hat{798}$ $\hat{799}$ $\hat{800}$ $\hat{801}$ $\hat{802}$ $\hat{803}$ $\hat{804}$ $\hat{805}$ $\hat{806}$ $\hat{807}$ $\hat{808}$ $\hat{809}$ $\hat{810}$ $\hat{811}$ $\hat{812}$ $\hat{813}$ $\hat{814}$ $\hat{815}$ $\hat{816}$ $\hat{817}$ $\hat{818}$ $\hat{819}$ $\hat{820}$ $\hat{821}$ $\hat{822}$ $\hat{823}$ $\hat{824}$ $\hat{825}$ $\hat{826}$ $\hat{827}$ $\hat{828}$ $\hat{829}$ $\hat{830}$ $\hat{831}$ $\hat{832}$ $\hat{833}$ $\hat{834}$ $\hat{835}$ $\hat{836}$ $\hat{837}$ $\hat{838}$ $\hat{839}$ $\hat{840}$ $\hat{841}$ $\hat{842}$ $\hat{843}$ $\hat{844}$ $\hat{845}$ $\hat{846}$ $\hat{847}$ $\hat{848}$ $\hat{849}$ $\hat{850}$ $\hat{851}$ $\hat{852}$ $\hat{853}$ $\hat{854}$ $\hat{855}$ $\hat{856}$ $\hat{857}$ $\hat{858}$ $\hat{859}$ $\hat{860}$ $\hat{861}$ $\hat{862}$ $\hat{863}$ $\hat{864}$ $\hat{865}$ $\hat{866}$ $\hat{867}$ $\hat{868}$ $\hat{869}$ $\hat{870}$ $\hat{871}$ $\hat{872}$ $\hat{873}$ $\hat{874}$ $\hat{875}$ $\hat{876}$ $\hat{877}$ $\hat{878}$ $\hat{879}$ $\hat{880}$ $\hat{881}$ $\hat{882}$ $\hat{883}$ $\hat{884}$ $\hat{885}$ $\hat{886}$ $\hat{887}$ $\hat{888}$ $\hat{889}$ $\hat{890}$ $\hat{891}$ $\hat{892}$ $\hat{893}$ $\hat{894}$ $\hat{895}$ $\hat{896}$ $\hat{897}$ $\hat{898}$ $\hat{899}$ $\hat{900}$ $\hat{901}$ $\hat{902}$ $\hat{903}$ $\hat{904}$ $\hat{905}$ $\hat{906}$ $\hat{907}$ $\hat{908}$ $\hat{909}$ $\hat{910}$ $\hat{911}$ $\hat{912}$ $\hat{913}$ $\hat{914}$ $\hat{915}$ $\hat{916}$ $\hat{917}$ $\hat{918}$ $\hat{919}$ $\hat{920}$ $\hat{921}$ $\hat{922}$ $\hat{923}$ $\hat{924}$ $\hat{925}$ $\hat{926}$ $\hat{927}$ $\hat{928}$ $\hat{929}$ $\hat{930}$ $\hat{931}$ $\hat{932}$ $\hat{933}$ $\hat{934}$ $\hat{935}$ $\hat{936}$ $\hat{937}$ $\hat{938}$ $\hat{939}$ $\hat{940}$ $\hat{941}$ $\hat{942}$ $\hat{943}$ $\hat{944}$ $\hat{945}$ $\hat{946}$ $\hat{947}$ $\hat{948}$ $\hat{949}$ $\hat{950}$ $\hat{951}$ $\hat{952}$ $\hat{953}$ $\hat{954}$ $\hat{955}$ $\hat{956}$ $\hat{957}$ $\hat{958}$ $\hat{959}$ $\hat{960}$ $\hat{961}$ $\hat{962}$ $\hat{963}$ $\hat{964}$ $\hat{965}$ $\hat{966}$ $\hat{967}$ $\hat{968}$ $\hat{969}$ $\hat{970}$ $\hat{971}$ $\hat{972}$ $\hat{973}$ $\hat{974}$ $\hat{975}$ $\hat{976}$ $\hat{977}$ $\hat{978}$ $\hat{979}$ $\hat{980}$ $\hat{981}$ $\hat{982}$ $\hat{983}$ $\hat{984}$ $\hat{985}$ $\hat{986}$ $\hat{987}$ $\hat{988}$ $\hat{989}$ $\hat{990}$ $\hat{991}$ $\hat{992}$ $\hat{993}$ $\hat{994}$ $\hat{995}$ $\hat{996}$ $\hat{997}$ $\hat{998}$ $\hat{999}$ $\hat{1000}$ $\hat{1001}$ $\hat{1002}$ $\hat{1003}$ $\hat{1004}$ $\hat{1005}$ $\hat{1006}$ $\hat{1007}$ $\hat{1008}$ $\hat{1009}$ $\hat{1010}$ $\hat{1011}$ $\hat{1012}$ $\hat{1013}$ $\hat{1014}$ $\hat{1015}$ $\hat{1016}$ $\hat{1017}$ $\hat{1018}$ $\hat{1019}$ $\hat{1020}$ $\hat{1021}$ $\hat{1022}$ $\hat{1023}$ $\hat{1024}$ $\hat{1025}$ $\hat{1026}$ $\hat{1027}$ $\hat{1028}$ $\hat{1029}$ $\hat{1030}$ $\hat{1031}$ $\hat{1032}$ $\hat{1033}$ $\hat{1034}$ $\hat{1035}$ $\hat{1036}$ $\hat{1037}$ $\hat{1038}$ $\hat{1039}$ $\hat{1040}$ $\hat{1041}$ $\hat{1042}$ $\hat{1043}$ $\hat{1044}$ $\hat{1045}$ $\hat{1046}$ $\hat{1$		

#	ARTICLE	IF	CITATIONS
19	Hydrogen-Bonded Crystalline Molecular Machines with Ultrafast Rotation and Displacive Phase Transitions. <i>Chemistry - A European Journal</i> , 2020, 26, 11727-11733.	1.7	13
20	Synthesis of Pd(II) complexes with P-N-OH ligands derived from 2-(diphenylphosphine)-benzaldehyde and various aminoalcohols and their catalytic evaluation on Suzuki-Miyaura couplings in aqueous media. <i>Inorganica Chimica Acta</i> , 2020, 504, 119460.	1.2	12
21	“Extended push-pull” azo-pyrrole photoswitches: synthesis, solvatochromism and optical band gaps. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 1657-1670.	1.5	22
22	Labdanes, Withanolides, and Other Constituents from <i>Physalis nicandroides</i> . <i>Journal of Natural Products</i> , 2019, 82, 2489-2500.	1.5	10
23	Thermosensitive Amphidynamic Molecular Machines: Motion at the Molecular and Macroscopic Scales. <i>Matter</i> , 2019, 1, 1033-1046.	5.0	81
24	Thiazole-based non-symmetric NNC-palladium pincer complexes as catalytic precursors for the Suzuki-Miyaura C-C coupling. <i>New Journal of Chemistry</i> , 2019, 43, 12967-12978.	1.4	3
25	Synthesis and Catalytic Applications of [N,N]-Pyrrole Ligands for the Regioselective Synthesis of Styrene Derivatives. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 4055-4064.	2.1	8
26	Structural Reassignment of (3Z,3R,6R,7R,3a,6a)-3,8-Dihydrodiligustilide and the Activity of Diligustilide and 3,8-Dihydro- and 3,8,7a,7a'-Tetrahydrodiligustilides as Progestins. <i>Organic Letters</i> , 2019, 21, 7460-7465.	2.4	4
27	Synthesis of 4,5,6,7-tetrahydrobenzoxazol-2-ones by a highly regioselective Diels-Alder cycloaddition of exo-oxazolidin-2-one dienes with chalcones. <i>Tetrahedron Letters</i> , 2019, 60, 1370-1374.	0.7	2
28	Origin of the isotropic motion in crystalline molecular rotors with carbazole stators. <i>Chemical Science</i> , 2019, 10, 4422-4429.	3.7	11
29	A New Family of Homoleptic Copper Complexes of Curcuminoids: Synthesis, Characterization and Biological Properties. <i>Molecules</i> , 2019, 24, 910.	1.7	14
30	Triggering the dynamics of a carbazole-p-[phenylene-diethynyl]-xylene rotor through a mechanically induced phase transition. <i>Chemical Communications</i> , 2019, 55, 14054-14057.	2.2	5
31	Amarisolide F, an Acylated Diterpenoid Glucoside and Related Terpenoids from <i>Salvia amarissima</i> . <i>Journal of Natural Products</i> , 2019, 82, 631-635.	1.5	15
32	Anticarcinogenic and metal chelation properties of novel hydroxybenzylidene-1-indanone derivatives in the U-251 glioblastoma cell line. <i>New Journal of Chemistry</i> , 2018, 42, 3878-3884.	1.4	7
33	Synthesis, characterization and catalytic evaluation of non-symmetric Pd(II)-POCOP pincer compounds derived from 2,4-Dihydroxyacetophenone. <i>Journal of Organometallic Chemistry</i> , 2018, 867, 155-160.	0.8	14
34	Synthesis and characterization of a Bio-MOF based on mixed adeninate/tricarboxylate ligands and zinc ions. <i>Inorganica Chimica Acta</i> , 2018, 469, 306-311.	1.2	15
35	B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> Promotes the catalytic activation of [N,S]-ferrocenyl nickel complexes in ethylene oligomerization. <i>Applied Catalysis A: General</i> , 2018, 550, 228-235.	2.2	8
36	Multifunctional Fischer Aminocarbene Complexes as Hole or Electron Transporting Layers in Organic Solar Cells. <i>Molecules</i> , 2018, 23, 751.	1.7	2

#	ARTICLE	IF	CITATIONS
37	Semiconducting, magnetic, luminescence properties and theoretical calculations of the tetra-azamacrocyclic compound: trans-Cr(cyclam)Cl <sub>2</sub> ]TCNQ. <i>Polyhedron</i> , 2018, 155, 209-217.	1.0	2
38	Preparative resolution of stable enantio-enriched POCOP-based planar chiral pincer complexes. <i>Journal of Organometallic Chemistry</i> , 2017, 845, 125-134.	0.8	9
39	NMR analysis and crystal structure of hydroxycyclohexanes from Mexican <i>Salvia</i> species. <i>Journal of Molecular Structure</i> , 2017, 1141, 157-162.	1.8	6
40	Chiral bidentate [N,S]-ferrocene ligands based on a thiazoline framework. Synthesis and use in palladium-catalyzed asymmetric allylic alkylation. <i>Dalton Transactions</i> , 2017, 46, 1510-1519.	1.6	18
41	A Highly Soluble, Fully Aromatic Fluorinated 3D Nanostructured Ladder Polymer. <i>Macromolecules</i> , 2017, 50, 8480-8486.	2.2	25
42	The new 3-(tert-butyl)-1-(2-nitrophenyl)-1H-pyrazol-5-amine: Experimental and computational studies. <i>Journal of Molecular Structure</i> , 2017, 1148, 557-567.	1.8	10
43	neo-Clerodane Diterpenoids from <i>Salvia polystachya</i> Stimulate the Expression of Extracellular Matrix Components in Human Dermal Fibroblasts. <i>Journal of Natural Products</i> , 2017, 80, 3003-3009.	1.5	17
44	Interaction between aromatic rings as organizing tools and semi-coordination in Cu(II) compounds. <i>CrystEngComm</i> , 2017, 19, 4595-4604.	1.3	9
45	Synthesis of novel N,N-bis(triflyl)-1,7-dihydroimidazo[4,5-b]pyridines and their $\beta$ -bromolactone derivatives as antifungal agents. <i>Tetrahedron Letters</i> , 2017, 58, 3168-3171.	0.7	6
46	Arenediazonium salts as electrophiles for the oxidative addition of gold(I). <i>Chemical Communications</i> , 2016, 52, 7295-7298.	2.2	52
47	Synthesis and structural characterization of organotin(IV) complexes with ferrocenyldithiophosphonate ligands. <i>Journal of Organometallic Chemistry</i> , 2016, 813, 55-60.	0.8	4
48	Non-symmetric CNS-Pt(II) pincer complexes including thioether functionalized iminophosphoranes. Evaluation of their <i>in vitro</i> anticancer activity. <i>Journal of Organometallic Chemistry</i> , 2016, 814, 16-24.	0.8	23
49	Direct synthesis and phytotoxic activity of bicyclic- $\beta$ -lactones derived from 2,3-epoxycyclohexanone. <i>Tetrahedron Letters</i> , 2016, 57, 5094-5098.	0.7	4
50	Structural elucidation and evaluation of multidrug-resistance modulatory capability of amarissinins A-C, diterpenes derived from <i>Salvia amarissima</i> . <i>Fitoterapia</i> , 2016, 114, 1-6.	1.1	23
51	Novel synthesis of a non-symmetric N1CN2Pd(II) pincer complex by a tandem reaction using a meta-hydroxylated imine ligand. <i>Journal of Organometallic Chemistry</i> , 2016, 819, 69-75.	0.8	17
52	Adsorption of water induces a reversible structural phase transition and colour change in new nickel(II) macrocyclic complexes forming flexible supramolecular networks. <i>New Journal of Chemistry</i> , 2016, 40, 7465-7475.	1.4	4
53	Synthesis, characterization, and crystal structure of two zinc linear dicarboxylates. <i>Powder Diffraction</i> , 2016, 31, 229-232.	0.4	0
54	Tributyltin(IV) Schiff base complexes with amino acid derivatives: synthesis, characterization and biological activity. <i>Applied Organometallic Chemistry</i> , 2016, 30, 199-207.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Versatile coordination modes of ronidazole towards transition metal ions: five and seven membered chelate rings; supramolecular networks. <i>Polyhedron</i> , 2016, 104, 127-137.	1.0	4
56	One-Pot Synthesis of Spirotetrahydrooxino[3,4-c]pyridines and Spirotetrahydrofuro[3,2-b]pyridin-2-ones via Lactonization from Activated Pyridyldihydrooxazoles and Bis(trimethylsilyl)ketene Acetals. <i>Synthesis</i> , 2016, 48, 1371-1380.	1.2	7
57	Crystal structures of three new <i>N</i> -halomethylated quaternary ammonium salts. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 1230-1235.	0.2	2
58	Fast and Efficient Synthesis of $\alpha$ -Enol $\beta$ -Lactones through a Cycloisomerization Reaction of $\beta$ -Hydroxy $\alpha$ -Alkynoic Acids Catalyzed by Copper(I) under Microwave Heating in Water. <i>Asian Journal of Organic Chemistry</i> , 2015, 4, 545-551.	1.3	12
59	Structure elucidation of a new isoflavone by exclusive use of $^1\text{H}$ NMR measurements. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 860-865.	1.1	7
60	Single step, high yield synthesis of para-hydroxy functionalized POCOP ligands and their Ni( $\text{Ni}$ ) pincer derivatives. <i>New Journal of Chemistry</i> , 2015, 39, 3361-3365.	1.4	32
61	Cadinane-Type Sesquiterpenoids from <i>Heterotheca inuloides</i> : Absolute Configuration and Anti-inflammatory Activity. <i>Journal of Natural Products</i> , 2015, 78, 2634-2641.	1.5	16
62	Synthesis, molecular structure, and spectral analysis of copper(II) complexes derived from pyridinediols. <i>Journal of Coordination Chemistry</i> , 2015, 68, 206-219.	0.8	1
63	Synthesis and structural studies of novel fused seven-membered carbocycles derived from exo-2-oxazolidinone dienes through (4+3) cycloadditions. <i>Tetrahedron</i> , 2015, 71, 1604-1615.	1.0	4
64	Synthesis, structural characterization and biological activity of fluorinated Schiff-bases of the type [C <sub>6</sub> H <sub>4</sub> -1-(OH)-3-(CHNArF)]. <i>Journal of Molecular Structure</i> , 2015, 1085, 249-257.	1.8	19
65	Enantioselective synthesis of 4-alkenoic acids via Pd-catalyzed allylic alkylation: stereocontrolled construction of $\beta$ and $\gamma$ -lactones. <i>Tetrahedron: Asymmetry</i> , 2015, 26, 802-809.	1.8	11
66	Teotihuacanin, a Diterpene with an Unusual Spiro-10/6 System from <i>Salvia amarissima</i> with Potent Modulatory Activity of Multidrug Resistance in Cancer Cells. <i>Organic Letters</i> , 2015, 17, 3280-3282.	2.4	31
67	Reactivity of 2-(2-hydroxyphenyl)benzoxazole and 2-(2-hydroxyphenyl)benzothiazole towards group 10 transition metals. Evaluation in palladium catalyzed Suzuki-Miyaura C couplings. <i>Inorganica Chimica Acta</i> , 2015, 431, 222-229.	1.2	6
68	Synthesis of Enantiopure 1,5-Enynes and 1,5-Diynes with Propargylic Quaternary Centers. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3314-3319.	1.2	7
69	Synthesis, characterization and molecular structures of Ni(II) complexes derived from Schiff base pyridylimine ligands. <i>Inorganica Chimica Acta</i> , 2015, 438, 146-152.	1.2	10
70	Further Insight into the Lability of MeCN Ligands of Cytotoxic Cycloruthenated Compounds: Evidence for the Antisymbiotic Effect Trans to the Carbon Atom at the Ru Center. <i>Inorganic Chemistry</i> , 2015, 54, 7617-7626.	1.9	13
71	Hydrogen and oxygen activation by an iridium precursor containing the 4,5-bis(diphenylthiophosphinoyl)-1,2,3-triazolate ligand. <i>RSC Advances</i> , 2015, 5, 58046-58054.	1.7	4
72	Crystal structure of di- $\mu$ -hydroxido-bis[aqua(1,10-phenanthroline- $\beta$ 2N,N $\beta$ 2)copper(II)] naphthalene-2,6-dicarboxylate hexahydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 360-362.	0.2	2

#	ARTICLE	IF	CITATIONS
73	A simple and facile to prepare Pd(II) complex containing the pyridyl imine ligand [C <sub>5</sub> H <sub>4</sub> N-2-CH <sub>3</sub> CN-(CH <sub>2</sub> ) <sub>3</sub> NH <sub>2</sub> ]. Structural characterization and catalytic evaluation in Suzuki–Miyaura C–C couplings. <i>Journal of Organometallic Chemistry</i> , 2015, 797, 153-158.	0.8	11
74	An expedient approach to synthesize fluorescent 3-substituted 4H-quinolizin-4-ones via (1-4-vinylketene)-Fe(CO) <sub>3</sub> complexes. <i>Dalton Transactions</i> , 2015, 44, 578-590.	1.6	23
75	Structure and Absolute Configuration of the 11-Noriridoid $\alpha$ -Chapingolide. <i>Heterocycles</i> , 2015, 91, 1417.	0.4	1
76	Reactivity of pyridines bearing EWG with bis-(TMS)ketene acetals. Substituent-induced lactonization reaction. <i>Tetrahedron</i> , 2014, 70, 1861-1871.	1.0	17
77	Synthesis of [N,P] ligands based on pyrrole. Application to the total synthesis of arnottin I. <i>Tetrahedron</i> , 2014, 70, 1422-1430.	1.0	19
78	Synthesis and optical properties of iron(III) complexes of 2-benzylidene-1-indanone derivative thin films. <i>Journal of Materials Chemistry C</i> , 2014, 2, 5607-5614.	2.7	12
79	Synthesis and structural characterization of organotellurium(IV) complexes bearing ferrocenyldithiophosphonate ligands. The first examples of tellurium dithiophosphonates. <i>Journal of Organometallic Chemistry</i> , 2014, 772-773, 280-286.	0.8	6
80	Synthesis and characterization of hydrophilic theophylline base compounds and their use as ligands in the microwave assisted Suzuki–Miyaura couplings of halopyridines in water. <i>Tetrahedron Letters</i> , 2014, 55, 5841-5845.	0.7	22
81	5,10- <i>seco</i> - <i>neo</i> -Clerodanes and <i>neo</i> -Clerodanes from <i>Salvia microphylla</i> . <i>Journal of Natural Products</i> , 2014, 77, 1088-1092.	1.5	35
82	Sesquiterpene lactones from <i>Mikania micrantha</i> and <i>Mikania cordifolia</i> and their cytotoxic and anti-inflammatory evaluation. <i>F<math>\ddot{A}</math>-totherap<math>\ddot{A}</math>-<math>\ddot{A}</math></i> , 2014, 94, 155-163.	1.1	30
83	Synthesis and characterization of new Pd(II) non-symmetrical Pincer complexes derived from thioether functionalized iminophosphoranes. Evaluation of their catalytic activity in the Suzuki–Miyaura couplings. <i>Journal of Organometallic Chemistry</i> , 2014, 749, 287-295.	0.8	39
84	Synthesis and characterization of tributyltin derivatives from 4-oxo-4-(arylamino)butanoic acids and their <i>in vitro</i> biological activity against cervical cancer cell lines. <i>Applied Organometallic Chemistry</i> , 2014, 28, 884-891.	1.7	4
85	First direct synthesis of 3-hydroxy-pent-4-ynoic acids. Application to the synthesis of pyran-2-ones. <i>Tetrahedron</i> , 2013, 69, 7365-7372.	1.0	14
86	Hydrogenation of $\beta$ -enaminoketones with cobalt phosphine-modified catalysts. <i>Catalysis Communications</i> , 2013, 33, 29-33.	1.6	4
87	Synthesis, structural characterization and <i>in vitro</i> cytotoxic activity of novel polymeric triorganotin(IV) complexes of urocanic acid. <i>Applied Organometallic Chemistry</i> , 2013, 27, 45-51.	1.7	10
88	An Enantioselective Approach to Furanoeremophilanes: (+)-9-Oxoeryopsin. <i>Journal of Organic Chemistry</i> , 2013, 78, 5282-5292.	1.7	12
89	Microphyllandiolidide, a New Diterpene with an Unprecedented Skeleton from <i>Salvia microphylla</i> . <i>Organic Letters</i> , 2013, 15, 3210-3213.	2.4	26
90	2-Ferrocenyl-2-thiazoline as a building block of novel phosphine-free ligands. <i>Dalton Transactions</i> , 2013, 42, 11992.	1.6	19

#	ARTICLE	IF	CITATIONS
91	Synthesis and characterization of new potentially hydrosoluble pincer ligands and their application in Suzuki-Miyaura cross-coupling reactions in water. <i>Tetrahedron Letters</i> , 2013, 54, 3116-3119.	0.7	20
92	Synthesis and crystal structure of three new cadmium tartrates with open frameworks. <i>CrystEngComm</i> , 2012, 14, 8606.	1.3	11
93	Synthesis of Fischer type-carbene complexes containing a coordinated thioimidate structural motif. <i>Dalton Transactions</i> , 2012, 41, 10568.	1.6	6
94	A study of the Willgerodt-Kindler reaction to obtain thioamides and $\alpha$ -ketothioamides under solvent-less conditions. <i>Canadian Journal of Chemistry</i> , 2012, 90, 567-573.	0.6	24
95	Synthesis of new $\beta$ -lactones from preactivated monosubstituted pyrazines and TMS ketene acetals. <i>Canadian Journal of Chemistry</i> , 2012, 90, 469-482.	0.6	10
96	Ferrocenylselenoamides: Synthesis, Characterization and Cytotoxic Properties. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 4652-4663.	2.9	23
97	Magnetic Ordering in Self-assembled Materials Consisting of Cerium(III) Ions and the Radical Forms of 2,5-dicyanoquinodimethane (X=Cl, Br). <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5124-5128.	7.2	24
98	Synthesis and structural characterization of cobalt(II) and copper(II) complexes with N,N-disubstituted N-acylthioureas. <i>Polyhedron</i> , 2012, 36, 133-140.	1.0	28
99	Phthalides and other constituents from <i>Ligusticum porteri</i> ; sedative and spasmolytic activities of some natural products and derivatives. <i>Natural Product Research</i> , 2011, 25, 1234-1242.	1.0	28
100	Iron(0) Promotes Aza Cyclization of an Elusive Ferrocenylketene. <i>Organometallics</i> , 2011, 30, 4830-4837.	1.1	13
101	Asymmetric Synthesis of (S)- $\alpha$ -Xylopinine. Use of the Sulfinyl Group as an <i>ipso</i> Director in Aromatic $S_E$ . <i>Journal of Organic Chemistry</i> , 2011, 76, 5036-5041.	1.7	37
102	Bis(2-methylbenzimidazolyl)amine-Derived Copper Complexes and Their Antineoplastic Activity. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 3454-3460.	1.0	22
103	Influence of the transannular interaction in spiro-heterocycles containing Ge(IV) and Sn(IV). A comparative study. <i>Polyhedron</i> , 2011, 30, 1095-1102.	1.0	3
104	New ligands and structural insights into the catalytic asymmetric addition of organozinc reagents to ketones. <i>Tetrahedron</i> , 2011, 67, 4467-4474.	1.0	14
105	1,2-Dimethoxy-4-methyl-3-[(S)-p-tolylsulfanyl]benzene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o2950-o2950.	0.2	1
106	Study on the transannular bond formation and hypercoordination in tin and germanium spirometallocanes. <i>Polyhedron</i> , 2010, 29, 2435-2439.	1.0	9
107	Synthesis and characterization of sterically hindered thiolate Pd(II) complexes of the type [Pd(SR) <sub>2</sub> (TMEDA)]: Examination of their catalytic properties in phosphane-free Suzuki-Miyaura cross couplings. <i>Inorganica Chimica Acta</i> , 2010, 363, 1222-1229.	1.2	27
108	Buchwald-Hartwig N cross coupling reactions catalyzed by a pseudo-pincer Pd(II) compound. <i>Inorganica Chimica Acta</i> , 2010, 363, 1262-1268.	1.2	28



#	ARTICLE	IF	CITATIONS
109	Lanthanide(III) Complexes with 4,5-Bis(diphenylphosphinoyl)-1,2,3-triazolate and the Use of 1,10-Phenanthroline As Auxiliary Ligand. <i>Inorganic Chemistry</i> , 2010, 49, 4109-4116.	1.9	28
110	Triterpenes from <i>Garcia parviflora</i> . Cytotoxic Evaluation of Natural and Semisynthetic Friedelanes. <i>Journal of Natural Products</i> , 2010, 73, 1839-1845.	1.5	17
111	Lupane Triterpenes with a $\hat{\text{I}}$ -Lactone at Ring E, from <i>Lippia mexicana</i> . <i>Journal of Natural Products</i> , 2010, 73, 1969-1972.	1.5	11
112	Differentiated Cyclization of the Ketoacid Derived from Tokinolide B.. <i>Heterocycles</i> , 2010, 82, 1567.	0.4	1
113	Construction of acetate-bridged dicopper(II) hybrid organic-inorganic networks with calix[4]arene-derived nitrogenous ligands. <i>Supramolecular Chemistry</i> , 2009, 21, 502-509.	1.5	14
114	Synthesis of New Optically Active d-Glucosamine-Pyrrole Derivatives. <i>Synthesis</i> , 2009, 2009, 980-984.	1.2	2
115	Hexacoordinated spirocyclic germanium(IV) complex: Synthesis and structural characterization. <i>Heteroatom Chemistry</i> , 2009, 20, 45-49.	0.4	3
116	Crystal and Molecular Structures of Di-1-Adamantylthiophosphinic Chloride, P,P-Diphenyl-N-Benzyl Phosphinothioic- and Selenoic- Amides. <i>Journal of Chemical Crystallography</i> , 2009, 39, 530-534.	0.5	4
117	Structural Variety of Alkali Metal Compounds Containing $\text{P}^{\sim}\text{E}^{\sim}\text{M}$ (E = S, Se; M = Li, Na, K) Units Derived from Nitrogen Rich Heterocycles. <i>Inorganic Chemistry</i> , 2009, 48, 2518-2525.	1.9	20
118	Coordination Diversity of Aluminum Centers Molded by Triazole Based Chalcogen Ligands. <i>Inorganic Chemistry</i> , 2009, 48, 5874-5883.	1.9	22
119	Solubilizing functionalized molecular aluminosilicates. <i>Dalton Transactions</i> , 2009, , 1195.	1.6	17
120	(Z)-Ethyl 3-(2,4,6-trimethylanilino)but-2-enoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2728-o2728.	0.2	3
121	Synthesis of New Polycyclic $\hat{\text{I}}$ -and $\hat{\text{I}}$ -Lactones upon Activation of, and Nucleophilic Additions to, Diazines: Influence of the Activating Agents. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3714-3723.	1.2	22
122	The Effect of Environment on Molecular Structure: The Crystalline-State Stereochemistry of <i>N</i> -Methylated Adamantane 1,3-Diammonium Salts. <i>Crystal Growth and Design</i> , 2008, 8, 1399-1405.	1.4	10
123	Controlling the geometry of $\text{Cu}(\text{scp})_2$ tectons to build one-dimensional hydrogen bonded chains. <i>CrystEngComm</i> , 2008, 10, 86-94.	1.3	19
124	Fragmentation and 1,2-Addition Reactions upon Action of Methylithium on Coupling Products of Ferrocenecarbaldehyde with Dibenzoylmethane. <i>Synthetic Communications</i> , 2008, 38, 2299-2315.	1.1	4
125	Formal Synthesis of (-)-Frontalin through Diastereoselective Hydrocyanation of a $\hat{\text{I}}$ <sup>2</sup> -Keto Sulfoxide. <i>Synthesis</i> , 2008, 2008, 2105-2109.	1.2	1
126	The Synthesis and Structure of a Heterobimetallic Alumophosphate $[\hat{\text{I}}^2\text{P}(\text{S})_2\text{Al}(\text{O})_2\text{P}(\text{OEt})_2]_n\text{GaMe}_2$ . <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2007, 37, 741-744.	0.6	5



#	ARTICLE	IF	CITATIONS
127	Câ~S Bond Activation of Two Novel Asymmetric Î±-azo-Ketenedithioacetals Using Fe <sub>2</sub> (CO) <sub>9</sub> . <i>Organometallics</i> , 2007, 26, 1895-1899.	1.1	7
128	Cross-conjugated Z- and E-3-ferrocenylmethylidene-4-methyl-2-phenylpenta-1,4-dienes " Synthesis and some chemical properties. <i>Canadian Journal of Chemistry</i> , 2007, 85, 969-982.	0.6	8
129	Soluble, reactive and stable " unique aluminosilicate ligands and a heterobimetallic derivative [Al(SLi)(Åµ-O)Si(OLiÅ-2thf)(OtBu) <sub>2</sub> ] <sub>2</sub> . <i>Chemical Communications</i> , 2007, , 4528.	2.2	20
130	Pd~Nâ~HÂ~Â~Clâ~Pd Hydrogen Bonds and Î€~Î€ Interactions between Fluorinated Aromatic Rings intrans-[PdCl <sub>2</sub> (NH <sub>2</sub> ArF) <sub>2</sub> ]. <i>Crystal Growth and Design</i> , 2007, 7, 117-123.	1.4	23
131	An Unknown Coordination Mode of the Phosphite Unit and a Carbon-Free Heterocycle in Two Different Heterobimetallic Alumophosphites. <i>Inorganic Chemistry</i> , 2007, 46, 10749-10753.	1.9	13
132	Thermolysis and [3+2]â€Cycloaddition Reactions of 2,3â€Diferrocenylâ€and 2,3,â€Diruthenocenylycyclopropanones. <i>Synthetic Communications</i> , 2007, 37, 889-900.	1.1	5
133	Chloride Complexation with Thiosemicarbazone Metal Complexes. A Solid State Study. <i>Supramolecular Chemistry</i> , 2007, 19, 613-619.	1.5	9
134	Preparation of Molecular Alumoxane Hydrides, Hydroxides, and Hydrogensulfides. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2895-2898.	7.2	58
135	Dielsâ€Alder adducts derived from the natural phthalide Z-ligustilide. <i>Tetrahedron Letters</i> , 2007, 48, 4215-4218.	0.7	4
136	Spectroscopic studies and crystal structure of tetrabutylammonium trichlorodimethylstannate(IV): Bu <sub>4</sub> N <sup>+</sup> SnMe <sub>2</sub> Cl <sub>3</sub> <sup>-</sup> . <i>Comptes Rendus Chimie</i> , 2007, 10, 469-472.	0.2	0
137	Synthesis and characterization of [Pd{PhP(C <sub>6</sub> H <sub>4</sub> -2-SCH <sub>2</sub> Cl)(C <sub>6</sub> H <sub>4</sub> -2-S)}(Ph <sub>2</sub> PCH <sub>2</sub> CH <sub>2</sub> PPh <sub>2</sub> )Cl: An example of hemilability and dichloromethane activation. <i>Inorganic Chemistry Communication</i> , 2007, 10, 1-6.	1.8	27
138	Synthesis of [SnPh <sub>2</sub> (SRF) <sub>2</sub> ] SRF=â~SC <sub>6</sub> F <sub>4</sub> -4-H, â~SC <sub>6</sub> F <sub>5</sub> : Reactivity towards group 10 transition metal complexes. <i>Inorganica Chimica Acta</i> , 2007, 360, 1651-1660.	1.2	25
139	Synthesis, characterization and catalytic evaluation in the Heck coupling reactions of Sâ€Pâ€S pincer complexes of the type [Pd{PhP(C <sub>6</sub> H <sub>4</sub> -2-S) <sub>2</sub> }(PAr <sub>3</sub> )]. <i>Inorganica Chimica Acta</i> , 2007, 360, 2128-2138.	1.2	23
140	Reactivity of fluorinated thioether ligands of the type [C <sub>6</sub> H <sub>4</sub> Br-2-(CH <sub>2</sub> SRF)] towards transition metal complexes of the group 10. <i>Inorganica Chimica Acta</i> , 2007, 360, 4133-4141.	1.2	7
141	Nickel(II) and cobalt(II) complexes of methyl(2-aminocyclopentene-1-dithiocarboxy)-S-acetate (ACDASAMe). <i>Polyhedron</i> , 2007, 26, 918-922.	1.0	2
142	Triosmium compounds containing the oxametallacycle [Os(CO) <sub>3</sub> {C(R)CHC(O)CHC(H)C <sub>5</sub> H <sub>4</sub> FeC <sub>5</sub> H <sub>5</sub> }] moiety. Synthesis and electrochemical studies. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 5117-5124.	0.8	1
143	2D hydrogen bond networks in the crystals of [(NH <sub>4</sub> Â-H <sub>2</sub> O) <sub>2</sub> ][(RO)(Fc)P(S) <sub>2</sub> ] <sub>2</sub> (R=3-(BzO)-Bz, 4-(n-Bu)-Bz, Tj ETQg <sub>1</sub> 1 0.784314 rgBT	0.8	13
144	4,4â€Bipyridinium tetrachloridopalladate(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, m870-m871.	0.2	4

#	ARTICLE	IF	CITATIONS
145	(3-Carboxypyridine-2-carboxylato- $\lambda^2$ N,O)(4-phenyl-2,6-dimethyl-2-terpyridine- $\lambda^3$ N,N',N'')copper(II) tetrafluoridoborate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m1975-m1976.	0.2	3
146	2-Methyl-1-(3-pyridylmethylene)thiosemicarbazone hemihydrate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o3334-o3334.	0.2	0
147	2-Methyl-3-thiosemicarbazide. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o4082-o4082.	0.2	2
148	Characterization and Crystal Structure of some Schiff Base Copper(II) Complexes derived from Enantiomeric Pairs of Chiral Amines. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 1251-1256.	0.6	19
149	X-ray crystal structures of new chiral enamines from 2,4-pentanedione and their heterocyclic derivatives. Journal of Chemical Crystallography, 2007, 37, 119-133.	0.5	1
150	Synthesis and Characterization of Novel Dinuclear Copper(I) Complexes. Dimerization of $[\text{CuL}(\text{PPh}_3)_2]$ (L = methyl 3-hydroxy-3-(p-R-phenyl)-2-propenedithioate). Inorganic Chemistry, 2006, 45, 1766-1773.	1.9	29
151	3,5-Dimethyl and 3,5-Di-tert-butylpyrazolato Complexes with Alkali Metals: Monomeric, Dimeric, Cluster, and 1D Chain Structures. Inorganic Chemistry, 2006, 45, 286-294.	1.9	30
152	Spontaneous Formation of an Organometallic Inorganic Dirhenium Carbonyl Cryptate Encapsulating a Sodium Cation. Organometallics, 2006, 25, 1857-1860.	1.1	12
153	Synthesis and Characterization of Aluminum-Containing Tin(IV) Heterobimetallic Sulfides. Inorganic Chemistry, 2006, 45, 3312-3315.	1.9	23
154	tert-Butyl (S)-N-[(S)-1-(oxiranyl)ethyl]carbamate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o925-o927.	0.2	0
155	Bis(4-phenyl-2,6-dimethyl-2-terpyridine- $\lambda^3$ N,N',N'')copper(II) bis(tetrafluoroborate). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m846-m848.	0.2	4
156	Ethylenediammonium tetraaquabis(pyridine-3,5-dicarboxylato- $\lambda^1$ N)cuprate(II) dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m1027-m1029.	0.2	4
157	1,4-Bis(8-tert-butyl-6-methyl-4H-1,3-benzoxazin-3-yl)benzene. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2938-o2940.	0.2	5
158	Self-assembly of a hybrid organic-inorganic dicopper(II) coordination polymer with a calix[4]arene-derived nitrogenous ligand. Inorganic Chemistry Communication, 2006, 9, 1096-1098.	1.8	8
159	Ketone transfer hydrogenation reactions catalyzed by a phosphinite ruthenium PCP complex. Journal of Molecular Catalysis A, 2006, 247, 124-129.	4.8	49
160	Group 10 derivatives of the silylated sterically hindered aromatic thiolates $[\text{C}_6\text{H}_4\text{SH}-2-\text{SiPh}_3]$ and $[\text{C}_6\text{H}_4\text{SH}-2-\text{SiCH}_3\text{Ph}_2]$ . The crystal structures of trans- $[\text{Pd}(\text{PPh}_3)_2(\text{SC}_6\text{H}_4-2-\text{SiPh}_3)_2]$ , z- $[\text{Pt}(\text{PPh}_3)_2(\text{Cl})(\text{SC}_6\text{H}_4-2-\text{SiPh}_3)]$ , e- $[\text{Pt}(\text{PPh}_3)_2(\text{Cl})(\text{SC}_6\text{H}_4-2-\text{SiCH}_3\text{Ph}_2)]$ , cis- $[\text{Pt}(\text{PPh}_3)_2(\text{SC}_6\text{H}_4-2-\text{SiCH}_3\text{Ph}_2)_2]$ , trans- $[\text{Pt}(\text{PPh}_3)_2(\text{SC}_6\text{H}_4-2-\text{SiCH}_3\text{Ph}_2)_2]$ . Inorganica Chimica Acta, 2006, 359, 4007-4018.	1.2	10
161	Synthesis, structures and some chemical and electrochemical properties of E-1,2-diferrocenyl-3-methylthioprop-2-enone and its ketals. Journal of Organometallic Chemistry, 2006, 691, 2872-2882.	0.8	6
162	High yield thiolation of iodobenzene catalyzed by the phosphinite nickel PCP pincer complex: $[\text{NiCl}\{\text{C}_6\text{H}_3-2,6-(\text{OPPh}_2)_2\}]$ . Tetrahedron Letters, 2006, 47, 5059-5062.	0.7	163

#	ARTICLE	IF	CITATIONS
163	Phosphane-free C Heck couplings catalyzed by Pd(II) fluorinated aniline complexes of the type trans-[PdCl <sub>2</sub> (NH <sub>2</sub> ArF) <sub>2</sub> ]. <i>Journal of Molecular Catalysis A</i> , 2006, 247, 65-72.	4.8	9
164	Functional Group Migration in Reactions of 1,2-Diferrocenyl-3-(methylthio)cyclopropenylidene Iodide with CH Acids. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 4755-4760.	1.2	12
165	Rhodium(I) complexes with phosphinooxathiane (POT) and phosphinooxazolidine (POZ) ligands: the crystal structures of [(POT)Rh(CO)Cl] and [(POZ)Rh(CO)Cl]. <i>Inorganica Chimica Acta</i> , 2005, 358, 303-309.	1.2	21
166	Pd catalyzed Heck reaction with the catalytic system [Pd(Ph <sub>2</sub> PC <sub>6</sub> H <sub>4</sub> -2-(CH <sub>2</sub> NMe <sub>2</sub> ))(SRF) <sub>2</sub> ]. <i>Journal of Molecular Catalysis A</i> , 2005, 233, 17-27.	4.8	28
167	Complexation of the uranyl ion (UO <sub>2</sub> ) <sup>2+</sup> with a tetraphenylimidodiphosphinate ligand: the first trinuclear uranyl complex comprising a double $\mu_2$ -oxo (UO <sub>2</sub> ) bridge. <i>Inorganic Chemistry Communication</i> , 2005, 8, 205-207.	1.8	10
168	Synthesis of ferrocenylpyrazole derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 265-271.	1.4	17
169	Improved approaches and structures of new ferrocenyl carbene complexes of chromium, tungsten, and molybdenum. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 2229-2237.	0.8	32
170	Reactivity of C <sub>6</sub> F <sub>5</sub> -P(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> with [M <sub>3</sub> (CO) <sub>12</sub> ] (M=Fe, Ru, Os). The X-ray crystal structures of [Fe <sub>2</sub> ( $\mu_2$ -SC <sub>6</sub> F <sub>5</sub> )( $\mu_2$ -PPh <sub>2</sub> )(CO) <sub>6</sub> ], [Ru <sub>4</sub> ( $\mu_3$ -SPPPh <sub>2</sub> ) <sub>2</sub> ( $\mu_2$ -SC <sub>6</sub> F <sub>5</sub> ) <sub>2</sub> ( $\mu_2$ -PPh <sub>2</sub> ) <sub>2</sub> (SC <sub>6</sub> F <sub>5</sub> ) <sub>2</sub> (CO) <sub>6</sub> ] and [Os <sub>3</sub> ( $\mu_2$ -PPh <sub>2</sub> -SC <sub>6</sub> F <sub>5</sub> )(CO) <sub>11</sub> ]. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 2880-2887.	0.8	11
171	Synthesis and structural characterization of gallium and indium complexes obtained from redistribution reactions of mixed chalcogen-imidodiphosphinate ligands. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 3054-3060.	0.8	7
172	$\pi$ - $\pi$ Stacking in bis(quinolinium) tetrachlorozincate dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, m1590-m1592.	0.2	10
173	Hexakis(dimethyl sufoxide- $\mu_2$ O)iron(III) tribromide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, m2179-m2180.	0.2	3
174	Ca[(Ph) <sub>2</sub> PO] <sub>2</sub> N] <sub>2</sub> ·THF, an $\pi$ -hydroperoxidation promoter of coordinated THF molecules. <i>Main Group Chemistry</i> , 2005, 4, 23-31.	0.4	6
175	Synthesis, Characterization, and Electrochemistry of Biorelevant Photosensitive Low-Potential Orthometalated Ruthenium Complexes. <i>Inorganic Chemistry</i> , 2005, 44, 1626-1634.	1.9	77
176	Synthesis, structure, spectra and redox chemistry of mono- and dinuclear copper(II) complexes containing pyridyl groups. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1087-1098.	0.8	7
177	True square planar [M{N(SePiPr <sub>2</sub> )-Se,Se <sup>2+</sup> } <sub>2</sub> ] [M = Sn, Se] complexes. An extraordinary geometrical arrangement for well known centers [Sn(II), Se(II)]. <i>Dalton Transactions</i> , 2005, , 1017-1018.	1.6	12
178	A Binding Pocket for Coordinated Water Formed by the Metal Center and Two Heterocyclic Nitrogens in Chelating Bis-thioethers of the Complexes {Cp* <sub>2</sub> M[Im <sup>-</sup> S(CH <sub>2</sub> ) <sub>2</sub> Sm <sup>-</sup> ](H <sub>2</sub> O)} <sup>2+</sup> (M = Rh, Ir; Im <sup>-</sup> = ) <i>Tj ETQq 0.0 0 rgBT 10</i>	0.0	10
179	Oxidative Degradation of Ethers Promoted by Strontium and Barium Tetraphenylimidodiphosphinates. <i>Inorganic Chemistry</i> , 2005, 44, 6924-6926.	1.9	13
180	Improved approaches in the synthesis of new 2-(1,3-thiazolidin-2-ylidene)acetophenones. <i>Arkivoc</i> , 2005, 2005, 356-365.	0.3	5

#	ARTICLE	IF	CITATIONS
181	High-field EPR study and crystal and molecular structure of trans-RSSR-[CrCl <sub>2</sub> (cyclam)] <sub>n</sub> X (X=ZnCl <sub>2</sub> , Cl <sup>-</sup> and Cl <sup>-</sup> ·4H <sub>2</sub> O·0.5HCl). Dalton Transactions, 2004, , 2444-2449.	1.6	16
182	[1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system [Pd(dppf)(SRF) <sub>2</sub> ]. Journal of Organometallic Chemistry, 2004, 689, 2464-2472.	0.8	33
183	Cyclometalated N,N-dimethylbenzylamine ruthenium(II) complexes [Ru(C <sub>6</sub> H <sub>4</sub> R <sub>1</sub> R <sub>2</sub> R <sub>3</sub> -o-CH <sub>2</sub> NMe <sub>2</sub> )(bpy)(RCN) <sub>2</sub> ]PF <sub>6</sub> for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase. Journal of Organometallic Chemistry, 2004, 689, 4820-4832.	0.8	59
184	Quasi-Complete Solvation of C-Phenylcalix[4]resorcinarene in the Crystalline State. Single Crystal X-ray Diffraction Study. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2004, 50, 199-202.	1.6	4
185	Structural Study of Alkaline 1-Phenyl-1H-1, 2, 3, 4-tetrazole-5-thiolate Salts: An Example of Periodicity in Alkaline Cations. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2004, 630, 1627-1631.	0.6	21
186	Diaqua(diethylenetriamine- $\lambda^3$ N)(perchlorato- $\lambda^1$ O)copper(II) hydrogenmaleate. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, m45-m47.	0.2	0
187	Di- $\lambda^2$ -chloro-dichloro-di- $\lambda^3$ -oxo-octaphenyltetratin dichloromethane solvate. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, m482-m484.	0.2	1
188	Facile Synthesis of Aminoalcohols by Ring Opening of Epoxides under Solvent-Free Conditions.. ChemInform, 2004, 35, no.	0.1	0
189	Magnetic and optical properties of trans-RSSR-[CrCl <sub>2</sub> (cyclam)] <sub>2</sub> ZnCl <sub>4</sub> (cyclam=1,4,8,11-tetraazacyclotetradecane) attributed to counterion via hydrogen bonding. Inorganica Chimica Acta, 2004, 357, 4596-4601.	1.2	4
190	Novel dinuclear iron(0) complexes from $\lambda^1, \lambda^2$ -unsaturated ketones $\lambda^2$ -positioned with sulfide and sulfoxide groups. Journal of Organometallic Chemistry, 2004, 689, 885-893.	0.8	40
191	Synthesis of the anisobidentate compound bis(2-amino-cyclopent-1-ene-carbodithioate)diethyltin (IV). Experimental and theoretical study. Journal of Organometallic Chemistry, 2004, 689, 2096-2102.	0.8	9
192	Six-membered tetracarbonylmanganese(I) and -rhenium(I) metalacycles containing the [Ph <sub>2</sub> P(Se)NP(Se)Ph <sub>2</sub> ] ligand: solution and solid state characterization. Journal of Organometallic Chemistry, 2004, 689, 2827-2832.	0.8	15
193	Cross-conjugated 3-ferrocenylmethylidene-2,4-dimethylpenta-1,4-diene in cationic cycloaddition and proton-catalyzed cyclodimerization reactions. Journal of Organometallic Chemistry, 2004, 689, 3232-3241.	0.8	8
194	Crystal structure and energy transfer of trans-RSSR-[CrCl <sub>2</sub> (cyclam)] <sub>3</sub> [Cr(CN) <sub>6</sub> ] $\cdot$ 14H <sub>2</sub> O. Inorganic Chemistry Communication, 2004, 7, 1087-1090.	1.8	7
195	A powerful novel strategy for the preparation of discrete inorganic carbon-free rings containing alkaline cations. Chemical Communications, 2004, , 310-311.	2.2	16
196	Synthesis, Characterization, and Tautomerism of Four Novel Copper(I) Complexes from 3-Hydroxy-3-(p-R-phenyl)-2-propenedithioic Acids. Inorganic Chemistry, 2004, 43, 8572-8576.	1.9	15
197	Facile Synthesis of Aminoalcohols by Ring Opening of Epoxides Under Solvent Free Conditions. Synthetic Communications, 2004, 34, 2393-2406.	1.1	16
198	Solution <sup>1</sup> H and <sup>13</sup> C NMR of new chiral 1,4-oxazepinium heterocycles and their intermediates from the reaction of 2,4-pentanedione with $\lambda^1, \lambda^2$ -L-amino acids and (R)-(-)-2-phenylglycinol. Magnetic Resonance in Chemistry, 2003, 41, 975-982.	1.1	4

#	ARTICLE	IF	CITATIONS
199	Base-catalyzed intramolecular condensation of tokinolide B. <i>Tetrahedron Letters</i> , 2003, 44, 2509-2512.	0.7	10
200	X-ray structural and dynamic behaviour study of allyl palladium compounds with fluorinated benzenethiolate bridges. <i>Journal of Molecular Structure</i> , 2003, 655, 423-433.	1.8	7
201	1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation. <i>Journal of Organometallic Chemistry</i> , 2003, 665, 23-28.	0.8	5
202	Synthesis of ( $\eta$ -6-arene)tricarbonylmetal and ( $\eta$ -f-nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten. <i>Journal of Organometallic Chemistry</i> , 2003, 672, 58-65.	0.8	9
203	Transmetallation reactions of $[\text{Sn}(\text{R})_2(\text{Ph}_2\text{PC}_6\text{H}_4\text{-2-S})_2]$ with metal complexes of the Group 10. <i>Journal of Organometallic Chemistry</i> , 2003, 679, 101-109.	0.8	21
204	$^1\text{H}$ , $^{13}\text{C}$ 2D NMR and X-ray studies of the products of the reaction between dibenzylidencyclohexanone and 6-amino-1,3-dimethyl uracil. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2003, 59, 1307-1320.	2.0	3
205	Calmodulin Inhibitors from <i>Leucophyllum ambiguum</i> 1. <i>Journal of Natural Products</i> , 2003, 66, 221-224.	1.5	15
206	3,3-Diethyl- and 3,3-dibenzyl-1,2-diferrocenylcyclopropenes. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 4458-4464.	1.5	11
207	Fluorosulfur Containing Pincer Potential Ligands, 1,3-( $\text{CH}_2\text{SRf}$ ) $_2\text{C}_6\text{H}_4$ and 1,2,4,5-( $\text{CH}_2\text{SRf}$ ) $_4\text{C}_6\text{H}_2$ . X-Ray Structure of 1,3-( $\text{CH}_2\text{SC}_6\text{F}_5$ ) $_2\text{C}_6\text{H}_4$ . <i>Synthesis</i> , 2003, 2003, 1565-1568.	1.2	14
208	Tri-Nordammarane Triterpenoids and Neoclerodane Diterpenoids From <i>Salvia Aspera</i> (Labiatae). <i>Natural Product Research</i> , 2002, 16, 129-135.	0.4	10
209	New Triterpenoids from the Orchids <i>Scaphyglottis Livida</i> and <i>Nidema Boothii</i> . <i>Natural Product Research</i> , 2002, 16, 81-86.	0.4	16
210	Crystal and Molecular Structures of the Methyl Ester of the 3-Formyl-4,6-dihydroxy-5-isopropyl-2-methylbenzoic Acid: A Synthetic Intermediate to the Espintanol.. <i>Analytical Sciences</i> , 2002, 18, 1173-1174.	0.8	0
211	Crystal Structure of 5-t-Butoxycarbonyl-1-benzoyl-2-pyrrolidinone, an Intermediate in the Synthesis of (-)-Rolipram.. <i>Analytical Sciences</i> , 2002, 18, 859-860.	0.8	0
212	Tetrachlorocuprate(II) salts of heterocyclic aminoguanidonium (guanylhydrazonium) ions. <i>Polyhedron</i> , 2002, 21, 409-416.	1.0	14
213	Crystal structure, ferromagnetostructural behavior and evidence of cooperative Jahn-Teller interactions of the complex $[\text{CuL}]\text{Cl}\cdot\text{H}_2\text{O}$ (L=N-glycyl-2(aminomethyl)benzimidazol), synthesized by a novel simple method of peptide bond formation.. <i>Journal of Molecular Structure</i> , 2002, 604, 57-64.	1.8	11
214	Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols. <i>Journal of Organometallic Chemistry</i> , 2002, 648, 280-287.	0.8	16
215	Synthesis of "three-petal" carbocyclic systems based on s-cis-diferrocenyltrienes. <i>Journal of Organometallic Chemistry</i> , 2002, 649, 86-93.	0.8	2
216	CHIRAL COMPLEXES BY DIRECT SYNTHESIS OF A BIOMOLECULE AND METAL POWDERS. CRYSTAL STRUCTURES OF THE DICHLORO[( $\alpha$ )-SPARTEINE-N, $\text{N}\epsilon^2$ ]M(II) COMPLEXES (M = Cu, Zn). <i>Journal of Coordination Chemistry</i> , 2001, 54, 313-321.	0.8	17

#	ARTICLE	IF	CITATIONS
217	Neoclerodane Diterpenoids from <i>Scutellaria caerulea</i> . <i>Journal of Natural Products</i> , 2001, 64, 778-782.	1.5	8
218	Crystal and Molecular Structure of Dimethyl 3-Methoxy-4-isopropylpent-2-enedioate; A Synthetic Intermediate to the Espintanol.. <i>Analytical Sciences</i> , 2001, 17, 1243-1244.	0.8	1
219	Crystal and Molecular Structure of (-)-17-Hydroxy-neo-clerod-3-en-15-oic Acid from <i>Gymnosperma glutinosum</i> .. <i>Analytical Sciences</i> , 2001, 17, 1467-1468.	0.8	6
220	Amarisolide monohydrate, a 2-( $\beta$ -glucosyl)neoclerodane. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 846-847.	0.4	2
221	2,9-Bis(3-nitrophenyl)-1-azaadamantan-4-one. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 868-869.	0.4	1
222	Diethyl 2-[cyano(toluen-4-sulfinyl)methylene]propanedioate and its Diels-Alder adduct with cyclopentadiene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 1313-1315.	0.4	0
223	Phytotoxic naphthopyranone derivatives from the coprophilous fungus <i>Guanomyces polythrix</i> . <i>Phytochemistry</i> , 2001, 58, 751-758.	1.4	36
224	Synthesis and spectroscopic characterization of new mixed ligand organotellurium(IV) compounds employing dithiocarbamates and imidotetraphenyldithiodiphosphinates. Crystal structure of [C <sub>4</sub> H <sub>8</sub> Te(S <sub>2</sub> CNEt <sub>2</sub> )(SPPPh <sub>2</sub> ) <sub>2</sub> N]}, [C <sub>4</sub> H <sub>8</sub> Te(S <sub>2</sub> CNC <sub>5</sub> H <sub>10</sub> )(SPPPh <sub>2</sub> ) <sub>2</sub> N]} and [C <sub>4</sub> H <sub>8</sub> Te(S <sub>2</sub> CNC <sub>4</sub> H <sub>8</sub> S)(SPPPh <sub>2</sub> ) <sub>2</sub> N]}. <i>Journal of Organometallic Chemistry</i> , 2001, 631, 99-104.	0.8	9
225	1,4,8,11-tetrakis(2-pyridylmethyl)-1,4,8,11-tetraazacyclotetradecane. <i>Journal of Chemical Crystallography</i> , 2001, 31, 129-133.	0.5	16
226	Title is missing!. <i>Russian Chemical Bulletin</i> , 2001, 50, 895-900.	0.4	4
227	A Precursor of the Natural Product 5,7-Dihydroxy-4,6-dimethyl-1(3H)-isobenzofuranone. Crystal and Molecular Structure of 6-Carbomethoxy-4-formyl-2-methyl-5-pivaloyloxymethyl-1,3-benzenediol.. <i>Analytical Sciences</i> , 2000, 16, 339-340.	0.8	0
228	Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes. <i>Journal of Organometallic Chemistry</i> , 2000, 605, 89-95.	0.8	4
229	Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran. <i>Journal of Organometallic Chemistry</i> , 2000, 598, 254-261.	0.8	21
230	Structural and spectral studies of a heterocyclic N(4)-substituted bis(thiosemicarbazone), H <sub>2</sub> 2,6Achexim·H <sub>2</sub> O, its heptacoordinated tin(IV) complex [Bu <sub>2</sub> Sn(2,6Achexim)], and its binuclear zinc(II) complex [Zn(2,6Achexim)] <sub>2</sub> . <i>Polyhedron</i> , 2000, 19, 841-847.	1.0	55
231	Structure, Conformation and Absolute Configuration of New Antifeedant Dolabellanes from <i>Trichilia trifolia</i> . <i>Tetrahedron</i> , 2000, 56, 5085-5091.	1.0	33
232	Title is missing!. <i>Transition Metal Chemistry</i> , 2000, 25, 511-517.	0.7	32
233	Title is missing!. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2000, 38, 45-56.	1.6	26
234	Synthesis and Characterization of Novel Iron(0) Complexes Derived from $\beta$ , $\beta$ -Unsaturated-Ketone Analogues with $\beta$ -Positioned Heteroatoms Containing Covalent and Coordination Bonds. <i>Organometallics</i> , 2000, 19, 4127-4133.	1.1	21



#	ARTICLE	IF	CITATIONS
235	SYNTHESIS OF NOVEL DINUCLEAR COMPLEXES OF Fe(O) DERIVED FROM 1,2-DICARBONYLIC MONOHYDRAZONES. <i>Journal of Coordination Chemistry</i> , 1999, 48, 383-390.	0.8	4
236	Germacranolide type sesquiterpene lactones from <i>Neurolaena macrocephala</i> . <i>Phytochemistry</i> , 1999, 50, 1153-1157.	1.4	5
237	(2S,SR)-tert-Butyl 2-(p-tolylsulfinylacetyl)pyrrolidine-1-carboxylate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999, 55, 1605-1607.	0.4	0
238	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 18-24.	0.7	31
239	Two New Carbon-Free Indium(III) Asymmetric Chelates â€“ Synthesis and X-ray Crystal Structures of [In{Ph <sub>2</sub> P(O)NP(S)Ph <sub>2</sub> -O,S}3]Ã·3/4 C <sub>6</sub> H <sub>6</sub> and [InCl{Ph <sub>2</sub> P(S)NP(Se)Ph <sub>2</sub> -S,Se}2]. <i>European Journal of Inorganic Chemistry</i> , 1999, 1999, 1613-1616.	1.0	12
240	New Phenanthrene Derivatives from <i>Maxillariadensa</i> 1. <i>Journal of Natural Products</i> , 1999, 62, 1175-1178.	1.5	42
241	Iodanthine, a Pyrrolizidine Alkaloid from <i>Senecio iodanthus</i> and <i>Senecio bracteatus</i> Â§. <i>Journal of Natural Products</i> , 1999, 62, 1039-1043.	1.5	12
242	Synthesis and structural characterization of tricarbonyl 1-azahexa-1,3,5-triene iron(0) complexes. <i>Transition Metal Chemistry</i> , 1998, 23, 113-116.	0.7	14
243	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1998, 28, 825-830.	0.5	5
244	Synthesis, single crystal X-ray structure determination and NMR studies of Cp <sub>2</sub> Fe(PPh <sub>2</sub> ) <sub>2</sub> PtPh <sub>2</sub> and Cp <sub>2</sub> Fe(PPh <sub>2</sub> ) <sub>2</sub> PtI <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1998, 557, 169-179.	0.8	25
245	Chemical reactivity of phthalides. Relay synthesis of diligustilide, Rel-(3â€²R)-3â€²,8â€²-dihydrodiligustilide and wallichilide. <i>Tetrahedron</i> , 1998, 54, 3355-3366.	1.0	23
246	Phytotoxic compounds from <i>Esenbeckia yaxhoob</i> fn2 fn2 Taken in part from the MS theses of M. MacÃas and S. Rojas. fn3 fn3 Dedicated to Professor Neil Towers on the occasion of his 75th birthday.. <i>Phytochemistry</i> , 1998, 49, 441-449.	1.4	48
247	Limonoids from <i>Swietenia humilis</i> and <i>Guarea grandiflora</i> (Meliaceae) Taken in part from the PhD and MS theses of C. Villarreal and M. A. JimÃenez, respectively.. <i>Phytochemistry</i> , 1998, 49, 1981-1988.	1.4	43
248	A comparative structural study of the steroid epimers: 17Î±-amino-1,3,5(10)-estratrien-3-ol, 17Î±-amino-1,3,5(10)-estratrien-3-ol, and some derivatives by 1H NMR, and x-ray diffraction analysis. <i>Steroids</i> , 1998, 63, 556-564.	0.8	12
249	Crystal Structure of 2,4-Carbomethoxy-3,5-biphenyldiol.. <i>Analytical Sciences</i> , 1997, 13, 685-686.	0.8	0
250	Nucleophilic Reactions on 1-Trifluoromethanesulfonylpyridinium Trifluoromethanesulfonate (Triflylpyridinium Triflate, TPT). Ring-Opening and "Unexpected" 1,4-Dihydropyridine Reaction Products.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 957-961.	0.6	28
251	Pyrrolizidine Alkaloids from <i>Senecio roseus</i> and <i>Senecio helodes</i> . <i>Journal of Natural Products</i> , 1997, 60, 1322-1325.	1.5	18
252	1-Phenyl-2t-(2-hydroxy-2-propyl)-1r-cyclobutanecarboxamide. <i>Journal of Chemical Crystallography</i> , 1997, 27, 125-128.	0.5	1



#	ARTICLE	IF	CITATIONS
253	Intra- vs intermolecular hydrogen bonding. The crystal structure of 5-methyl-2-hydroxyacetophenone thiosemicarbazone monohydrate and salicylaldehyde-2-methylthiosemicarbazone monohydrate. <i>Journal of Chemical Crystallography</i> , 1997, 27, 627-634.	0.5	11
254	Absolute structures of zaluzanines A and B. <i>Journal of Chemical Crystallography</i> , 1997, 27, 457-463.	0.5	7
255	Synthesis of (2R,3S)-( $\hat{\alpha}$ )-2-phenyl-3-methylaziridine. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 2877-2879.	1.8	18
256	Synthetic and spectroscopic investigations of N(4)-substituted isatin thiosemicarbazones and their copper(II) complexes. <i>Polyhedron</i> , 1997, 16, 855-862.	1.0	78
257	Analysis of a hydrodesulfurization process <sup>2</sup> [1]. The reactions of 2- and 3-methylthiophenes with tris(triethylphosphine)platinum(0). <i>Polyhedron</i> , 1997, 16, 3185-3195.	1.0	34
258	Reaction of lithium dimethyl cuprate with carbonyl iron $\hat{\alpha},\hat{\beta}$ -unsaturated ketone complexes: the structure of a novel $\hat{\alpha},\hat{\beta}$ -[[(196-diphenyl)-3,4-(distyr-1-yl)-1,3,5-hexatriene]-Fe(CO) <sub>2</sub> ] complex. <i>Polyhedron</i> , 1997, 16, 2979-2985.	1.0	7
259	The crystal structures and electrochemical studies of two naphthalenic Schiff base copper(II) complexes. <i>Polyhedron</i> , 1997, 16, 4371-4378.	1.0	24
260	Threetrans-2,6-Diaryl Derivatives of Oximes of N-Hydroxy-4-piperidone. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1997, 53, 1468-1471.	0.4	3
261	trans-Dichloro(1,4,8,11-tetrazacyclotetradecane)cobalt(III) Chloride Tetrahydrate 0.47-Hydrochloride. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1997, 53, 1585-1588.	0.4	12
262	L-1-Methylproline Monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1997, 53, 1690-1692.	0.4	0
263	Reactivity of a two heteroatom stabilized anionic chromium (0) carbene complex towards a mono- and a disubstituted alkyne: New synthesis of $\hat{\alpha}$ -aminobutenolides and formation of a novel oligomer chromium (0) complex. <i>Journal of Organometallic Chemistry</i> , 1997, 540, 41-49.	0.8	13
264	Structure of Z- and E-2-bromo-1-ferrocenyl-1-phenylcyclopropanes and 3-ferrocenyl-3-phenylcyclopropene and their three-membered ring opening reactions. <i>Journal of Organometallic Chemistry</i> , 1997, 545-546, 191-199.	0.8	18
265	Novel Inorganic (Carbon-Free) Chelate Rings: Tris(chelate) Compounds of [ $\hat{\alpha}$ -N( $\hat{\alpha}$ )-(Diphenylphosphinoselenoyl)- $\hat{\alpha}$ -P, $\hat{\alpha}$ -diphenylphosphinoselenoic amidato $\hat{\alpha}$ -Se, Se $\hat{\alpha}$ ] $\hat{\alpha}$ with $\hat{\alpha}$ (M = Sb, Bi, In). <i>Chemische Berichte</i> , 1996, 129, 919-923.		45
266	Synthesis, crystal and molecular structure of 5-bromo-salicylaldehyde-2-methylthiosemicarbazonato(nitrato)Copper(II) monohydrate. <i>Polyhedron</i> , 1996, 15, 427-431.	1.0	32
267	Structural studies of three isomeric forms of heterocyclic N(4)-substituted thiosemicarbazones and two nickel(II) complexes. <i>Polyhedron</i> , 1996, 15, 665-674.	1.0	169
268	Studies on inorganic tin diphenyldithiophosphinates. Crystal and molecular structure of CIS-dichlorobis(diphenyldithiophosphinato)tin(IV). <i>Polyhedron</i> , 1996, 15, 3857-3867.	1.0	9
269	Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO <sub>2</sub> P <sub>2</sub> N and SbOSP <sub>2</sub> N rings: crystal and molecular structures of Ph <sub>2</sub> SbCl <sub>2</sub> [(OPPh <sub>2</sub> )(XPPPh <sub>2</sub> )N] (X = O, S). <i>Journal of Organometallic Chemistry</i> , 1996, 515, 131-138.	0.8	21
270	Organometallics alkylthiolate-bridged manganese cubanes. <i>Journal of Organometallic Chemistry</i> , 1996, 517, 19-23.	0.8	17



#	ARTICLE	IF	CITATIONS
289	Abnormal ring closure and oxidation <i>in situ</i> of 2-hydroxy-5-nitrobenzaldehyde in the hantzsch synthesis. <i>Journal of Heterocyclic Chemistry</i> , 1995, 32, 831-833.	1.4	9
290	Crystal and molecular structure of [Zn(II)] <sub>2</sub> (diacetoamidoglutarate) <sub>2</sub> hexaquo·2H <sub>2</sub> O, an unusual macrocyclic dimer with pentacoordinated Zn in a slightly distorted trigonal bipyramid. <i>Journal of Chemical Crystallography</i> , 1994, 24, 441-444.	0.5	3
291	Ent-neoclerodane diterpenes from <i>Gymnosperma glutinosum</i> . <i>Phytochemistry</i> , 1994, 35, 1505-1507.	1.4	11
292	Synthesis characterization of the novel Complex 1/4-(1,2-dibenzylideneacetone)Fe <sub>2</sub> (CO) <sub>8</sub> . <i>Journal of Organometallic Chemistry</i> , 1994, 464, C23-C24.	0.8	9
293	Praziquantel analogs. Synthesis of substituted 4-(2,3- and 4- <i>R</i> )-carboxyphenyl-1,4-pyrazin-2-ones. <i>Journal of Heterocyclic Chemistry</i> , 1994, 31, 1521-1523.	1.4	2
294	Salvireptanolide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994, 50, 1794-1796.	0.4	2
295	Acidification of [WS <sub>4</sub> ] <sup>2-</sup> . Synthesis and structures of di-μ-sulfido-bis[(2,2'-bipyridine)chlorooxotungsten(V)] and di-μ-sulfido-bis[(2,2'-bipyridine)bromooxotungsten(V)]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, 1311-1315.	1.1	5
296	Coordinating ability of the heterocycles 1,3-dithia-2-arsa- and stiba-cyclopentanes. Part III. Dithioacid and dithiocarbamate complexes containing a free functional group. Crystal structure of 2-pyrrolidonedithiocarbamate of 1,3-dithia-arsa-cyclopentane. <i>Heteroatom Chemistry</i> , 1993, 4, 313-317.	0.4	6
297	Activation of lanthanide acetates via heterometallic alkoxides: Synthesis and molecular structure of Gd <sub>2</sub> Zr <sub>6</sub> (1/4-O) <sub>2</sub> (1/4-OAc) <sub>6</sub> (1/4-OPri) <sub>10</sub> (OPri) <sub>10</sub> . <i>Polyhedron</i> , 1993, 12, 2091-2096.	1.0	22
298	Structure of galphimine B. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1993, 49, 774-776.	0.4	11
299	Structure of [1,9-bis(2-pyridyl)-2,5,8-triazanonane]zinc(II) tetrachlorozincate(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1993, 49, 796-799.	0.4	4
300	Methylated Flavones from <i>Conoclidium greggii</i> . <i>Journal of Natural Products</i> , 1993, 56, 1410-1413.	1.5	10
301	Conformational analysis of 5-substituted 1,3-dioxanes. 5. Bond eclipsing in tert-butylsulfonyl substituted 1,3-dioxanes and cyclohexanes. X-ray diffraction studies, MMP2 calculations, and interpretation. <i>Journal of the American Chemical Society</i> , 1992, 114, 2157-2162.	6.6	17
302	Crystal and molecular structure of gochnatolide, a sesquiterpene lactone. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1992, 22, 461-465.	0.3	2
303	Crystal structure of M(II) bis-?-diacetoamidopropionate, diaqua·1/2H <sub>2</sub> O (M=Cu, Zn, Co): An uncommon carbonyl-O-of-peptide-coordinated two-dimensional layered polymer. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1992, 22, 281-289.	0.3	2
304	Complexes of In(III) with tetraphenylimidodiphosphinate ligands. <i>Monatshefte für Chemie</i> , 1992, 123, 391-396.	0.9	24
305	Acylated flavonols and other constituents from <i>Galeana pratensis</i> . <i>Phytochemistry</i> , 1992, 31, 1003-1007.	1.4	4
306	The structures of 2-(4,5-dihydro-5-aryl-3-isoxazolyl)-1-arylethanone oximes. An unusual behaviour in its <sup>1</sup> H-NMR and mass spectra. <i>Journal of Heterocyclic Chemistry</i> , 1992, 29, 1325-1330.	1.4	4

#	ARTICLE	IF	CITATIONS
307	Synthesis of tetrahydrobenzophenanthridinones. <i>Journal of Heterocyclic Chemistry</i> , 1992, 29, 1385-1388.	1.4	18
308	Structures of the Schiff-base ligands 1-[(1-adamantylamino)methylene]-2(1H)-naphthalenone (1) and 1-[(2-adamantylamino)methylene]-2(1H)-naphthalenone (2) and their corresponding copper(II) complexes. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 115-120.	0.4	8
309	Structure of a p-nitrobenzoyl praziquantel analogue. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 1868-1870.	0.4	5
310	Structure of wigandol. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 2000-2002.	0.4	1
311	Structures of 2-(3,5-dibromo-4-butoxy-1-hydroxy-4-methoxy-2,5-cyclohexadien-1-yl)ethanamide (I) and 2-(3,5-dibromo-1-hydroxy-4,4-dimethoxy-2,5-cyclohexadien-1-yl)ethanamide (II). Two marine compounds. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 2235-2237.	0.4	0
312	Synthesis and crystal structure of two stereochemical isomers of the trans-dichloro(1,4,8,11-tetraazacyclotetradecane)chromium(III) cation. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 3243-3247.	1.1	14
313	Clerodane and seco-clerodane diterpenoids from <i>Salvia reptans</i> . <i>Phytochemistry</i> , 1991, 30, 2335-2338.	1.4	20
314	Isolation of 1,2,3,4-tetrahydrobenzo[ <i>g</i> ]quinolin-2(1 <i>H</i> )-ones on the reaction of 2-arylidene-naphthylamines with 4-hydroxycoumarin. <i>Journal of Heterocyclic Chemistry</i> , 1991, 28, 589-592.	1.4	3
315	Structure of a praziquantel analogue. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1991, 47, 2492-2494.	0.4	5
316	Semicarbazones and thiosemicarbazones. XIV. Bis(2-methylthiosemicarbazide)nickel(II) nitrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1991, 47, 2666-2668.	0.4	1
317	Bis(carbodifluoro) and tris(carbodifluoro) derivatives of zaluzanin D. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1991, 47, 2720-2723.	0.4	2
318	Bis(carbodifluoro) derivative of anhydroparthenin. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1991, 47, 2723-2725.	0.4	2
319	Clerodane and aromatic seco-clerodane diterpenoids from <i>Salvia rhyacophua</i> . <i>Tetrahedron</i> , 1991, 47, 7199-7208.	1.0	37
320	1,1-Dichlorocyclopropane derivatives of $\hat{I}^{\pm}$ and $\hat{I}^2$ ionones. Structure determination of 3R,3S-bis[3-methyl-5-(1-trimethylcyclohex-1-en-2-yl)-2(1H)-furanone]. <i>Canadian Journal of Chemistry</i> , 1990, 68, 701-704.		
321	Structure of (E)-2-methyl-1,3-bis(2,4,5-trimethoxyphenyl)-1-pentene and 1-(2,4,5-trimethoxyphenyl)-2-methyl-3-ethyl-4,6,7-trimethoxyindan C <sub>24</sub> H <sub>32</sub> O <sub>6</sub> : two asarone dimers. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1990, 46, 1542-1545.	0.4	5
322	Structure of recinine. Erratum. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1990, 46, 348-348.	0.4	0
323	Structure of the complex of imidazole and picric acid. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1990, 46, 1556-1558.	0.4	10
324	Structure of 3-(1-aziridinyl)-N-(p-chlorophenyl)succinimide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1990, 46, 2263-2265.	0.4	0

#	ARTICLE	IF	CITATIONS
325	Structure of 7-hydroxy-1,6,12(S)-triacetoxyneoclerodane-4(18),13(14)-dien-15,16-olide (grandifolide A): a diterpene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1990, 46, 2478-2480.	0.4	1
326	Synthesis and spectra of 12-oxo- and 12-phenyl-9,9-dimethyl-7,8,9,10,11,12-hexahydro and 8,9,10,11-tetrahydrobenz[ <i>a</i> ]acridin-11-ones. Structure correction of 1,2,3,4,5,6-hexahydro and 1,2,3,4-tetrahydro-2,2-dimethyl-5-aryla-6-aza-9,10-benzophenanthren-4-ones. <i>Journal of Heterocyclic Chemistry</i> , 1990, 27, 363-366.	1.4	38
327	Reaction of $\beta$ -arylidenaphthylamines with 4-hydroxycoumarin. A correction in structural assignment of the product. III. <i>Journal of Heterocyclic Chemistry</i> , 1990, 27, 1273-1276.	1.4	10
328	Semicarbazones and thiosemicarbazones, XII: Crystal structure of salicylaldehyde semicarbazone. <i>Monatshefte für Chemie</i> , 1990, 121, 641-647.	0.9	16
329	Preparation, crystal structure and kinetics of acid hydrolysis of an isomer of [Cr(picdien)Cl][ZnCl <sub>4</sub> ][picdien = 1,9-bis(2- $\pi$ -pyridyl)-2,5,8-triazanonane]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 3629-3634.	1.1	6
330	Chemical Studies on Mexican Plants Used in Traditional Medicine, XV. Sesquiterpene Evoninoate Alkaloids from <i>Hippocratea excelsa</i> . <i>Journal of Natural Products</i> , 1990, 53, 1212-1219.	1.5	28
331	P10Fe, a phosphorus analog ferrocene?. <i>Inorganic Chemistry</i> , 1990, 29, 879-880.	1.9	25
332	Tilifodiolide, tetraline-type diterpenoid of clerodanic origin from <i>Salvia tiliaefolia</i> . <i>Journal of Organic Chemistry</i> , 1990, 55, 3522-3525.	1.7	37
333	Structure of a mixed crystal of stereoisomers of 4-hydroxy-6-methoxy-5,9,13,13-tetramethyl-2-oxatetracyclo[6.5.0.01,8.08,12]tridecan-7-one. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1990, 46, 1860-1863.	0.4	0
334	Structure of recinine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 957-959.	0.4	2
335	Structure of catalpol hexaacetate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1054-1057.	0.4	2
336	Structure of 7,10-dimethoxy-2,6,6,9-tetramethyltricyclo[5.4.0.01,5]undec-9-ene-8,11-dione. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1435-1437.	0.4	1
337	Structure of 9,11-dimethoxy-2,6,7-trimethyltetracyclo[4.3.3.01,5.07,11]dodecane-8,10-dione. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1437-1438.	0.4	1
338	Structure of 4-hydroxy-6-methoxy-5,9,13,13-tetramethyl-2-oxatetracyclo[6.5.0.01,8.08,12]tridecan-7-one. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1439-1440.	0.4	1
339	Structure of 3-amino-2-(6-methoxy-3-indolyl)propionic acid hemihydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1440-1442.	0.4	0
340	Structure of a 2,7-dinitro-9-fluorenone and 2,2'-bis-1,3-dithiole (DNF $\pi$ -TTF) complex. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1442-1444.	0.4	7
341	Conformational analysis of 5-substituted 1,3-dioxanes. 4. The use of precise structural information for the understanding of the conformational behavior of cis-5-(tert-butylsulfonyl)- and cis-5-(tert-butylsulfinyl)-2-tert-butyl-1,3-dioxane. <i>Journal of Organic Chemistry</i> , 1989, 54, 5963-5967.	1.7	15
342	Structure of tricarbonyl-( $\eta$ -4-1,4-dibenzoyloxy-1,3-butadiene)iron(0). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1988, 44, 51-53.	0.4	2

#	ARTICLE	IF	CITATIONS
343	Semicarbazones and thiosemicarbazones. VII. Structure of 2-hydroxyacetophenone thiosemicarbazone. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1988, 44, 1247-1249.	0.4	13
344	Structure and stereochemistry of cacalone acetate, a sesquiterpene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1988, 44, 1092-1094.	0.4	3
345	Structure and stereochemistry of 3-acetoxy-4-acetyl-4-(p-nitrobenzoyloxy)cyclohex-1-ene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1988, 44, 1293-1295.	0.4	0
346	Structure and stereochemistry of 7 $\beta$ -[(+)-camphorsulfonyl]-9 $\beta$ -hydroxylongipin-2-en-1-one. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1988, 44, 1641-1644.	0.4	0
347	Synthesis and spectra of 7-( <i>o</i> - and <i>p</i> -R-phenyl)-10,10-dimethyl-8,9,10,11-tetrahydrobenz[ <i>c</i> ]acridin-8-ones. Structure correction of 1,2,3,4-tetrahydro-2,2-dimethyl-5-aryl-6-aza-7,8-benzophenanthren-4-ones. <i>Journal of Heterocyclic Chemistry</i> , 1988, 25, 895-899.	1.4	43
348	A New Royleanone-Type Diterpene from <i>Salvia sessei</i> . <i>Journal of Natural Products</i> , 1988, 51, 243-248.	1.5	17
349	2D NMR Study of Phototetrahydro Zexbrevin A. <i>Spectroscopy Letters</i> , 1987, 20, 843-851.	0.5	0
350	Structure of tricarbonyl( $\eta$ -4-syn-1,4-diacetoxy-1,3-butadiene)iron(0). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 2058-2060.	0.4	0
351	Synthesis of a molybdenum-substituted furan from [( $\eta$ -5-C <sub>5</sub> H <sub>5</sub> )Mo(CO) <sub>3</sub> ] <sup>-</sup> Na <sup>+</sup> and epibromohydrin in the presence of triphenylphosphine; trans-[( $\eta$ -5-C <sub>5</sub> H <sub>5</sub> )Mo(CO) <sub>2</sub> (PPh <sub>3</sub> )(2-furan)]. <i>Organometallics</i> , 1987, 6, 1821-1822.	1.1	6
352	Conformational analysis of 1,3-dioxanes with sulfide, sulfoxide and sulfone substitution at C(5). Finding an eclipsed conformation in cis-2-tert-butyl-5-(tert-butylsulfonyl)-1,3-dioxane. <i>Journal of Organic Chemistry</i> , 1987, 52, 3806-3811.	1.7	31
353	Lanthanide tetraphenylimidodiphosphinates: X-ray structure of an ethyl acetate adduct and use as n.m.r. shift reagents for acids. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 1502.	2.0	21
354	Sulfur-carbon-phosphorus anomeric interactions. 5. Conformational preference of the diphenylthiophosphinoyl group [(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> P(S)] in cyclohexane and in the 1,3-dithian-2-yl ring. <i>Journal of Organic Chemistry</i> , 1987, 52, 5185-5189.	1.7	18
355	Sesquiterpene Lactones from a Population of <i>Helenium integrifolium</i> . <i>Journal of Natural Products</i> , 1987, 50, 284-286.	1.5	7
356	Synthesis, crystal structure, and EHMO calculations for the nickel(II) complexes of imines derived from salicylaldehyde, 2-hydroxy-1-naphthaldehyde, and 3-hydroxy-2-naphthaldehyde. <i>Inorganic Chemistry</i> , 1987, 26, 349-357.	1.9	66
357	Stereochemistry of the Ester Side Chain of the Germacranolides of <i>Viguiera hypargyrea</i> . <i>Journal of Natural Products</i> , 1987, 50, 273-276.	1.5	3
358	Structure and stereochemistry of cacalol methyl ether, a sesquiterpene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 1805-1807.	0.4	3
359	Structure of di( $\eta$ -4-chlorobis(dicarbonyl)palladium). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 1679-1681.	0.4	6
360	Structure and stereochemistry of (8 <i>S</i> ,12 <i>R</i> )-cis-clerodane-1,3,13(16),14-tetraene-15,16-epoxy-12(17);18,19-diolide (linearolactone), a diterpene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 1565-1567.	0.4	1



#	ARTICLE	IF	CITATIONS
361	Structure of (3 $\hat{I}^2$ ,25R)-spirost-5-ene-3,17-diol hemihydrate (pennogenin). Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 1163-1166.	0.4	1
362	Structure and stereochemistry of 11-(o-chlorophenyl)-3,3-dimethyl-2,3,4,5,10,11-hexahydro-1H-dibenzo[b,e][1,4]diazepin-1-one hemimethanol solvate. Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 1161-1163.	0.4	0
363	Structure and stereochemistry of the methyl ester of (5 $\hat{I}^{\pm}$ ,13 $\hat{I}^{\pm}$ ,14 $\hat{I}^2$ ,17 $\hat{I}^{\pm}$ ,20S,24Z)-3-oxolanosta-7,24-dien-26-oic acid (masticadienonic acid). Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 990-992.	0.4	6
364	Structure and stereochemistry of 2-hydroxy-12(S)-hydroxyneoclerodane-3,13(14)-diene-15,16;19,20-diolide (semiatrin), a diterpene. Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 272-274.	0.4	2
365	Structure and stereochemistry of 2-(N-methylaniline)-3-(N-methoxyaceto)-7-(p-chlorophenyl)-8-methoxy-4,5-benzo-3-aza-1-nonem. Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 269-272.	0.4	0
366	Absolute configuration of (-)-5-benzoyl-1,2-dihydro-3H-pyrrolo[1,2-a]pyrrole-1-carboxylic acid, the active enantiomer of ketorolac. Journal of Medicinal Chemistry, 1986, 29, 589-591.	2.9	87
367	Crystal and molecular structure of acanthothamine monohydrate-methanol: A new alkaloid from Acanthothamnus aphyllus. Journal of Crystallographic and Spectroscopic Research, 1986, 16, 507-517.	0.3	4
368	Synthesis and characterization of taurine Schiff base derivatives and their Cu(II) complexes: Crystal and molecular structure of 5-NO <sub>2</sub> salicylaldehyde ethylene sulfonic acid complex of Cu(II). Journal of Crystallographic and Spectroscopic Research, 1986, 16, 147-157.	0.3	1
369	Crystal and molecular structure of the superacid salt dirubidium tetrahydrogen trimalonate. Journal of Crystallographic and Spectroscopic Research, 1986, 16, 207-216.	0.3	1
370	Structure of a mixed crystal of sesquiterpene stereoisomers of 2,2,6,10-tetramethyl-8,11-dioxotricyclo[5.3.1.0.3,7]undec-9-en-9-yl acetate ( $\hat{I}^{\pm}$ - and $\hat{I}^2$ -pipitzol acetates). Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1578-1581.	0.4	0
371	Structure of 2-(1,5-dimethyl-4-hexenyl)-3,6-dihydroxy-5-methyl-1,4-benzoquinone (hydroxyperezone), a sesquiterpene. Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1576-1578.	0.4	3
372	Structures of the Nill complexes of the imine ligands derived from 2,2-diethoxyethylamine with salicylaldehyde and 1,2- and 2,3-hydroxynaphthaldehydes. Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1313-1316.	0.4	6
373	Structure of [1S-(1 $\hat{I}^{\pm}$ ,4a $\hat{I}^{\pm}$ ,7 $\hat{I}^2$ ,7a $\hat{I}^{\pm}$ )]-1- $\hat{I}^2$ -D-glucopyranosyloxy-1,4a,5,6,7,7a-hexahydro-7-methylcyclopenta[c]pyran-4-carbaldehyde (boschnaloside) monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1025-1027.	0.4	0
374	Structure and stereochemistry of (3R,5R,8S,10R,13R)-ent-pimara-9(11),15-dien-3-p-bromobenzoate (viguiepinol). Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 729-731.	0.4	4
375	Structure of 5-methoxysalicylaldehyde 4-phenylthiosemicarbazone methanol (1/1). Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 623-625.	0.4	5
376	Structure of (1S,3R,6R,7S)-2,2,6,10-tetramethyl-8,11-dioxotricyclo[5.3.1.0.3,7]undec-9-en-9-yl acetate ( $\hat{I}^2$ -pipitzol acetate). Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 329-331.	0.4	0
377	Structure of 2-(1,5-dimethyl-4-hexenyl)-3-hydroxy-5-methyl-1,4-benzoquinone (perezone), a sesquiterpene. Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 327-329.	0.4	10
378	Crystal and molecular structure of kinetin picrate: a new tautomeric form of N(6)-substituted purine. Journal of Crystallographic and Spectroscopic Research, 1985, 15, 651-662.	0.3	2



#	ARTICLE	IF	CITATIONS
379	Structure of ammine[salicylaldehyde 4-phenylthiosemicarbazonato(2â€“)]nickel(II), [Ni(C <sub>14</sub> H <sub>11</sub> N <sub>3</sub> OS)(NH <sub>3</sub> )]. Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 498-500.	0.4	13
380	Structure of bis[salicylaldehyde thiosemicarbazonato(1â€“)]chromium(III) perchlorate trihydrate, [Cr(C <sub>8</sub> H <sub>8</sub> N <sub>3</sub> OS) <sub>2</sub> ]ClO <sub>4</sub> .3H <sub>2</sub> O. Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 500-502.	0.4	10
381	Structure of (6,13-diacetyl-5,12-dimethyl-1,4,8,11-tetraazacyclotetradeca-4,6,11,13-tetraenato)nickel(II) 7,7,8,8-tetracyano-p-quinodimethane (1/1), C <sub>16</sub> H <sub>22</sub> N <sub>4</sub> NiO <sub>2</sub> .C <sub>12</sub> H <sub>4</sub> N <sub>4</sub> . Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 1024-1026.	0.4	4
382	Structure of (Z)-3-ethoxycarbonyl-4-phenyl-3-pentenoic acid, C <sub>14</sub> H <sub>16</sub> O <sub>4</sub> . Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 1064-1066.	0.4	0
383	Structure of the antimicrobial agent cinoxacin. Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 1825-1826.	0.4	11
384	Synthesis and molecular structure of prolame, N-(3-hydroxy-1,3,5(10)-estratrien-17Î²-yl)-3-hydroxypropylamine; an amino-estrogen with prolonged anticoagulant and brief estrogenic effects. Steroids, 1985, 45, 151-157.	0.8	24
385	Structure of 2-acetoxy-2Î±,3Î±-dihydro-4Î±-hydroxy-3-(2-methylisocrotonoyloxy)-(1Î±H,5Î±H,7Î±H,8Î²H)-guaia-10(14), 11(13)-dien-8,12-olide, C <sub>22</sub> H <sub>28</sub> O <sub>7</sub> , a sesquiterpene lactone. Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 538-540.	0.4	1
386	Verocephol, a unique amorphane sesquiterpene .gamma.-lactol. Journal of Organic Chemistry, 1985, 50, 4171-4172.	1.7	4
387	Structure of 1-hydroxy-5,11,15-trimethylpentacyclo[9.5.1.02,9.04,8.012,16]heptadec-2(9)-en-3-one, C <sub>20</sub> H <sub>28</sub> O <sub>2</sub> . Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 479-481.	0.4	0
388	Structure of methyl 3,3-dimethyl-7-phenylsulfinyl-1,5-dioxaspiro[5.5]undecane-9-carboxylate, C <sub>19</sub> H <sub>26</sub> O <sub>5</sub> S. Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 887-889.	0.4	2
389	Structure of (4Î²H,6Î²H,11Î±H)-3Î²,10Î²-epoxy-8Î²-isobutyryloxy-1-oxogermacr-2-en-6,12-olide (tetrahydrozexbrevin), C <sub>19</sub> H <sub>26</sub> O <sub>6</sub> , a sesquiterpenoid lactone. Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 1425-1427.	0.4	3
390	Structure and stereochemistry of 2-methylthio-7-(p-bromophenyl)-8-phenoxy-4,5-benzo-3-aza-2-nonem, C <sub>24</sub> H <sub>19</sub> BrN <sub>2</sub> O <sub>2</sub> S. Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 1460-1462.	0.4	0
391	Structure of 4-hydroxy-3-phenylbutanamide monohydrate, C <sub>10</sub> H <sub>13</sub> NO <sub>2</sub> .H <sub>2</sub> O. Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 2106-2108.	0.4	0
392	Structure of (25R)-3Î²-hydroxy-5Î±-spirostan-12-one monohydrate (hecogenin), C <sub>27</sub> H <sub>42</sub> O <sub>4</sub> .H <sub>2</sub> O. Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 2116-2118.	0.4	2
393	Fate of kelthane residues on apple pomace exposed to drying in the dark, sunlight and ultraviolet light irradiation. Bulletin of Environmental Contamination and Toxicology, 1972, 7, 353-357.	1.3	5