

# Kasper Steen Pedersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4493436/publications.pdf>

Version: 2024-02-01

60  
papers

2,731  
citations

172386

29  
h-index

175177

52  
g-index

74  
all docs

74  
docs citations

74  
times ranked

2905  
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-molecule magnet engineering: building-block approaches. <i>Chemical Communications</i> , 2014, 50, 4396-4415.	2.2	273
2	Toward Molecular 4f Single-Ion Magnet Qubits. <i>Journal of the American Chemical Society</i> , 2016, 138, 5801-5804.	6.6	201
3	Design of Single-Molecule Magnets: Insufficiency of the Anisotropy Barrier as the Sole Criterion. <i>Inorganic Chemistry</i> , 2015, 54, 7600-7606.	1.9	191
4	Modifying the properties of 4f single-ion magnets by peripheral ligand functionalisation. <i>Chemical Science</i> , 2014, 5, 1650-1660.	3.7	159
5	Cyanide Single-Molecule Magnets Exhibiting Solvent Dependent Reversible "On" and "Off" Exchange Bias Behavior. <i>Journal of the American Chemical Society</i> , 2015, 137, 14406-14422.	6.6	121
6	Formation of the layered conductive magnet CrCl <sub>2</sub> (pyrazine) <sub>2</sub> through redox-active coordination chemistry. <i>Nature Chemistry</i> , 2018, 10, 1056-1061.	6.6	108
7	[ReF <sub>6</sub> ] <sup>2+</sup> : A Robust Module for the Design of Molecule-Based Magnetic Materials. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1351-1354.	7.2	98
8	Metal-organic magnets with large coercivity and ordering temperatures up to 242 Å°C. <i>Science</i> , 2020, 370, 587-592.	6.0	91
9	Fluoride Bridges as Structure-Directing Motifs in 3d-4f Cluster Chemistry. <i>Inorganic Chemistry</i> , 2012, 51, 5435-5443.	1.9	86
10	Fluoride-Bridged {Gd <sup>III</sup> <sub>3</sub> M <sup>III</sup> <sub>2</sub> } (M=Cr, Fe, Ga) Molecular Magnetic Refrigerants. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2394-2397.	7.2	86
11	Coherent Manipulation of a Molecular Ln-Based Nuclear Qudit Coupled to an Electron Qubit. <i>Journal of the American Chemical Society</i> , 2018, 140, 9814-9818.	6.6	86
12	Chemical tunnel-splitting-engineering in a dysprosium-based molecular nanomagnet. <i>Nature Communications</i> , 2018, 9, 1292.	5.8	81
13	Direct observation of a ferri-to-ferromagnetic transition in a fluoride-bridged 3d-4f molecular cluster. <i>Chemical Science</i> , 2012, 3, 1024-1032.	3.7	78
14	Enhancing the Blocking Temperature in Single-Molecule Magnets by Incorporating 3d-5d Exchange Interactions. <i>Chemistry - A European Journal</i> , 2010, 16, 13458-13464.	1.7	75
15	Three-Axis Anisotropic Exchange Coupling in the Single-Molecule Magnets NEt <sub>4</sub> [Mn <sup>III</sup> <sub>2</sub> (5-Br-salen) <sub>2</sub> (MeOH) <sub>2</sub> M <sup>III</sup> (CN) <sub>6</sub> ] (M=Ru, Os). <i>Chemistry - A European Journal</i> , 2013, 19, 3693-3701.	1.7	68
16	Fluoride-coordination chemistry in molecular and low-dimensional magnetism. <i>Coordination Chemistry Reviews</i> , 2015, 299, 1-21.	9.5	53
17	A linear single-molecule magnet based on [RuIII(CN) <sub>6</sub> ] <sup>3-</sup> . <i>Chemical Communications</i> , 2011, 47, 6918.	2.2	50
18	Frequency-Domain Fourier Transform Terahertz Spectroscopy of the Single-Molecule Magnet (NEt <sub>4</sub> ) <sub>2</sub> [Mn <sub>2</sub> (5-Br-salen) <sub>2</sub> (MeOH) <sub>2</sub> Cr(CN) <sub>6</sub> ]. <i>Chemistry - A European Journal</i> , 2011, 17, 7492-7498.	1.7	50

#	ARTICLE	IF	CITATIONS
19	Spin Crossover in Fe(II) Complexes with N <sub>4</sub> S <sub>2</sub> Coordination. Inorganic Chemistry, 2016, 55, 5904-5913.	1.9	49
20	Single-Ion Anisotropy and Exchange Interactions in the Cyano-Bridged Trimers Mn <sup>III</sup> <sub>2</sub> M <sup>III</sup> (CN) <sub>6</sub> (M <sup>III</sup> = Co, Cr, Fe) Species Incorporating [Mn(5-Brsalen)] <sup>+</sup> Units: An Inelastic Neutron Scattering and Magnetic Susceptibility Study. Inorganic Chemistry, 2009, 48, 128-137.	1.9	48
21	Fluoride-bridged {Ln <sub>2</sub> Cr <sub>2</sub> } polynuclear complexes from semi-labile mer-[CrF <sub>3</sub> (py) <sub>3</sub> ] and [Ln(hfac) <sub>3</sub> (H <sub>2</sub> O) <sub>2</sub> ]. Dalton Transactions, 2012, 41, 11284.	1.6	43
22	[Cr <sup>III</sup> <sub>8</sub> M <sup>II</sup> <sub>6</sub> ] <sup>12+</sup> Coordination Cubes (M <sup>II</sup> =Cu, Ni, Co). Angewandte Chemie - International Edition, 2015, 54, 6761-6764.	7.2	42
23	Iridates from the molecular side. Nature Communications, 2016, 7, 12195.	5.8	41
24	Coercive Fields Above 6 K in Two Cobalt(II) Radical Chain Compounds. Angewandte Chemie - International Edition, 2020, 59, 10610-10618.	7.2	38
25	Exchange Interaction of Strongly Anisotropic Tripodal Erbium Single-Ion Magnets with Metallic Surfaces. ACS Nano, 2014, 8, 4662-4671.	7.3	37
26	Angular dependence of the exchange interaction in fluoride-bridged Gd <sup>III</sup> -Cr <sup>III</sup> complexes. Chemical Communications, 2013, 49, 5583.	2.2	33
27	Magnetic properties of ultra-small goethite nanoparticles. Journal Physics D: Applied Physics, 2014, 47, 365003.	1.3	32
28	Field-induced single-molecule magnet behavior in ideal trigonal antiprismatic cobalt(II) complexes: precise geometrical control by a hydrogen-bonded rigid metalloligand. Chemical Communications, 2018, 54, 8869-8872.	2.2	32
29	Multifaceted magnetization dynamics in the mononuclear complex [Re <sup>IV</sup> Cl <sub>4</sub> (CN) <sub>2</sub> ] <sup>2+</sup> . Chemical Communications, 2016, 52, 12905-12908.	2.2	30
30	Magnetic Properties of a Manganese(III) Chain with Monoatomic Bridges: <i>catena</i> -MnF(salen). Inorganic Chemistry, 2011, 50, 5312-5314.	1.9	29
31	Magnetic and magnetocaloric properties of an unusual family of carbonate-panelled [LnIII <sub>6</sub> ZnII <sub>2</sub> ] cages. Dalton Transactions, 2015, 44, 10315-10320.	1.6	27
32	Out-of-Plane Alignment of Er(trensall) Easy Magnetization Axes Using Graphene. ACS Nano, 2016, 10, 2887-2892.	7.3	27
33	X-ray Magnetic Circular Dichroism (XMCD) Study of a Methoxide-Bridged Dy <sup>III</sup> -Cr <sup>III</sup> Cluster Obtained by Fluoride Abstraction from <i>cis</i> -[Cr <sup>III</sup> F <sub>2</sub> (phen) <sub>2</sub> ] <sup>+</sup> . Journal of Physical Chemistry A, 2012, 116, 7842-7847.	1.1	24
34	[Os <sub>6</sub> ] <sup>+</sup> : Molecular Models for Spin-Orbit Entangled Phenomena. Chemistry - A European Journal, 2017, 23, 11244-11248.	1.7	18
35	Magnetic Interactions through Fluoride: Magnetic and Spectroscopic Characterization of Discrete, Linearly Bridged [Mn <sup>III</sup> <sub>2</sub> ( <sup>1</sup> / <sub>4</sub> -F) <sub>4</sub> (Me <sub>3</sub> tacn) <sub>2</sub> ](PF <sub>6</sub> ) <sub>2</sub> . Inorganic Chemistry, 2014, 53, 5013-5019.	1.9	17
36	Cr(pyrazine) <sub>2</sub> (OSO <sub>2</sub> CH <sub>3</sub> ) <sub>2</sub> : A two-dimensional coordination polymer with an antiferromagnetic ground state. Polyhedron, 2018, 153, 248-253.	1.0	13

#	ARTICLE	IF	CITATIONS
37	Zero-valent metals in metal-organic frameworks: $\text{M}(\text{CO})_3(\text{pyrazine})_{3/2}$ . Chemical Communications, 2021, 57, 3861-3864.	2.2	12
38	Rational Self-Assembly of Tricobalt Extended Metal Atom Chains and $[\text{M}_6]^{2+}$ Building Blocks into One-Dimensional Coordination Polymers. European Journal of Inorganic Chemistry, 2018, 2018, 320-325.	1.0	11
39	Magnetic Archimedean Tessellations in Metal-Organic Frameworks. Journal of the American Chemical Society, 2021, 143, 14041-14045.	6.6	11
40	Zero-Field Splitting in $\{\text{Mn}^{III}(\frac{1}{4}\text{O})\}$ Core Single-Molecule Magnets Investigated by Inelastic Neutron Scattering and High-Field Electron Paramagnetic Resonance Spectroscopy. European Journal of Inorganic Chemistry, 2015, 2015, 2683-2689.	1.0	9
41	One-dimensional coordination polymers of $[\text{Co}_3(\text{dpa})_4]^{2+}$ and $[\text{M}_6]^{2+}$ ( $\text{M} = \text{Re}^{IV}$ , $\text{Zr}^{IV}$ and $\text{Sn}^{IV}$ ). Chemical Communications, 2015, 51, 17748-17751.	2.2	9
42	Evidence for Non-Innocence of a $\beta$ -Diketonate Ligand. Chemistry - A European Journal, 2020, 26, 2143-2147.	1.7	9
43	Emergent magnetic behavior in the frustrated $\text{Yb}_3\text{Ga}_5\text{O}_{12}$ garnet. Physical Review B, 2021, 104, ...	1.1	9
44	$[\text{UF}_6]^{2+}$ : A Molecular Hexafluorido Actinide(IV) Complex with Compensating Spin and Orbital Magnetic Moments. Angewandte Chemie - International Edition, 2019, 58, 15650-15654.	7.2	8
45	Ligand field-actuated redox-activity of acetylacetonate. Chemical Science, 2020, 11, 8267-8272.	3.7	8
46	Mn <sup>III</sup> zero-field splitting parameters and weak exchange interactions in a cyanide-bridged $\{\text{Mn}^{III}(\text{Ir}^{III})\}$ cluster. Inorganic Chemistry Communication, 2012, 24, 24-28.	1.8	7
47	Pentagonal-bipyramidal acetonitrile complexes of the lanthanide(II) iodides. Inorganic Chemistry Communication, 2020, 114, 107819.	1.8	7
48	Chemical engineering of quasicrystal approximants in lanthanide-based coordination solids. Nature Communications, 2020, 11, 4705.	5.8	7
49	XMCD study of the magnetic exchange coupling in a fluoride-bridged Dy-Cr molecular cluster. Journal of the Korean Physical Society, 2013, 62, 1368-1371.	0.3	6
50	Access to Heteroleptic Fluorido-Cyanido Complexes with a Large Magnetic Anisotropy by Fluoride Abstraction. Angewandte Chemie - International Edition, 2020, 59, 10306-10310.	7.2	6
51	An oxide-bridged $\text{Dy}^{\text{Re}}\text{Dy}$ single-molecule magnet. Polyhedron, 2012, 46, 47-52.	1.0	5
52	A Redox-Innocent Uranium(IV)-Quinoid Metal-Organic Framework. ACS Omega, 2020, 5, 3462-3466.	1.6	5
53	Island formation of Er(trensal) single-ion magnets on graphene observed on the micrometer scale. RSC Advances, 2021, 11, 9421-9425.	1.7	5
54	Structural characterization and magnetic properties of chromium jarosite $\text{KCr}_3(\text{OD})_6(\text{SO}_4)_2$ . Physical Chemistry Chemical Physics, 2020, 22, 25001-25010.	1.3	3

#	ARTICLE	IF	CITATIONS
55	Coercive Fields Above 6 T in Two Cobalt(II) Radical Chain Compounds. <i>Angewandte Chemie</i> , 2020, 132, 10697-10705.	1.6	3
56	Access to Heteroleptic Fluorido-Cyanido Complexes with a Large Magnetic Anisotropy by Fluoride Abstraction. <i>Angewandte Chemie</i> , 2020, 132, 10392-10396.	1.6	2
57	Molecular Fluoride-Bridged 3d-4f Complexes and Their Magnetic Properties. , 2016, , 213-230.		1
58	Innenteilbild: [ReF <sub>6</sub> ] <sup>2+</sup> : A Robust Module for the Design of Molecule-Based Magnetic Materials ( <i>Angew. Chem.</i> 5/2014). <i>Angewandte Chemie</i> , 2014, 126, 1192-1192.	1.6	0
59	[Uf <sub>6</sub> ] <sup>2+</sup> : A Molecular Hexafluorido Actinide(IV) Complex with Compensating Spin and Orbital Magnetic Moments. <i>Angewandte Chemie</i> , 2019, 131, 15797-15801.	1.6	0
60	Teilbild: [Uf <sub>6</sub> ] <sup>2+</sup> : A Molecular Hexafluorido Actinide(IV) Complex with Compensating Spin and Orbital Magnetic Moments ( <i>Angew. Chem.</i> 44/2019). <i>Angewandte Chemie</i> , 2019, 131, 16084-16084.	1.6	0