
Radek Sykora

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4495179/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|---|--|-----|-----------|
| 1 | Efficacy and safety of mirabegron for the treatment of neurogenic detrusor overactivity—Prospective, randomized, doubleâ€blind, placeboâ€controlled study. Neurourology and Urodynamics, 2018, 37, 2226-2233. | 1.5 | 53 |
| 2 | Intravesical instillation of onabotulinum toxin A embedded in inert hydrogel in the treatment of idiopathic overactive bladder: A double-blind randomized pilot study. Scandinavian Journal of Urology, 2016, 50, 200-205. | 1.0 | 31 |
| 3 | Persistence with first line anticholinergic medication in treatment-naÃ⁻ve overactive bladder patients. Scandinavian Journal of Urology, 2014, 48, 79-83. | 1.0 | 23 |
| 4 | Comparison between uroflowmetry and sonouroflowmetry in recording of urinary flow in healthy men. International Journal of Urology, 2015, 22, 761-765. | 1.0 | 21 |
| 5 | Fistula between anterior rectum wall and seminal vesicles as a rare complication of low-anterior resection of the rectum. Wideochirurgia I Inne Techniki Maloinwazyjne, 2012, 1, 63-66. | 0.7 | 8 |
| 6 | Cardiovascular safety of mirabegron in individuals treated for spinal cord injury- or multiple sclerosis-induced neurogenic detrusor overactivity. International Urology and Nephrology, 2021, 53, 1089-1095. | 1.4 | 6 |
| 7 | MP71-07 VALIDATION OF A NEW SOUND-BASED METHOD FOR RECORDING VOIDING PARAMETERS USING SIMULTANEOUS UROFLOWMETRY. Journal of Urology, 2015, 193, . | 0.4 | 4 |
| 8 | Evaluation of intra-individual test–re-test variability of uroflowmetry in healthy women and women suffering from stress, urge, and mixed urinary incontinence. International Urogynecology Journal, 2018, 29, 1523-1527. | 1.4 | 4 |
| 9 | One-year follow-up after urethroplasty, with the focus on both lower urinary tract and erectile function. Scandinavian Journal of Urology, 2020, 54, 150-154. | 1.0 | 1 |