
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4496296/publications.pdf Version: 2024-02-01



LUNC FUNLEE

#	Article	IF	CITATIONS
1	Serum Uric Acid Is Associated With Microalbuminuria in Prehypertension. Hypertension, 2006, 47, 962-967.	2.7	124
2	Predictors of acute kidney injury associated with intravenous colistin treatment. International Journal of Antimicrobial Agents, 2010, 35, 473-477.	2.5	96
3	Clinical features and outcomes of systemic amyloidosis with gastrointestinal involvement: a single-center experience. Korean Journal of Internal Medicine, 2015, 30, 496.	1.7	77
4	Nonalcoholic fatty liver disease accelerates kidney function decline in patients with chronic kidney disease: a cohort study. Scientific Reports, 2018, 8, 4718.	3.3	68
5	The impact of early and late acute rejection on graft survival in renal transplantation. Kidney Research and Clinical Practice, 2015, 34, 160-164.	2.2	56
6	Incidence, Risk Factors, and Prediction of Acute Kidney Injury After Off-Pump Coronary Artery Bypass Grafting. Renal Failure, 2011, 33, 316-322.	2.1	36
7	Effect of preemptive treatment with human umbilical cord blood-derived mesenchymal stem cells on the development of renal ischemia-reperfusion injury in mice. American Journal of Physiology - Renal Physiology, 2014, 307, F1149-F1161.	2.7	36
8	The Role of Nafamostat Mesylate in Continuous Renal Replacement Therapy among Patients at High Risk of Bleeding. Renal Failure, 2012, 34, 279-285.	2.1	35
9	Clinical relevance of procalcitonin and C-reactive protein as infection markers in renal impairment: a cross-sectional study. Critical Care, 2014, 18, 640.	5.8	35
10	Tissue expression of tubular injury markers is associated with renal function decline in diabetic nephropathy. Journal of Diabetes and Its Complications, 2017, 31, 1704-1709.	2.3	35
11	Higher mitochondrial DNA copy number is associated with lower prevalence of microalbuminuria. Experimental and Molecular Medicine, 2009, 41, 253.	7.7	33
12	Incorporating sarcopenia and inflammation with radiation therapy in patients with hepatocellular carcinoma treated with nivolumab. Cancer Immunology, Immunotherapy, 2021, 70, 1593-1603.	4.2	32
13	Metabolic Syndrome, C-Reactive Protein, and Chronic Kidney Disease in Nondiabetic, Nonhypertensive Adults <subtitle></subtitle> . American Journal of Hypertension, 2007, 20, 1189-94.	2.0	29
14	Association between diuretics and successful discontinuation of continuous renal replacement therapy in critically ill patients with acute kidney injury. Critical Care, 2018, 22, 255.	5.8	27
15	Statin therapy is associated with improved survival in incident peritoneal dialysis patients: propensity-matched comparison. Nephrology Dialysis Transplantation, 2011, 26, 4090-4094.	0.7	23
16	Increased risk of everolimus-associated acute kidney injury in cancer patients with impaired kidney function. BMC Cancer, 2014, 14, 906.	2.6	23
17	Changes in acute kidney injury epidemiology in critically ill patients: a population-based cohort study in Korea. Annals of Intensive Care, 2019, 9, 65.	4.6	21
18	Early, but not late, treatment with human umbilical cord blood-derived mesenchymal stem cells attenuates cisplatin nephrotoxicity through immunomodulation. American Journal of Physiology - Renal Physiology, 2017, 313, F984-F996.	2.7	20

#	Article	IF	CITATIONS
19	Risk Prediction for Contrast-Induced Nephropathy in Cancer Patients Undergoing Computed Tomography under Preventive Measures. Journal of Oncology, 2019, 2019, 1-7.	1.3	14
20	Cardiovascular Risk Comparison between Expanded Hemodialysis Using Theranova and Online Hemodiafiltration (CARTOON): A Multicenter Randomized Controlled Trial. Scientific Reports, 2021, 11, 10807.	3.3	13
21	The impact of slow graft function on graft outcome is comparable to delayed graft function in deceased donor kidney transplantation. International Urology and Nephrology, 2016, 48, 431-439.	1.4	12
22	Evaluation of Selective Bundle Injury to the Anterior Cruciate Ligament: T2-Weighted Fast Spin-Echo 3-T MRI With Reformatted 3D Oblique Isotropic (VISTA) Versus 2D Technique. American Journal of Roentgenology, 2017, 209, W308-W316.	2.2	12
23	Interreader Reliability and Clinical Validity of a Magnetic Resonance Imaging Grading System for Cervical Foraminal Stenosis. Journal of Computer Assisted Tomography, 2017, 41, 926-930.	0.9	12
24	Comparison of the Efficacy and Safety of Tacrolimus and Low-Dose Corticosteroid with High-Dose Corticosteroid for Minimal Change Nephrotic Syndrome in Adults. Journal of the American Society of Nephrology: JASN, 2021, 32, 199-210.	6.1	12
25	Clinical relevance of urinary angiotensinogen and renin as potential biomarkers in patients with overt proteinuria. Translational Research, 2014, 164, 400-410.	5.0	10
26	Aging has small effects on initial ischemic acute kidney injury development despite changing intrarenal immunologic micromilieu in mice. American Journal of Physiology - Renal Physiology, 2016, 310, F272-F283.	2.7	10
27	Poly (ADP-Ribose) Polymerase Inhibitor Treatment as a Novel Therapy Attenuating Renal Ischemia-Reperfusion Injury. Frontiers in Immunology, 2020, 11, 564288.	4.8	10
28	Effects of percutaneous angioplasty on kidney function and blood pressure in patients with atherosclerotic renal artery stenosis. Kidney Research and Clinical Practice, 2019, 38, 336-346.	2.2	10
29	Association of Metabolic Syndrome with Microalbuminuria in Non-Hypertensive Type 2 Diabetic Patients. Nephron Clinical Practice, 2007, 106, c98-c103.	2.3	9
30	Intravenous albumin for the prevention of contrast-induced nephropathy in patients with liver cirrhosis and chronic kidney disease undergoing contrast-enhanced CT. Kidney Research and Clinical Practice, 2012, 31, 106-111.	2.2	9
31	Independent Contributions of Obstructive Sleep Apnea and the Metabolic Syndrome to the Risk of Chronic Kidney Disease. Journal of Clinical Sleep Medicine, 2017, 13, 1145-1152.	2.6	9
32	Dietary Modification Alters the Intrarenal Immunologic Micromilieu and Susceptibility to Ischemic Acute Kidney Injury. Frontiers in Immunology, 2021, 12, 621176.	4.8	9
33	Arteriovenous graft patency outcomes and prognostic factors. Vascular, 2019, 27, 128-134.	0.9	8
34	Hepatitis B reactivation after kidney transplantation in hepatitis B surface antigenâ€negative, core antibodyâ€positive recipients. Journal of Viral Hepatitis, 2020, 27, 739-746.	2.0	8
35	Crystalline podocytopathy and tubulopathy without overt glomerular proteinuria in a patient with multiple myeloma. Kidney Research and Clinical Practice, 2016, 35, 259-262.	2.2	7
36	The effects of cytotoxic therapy in progressive IgA nephropathy. Annals of Medicine, 2016, 48, 171-181.	3.8	7

#	Article	IF	CITATIONS
37	Comparison of the long-term efficacy and safety of generic Tacrobell with original tacrolimus (Prograf) in kidney transplant recipients. Drug Design, Development and Therapy, 2017, Volume11, 203-210.	4.3	7
38	The presence of simple renal cysts is associated with an increased risk of albuminuria in young adults. Korean Journal of Internal Medicine, 2022, 37, 425-433.	1.7	7
39	Increased intra-abdominal pressure in acute kidney injury: a cause or an effect?. Kidney Research and Clinical Practice, 2015, 34, 67-68.	2.2	6
40	C-Reactive protein reduction rate following initiation of anti-tumor necrosis factor α induction therapy predicts secondary loss of response in patients with Crohn's disease. Scandinavian Journal of Gastroenterology, 2019, 54, 876-885.	1.5	6
41	Creatinine- and cystatin C-based estimated glomerular filtration rate slopes for the prediction of kidney outcome: a comparative retrospective study. BMC Nephrology, 2019, 20, 214.	1.8	6
42	A case of Fanconi syndrome accompanied by crystal depositions in tubular cells in a patient with multiple myeloma. Kidney Research and Clinical Practice, 2014, 33, 112-115.	2.2	5
43	Predicting the Risk of Malignancy of Lung Nodules Diagnosed as Indeterminate on Radial Endobronchial Ultrasound-Guided Biopsy. Journal of Clinical Medicine, 2020, 9, 3652.	2.4	5
44	Perioperative risk factors of progressive chronic kidney disease following liver transplantation: analyses of a 10-year follow-up single-center cohort. Annals of Surgical Treatment and Research, 2020, 99, 52.	1.0	5
45	N-terminal Pro-Brain Natriuretic Peptide Levels Predict Left Ventricular Systolic Function in Patients with Chronic Kidney Disease. Journal of Korean Medical Science, 2009, 24, S63.	2.5	4
46	Diagnostic performances of M-protein tests according to the clinical presentations of kidney disease. European Journal of Internal Medicine, 2016, 33, 88-92.	2.2	4
47	Distinct genetic profile with recurrent population-specific missense variants in Korean adult atypical hemolytic uremic syndrome. Thrombosis Research, 2020, 194, 45-53.	1.7	4
48	A Scoring Model with Simple Clinical Parameters to Predict Successful Discontinuation of Continuous Renal Replacement Therapy. Blood Purification, 2021, 50, 779-789.	1.8	4
49	Early postoperative urinary MCP-1 as a potential biomarker predicting acute rejection in living donor kidney transplantation: a prospective cohort study. Scientific Reports, 2021, 11, 18832.	3.3	4
50	Modeling Uremic Vasculopathy With Induced Pluripotent Stem Cell-Derived Endothelial Cells as a Drug Screening System. Frontiers in Cell and Developmental Biology, 2020, 8, 618796.	3.7	4
51	Renal Allograft Outcomes From Spousal and Other Livingâ€Unrelated Donors. Dialysis and Transplantation, 2009, 38, 200-202.	0.2	3
52	Warfarin skin necrosis mimicking calciphylaxis in a patient with secondary hyperparathyroidism undergoing peritoneal dialysis. Kidney Research and Clinical Practice, 2016, 35, 55-58.	2.2	3
53	Firstâ€year GFR slope and longâ€ŧerm renal outcome in IgA nephropathy. European Journal of Clinical Investigation, 2018, 48, e12936.	3.4	3
54	Prognostic Factors of Renal Outcomes after Heart Transplantation: A Nationwide Retrospective Study. Journal of Clinical Medicine, 2021, 10, 5110.	2.4	3

#	Article	IF	CITATIONS
55	Two cases of idiopathic membranous nephropathy treated with rituximab. Kidney Research and Clinical Practice, 2013, 32, 138-141.	2.2	2
56	Early non-steady-state population pharmacokinetics of oral cyclosporine in renal transplant recipients. Drug Design, Development and Therapy, 2014, 8, 2241.	4.3	2
57	Differential Diagnosis of Chronic Total Occlusive and Subtotal Occlusive Disease of the Lower Extremity Arteries Using Reverse Attenuation Gradient Sign on CT Angiography. American Journal of Roentgenology, 2015, 205, W550-W555.	2.2	2
58	Tenâ€year observational followâ€up of a randomized trial comparing cyclosporine and tacrolimus therapy combined with steroid withdrawal in livingâ€donor renal transplantation. Clinical Transplantation, 2018, 32, e13372.	1.6	2
59	Efficacy and Safety of a Balanced Salt Solution Versus a 0.9% Saline Infusion for the Prevention of Contrast-Induced Acute Kidney Injury After Contrast-Enhanced Computed Tomography. Kidney Medicine, 2020, 2, 189-195.	2.0	2
60	Urinary angiotensinogen as a surrogate marker predicting the antiproteinuric effects of angiotensin receptor blockers in patients with overt proteinuria: aÂmulticenter prospective study. BMC Nephrology, 2020, 21, 180.	1.8	2
61	The combination of area under the curve and percentage change in estimated glomerular filtration rate predicts longâ€ŧerm outcome of kidney transplants. American Journal of Transplantation, 2020, 20, 1056-1062.	4.7	1
62	Exploration of the Appropriate NT-Probnp Level for AL Amyloidosis Staging. Blood, 2021, 138, 3777-3777.	1.4	1
63	Outcomes of bortezomib combination chemotherapies in autologous stem cell transplantation-ineligible patients with AL amyloidosis. Blood Research, 2021, , .	1.3	1
64	Depression is a main determinant of health-related quality of life in patients with diabetic kidney disease. Scientific Reports, 2022, 12, .	3.3	1
65	SP656LONGâ [~] TERM OUTCOME OF RANDOMIZED TRIAL COMPARING CYCLOSPORINE AND TACROLIMUS THERAPY WITH STEROID WITHDRWAL IN LIVINGâ [~] DONOR RENAL TRANSPLANTATION: 10â [~] YEAR FOLLOW UP. Nephrology Dialysis Transplantation, 2016, 31, i313-i314.	0.7	0
66	MP606A PREDICTIVE MODEL FOR SUCCESSFUL CONVERSION OF CONTINUOUS RENAL REPLACEMENT THERAPY TO INTERMITTENT HEMODIALYSIS FOR ACUTE KIDNEY INJURY IN CRITICAL ILL PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i542-i543.	0.7	0
67	FP325EARLY CHANGE IN ESTIMATED GFR AND RENAL OUTCOME IN PATIENT WITH CHRONIC KIDNEY DIEASE: COMPARISON OF CREATININE-BASED AND CYSTATIN C-BASED ESTIMATED GFR SLOPE. Nephrology Dialysis Transplantation, 2018, 33, i140-i140.	0.7	0
68	SP283URINARY RENIN AND ANGIOTENSINOGEN FOR PREDICTING ANTIPROTEINURIC EFFECT OF ANGIOTENSIN RECEPTOR BLOCKER. Nephrology Dialysis Transplantation, 2018, 33, i438-i438.	0.7	0
69	FP311PREDICTION MODEL FOR SUCCESSFUL DISCONTINUATION OF CONTINUOUS RENAL REPLACEMENT THERAPY IN ACUTE KIDNEY INJURY PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
70	SP239RENAL OUTCOME AFTER HEART TRANSPLANTATION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
71	P0225THE PRESENCE OF SIMPLE RENAL CYST IS ASSOCIATED WITH INCREASED RISK OF ALBUMINURIA IN YOUNG ADULTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
72	P0568INCIDENCE AND RISK FACTORS OF ACUTE KIDNEY INJURY AND TUMOR LYSIS SYNDROME IN PATIENTS WITH MULTIPLE MYELOMA TREATED WITH BORTEZOMIB. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0

#	Article	IF	CITATIONS
73	Intraoperative Microvascular Thrombosis Secondary to Henoch-Schönlein Purpura of Hidden Onset. Indian Journal of Surgery, 2021, 83, 341-343.	0.3	0
74	Predialysis predictors for identifying patients requiring dialysis at a higher glomerular filtration rate. Renal Failure, 2021, 43, 1087-1093.	2.1	0
75	Prognostic factors of renal outcomes after heart transplantation: a nationwide retrospective study. Korean Journal of Transplantation, 2021, 35, S164-S164.	0.1	0
76	A Case of Light Chain Deposition Disease in a Patient with Diabetes and Nodular Glomerulosclerosis. Korean Journal of Medicine, 2015, 88, 318.	0.3	0
77	Anesthetic experience of patient with isolated left ventricular noncompaction: a case report. Korean Journal of Anesthesiology, 2016, 69, 275.	2.5	0
78	Prognostic value of postoperative proteinuria for predicting early renal outcome after kidney transplantation. Korean Journal of Transplantation, 2020, 34, S91-S91.	0.1	0
79	Impact of treatment of subclinical rejection at 2 weeks after kidney transplantation, compared by analysis of 1-year histologic outcomes. Korean Journal of Transplantation, 2020, 34, S1-S1.	0.1	0
80	The protective role of protocol biopsy against chronic kidney disease progression in kidney transplantation. Korean Journal of Transplantation, 2020, 34, S39-S39.	0.1	0
81	Repair phase modeling of ischemic acute kidney injury: recovery vs. transition to chronic kidney disease American Journal of Translational Research (discontinued), 2022, 14, 554-571.	0.0	0
82	Clinical relevance of postoperative proteinuria for prediction of early renal outcomes after kidney transplantation. Kidney Research and Clinical Practice, 0, , .	2.2	0