

# Guido Lattuada

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4497437/guido-lattuada-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

|                   |                         |                |                 |
|-------------------|-------------------------|----------------|-----------------|
| 46<br>papers      | 2,118<br>citations      | 22<br>h-index  | 46<br>g-index   |
| 46<br>ext. papers | 2,372<br>ext. citations | 6.5<br>avg, IF | 3.96<br>L-index |

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 46 | Impact of diabetes on COVID-19-related in-hospital mortality: a retrospective study from Northern Italy. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 44, 843-850   | 5.2 | 23        |
| 45 | Hypercortisolism and altered glucose homeostasis in obese patients in the pre-bariatric surgery assessment. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2021</b> , 37, e3389   | 7.5 | 3         |
| 44 | Baseline TSH levels and short-term weight loss after different procedures of bariatric surgery. <i>International Journal of Obesity</i> , <b>2021</b> , 45, 326-330   | 5.5 | 1         |
| 43 | Metabolic and Psychological Features are Associated with Weight Loss 12 Months After Sleeve Gastrectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e3087-e3097   | 5.6 | 1         |
| 42 | Resting Energy Expenditure in Obese Women with Primary Hypothyroidism and Appropriate Levothyroxine Replacement Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,   | 5.6 | 4         |
| 41 | Resting Whole Body Energy Metabolism in Class 3 Obesity; from Preserved Insulin Sensitivity to Overt Type 2 Diabetes. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , <b>2020</b> , 13, 489-497  | 3.4 | 2         |
| 40 | Impact of using different biomarkers of liver fibrosis on hepatologic referral of individuals with severe obesity and NAFLD. <i>Journal of Endocrinological Investigation</i> , <b>2020</b> , 43, 1019-1026   | 5.2 | 5         |
| 39 | Screening for non-alcoholic fatty liver disease in type 2 diabetes using non-invasive scores and association with diabetic complications. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,   | 4.5 | 35        |
| 38 | Fasting Whole-Body Energy Homeostasis and Hepatic Energy Metabolism in Nondiabetic Humans with Fatty Liver. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2019</b> , 2019, 9796175  | 6.7 | 3         |
| 37 | NAFLD/NASH in patients with type 2 diabetes and related treatment options. <i>Journal of Endocrinological Investigation</i> , <b>2018</b> , 41, 509-521   | 5.2 | 32        |
| 36 | Effects of short-term manipulation of serum FFA concentrations on left ventricular energy metabolism and function in patients with heart failure: no association with circulating bio-markers of inflammation. <i>Acta Diabetologica</i> , <b>2015</b> , 52, 753-61 | 3.9 | 13        |
| 35 | Lipid accumulation in overweight type 2 diabetic subjects: relationships with insulin sensitivity and adipokines. <i>Acta Diabetologica</i> , <b>2013</b> , 50, 301-7   | 3.9 | 12        |
| 34 | Beneficial effects of beta-blockers on left ventricular function and cellular energy reserve in patients with heart failure. <i>Fundamental and Clinical Pharmacology</i> , <b>2013</b> , 27, 455-64  | 3.1 | 21        |
| 33 | Increased low-grade inflammation is associated with lack of functional response to carvedilol in patients with systolic heart failure. <i>Journal of Cardiovascular Medicine</i> , <b>2013</b> , 14, 49-56  | 1.9 | 4         |
| 32 | Lack of association of apoE $\epsilon$ allele with insulin resistance. <i>Acta Diabetologica</i> , <b>2012</b> , 49, 25-32  | 3.9 | 15        |
| 31 | Insulin resistance/hyperinsulinemia and cancer mortality: the Cremona study at the 15th year of follow-up. <i>Acta Diabetologica</i> , <b>2012</b> , 49, 421-8  | 3.9 | 60        |
| 30 | Left ventricular function and energy homeostasis in patients with type 1 diabetes with and without microvascular complications. <i>International Journal of Cardiology</i> , <b>2012</b> , 154, 111-5   | 3.2 | 3         |

|    |   |      |     |
|----|---|------|-----|
| 29 | Resting cardiac energy metabolism is inversely associated with heart rate in healthy young adult men. <i>American Heart Journal</i> , <b>2011</b> , 162, 136-41   | 4.9  | 11  |
| 28 | A high carbohydrate meal yields a lower ischemic threshold than a high fat meal in patients with stable coronary disease. <i>International Journal of Cardiology</i> , <b>2011</b> , 147, 209-13  | 3.2  | 3   |
| 27 | Why does NAFLD predict type 2 diabetes?. <i>Current Diabetes Reports</i> , <b>2011</b> , 11, 167-72   | 5.6  | 26  |
| 26 | Fatty liver index and mortality: the Cremona study in the 15th year of follow-up. <i>Hepatology</i> , <b>2011</b> , 54, 145-52  | 11.2 | 164 |
| 25 | Prevalence, metabolic features, and prognosis of metabolically healthy obese Italian individuals: the Cremona Study. <i>Diabetes Care</i> , <b>2011</b> , 34, 210-5   | 14.6 | 269 |
| 24 | Effect of partial inhibition of fatty acid oxidation by trimetazidine on whole body energy metabolism in patients with chronic heart failure. <i>Heart</i> , <b>2011</b> , 97, 1495-500   | 5.1  | 46  |
| 23 | Effects of endurance exercise training on metabolic and inflammatory parameters in HIV-1-infected patients with secondary lipodystrophy and diabetes. <i>Sport Sciences for Health</i> , <b>2010</b> , 6, 23-25                                       | 1.3  | 1   |
| 22 | Association between plasma monocyte chemoattractant protein-1 concentration and cardiovascular disease mortality in middle-aged diabetic and nondiabetic individuals. <i>Diabetes Care</i> , <b>2009</b> , 32, 2105-10                                | 14.6 | 67  |
| 21 | Elevated fasting plasma C-peptide occurs in non-diabetic individuals with fatty liver, irrespective of insulin resistance. <i>Diabetic Medicine</i> , <b>2009</b> , 26, 847-54  | 3.5  | 6   |
| 20 | Free leptin index and thyroid function in male highly trained athletes. <i>European Journal of Endocrinology</i> , <b>2009</b> , 161, 871-6   | 6.5  | 13  |
| 19 | Left ventricular function and energy metabolism in middle-aged men undergoing long-lasting sustained aerobic oxidative training. <i>Heart</i> , <b>2009</b> , 95, 630-5   | 5.1  | 17  |
| 18 | Increased mediastinal fat and impaired left ventricular energy metabolism in young men with newly found fatty liver. <i>Hepatology</i> , <b>2008</b> , 47, 51-8   | 11.2 | 157 |
| 17 | Abnormal left ventricular energy metabolism in obese men with preserved systolic and diastolic functions is associated with insulin resistance. <i>Diabetes Care</i> , <b>2007</b> , 30, 1520-6   | 14.6 | 51  |
| 16 | Serum retinol-binding protein-4, leptin, and adiponectin concentrations are related to ectopic fat accumulation. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 4883-8   | 5.6  | 42  |
| 15 | Habitual physical activity is associated with intrahepatic fat content in humans. <i>Diabetes Care</i> , <b>2007</b> , 30, 683-8  | 14.6 | 241 |
| 14 | Effect of the sporting discipline on the right and left ventricular morphology and function of elite male track runners: a magnetic resonance imaging and phosphorus 31 spectroscopy study. <i>American Heart Journal</i> , <b>2007</b> , 154, 937-42 | 4.9  | 49  |
| 13 | Increased serum resistin in elite endurance athletes with high insulin sensitivity. <i>Diabetologia</i> , <b>2006</b> , 49, 1893-900  | 10.3 | 30  |
| 12 | Serum resistin and hepatic fat content in nondiabetic individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 5122-5   | 5.6  | 40  |

|    |   |      |     |
|----|---|------|-----|
| 11 | Insulin resistance and whole body energy homeostasis in obese adolescents with fatty liver disease. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2006</b> , 291, E697-703  | 6    | 84  |
| 10 | Effects of metabolic modulation by trimetazidine on left ventricular function and phosphocreatine/adenosine triphosphate ratio in patients with heart failure. <i>European Heart Journal</i> , <b>2006</b> , 27, 942-8  | 9.5  | 176 |
| 9  | The anti-ischemic effect of trimetazidine in patients with postprandial myocardial ischemia is unrelated to meal composition. <i>American Heart Journal</i> , <b>2006</b> , 151, 1238.e1-8  | 4.9  | 7   |
| 8  | Reduced intrahepatic fat content is associated with increased whole-body lipid oxidation in patients with type 1 diabetes. <i>Diabetologia</i> , <b>2005</b> , 48, 2615-21  | 10.3 | 60  |
| 7  | Reduced whole-body lipid oxidation is associated with insulin resistance, but not with intramyocellular lipid content in offspring of type 2 diabetic patients. <i>Diabetologia</i> , <b>2005</b> , 48, 741-7   | 10.3 | 32  |
| 6  | Postabsorptive and insulin-stimulated energy and protein metabolism in patients with myotonic dystrophy type 1. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 80, 357-64  | 7    | 21  |
| 5  | Postabsorptive and insulin-stimulated energy homeostasis and leucine turnover in offspring of type 2 diabetic patients. <i>Diabetes Care</i> , <b>2004</b> , 27, 2716-22  | 14.6 | 14  |
| 4  | Assessment of insulin sensitivity based on a fasting blood sample in men with liver cirrhosis before and after liver transplantation. <i>Transplantation</i> , <b>2003</b> , 76, 697-702  | 1.8  | 14  |
| 3  | Insulin resistance, intramyocellular lipid content, and plasma adiponectin in patients with type 1 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2003</b> , 285, E1174-81   | 6    | 130 |
| 2  | Fasting plasma leptin, tumor necrosis factor-alpha receptor 2, and monocyte chemoattracting protein 1 concentration in a population of glucose-tolerant and glucose-intolerant women: impact on cardiovascular mortality. <i>Diabetes Care</i> , <b>2003</b> , 26, 2883-9 | 14.6 | 107 |
| 1  | Impact of diabetes on COVID-19-related in-hospital mortality: a retrospective study from Northern Italy   |      | 3   |