

Qin Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4498357/publications.pdf>

Version: 2024-02-01

116
papers

3,526
citations

218592

26
h-index

175177

52
g-index

120
all docs

120
docs citations

120
times ranked

2954
citing authors

#	ARTICLE	IF	CITATIONS
1	Gemcitabine plus cisplatin versus fluorouracil plus cisplatin in recurrent or metastatic nasopharyngeal carcinoma: a multicentre, randomised, open-label, phase 3 trial. <i>Lancet, The</i> , 2016, 388, 1883-1892.	6.3	406
2	Comparison of [68Ga]Ga-DOTA-FAPI-04 and [18F] FDG PET/CT for the diagnosis of primary and metastatic lesions in patients with various types of cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1820-1832.	3.3	348
3	Camrelizumab versus placebo in combination with gemcitabine and cisplatin as first-line treatment for recurrent or metastatic nasopharyngeal carcinoma (CAPTAIN-1st): a multicentre, randomised, double-blind, phase 3 trial. <i>Lancet Oncology, The</i> , 2021, 22, 1162-1174.	5.1	185
4	Toripalimab plus chemotherapy in treatment-naïve, advanced esophageal squamous cell carcinoma (JUPITER-06): A multi-center phase 3 trial. <i>Cancer Cell</i> , 2022, 40, 277-288.e3.	7.7	177
5	Comparison of ⁶⁸ Ga-FAPI and ¹⁸ F-FDG Uptake in Gastric, Duodenal, and Colorectal Cancers. <i>Radiology</i> , 2021, 298, 393-402.	3.6	171
6	Usefulness of [68Ga]Ga-DOTA-FAPI-04 PET/CT in patients presenting with inconclusive [18F]FDG PET/CT findings. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 73-86.	3.3	153
7	Imaging fibroblast activation protein in liver cancer: a single-center post hoc retrospective analysis to compare [68Ga]Ga-FAPI-04 PET/CT versus MRI and [18F]-FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1604-1617.	3.3	100
8	Comparing Paclitaxel Plus Fluorouracil Versus Cisplatin Plus Fluorouracil in Chemoradiotherapy for Locally Advanced Esophageal Squamous Cell Cancer: A Randomized, Multicenter, Phase III Clinical Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 1695-1703.	0.8	99
9	Metronomic capecitabine as adjuvant therapy in locoregionally advanced nasopharyngeal carcinoma: a multicentre, open-label, parallel-group, randomised, controlled, phase 3 trial. <i>Lancet, The</i> , 2021, 398, 303-313.	6.3	98
10	Serum levels of CEA and CA15-3 in different molecular subtypes and prognostic value in Chinese breast cancer. <i>Breast</i> , 2014, 23, 88-93.	0.9	90
11	Sugemalimab versus placebo after concurrent or sequential chemoradiotherapy in patients with locally advanced, unresectable, stage III non-small-cell lung cancer in China (GEMSTONE-301): interim results of a randomised, double-blind, multicentre, phase 3 trial. <i>Lancet Oncology, The</i> , 2022, 23, 209-219.	5.1	87
12	Role of [68Ga]Ga-DOTA-FAPI-04 PET/CT in the evaluation of peritoneal carcinomatosis and comparison with [18F]-FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1944-1955.	3.3	75
13	Fibroblast activation protein-based theranostics in cancer research: A state-of-the-art review. <i>Theranostics</i> , 2022, 12, 1557-1569.	4.6	61
14	Synthesis, Preclinical Evaluation, and a Pilot Clinical PET Imaging Study of ⁶⁸ Ga-Labeled FAPI Dimer. <i>Journal of Nuclear Medicine</i> , 2022, 63, 862-868.	2.8	59
15	Patterns of Distant Metastasis Between Histological Types in Esophageal Cancer. <i>Frontiers in Oncology</i> , 2018, 8, 302.	1.3	52
16	Survival in signet ring cell carcinoma varies based on primary tumor location: a Surveillance, Epidemiology, and End Results database analysis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 209-214.	1.4	50
17	Clinical utility of [68Ga]Ga-labeled fibroblast activation protein inhibitor (FAPI) positron emission tomography/computed tomography for primary staging and recurrence detection in nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 3606-3617.	3.3	50
18	Positron emission tomography and computed tomography with [68Ga]Ga-fibroblast activation protein inhibitors improves tumor detection and staging in patients with pancreatic cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1322-1337.	3.3	49

#	ARTICLE	IF	CITATIONS
19	Gemcitabine Plus Cisplatin Versus Fluorouracil Plus Cisplatin as First-Line Therapy for Recurrent or Metastatic Nasopharyngeal Carcinoma: Final Overall Survival Analysis of GEM20110714 Phase III Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 3273-3282.	0.8	48
20	Demographic and clinicopathological characteristics of nasopharyngeal carcinoma and survival outcomes according to age at diagnosis: A population-based analysis. <i>Oral Oncology</i> , 2017, 73, 83-87.	0.8	40
21	⁶⁸ Ga-fibroblast activation protein inhibitor PET/CT on gross tumour volume delineation for radiotherapy planning of oesophageal cancer. <i>Radiotherapy and Oncology</i> , 2021, 158, 55-61.	0.3	36
22	Efficacy, safety, and biomarker analysis of Camrelizumab in Previously Treated Recurrent or Metastatic Nasopharyngeal Carcinoma (CAPTAIN study). , 2021, 9, e003790.		36
23	[⁶⁸ Ga]Ga-DOTA-FAPI-04 improves tumor staging and monitors early response to chemoradiotherapy in a patient with esophageal cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 3188-3189.	3.3	35
24	Erlotinib Versus Etoposide/Cisplatin With Radiation Therapy in Unresectable Stage III Epidermal Growth Factor Receptor Mutation-Positive Non-Small Cell Lung Cancer: A Multicenter, Randomized, Open-Label, Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 109, 1349-1358.	0.4	35
25	Prognostic Value of Ki-67 in Breast Cancer Patients with Positive Axillary Lymph Nodes: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e87264.	1.1	33
26	Metabolic parameters of sequential ¹⁸ F-FDG PET/CT predict overall survival of esophageal cancer patients treated with (chemo-) radiation. <i>Radiation Oncology</i> , 2019, 14, 35.	1.2	33
27	Confirmation of the prognostic value of pretherapeutic tumor SUR and MTV in patients with esophageal squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1485-1494.	3.3	31
28	Tumor location is a prognostic factor for survival of Chinese women with T1-2N0M0 breast cancer. <i>International Journal of Surgery</i> , 2014, 12, 394-398.	1.1	28
29	X-ray-Activated Simultaneous Near-Infrared and Short-Wave Infrared Persistent Luminescence Imaging for Long-Term Tracking of Drug Delivery. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 16166-16172.	4.0	26
30	Prognosis of patients with esophageal squamous cell carcinoma after esophagectomy using the log odds of positive lymph nodes. <i>Oncotarget</i> , 2015, 6, 36911-36922.	0.8	26
31	Distribution of metastatic disease in the brain in relation to the hippocampus: a retrospective single-center analysis of 6064 metastases in 632 patients. <i>Oncotarget</i> , 2015, 6, 44030-44036.	0.8	25
32	Comparison of 3 Paclitaxel-Based Chemoradiotherapy Regimens for Patients With Locally Advanced Esophageal Squamous Cell Cancer. <i>JAMA Network Open</i> , 2022, 5, e220120.	2.8	25
33	Patterns of distant metastasis in Chinese women according to breast cancer subtypes. <i>Oncotarget</i> , 2016, 7, 47975-47984.	0.8	23
34	The Effect of Marital Status on Nasopharyngeal Carcinoma Survival: A Surveillance, Epidemiology and End Results Study. <i>Journal of Cancer</i> , 2018, 9, 1870-1876.	1.2	23
35	Usefulness of [¹⁸ F]fluorodeoxyglucose PET/CT for evaluating the PD-L1 status in nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1065-1074.	3.3	23
36	The effect of histological subtypes on survival outcome in nasopharyngeal carcinoma after extensive follow up. <i>Annals of Translational Medicine</i> , 2019, 7, 768-768.	0.7	22

#	ARTICLE	IF	CITATIONS
37	Targeted Radionuclide Therapy in Patient-Derived Xenografts Using ¹⁷⁷ Lu-EB-RGD. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 2034-2043.	1.9	22
38	Postmastectomy Radiotherapy Improves Disease-Free Survival of High Risk of Locoregional Recurrence Breast Cancer Patients with T1-2 and 1 to 3 Positive Nodes. <i>PLoS ONE</i> , 2015, 10, e0119105.	1.1	22
39	Prognostic factors and treatment comparison in small cell neuroendocrine carcinoma of the uterine cervix based on population analyses. <i>Cancer Medicine</i> , 2020, 9, 6524-6532.	1.3	21
40	Rational Design and Pharmacomodulation of Protein-Binding Theranostic Radioligands for Targeting the Fibroblast Activation Protein. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 8245-8257.	2.9	21
41	Using the Lymph Node Ratio to Evaluate the Prognosis of Stage II/III Breast Cancer Patients Who Received Neoadjuvant Chemotherapy and Mastectomy. <i>Cancer Research and Treatment</i> , 2015, 47, 757-764.	1.3	20
42	Prognostic Value of Different Lymph Node Staging Methods in Esophageal Squamous Cell Carcinoma After Esophagectomy. <i>Annals of Thoracic Surgery</i> , 2015, 99, 284-290.	0.7	19
43	A FDG-PET radiomics signature detects esophageal squamous cell carcinoma patients who do not benefit from chemoradiation. <i>Scientific Reports</i> , 2020, 10, 17671.	1.6	19
44	Circular RNA TUBD1 Acts as the miR-146a-5p Sponge to Affect the Viability and Pro-Inflammatory Cytokine Production of LX-2 Cells through the TLR4 Pathway. <i>Radiation Research</i> , 2020, 193, 383.	0.7	19
45	Development and validation of a radiomics signature on differentially expressed features of ¹⁸ F-FDG PET to predict treatment response of concurrent chemoradiotherapy in thoracic esophagus squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2020, 146, 9-15.	0.3	19
46	MicroRNA-146a-5p Attenuates Fibrosis-related Molecules in Irradiated and TGF-beta1-Treated Human Hepatic Stellate Cells by Regulating PTPRA-SRC Signaling. <i>Radiation Research</i> , 2019, 192, 621.	0.7	18
47	⁶⁸ Ga-FAPI PET/CT Improves Therapeutic Strategy by Detecting a Second Primary Malignancy in a Patient With Rectal Cancer. <i>Clinical Nuclear Medicine</i> , 2020, 45, 468-470.	0.7	17
48	Dosimetric analysis of the brachial plexus among patients with breast cancer treated with post-mastectomy radiotherapy to the ipsilateral supraclavicular area: report of 3 cases of radiation-induced brachial plexus neuropathy. <i>Radiation Oncology</i> , 2014, 9, 292.	1.2	16
49	Prognostic significance of Ki67 expression and the derived neutrophil–lymphocyte ratio in nasopharyngeal carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 1919-1926.	0.9	16
50	FAP-targeted radionuclide therapy with [¹⁷⁷ Lu]Lu-FAPI-46 in metastatic nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1767-1769.	3.3	16
51	Biological Response of Nasopharyngeal Carcinoma to Radiation Therapy: A Pilot Study Using Serial ¹⁸ F-FDG PET/CT Scans. <i>Cancer Investigation</i> , 2012, 30, 528-536.	0.6	15
52	Dosimetric Comparison of the Simultaneous Integrated Boost in Whole-Breast Irradiation after Breast-Conserving Surgery: IMRT, IMRT plus an Electron Boost and VMAT. <i>PLoS ONE</i> , 2015, 10, e0120811.	1.1	15
53	Prognostic value of baseline [¹⁸ F]-fluorodeoxyglucose positron emission tomography parameters MTV, TLG and asphericity in an international multicenter cohort of nasopharyngeal carcinoma patients. <i>PLoS ONE</i> , 2020, 15, e0236841.	1.1	15
54	Estrogen-ER α signaling and DNA hypomethylation co-regulate expression of stem cell protein PIWIL1 in ER α -positive endometrial cancer cells. <i>Cell Communication and Signaling</i> , 2020, 18, 84.	2.7	14

#	ARTICLE	IF	CITATIONS
55	Involved-Field Irradiation in Definitive Chemoradiotherapy for Locoregional Esophageal Squamous Cell Carcinoma: Results From the ESO-Shanghai 1 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 1396-1406.	0.4	14
56	Anterior Subcutaneous versus Submuscular Transposition of the Ulnar Nerve for Cubital Tunnel Syndrome: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0130843.	1.1	13
57	Evaluation of the 8th edition of the American joint committee on cancer's pathological staging system in prognosis assessment and treatment decision making for stage T1-2N1 breast cancer after mastectomy. <i>Breast</i> , 2020, 51, 2-10.	0.9	13
58	Number of negative lymph nodes can predict survival of breast cancer patients with four or more positive lymph nodes after postmastectomy radiotherapy. <i>Radiation Oncology</i> , 2014, 9, 284.	1.2	12
59	Dosimetric superiority of flattening filter free beams for single-fraction stereotactic radiosurgery in single brain metastasis. <i>Oncotarget</i> , 2017, 8, 35272-35279.	0.8	12
60	Prognostic Value of Programmed Cell Death-Ligand 1 Expression in Tumor-Infiltrating Lymphocytes and Viral Load in Peripheral Blood Mononuclear Cells for Epstein-Barr Virus-Positive Nasopharyngeal Carcinoma. <i>Clinical Chemistry</i> , 2020, 66, 1219-1227.	1.5	12
61	A Paradigm of Cancer Immunotherapy Based on 2-[¹⁸ F]FDG and Anti-PD-L1 mAb Combination to Enhance the Antitumor Effect. <i>Clinical Cancer Research</i> , 2022, 28, 2923-2937.	3.2	12
62	A randomized phase 3 trial comparing paclitaxel plus 5-fluorouracil versus cisplatin plus 5-fluorouracil in Chemoradiotherapy for locally advanced esophageal carcinoma—the ESO-shanghai 1 trial protocol. <i>Radiation Oncology</i> , 2018, 13, 33.	1.2	11
63	A COVID-19 risk score combining chest CT radiomics and clinical characteristics to differentiate COVID-19 pneumonia from other viral pneumonias. <i>Aging</i> , 2021, 13, 9186-9224.	1.4	11
64	Number of negative lymph nodes is associated with disease-free survival in patients with breast cancer. <i>BMC Cancer</i> , 2015, 15, 43.	1.1	10
65	The preventative effect of Akt knockout on liver cancer through modulating NF- κ B-regulated inflammation and Bad-related apoptosis signaling pathway. <i>International Journal of Oncology</i> , 2016, 48, 1467-1476.	1.4	10
66	GEMSTONE-301: a phase III clinical trial of CS1001 as consolidation therapy in patients with locally advanced/ unresectable (stage III) non-small cell lung cancer (NSCLC) who did not have disease progression after prior concurrent/sequential chemoradiotherapy. <i>Translational Lung Cancer Research</i> , 2020, 9, 2008-2015.	1.3	10
67	Increased ⁶⁸ Ga-FAPI Uptake in the Pulmonary Cryptococcus and the Postradiotherapy Inflammation. <i>Clinical Nuclear Medicine</i> , 2022, 47, 243-245.	0.7	10
68	Comparison of survival outcomes of locally advanced breast cancer patients receiving post-mastectomy radiotherapy with and without immediate breast reconstruction: a population-based analysis. <i>Cancer Management and Research</i> , 2018, Volume 10, 1993-2002.	0.9	9
69	<p>Mismatch repair status and high expression of PD-L1 in nasopharyngeal carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 1631-1640.	0.9	9
70	Noninvasive Diagnosis of Nasopharyngeal Carcinoma Based on Phenotypic Profiling of Viral and Tumor Markers on Plasma Extracellular Vesicles. <i>Analytical Chemistry</i> , 2022, 94, 9740-9749.	3.2	9
71	MicroRNA-204 suppressed proliferation and motility capacity of human hepatocellular carcinoma via directly targeting zinc finger E-box binding homeobox 2. <i>Oncology Letters</i> , 2017, 13, 3823-3830.	0.8	8
72	Out of the darkness and into the light: New strategies for improving treatments for locally advanced non-small cell lung cancer. <i>Cancer Letters</i> , 2018, 421, 59-62.	3.2	8

#	ARTICLE	IF	CITATIONS
73	A Nomogram for the Prediction of Prognosis in Patients With Distant Metastases of Nasopharyngeal Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 240.	1.3	8
74	Ovarian Ablation Using Goserelin Improves Survival of Premenopausal Patients with Stage II/III Hormone Receptor-Positive Breast Cancer without Chemotherapy-Induced Amenorrhea. <i>Cancer Research and Treatment</i> , 1970, 47, 55-63.	1.3	8
75	Virus-Inspired Hollow Mesoporous Gadolinium-Bismuth Nanotheranostics for Magnetic Resonance Imaging-Guided Synergistic Photodynamic-Radiotherapy. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102060.	3.9	8
76	Therapeutic role of axillary lymph node dissection in patients with stage IV breast cancer: a population-based analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 467-474.	1.2	7
77	Comparison of paclitaxel in combination with cisplatin (TP), carboplatin (TC) or fluorouracil (TF) concurrent with radiotherapy for patients with local advanced oesophageal squamous cell carcinoma: a three-arm phase III randomized trial (ESO-Shanghai 2). <i>BMJ Open</i> , 2018, 8, e020785.	0.8	7
78	New-generation photosensitizer-anchored gold nanorods for a single near-infrared light-triggered targeted photodynamic-photothermal therapy. <i>Drug Delivery</i> , 2021, 28, 1769-1784.	2.5	7
79	Somatostatin receptor imaging with [68Ga]Ga-DOTATATE positron emission tomography/computed tomography (PET/CT) in patients with nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1360-1373.	3.3	7
80	The value of radiotherapy in breast cancer patients with isolated ipsilateral supraclavicular lymph node metastasis without distant metastases at diagnosis: a retrospective analysis of Chinese patients. <i>OncoTargets and Therapy</i> , 2014, 7, 281.	1.0	6
81	Dosimetric superiority of IMRT with jaw tracking technique for whole esophagus and T-shaped field radiotherapy in advanced esophageal cancer. <i>PLoS ONE</i> , 2018, 13, e0202628.	1.1	6
82	Cognitive dysfunction in patients with nasopharyngeal carcinoma after induction chemotherapy. <i>Oral Oncology</i> , 2020, 111, 104921.	0.8	6
83	Immuno-SPECT/PET imaging with radioiodinated anti-PD-L1 antibody to evaluate PD-L1 expression in immune-competent murine models and PDX model of lung adenocarcinoma. <i>Nuclear Medicine and Biology</i> , 2020, 86-87, 44-51.	0.3	6
84	Is tubal endometriosis an asymmetric disease? A 17-year retrospective study. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 721-727.	0.8	6
85	Cardiac angiosarcoma detected using 68Ga-fibroblast activation protein inhibitor positron emission tomography/magnetic resonance. <i>European Heart Journal</i> , 2021, 42, 1276-1276.	1.0	6
86	Safety results of a phase 3 study of comparing paclitaxel plus 5-fluorouracil versus cisplatin plus 5-fluorouracil in chemoradiotherapy for locally advanced esophageal carcinoma (ESO-Shanghai 1).. <i>Journal of Clinical Oncology</i> , 2017, 35, 4066-4066.	0.8	6
87	436...A phase II study of AK104, a bispecific antibody targeting PD-1 and CTLA-4, in patients with metastatic nasopharyngeal carcinoma (NPC) who had progressed after two or more lines of chemotherapy. , 2021, 9, A466-A466.		6
88	Radiation plus concurrent nimotuzumab versus CDDP in locally advanced nasopharyngeal cancer: Results of a phase III randomised trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 6002-6002.	0.8	5
89	Self-Delivering Nanodrugs Developed via Small-Molecule-Directed Assembly and Macrophage Cloaking for Sonodynamic-Augmented Immunotherapy. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102770.	3.9	5
90	Chemotherapy Plus Radiotherapy Versus Radiotherapy in Patients With Small Cell Carcinoma of the Esophagus: A SEER Database Analysis. <i>Cancer Control</i> , 2021, 28, 107327482198932.	0.7	4

#	ARTICLE	IF	CITATIONS
91	Concordance of PD-L1 Status Between Image-Guided Percutaneous Biopsies and Matched Surgical Specimen in Non-Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 551367.	1.3	4
92	Planning Study of Flattening Filter Free Beams for Volumetric Modulated Arc Therapy in Squamous Cell Carcinoma of the Scalp. <i>PLoS ONE</i> , 2014, 9, e114953.	1.1	3
93	Post-mastectomy radiotherapy can improve survival in breast cancer patients aged 35 years or younger with four or more positive nodes but not in one to three positive nodes. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 867.	0.9	3
94	Number of Negative Lymph Nodes Can Predict Survival after Postmastectomy Radiotherapy According to Different Breast Cancer Subtypes. <i>Journal of Cancer</i> , 2015, 6, 261-269.	1.2	3
95	The Road Less Traveled: Should We Omit Prophylactic Cranial Irradiation for Patients With Small Cell Lung Cancer?. <i>Clinical Lung Cancer</i> , 2018, 19, 289-293.	1.1	3
96	A novel predict factor that increases the success rate of methotrexate treatment in fallopian tube pregnancy. <i>Annals of Translational Medicine</i> , 2021, 9, 146-146.	0.7	3
97	Microsatellite stability and mismatch repair proficiency in nasopharyngeal carcinoma may not predict programmed death-1 blockade resistance. <i>Oncotarget</i> , 2017, 8, 113287-113293.	0.8	3
98	Thyroid-like low-grade nasopharyngeal papillary adenocarcinoma: a case report and literature review. <i>Translational Cancer Research</i> , 2020, 9, 4457-4463.	0.4	3
99	Intraoperative neuromonitoring loss in abnormal magnetic resonance imaging signal intensity from patients with cervical compressive myelopathy. <i>Journal of the Neurological Sciences</i> , 2017, 381, 235-239.	0.3	2
100	The 1-year mortality after radiotherapy for nasopharyngeal carcinoma: a population-based analysis. <i>Future Oncology</i> , 2019, 15, 3357-3365.	1.1	2
101	Adjuvant radiotherapy shows benefit in selected stage I uterine sarcoma: A risk scoring system based on a population analysis. <i>Cancer Medicine</i> , 2022, 11, 2846-2854.	1.3	2
102	Optimal image guidance for tumor biopsy in non-small-cell lung cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2739-2740.	3.3	1
103	Gemcitabine plus cisplatin (GP) versus 5-FU plus cisplatin (FP) as first-line treatment for recurrent or metastatic nasopharyngeal carcinoma (NPC): A randomized, open-label, multicenter, phase III trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 6007-6007.	0.8	1
104	A multicenter prospective observational study of nutritional status on survival in locally advanced nasopharynx cancer treated by induction chemotherapy and chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6036-6036.	0.8	1
105	Olanzapine 5â€‰mg for Nausea and Vomiting in Patients with Nasopharyngeal Carcinoma Receiving Cisplatin-Based Concurrent Chemoradiotherapy. <i>Journal of Oncology</i> , 2022, 2022, 1-7.	0.6	1
106	Decision-making about mastectomy among Chinese women with breast cancer: a mixed-methods study protocol. <i>BMJ Open</i> , 2022, 12, e054685.	0.8	1
107	Effect of neoadjuvant chemotherapy followed by concurrent chemoradiotherapy on nutritional status in locoregionally advanced nasopharyngeal carcinoma patients: A prospective observational study.. <i>Journal of Clinical Oncology</i> , 2018, 36, e18002-e18002.	0.8	0
108	Final results of a phase 3 study of comparing paclitaxel plus 5-fluorouracil versus cisplatin plus 5-fluorouracil in chemoradiotherapy for locally advanced esophageal carcinoma (ESO-Shanghai 1).. <i>Journal of Clinical Oncology</i> , 2018, 36, 4053-4053.	0.8	0

#	ARTICLE	IF	CITATIONS
109	Safety results of a phase III randomized trial of comparison of three paclitaxel-based regimens concurrent with radiotherapy for patients with local advanced esophageal squamous cell carcinoma (ESO-Shanghai 2).. Journal of Clinical Oncology, 2019, 37, 4055-4055.	0.8	0
110	Final results of a phase III randomized trial of comparison of three paclitaxel-based regimens concurrent with radiotherapy for patients with local advanced esophageal squamous cell carcinoma.. Journal of Clinical Oncology, 2020, 38, 4564-4564.	0.8	0
111	Prognostic factors and treatment comparison in small cell neuroendocrine carcinoma of the uterine cervix in the surveillance, epidemiology, and end results database.. Journal of Clinical Oncology, 2020, 38, e18015-e18015.	0.8	0
112	Comparative study between image-guided percutaneous biopsies and matched surgical specimens for the evaluation of PD-L1 status in non-small cell lung cancer.. Journal of Clinical Oncology, 2020, 38, e15168-e15168.	0.8	0
113	Title is missing!. , 2020, 15, e0236841.		0
114	Title is missing!. , 2020, 15, e0236841.		0
115	Title is missing!. , 2020, 15, e0236841.		0
116	Title is missing!. , 2020, 15, e0236841.		0