Jamal Khatib

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4499224/jamal-khatib-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

4,246
citations

h-index

64
g-index

144
ext. papers

4,954
ext. citations

4,246
g-index

L-index

#	Paper	IF	Citations
119	Bond to Bar Reinforcement of PET-Modified Concrete Containing Natural or Recycled Coarse Aggregates. <i>Environments - MDPI</i> , 2022 , 9, 8	3.2	2
118	The Effect of Adding Phragmites australis Fibers on the Properties of Concrete. <i>Buildings</i> , 2022 , 12, 278	3.2	3
117	Alternatives to Enhance the Structural Performance of PET-Modified Reinforced Concrete Beams. <i>Environments - MDPI</i> , 2022 , 9, 37	3.2	O
116	Properties of Cement-Based Materials Containing Cathode-Ray Tube (CRT) Glass Waste as Fine Aggregates Review. <i>Sustainability</i> , 2021 , 13, 11529	3.6	3
115	Development and assessment of cement and concrete made of the burning of quinary by-product. Journal of Materials Research and Technology, 2021 , 15, 3708-3721	5.5	1
114	Synthesis, physico-mechanical properties, material processing, and math models of novel superior materials doped flake of carbon and colloid flake of carbon. <i>Journal of Materials Research and Technology</i> , 2021 , 15, 4993-4993	5.5	О
113	A Review on Cementitious Materials Including Municipal Solid Waste Incineration Bottom Ash (MSWI-BA) as Aggregates. <i>Buildings</i> , 2021 , 11, 179	3.2	5
112	Affordable and Sustainable Housing in Rwanda. Sustainability, 2021, 13, 4188	3.6	
111	Thermo-mechanical and physical properties of waste granular cork composite with slag cement. <i>Construction and Building Materials</i> , 2021 , 272, 121923	6.7	9
110	Structural Performance of Reinforced Concrete Beams Incorporating Cathode-Ray Tube (CRT) Glass Waste. <i>Buildings</i> , 2021 , 11, 67	3.2	5
109	Volume Stability of Cement Paste Containing Limestone Fines. <i>Buildings</i> , 2021 , 11, 366	3.2	2
108	Waste utilization to enhance performance of road subbase fill. <i>Journal of Engineering, Design and Technology</i> , 2021 , ahead-of-print,	1.5	1
107	Activation of slag through a combination of NaOH/NaS alkali for transforming it into geopolymer slag binder mortar lassessment the effects of two different Blaine fines and three different curing conditions. <i>Journal of Materials Research and Technology</i> , 2021 , 14, 1569-1584	5.5	4
106	Standard and modified falling mass impact tests on preplaced aggregate fibrous concrete and slurry infiltrated fibrous concrete. <i>Construction and Building Materials</i> , 2021 , 298, 123857	6.7	21
105	Multiwall carbon nanotubes (MWCNTs) dispersion & mechanical effects in OPC mortar & paste: A review. <i>Journal of Building Engineering</i> , 2021 , 43, 102512	5.2	7
104	Properties of SCC at elevated temperature 2020 , 195-218		
103	Potential pozzolanicity of Algerian calcined bentonite used as cement replacement: optimisation of calcination temperature and effect on strength of self-compacting mortars. <i>European Journal of Environmental and Civil Engineering</i> , 2020 , 1-23	1.5	5

(2018-2020)

102	Effect of Wet Curing and Hot Climate on Strength and Durability of SCC with Natural Pozzolan. <i>Current Materials Science</i> , 2020 , 13, 58-73	1.1	1
101	Effect of using metakaolin as supplementary cementitious material and recycled CRT funnel glass as fine aggregate on the durability of green self-compacting concrete. <i>Construction and Building Materials</i> , 2020 , 235, 117802	6.7	14
100	Characteristics of Engineered Waste Materials Used for Road Subbase Layers. <i>KSCE Journal of Civil Engineering</i> , 2020 , 24, 2643-2656	1.9	4
99	Structural Assessment of Reinforced Concrete Beams Incorporating Waste Plastic Straws. <i>Environments - MDPI</i> , 2020 , 7, 96	3.2	6
98	Experimental study on the reuse of cathode ray tubes funnel glass as fine aggregate for developing an ecological self-compacting mortar incorporating metakaolin. <i>Journal of Building Engineering</i> , 2020 , 27, 100951	5.2	10
97	Experimental investigation on effects of calcined bentonite on fresh, strength and durability properties of sustainable self-compacting concrete. <i>Construction and Building Materials</i> , 2020 , 230, 1170	067	20
96	The efficiency of using CFRP as a strengthening technique for reinforced concrete beams subjected to blast loading. <i>International Journal of Advanced Structural Engineering</i> , 2019 , 11, 411-420	2	13
95	Prediction of the durability performance of ternary cement containing limestone powder and ground granulated blast furnace slag. <i>Construction and Building Materials</i> , 2019 , 209, 215-221	6.7	17
94	Characteristics of concrete containing EPS 2019 , 137-165		10
93	Selected properties of concrete containing municipal solid waste incineration bottom ash (MSWI-BA) 2019 ,		4
93 92		6.7	7
	(MSWI-BA) 2019, Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North	6.7	
92	(MSWI-BA) 2019, Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North African desert region. Construction and Building Materials, 2019, 197, 307-318 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences,	,	7
92 91	(MSWI-BA) 2019, Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North African desert region. Construction and Building Materials, 2019, 197, 307-318 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences, 2018, 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. MATEC	0.3	7
92 91 90	(MSWI-BA) 2019, Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North African desert region. Construction and Building Materials, 2019, 197, 307-318 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences, 2018, 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. MATEC Web of Conferences, 2018, 149, 01013	0.3	7 11 1
92 91 90 89	(MSWI-BA) 2019, Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North African desert region. Construction and Building Materials, 2019, 197, 307-318 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences, 2018, 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. MATEC Web of Conferences, 2018, 149, 01013 Metakaolin 2018, 493-511 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences,	0.3	7 11 1
92 91 90 89 88	(MSWI-BA) 2019, Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North African desert region. Construction and Building Materials, 2019, 197, 307-318 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences, 2018, 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. MATEC Web of Conferences, 2018, 149, 01013 Metakaolin 2018, 493-511 Numerical analysis of a reinforced concrete beam under blast loading. MATEC Web of Conferences, 2018, 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. MATEC	0.3	7 11 1
92 91 90 89 88	Combined effects of mineral additions and curing conditions on strength and durability of self-compacting mortars exposed to aggressive solutions in the natural hot-dry climate in North African desert region. <i>Construction and Building Materials</i> , 2019 , 197, 307-318 Numerical analysis of a reinforced concrete beam under blast loading. <i>MATEC Web of Conferences</i> , 2018 , 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. <i>MATEC Web of Conferences</i> , 2018 , 149, 01013 Metakaolin 2018 , 493-511 Numerical analysis of a reinforced concrete beam under blast loading. <i>MATEC Web of Conferences</i> , 2018 , 149, 02063 Hydration characteristics and structure formation of cement pastes containing metakaolin. <i>MATEC Web of Conferences</i> , 2018 , 149, 01013 Numerical Derivation of Iso-Damaged Curve for a Reinforced Concrete Beam Subjected to Blast	0.3	7 11 1 13

84 Mitigating Urban Pollution through Innovative Use of Construction Materials **2018**, 235-247

83	Water Pollution and Urbanisation Trends in Lebanon: Litani River Basin Case Study 2018 , 397-415		O
82	Valorisation of waste expanded polystyrene in concrete using a novel recycling technique. <i>European Journal of Environmental and Civil Engineering</i> , 2017 , 21, 1384-1402	1.5	27
81	The effectiveness of using Raw Sewage Sludge (RSS) as a water replacement in cement mortar mixes containing Unprocessed Fly Ash (u-FA). <i>Construction and Building Materials</i> , 2017 , 147, 27-34	6.7	2 0
80	Effect of curing time on selected properties of soil stabilized with fly ash, marble dust and waste sand for road sub-base materials. <i>Waste Management and Research</i> , 2017 , 35, 747-756	4	11
79	Effect of partial replacement of cement with slag on the early-age strength of concrete. Proceedings of the Institution of Civil Engineers: Structures and Buildings, 2017, 170, 451-461	0.9	3
78	Mechanical and physical properties of concrete containing FGD waste. <i>Magazine of Concrete Research</i> , 2016 , 68, 550-560	2	10
77	The sustainability of lightweight aggregates manufactured from clay wastes for reducing the carbon footprint of structural and foundation concrete 2016 , 209-244		4
76	Sustainability of compressed earth as a construction material 2016 , 309-341		4
75	Sustainability of sewage sludge in construction 2016 , 625-641		3
74	Sustainability of desulphurised (FGD) waste in construction 2016 , 683-715		3
73	Principles for developing an effective framework to control minerals and rocks extraction impacts, mitigate waste and optimise sustainable quarries management. <i>Resources Policy</i> , 2016 , 47, 164-170	7.2	2
7 ²	Structural behaviour of reinforced concrete beams containing a novel lightweight aggregate. <i>International Journal of Structural Engineering</i> , 2016 , 7, 1	0.9	3
71	Effect of synthesis parameters on the performance of alkali-activated non-conformant EN 450 pulverised fuel ash. <i>Construction and Building Materials</i> , 2016 , 121, 453-459	6.7	3
70	Effect of desulphurised waste on long-term porosity and pore structure of blended cement pastes. <i>Sustainable Environment Research</i> , 2016 , 26, 230-234	3.8	6
69	Effects of the addition of nanosilica on the rheology, hydration and development of the compressive strength of cement mortars. <i>Composites Part B: Engineering</i> , 2015 , 81, 120-129	10	62
68	Effect of nanosilica addition on the fresh properties and shrinkage of mortars with fly ash and superplasticizer. <i>Construction and Building Materials</i> , 2015 , 84, 269-276	6.7	51
67	Digital imaging 2D and 3D particle assessment using a flat-bed scanner. <i>Magazine of Concrete Research</i> , 2015 , 67, 1033-1047	2	1

(2013-2015)

66	Flexural Behaviour Of Reinforced Concrete Beams Containing Expanded Glass As Lightweight Aggregates. <i>Slovak Journal of Civil Engineering</i> , 2015 , 23, 1-7	0.9	8
65	Pore size distribution of cement pastes containing fly ash-gypsum blends cured for 7 days. <i>KSCE Journal of Civil Engineering</i> , 2014 , 18, 1091-1096	1.9	5
64	Effect of pH on the physico-mechanical properties and miscibility of methyl cellulose/poly(acrylic acid) blends. <i>Carbohydrate Polymers</i> , 2014 , 101, 415-22	10.3	11
63	Conceptualisation and pilot study of shelled compressed earth block for sustainable housing in Nigeria. <i>International Journal of Sustainable Built Environment</i> , 2014 , 3, 72-86		14
62	Fracture behaviour of concrete containing limestone fines. <i>Proceedings of Institution of Civil Engineers: Construction Materials</i> , 2014 , 167, 162-170	0.8	6
61	Effects of surfactants on the properties of mortar containing styrene/methacrylate superplasticizer. <i>Scientific World Journal, The</i> , 2014 , 2014, 942978	2.2	7
60	Improving biodegradability of polyvinyl alcohol/starch blend films for packaging applications. <i>International Journal of Basic and Applied Sciences</i> , 2014 , 3,	0.1	22
59	Effect of copolymer latexes on physicomechanical properties of mortar containing high volume fly ash as a replacement material of cement. <i>Scientific World Journal, The</i> , 2014 , 2014, 670710	2.2	
58	Lime Activated Fly Ash Paste in the Presence of Metakaolin. <i>Procedia Engineering</i> , 2014 , 95, 415-418		7
57	A simplified model for the prediction of long term concrete drying shrinkage. <i>KSCE Journal of Civil Engineering</i> , 2014 , 18, 2196-2208	1.9	9
56	The Influence of the Fineness of Mineral Additions on Strength and Drying Shrinkage of Self-Compacting Mortars. <i>Key Engineering Materials</i> , 2014 , 600, 367-374	0.4	1
55	Sustainable construction and low-carbon dioxide concrete: Algeria case. <i>Proceedings of the Institution of Civil Engineers: Engineering Sustainability</i> , 2014 , 167, 45-52	0.9	5
54	Using metal plates for measurement of cement dust emission. <i>Proceedings of the Institution of Civil Engineers: Engineering Sustainability</i> , 2014 , 167, 208-215	0.9	
53	Effect of initial curing on absorption and pore size distribution of paste and concrete containing slag. <i>KSCE Journal of Civil Engineering</i> , 2014 , 18, 264-272	1.9	12
52	Capillarity of concrete incorporating waste foundry sand. <i>Construction and Building Materials</i> , 2013 , 47, 867-871	6.7	54
51	Effect of fly ashgypsum blend on porosity and pore size distribution of cement pastes. <i>Advances in Applied Ceramics</i> , 2013 , 112, 197-201	2.3	21
50	EARLY AGE POROSITY AND PORE SIZE DISTRIBUTION OF CEMENT PASTE WITH FLUE GAS DESULPHURISATION (FGD) WASTE. <i>Journal of Civil Engineering and Management</i> , 2013 , 19, 622-627	3	16
49	Lightweight Concrete Incorporating Waste Expanded Polystyrene. <i>Advanced Materials Research</i> , 2013 , 787, 131-137	0.5	7

48	The perceptions of contractor's and landlord's representatives in the refurbishment of tower blocks. <i>Facilities</i> , 2013 , 31, 521-541	2.2	4
47	The perceptions of tenants in the refurbishment of tower blocks. <i>Facilities</i> , 2013 , 31, 119-137	2.2	5
46	The Use of Raw Sewage Sludge (RSS) As a Water Replacement in Cement-Based Mixes 2012,		1
45	Properties of self-compacting mortar made with various types of sand. <i>Cement and Concrete Composites</i> , 2012 , 34, 1167-1173	8.6	73
44	Durability of mortar and concretes containing slag with low hydraulic activity. <i>Cement and Concrete Composites</i> , 2012 , 34, 671-677	8.6	48
43	Influence of metakaolin and silica fume on the heat of hydration and compressive strength development of mortar. <i>Applied Clay Science</i> , 2011 , 53, 704-708	5.2	86
42	Effect of metakaolin and foundry sand on the near surface characteristics of concrete. <i>Construction and Building Materials</i> , 2011 , 25, 3257-3266	6.7	29
41	Influence of calcined kaolin on mortar properties. Construction and Building Materials, 2011, 25, 2275-22	2827	78
40	WASTEWATER MANAGEMENT IN A NIGERIAN LEPER COLONY / RAUPSAIS USIKRIJUSIIMONIII KOLONIJOS NUOTEKIJVARKYMAS NIGERIJOJE / IIIIII	1.1	1
39	Engineering and Landscape Management, 2011 , 19, 260-269 Voidage assessment of concrete using digital image processing. <i>Magazine of Concrete Research</i> , 2010 , 62, 857-868	2	5
38	Abrasion resistance and mechanical properties of high-volume fly ash concrete. <i>Materials and Structures/Materiaux Et Constructions</i> , 2010 , 43, 709-718	3.4	43
37	Dimensional Change and Strength of Mortars Containing Fly Ash and Metakaolin. <i>Journal of Materials in Civil Engineering</i> , 2009 , 21, 523-528	3	16
36	Low Temperature Curing of Metakaolin Concrete. <i>Journal of Materials in Civil Engineering</i> , 2009 , 21, 362	:-367	18
35	Strength and durability of concrete incorporating crushed limestone sand. <i>Construction and Building Materials</i> , 2009 , 23, 625-633	6.7	87
34	Sustainability of construction materials 2009,		19
33	Application of mineral magnetic concentration measurements as a particle size proxy for urban road deposited sediments 2009 ,		3
32	Challenges of waste management in a Nigerian leper colony. <i>International Journal of Environmental Studies</i> , 2008 , 65, 177-189	1.8	2
31	Sulfate resistance of mortar containing simulated FGD waste. <i>Proceedings of Institution of Civil Engineers: Construction Materials</i> , 2008 , 161, 119-128	0.8	12

30	Metakaolin concrete at a low water to binder ratio. Construction and Building Materials, 2008, 22, 1691	-1890	67
29	Performance of self-compacting concrete containing fly ash. <i>Construction and Building Materials</i> , 2008 , 22, 1963-1971	6.7	187
28	Use of recycled plastic in concrete: a review. Waste Management, 2008, 28, 1835-52	8.6	547
27	Sustainability and Emerging Concrete Materials and Their Relevance to the Middle East. <i>Open Construction and Building Technology Journal</i> , 2008 , 2, 103-110	1.1	15
26	Antecedents and benefits of 3D and 4D modelling for construction planners. <i>Journal of Engineering, Design and Technology</i> , 2007 , 5, 159-172	1.5	10
25	Optimum utilisation of FGD waste in blended binders. <i>Proceedings of Institution of Civil Engineers: Construction Materials</i> , 2006 , 159, 119-127	0.8	4
24	Some Engineering Properties of Concrete Containing Natural Pozzolana and Silica Fume. <i>Journal of Asian Architecture and Building Engineering</i> , 2006 , 5, 349-354	1	20
23	Properties of concrete incorporating fine recycled aggregate. <i>Cement and Concrete Research</i> , 2005 , 35, 763-769	10.3	486
22	Selected engineering properties of concrete incorporating slag and metakaolin. <i>Construction and Building Materials</i> , 2005 , 19, 460-472	6.7	176
21	Eray spectroscopy of Bi191,193. <i>Physical Review C</i> , 2004 , 69,	2.7	31
20	Absorption characteristics of metakaolin concrete. Cement and Concrete Research, 2004, 34, 19-29	10.3	112
19	A discussion of the paper, Influence of high temperature and low humidity curing on chloride penetration in blended cement concrete, Iby J.M. Khatib and P.S. Mangat. <i>Cement and Concrete Research</i> , 2003 , 33, 1703	10.3	1
18	A reply to the discussion by M. Collepardi of the paper, Influence of high temperature and low humidity curing on chloride penetration in blended cement concrete Il Cement and Concrete Research, 2003, 33, 1705-1706	10.3	
17	Porosity of cement paste cured at 45 $^{\circ}$ C as a function of location relative to casting position. Cement and Concrete Composites, 2003 , 25, 97-108	8.6	26
16	Influence of high-temperature and low-humidity curing on chloride penetration in blended cement concrete. <i>Cement and Concrete Research</i> , 2002 , 32, 1743-1753	10.3	49
15	Influence of superplasticizer and curing on porosity and pore structure of cement paste. <i>Cement</i>	8.6	50
	and Concrete Composites, 1999 , 21, 431-437	0.0	
14	and Concrete Composites, 1999 , 21, 431-437 Sulphate Resistance of Metakaolin Mortar. <i>Cement and Concrete Research</i> , 1998 , 28, 83-92	10.3	114

12	Portlandite consumption in metakaolin cement pastes and mortars. <i>Cement and Concrete Research</i> , 1997 , 27, 137-146	10.3	119
11	Sulphate resistance of mortar, containing ground brick clay calcined at different temperatures. <i>Cement and Concrete Research</i> , 1997 , 27, 697-709	10.3	50
10	Pore size distribution of metakaolin paste. Cement and Concrete Research, 1996, 26, 1545-1553	10.3	167
9	Relative strength, pozzolanic activity and cement hydration in superplasticised metakaolin concrete. <i>Cement and Concrete Research</i> , 1996 , 26, 1537-1544	10.3	384
8	The influence of gypsum content on the porosity and pore-size distribution of cured PFAIlme mixes. <i>Advances in Cement Research</i> , 1995 , 7, 47-55	1.8	11
7	Absorption characteristics of concrete as a function of location relative to casting position. <i>Cement and Concrete Research</i> , 1995 , 25, 999-1010	10.3	57
6	Factors influencing strength development of concrete containing silica fume. <i>Cement and Concrete Research</i> , 1995 , 25, 1567-1580	10.3	72
5	Microstructure, chloride diffusion and reinforcement corrosion in blended cement paste and concrete. <i>Cement and Concrete Composites</i> , 1994 , 16, 73-81	8.6	25
4	Influence of initial curing on sulphate resistance of blended cement concrete. <i>Cement and Concrete Research</i> , 1992 , 22, 1089-1100	10.3	60
3	Organische Katalysatoren, LXI. Asymmetrische Synthesen mit Ketenen, I. Alkaloid-katalysierte asymmetrische Synthesen von Phenyl-propions Ireestern. <i>Justus Liebigs Annalen Der Chemie</i> , 1960 , 634, 9-22		163
2	Prediction of Deflection in Reinforced Concrete Beams Containing Plastic Waste. SSRN Electronic Journal,	1	4
1	Progress in Eco and Resilient Construction Materials Development141-151		1