Yanhui Gao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4500976/publications.pdf

Version: 2024-02-01

759233 888059 33 388 12 17 citations h-index g-index papers 37 37 37 767 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Comparison of Efficacy and Safety of Tenofovir and Entecavir in Chronic Hepatitis B Virus Infection: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e98865.	2.5	56
2	Smoking behaviors before and after implementation of a smoke-free legislation in Guangzhou, China. BMC Public Health, 2015 , 15 , 982 .	2.9	24
3	Second-hand smoke exposure in different types of venues: before and after the implementation of smoke-free legislation in Guangzhou, China. BMJ Open, 2014, 4, e004273.	1.9	22
4	XRCC1 Arg399Gln Polymorphism Confers Risk of Breast Cancer in American Population: A Meta-Analysis of 10846 Cases and 11723 Controls. PLoS ONE, 2014, 9, e86086.	2.5	22
5	Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. BMC Medical Genomics, 2020, 13, 104.	1.5	20
6	Dose–response relations between second-hand smoke exposure and depressive symptoms among middle-aged women. Psychiatry Research, 2015, 229, 533-538.	3.3	19
7	Efficacy and Safety of Direct Oral Anticoagulants in Elderly Patients With Atrial Fibrillation: A Network Meta-Analysis. Frontiers in Medicine, 2020, 7, 107.	2.6	19
8	The effect of triglycerides in the associations between physical activity, sedentary behavior and depression: An interaction and mediation analysis. Journal of Affective Disorders, 2021, 295, 1377-1385.	4.1	18
9	Secular trends in overweight and obesity among urban children and adolescents, 2003–2012: A serial cross-sectional study in Guangzhou, China. Scientific Reports, 2017, 7, 12042.	3.3	16
10	Timing of spermarche and menarche among urban students in Guangzhou, China: trends from 2005 to 2012 and association with Obesity. Scientific Reports, 2018, 8, 263.	3.3	16
11	SNPâ€SNP and SNPâ€environment interactions of potentially functional <i>HOTAIR</i> SNPs modify the risk of hepatocellular carcinoma. Molecular Carcinogenesis, 2019, 58, 633-642.	2.7	16
12	Cost-effectiveness analysis of tenofovir disoproxil fumarate for treatment of chronic hepatitis B in China. Hepatology International, 2016, 10, 924-936.	4.2	13
13	The mediating and interacting role of physical activity and sedentary behavior between diabetes and depression in people with obesity in United States. Journal of Diabetes and Its Complications, 2021, 35, 107764.	2.3	13
14	Association of tagSNPs at lncRNA MALAT-1 with HCC Susceptibility in a Southern Chinese Population. Scientific Reports, 2019, 9, 10895.	3.3	12
15	Role of Social Support in the Relationship between Sexually Transmitted Infection and Depression among Young Women in Canada. Journal of Epidemiology, 2010, 20, 313-318.	2.4	11
16	Variants in the $5\hat{a}\in^2$ -upstream region of GPC5 confer risk of lung cancer in never smokers. Cancer Epidemiology, 2014, 38, 66-72.	1.9	11
17	Familial Correlations of Onset Age of Hepatocellular Carcinoma: A Population-Based Case-Control Family Study. PLoS ONE, 2014, 9, e108391.	2.5	10
18	The effects of physical activity and sedentary behavior in the associations between cardiovascular diseases and depression: A four-way decomposition. Journal of Affective Disorders, 2020, 275, 194-201.	4.1	9

#	Article	IF	CITATIONS
19	The association of IncRNA SNPs and SNPsâ€environment interactions based on GWAS with HBVâ€related HCC risk and progression. Molecular Genetics & Enomic Medicine, 2021, 9, e1585.	1.2	7
20	The trend of direct medical costs and associated factors in patients with chronic hepatitis B in Guangzhou, China: an eight-year retrospective cohort study. BMC Medical Informatics and Decision Making, 2021, 21, 71.	3.0	6
21	Relationship between physical activity and mental health in a national representative cross-section study: Its variations according to obesity and comorbidity. Journal of Affective Disorders, 2022, 308, 484-493.	4.1	6
22	The Role of Interferon Lambda 3 Genetic Polymorphisms in Response to Interferon Therapy in Chronic Hepatitis B Patients: An Updated Meta-Analysis. Hepatitis Monthly, 2016, 16, e37534.	0.2	5
23	Cost-effectiveness comparison of lamivudine plus adefovir combination treatment and nucleos(t)ide analog monotherapies in Chinese chronic hepatitis B patients. Drug Design, Development and Therapy, 2016, 10, 897.	4.3	5
24	Epidemiological Characteristics and Factors Associated with Critical Time Intervals of COVID-19 in Eighteen Provinces, China: A Retrospective Study. International Journal of Infectious Diseases, 2021, 102, 123-131.	3.3	5
25	A potentially functional variant of ARID1B interacts with physical activity in association with risk of hepatocellular carcinoma. Oncotarget, 2017, 8, 31057-31064.	1.8	5
26	Cost-Effectiveness Comparison Between the Response-Guided Therapies and Monotherapies of Nucleos(t)ide Analogues for Chronic Hepatitis B Patients in China. Clinical Drug Investigation, 2017, 37, 233-247.	2.2	4
27	Classifying depression using blood biomarkers: A large population study. Journal of Psychiatric Research, 2021, 140, 364-372.	3.1	4
28	Social support associated with a reduced risk of sexually transmitted infection in Canadians. Zeitschrift Fur Gesundheitswissenschaften, 2011, 19, 49-56.	1.6	3
29	Negative life events and major depressive disorder among HIV-positive individuals in Guangdong, China. Medicine (United States), 2019, 98, e17174.	1.0	3
30	Antiviral drug Utilization and Annual Expenditures for Patients with Chronic HBV Infection in Guangzhou, China, in 2008–2015. Antiviral Therapy, 2019, 24, 405-416.	1.0	2
31	Prevalence of and factors associated with major depressive disorder among HIV-positive individuals in Guangdong, China. Journal of Affective Disorders, 2019, 246, 474-479.	4.1	2
32	Impact of HBV infection on the association between HOTAIR SNPs and the risk of hepatocellular carcinoma: A mediation and interaction analysis. Neoplasma, 2021, 68, 375-381.	1.6	2
33	The mediating effect of engagement in physical activity over a 24-hour period on chronic disease and depression: Using compositional mediation model. Journal of Affective Disorders, 2022, 299, 264-272.	4.1	2