Ana C Carnaval

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4501795/publications.pdf

Version: 2024-02-01

45 papers 3,744 citations

293460 24 h-index 299063 42 g-index

46 all docs

46 docs citations

46 times ranked

5295 citing authors

| # | Article | IF | Citations |
|----|---|-------------|--------------|
| 1 | The effect of past defaunation on ranges, niches, and future biodiversity forecasts. Global Change Biology, 2022, 28, 3683-3693. | 4.2 | 17 |
| 2 | Integrating remote sensing with ecology and evolution to advance biodiversity conservation. Nature Ecology and Evolution, 2022, 6, 506-519. | 3.4 | 84 |
| 3 | Extreme environments filter functionally rich communities of Atlantic Forest treefrogs along altitudinal and latitudinal gradients. Ecography, 2022, 2022, . | 2.1 | 0 |
| 4 | Environmental correlates of taxonomic and phylogenetic diversity in the Atlantic Forest. Journal of Biogeography, 2021, 48, 1377-1391. | 1.4 | 18 |
| 5 | Whiptail lizard lineage delimitation and population expansion as windows into the history of Amazonian open ecosystems. Systematics and Biodiversity, 2021, 19, 957-975. | 0.5 | 2 |
| 6 | Effects of climate and geography on spatial patterns of genetic structure in tropical skinks. Molecular Phylogenetics and Evolution, 2020, 143, 106661. | 1.2 | 6 |
| 7 | Hidden in the DNA: How multiple historical processes and natural history traits shaped patterns of cryptic diversity in an Amazon leafâ€litter lizard <i>Loxopholis osvaldoi</i> (Squamata:) Tj ETQq1 1 0.784314 rg | ;BT1/Øverlo | ock610 Tf 50 |
| 8 | Discovery of a new species of Anolis lizards from Brazil and its implications for the historical biogeography of montane AtlanticÂForest endemics. Amphibia - Reptilia, 2020, 41, 87-103. | 0.1 | 11 |
| 9 | Seeing the forest through many trees: Multiâ€ŧaxon patterns of phylogenetic diversity in the Atlantic Forest hotspot. Diversity and Distributions, 2020, 26, 1160-1176. | 1.9 | 26 |
| 10 | Convergence science in the Anthropocene: Navigating the known and unknown. People and Nature, 2020, 2, 96-102. | 1.7 | 9 |
| 11 | Predicting Patterns of Plant Diversity and Endemism in the Tropics Using Remote Sensing Data: A Study Case from the Brazilian Atlantic Forest. , 2020, , 255-266. | | 2 |
| 12 | Thermophysiology, microclimates, and species distributions of lizards in the mountains of the Brazilian Atlantic Forest. Ecography, 2019, 42, 354-364. | 2.1 | 14 |
| 13 | A tale of two niches: methods, concepts, and evolution. Frontiers of Biogeography, 2019, 11, . | 0.8 | 73 |
| 14 | Links between prey assemblages and poison frog toxins: A landscape ecology approach to assess how biotic interactions affect species phenotypes. Ecology and Evolution, 2019, 9, 14317-14329. | 0.8 | 13 |
| 15 | Sufficient versus optimal climatic stability during the Late Quaternary: using environmental quality to guide phylogeographic inferences in a Neotropical montane system. Journal of Mammalogy, 2019, 100, 1783-1807. | 0.6 | 10 |
| 16 | Phylogeography of Atlantic Forest glassfrogs (Vitreorana): when geography, climate dynamics and rivers matter. Heredity, 2019, 122, 545-557. | 1.2 | 21 |
| 17 | Bayesian analyses detect a history of both vicariance and geodispersal in Neotropical freshwater fishes. Journal of Biogeography, 2018, 45, 1313-1325. | 1.4 | 21 |
| 18 | Biome stability in South America over the last 30 kyr: Inferences from longâ€term vegetation dynamics and habitat modelling. Global Ecology and Biogeography, 2018, 27, 285-297. | 2.7 | 119 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Local adaptation in mainland anole lizards: Integrating population history and genome–environment associations. Ecology and Evolution, 2018, 8, 11932-11944. | 0.8 | 29 |
| 20 | PaleoClim, high spatial resolution paleoclimate surfaces for global land areas. Scientific Data, 2018, 5, 180254. | 2.4 | 265 |
| 21 | Biogeographic links between southern Atlantic Forest and western South America: Rediscovery, re-description, and phylogenetic relationships of two rare montane anole lizards from Brazil. Molecular Phylogenetics and Evolution, 2017, 113, 49-58. | 1.2 | 41 |
| 22 | Divergence of thermal physiological traits in terrestrial breeding frogs along a tropical elevational gradient. Ecology and Evolution, 2017, 7, 3257-3267. | 0.8 | 58 |
| 23 | Environmental correlates of floristic regions and plant turnover in the Atlantic Forest hotspot. Journal of Biogeography, 2016, 43, 2322-2331. | 1.4 | 42 |
| 24 | Molecular Identification and Geographic Origin of an Exotic Anole Lizard Introduced to Brazil, with Remarks on Its Natural History. South American Journal of Herpetology, 2016, 11, 220-227. | 0.5 | 8 |
| 25 | Predictors of intraspecific morphological variability in a tropical hotspot: comparing the influence of random and nonâ€random factors. Journal of Biogeography, 2016, 43, 2160-2172. | 1.4 | 22 |
| 26 | A midâ€ <scp>P</scp> leistocene rainforest corridor enabled synchronous invasions of the <scp>A</scp> tlantic <scp>F</scp> orest by <scp>A</scp> mazonian anole lizards. Molecular Ecology, 2016, 25, 5174-5186. | 2.0 | 70 |
| 27 | Inferring responses to climate dynamics from historical demography in neotropical forest lizards. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 7978-7985. | 3.3 | 91 |
| 28 | Predicting the genetic consequences of future climate change: The power of coupling spatial demography, the coalescent, and historical landscape changes. American Journal of Botany, 2016, 103, 153-163. | 0.8 | 43 |
| 29 | Revisiting the vanishing refuge model of diversification. Frontiers in Genetics, 2014, 5, 353. | 1.1 | 37 |
| 30 | Bioclimatic variables derived from remote sensing: assessment and application for species distribution modelling. Methods in Ecology and Evolution, 2014, 5, 1033-1042. | 2.2 | 37 |
| 31 | Natural History Collections as Emerging Resources for Innovative Education. BioScience, 2014, 64, 725-734. | 2.2 | 76 |
| 32 | The origin and maintenance of montane diversity: integrating evolutionary and ecological processes. Ecography, 2014, 37, 711-719. | 2.1 | 182 |
| 33 | Environmental correlates of anuran beta diversity in the Brazilian Cerrado. Ecography, 2013, 36, 708-717. | 2.1 | 26 |
| 34 | Phylogeographic structure is strong in the Atlantic Forest; predictive power of correlative paleodistribution models, not always. Journal of Zoological Systematics and Evolutionary Research, 2013, 51, 114-121. | 0.6 | 34 |
| 35 | Evaluating forest refugial models using species distribution models, model filling and inclusion: a case study with 14 <scp>B</scp> razilian species. Diversity and Distributions, 2013, 19, 330-340. | 1.9 | 58 |
| 36 | Latitude, elevational climatic zonation and speciation in New World vertebrates. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 194-201. | 1.2 | 186 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Demographic processes in the montane Atlantic rainforest: Molecular and cytogenetic evidence from the endemic frog Proceratophrys boiei. Molecular Phylogenetics and Evolution, 2012, 62, 880-888. | 1.2 | 86 |
| 38 | Molecular phylogeny and morphometric analyses reveal deep divergence between Amazonia and Atlantic Forest species of Dendrophryniscus. Molecular Phylogenetics and Evolution, 2012, 62, 826-838. | 1.2 | 79 |
| 39 | Variable responses of skinks to a common history of rainforest fluctuation: concordance between phylogeography and palaeoâ€distribution models. Molecular Ecology, 2009, 18, 483-499. | 2.0 | 74 |
| 40 | Distribution models for the amphibian chytrid <i>Batrachochytrium dendrobatidis</i> in Costa Rica: proposing climatic refuges as a conservation tool. Diversity and Distributions, 2009, 15, 401-408. | 1.9 | 144 |
| 41 | Stability Predicts Genetic Diversity in the Brazilian Atlantic Forest Hotspot. Science, 2009, 323, 785-789. | 6.0 | 922 |
| 42 | Historical climate modelling predicts patterns of current biodiversity in the Brazilian Atlantic forest. Journal of Biogeography, 2008, 35, 1187-1201. | 1.4 | 638 |
| 43 | Responding to Amphibian Loss. Science, 2006, 314, 1541-1542. | 6.0 | 20 |
| 44 | A NEW SPECIES OF HYLA FROM NORTHEASTERN BRAZIL (AMPHIBIA, ANURA, HYLIDAE). Herpetologica, 2004, 60, 387-395. | 0.2 | 17 |
| 45 | A framework for near-real time monitoring of diversity patterns based on indirect remote sensing, with an application in the Brazilian Atlantic rainforest. Peerl, 0, 10, e13534. | 0.9 | 3 |