## Jan K Ludwicki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4501815/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Relationship between paired cord blood and milk POPs levels as a tool for assessing perinatal exposure, a pilot study. Human and Ecological Risk Assessment (HERA), 2016, 22, 1456-1468.	3.4	5
2	Validation of the analytical method for the simultaneous determination of selected polybrominated diphenyl ethers, polychlorinated biphenyls and organochlorine pesticides in human blood serum by gas chromatography with microelectron capture detector. Roczniki Panstwowego Zakladu Higieny, 2016, 67, 113-20.	0.7	1
3	Is the fact of parenting couples cohabitation affecting the serum levels of persistent organohalogen pollutants?. International Journal of Hygiene and Environmental Health, 2015, 218, 392-400.	4.3	7
4	Perfluorinated chemicals in blood serum of inhabitants in central Poland in relation to gender and age. Science of the Total Environment, 2015, 532, 548-555.	8.0	44
5	Consumer Risk Assessment Associated with Intake of Pesticide Residues in Food of Plant Origin from the Retail Market in Poland. Human and Ecological Risk Assessment (HERA), 2015, 21, 2036-2061.	3.4	5
6	Phthalates, perfluoroalkyl acids, metals and organochlorines and reproductive function: a multipollutant assessment in Greenlandic, Polish and Ukrainian men. Occupational and Environmental Medicine, 2015, 72, 385-393.	2.8	63
7	Biopesticides - towards increased consumer safety in the European Union. Pest Management Science, 2015, 71, 3-6.	3.4	124
8	Hazard quotient profiles used as a risk assessment tool for PFOS and PFOA serum levels in three distinctive European populations. Environment International, 2015, 74, 112-118.	10.0	61
9	Risk assessment for pesticides' MRL non-compliances in Poland in the years 2011-2015. Roczniki Panstwowego Zakladu Higieny, 2015, 66, 309-17.	0.7	2
10	Exposure to Perfluoroalkyl Substances and Sperm DNA Global Methylation in <scp>Arctic</scp> and <scp>European</scp> Populations. Environmental and Molecular Mutagenesis, 2014, 55, 591-600.	2.2	45
11	PCDD/Fs and DL-PCBs intake from fish caught in Polish fishing grounds in the Baltic Sea — Characterizing the risk for consumers. Environment International, 2013, 56, 32-41.	10.0	19
12	Serum concentrations of polybrominated diphenyl ethers (PBDEs) and a polybrominated biphenyl (PBB) in men from Greenland, Poland and Ukraine. Environment International, 2013, 61, 8-16.	10.0	34
13	Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. Chemosphere, 2012, 88, 1269-1275.	8.2	116
14	Fetal loss and maternal serum levels of 2,2',4,4',5,5'-hexachlorbiphenyl (CB-153) and 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (p,p'-DDE) exposure: a cohort study in Greenland and two European populations. Environmental Health, 2010, 9, 22.	4.0	29
15	Association of maternal serum concentrations of 2,2', 4,4'5,5'-hexachlorobiphenyl (CB-153) and 1,1-dichloro-2,2-bis (p-chlorophenyl)-ethylene (p,p'-DDE) levels with birth weight, gestational age and preterm births in Inuit and European populations. Environmental Health, 2010, 9, 56.	4.0	52
16	Fertility and Markers of Male Reproductive Function in Inuit and European Populations Spanning Large Contrasts in Blood Levels of Persistent Organochlorines. Environmental Health Perspectives, 2008, 116, 269-277.	6.0	100
17	Androgen receptor gene CAG repeat length as a modifier of the association between persistent organohalogen pollutant exposure markers and semen characteristics. Pharmacogenetics and Genomics, 2007, 17, 391-401.	1.5	42
18	Semen Quality in Relation to Xenohormone and Dioxin-like Serum Activity Among Inuits and Three European Populations. Environmental Health Perspectives, 2007, 115, 15-20.	6.0	19

Jan K Ludwicki

#	Article	IF	CITATIONS
19	The effect of phenobarbital on the methylation level of the p16 promoter region in rat liver. Toxicology, 2007, 239, 127-135.	4.2	16
20	Association between exposure to persistent organohalogen pollutants and epididymal and accessory sex gland function: Multicentre study in Inuit and European populations. Reproductive Toxicology, 2006, 22, 765-773.	2.9	19
21	Semen Quality and Exposure to Persistent Organochlorine Pollutants. Epidemiology, 2006, 17, 450-458.	2.7	122
22	Impact of PCB andp,p′-DDE Contaminants on Human Sperm Y:X Chromosome Ratio: Studies in Three European Populations and the Inuit Population in Greenland. Environmental Health Perspectives, 2006, 114, 718-724.	6.0	47
23	Reproductive Hormone Levels in Men Exposed to Persistent Organohalogen Pollutants: A Study of Inuit and Three European Cohorts. Environmental Health Perspectives, 2006, 114, 1348-1353.	6.0	55
24	Fertility in four regions spanning large contrasts in serum levels of widespread persistent organochlorines: a cross-sectional study. Environmental Health, 2005, 4, 26.	4.0	98
25	Inter-population variations in concentrations, determinants of and correlations between 2,2',4,4',5,5'-hexachlorobiphenyl (CB-153) and 1,1-dichloro-2,2-bis (p-chlorophenyl)-ethylene (p,p'-DDE): a cross-sectional study of 3161 men and women from Inuit and European populations. Environmental Health. 2005, 4, 27.	4.0	90
26	Hepatocellular peroxisome proliferation and DNA synthesis in Wistar rats treated with herbicide fluazifop. Toxicology, 2002, 178, 221-228.	4.2	5
27	Relationship between two consecutive lactations and fat level in persistent organochlorine compound concentrations in human breast milk. Chemosphere, 2001, 43, 889-893.	8.2	24
28	Studies of early hepatocellular proliferation and peroxisomal proliferation in Wistar rats treated with herbicide diclofop. Toxicology, 2001, 158, 119-126.	4.2	18
29	Early hepatic changes in rats induced by permethrin in comparison with DDT. Toxicology, 1999, 142, 135-143.	4.2	28
30	The influence of fenarimol on dna synthesis and mitotic activity in rat liver. Journal of Applied Toxicology, 1992, 12, 275-279.	2.8	7
31	The effect of organic chlorine compounds and their metabolites present in human milk on newborn mice. Toxicology Letters, 1991, 57, 215-226.	0.8	8
32	Residues of organochlorine pesticides in milk gland secretion of cows in perinatal period. Bulletin of Environmental Contamination and Toxicology, 1991, 47, 817-821.	2.7	5
33	In vitro Methylation and demethylation of mercury compounds by the intestinal contents. Bulletin of Environmental Contamination and Toxicology, 1990, 44, 357-362.	2.7	10
34	Studies on the role of gastrointestinal tract contents in the methylation of inorganic mercury compounds. Bulletin of Environmental Contamination and Toxicology, 1989, 42, 283-288.	2.7	13
35	Concentrations of DDT, PCBs, HCB, and HCH isomers in the liver and adipose tissue of newborn mice receiving an extract of human milk. Bulletin of Environmental Contamination and Toxicology, 1987, 39, 756-761.	2.7	5