

Philipp Dominik HÃ¶fliger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/450289/publications.pdf>

Version: 2024-02-01

73
papers

2,018
citations

623188

14
h-index

500791

28
g-index

73
all docs

73
docs citations

73
times ranked

2203
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuromorphic Silicon Neuron Circuits. <i>Frontiers in Neuroscience</i> , 2011, 5, 73.	1.4	1,004
2	CAVIAR: A 45k Neuron, 5M Synapse, 12G Connects/s AER Hardware Sensory "Processing" Learning-Actuating System for High-Speed Visual Object Recognition and Tracking. <i>IEEE Transactions on Neural Networks</i> , 2009, 20, 1417-1438.	4.8	285
3	Toward real-time particle tracking using an event-based dynamic vision sensor. <i>Experiments in Fluids</i> , 2011, 51, 1465-1469.	1.1	90
4	A Sub- μm Bandgap Reference Circuit With an Inherent Curvature-Compensation Property. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2015, 62, 1-9.	3.5	83
5	Adaptive WTA With an Analog VLSI Neuromorphic Learning Chip. <i>IEEE Transactions on Neural Networks</i> , 2007, 18, 551-572.	4.8	56
6	Bio-Inspired Asynchronous Pixel Event Tricolor Vision Sensor. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2014, 8, 345-357.	2.7	33
7	Combining biophysical modeling and deep learning for multielectrode array neuron localization and classification. <i>Journal of Neurophysiology</i> , 2018, 120, 1212-1232.	0.9	33
8	Toward an Injectable Continuous Osmotic Glucose Sensor. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 882-892.	1.3	32
9	A foveated AER imager chip [address event representation]. , 0, , .		31
10	Open source modules for tracking animal behavior and closed-loop stimulation based on Open Ephys and Bonsai. <i>Journal of Neural Engineering</i> , 2018, 15, 055002.	1.8	31
11	A Bio-Inspired Vision Sensor With Dual Operation and Readout Modes. <i>IEEE Sensors Journal</i> , 2016, 16, 317-330.	2.4	30
12	High-Speed Serial AER on FPGA. , 2007, , .		29
13	A Submicrowatt Implantable Capacitive Sensor System for Biomedical Applications. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2015, 62, 209-213.	2.2	27
14	A time domain winner-take-all network of integrate-and-fire neurons. , 0, , .		19
15	An Energy-Efficient Implantable Transponder for Biomedical Piezo-Resistance Pressure Sensors. <i>IEEE Sensors Journal</i> , 2014, 14, 1836-1843.	2.4	17
16	A Miniaturized Two-Axis Ultra Low Latency and Low-Power Sun Sensor for Attitude Determination of Micro Space Probes. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018, 65, 1543-1554.	3.5	16
17	Hybrid CMOS Rectifier Based on Synergistic RF-Piezoelectric Energy Scavenging. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2014, 61, 3330-3338.	3.5	15
18	Analog to interval encoder with active use of gate leakage for an implanted blood-sugar sensor. , 2008, , .		13

#	ARTICLE	IF	CITATIONS
19	Spike Based Normalizing Hebbian Learning in an Analog VLSI Artificial Neuron. Analog Integrated Circuits and Signal Processing, 1999, 18, 133-139.	0.9	12
20	A multi-level static memory cell. , 0, , .		12
21	Floating gate analog memory for parameter and variable storage in a learning silicon neuron. , 0, , .		11
22	Spike based learning with weak multi-level static memory. , 0, , .		9
23	Localizing neuronal somata from Multi-Electrode Array in-vivo recordings using deep learning. , 2017, 2017, 974-977.		9
24	Design and Characterization of an Osmotic Sensor for the Detection of Events Associated With Dehydration and Overhydration. IEEE Journal of Translational Engineering in Health and Medicine, 2013, 1, 2700309-2700309.	2.2	8
25	A Dual-Operation-Mode Bio-Inspired Pixel. IEEE Transactions on Circuits and Systems II: Express Briefs, 2014, 61, 855-859.	2.2	8
26	A Bio-Inspired AER Temporal Tri-Color Differentiator Pixel Array. IEEE Transactions on Biomedical Circuits and Systems, 2015, 9, 686-698.	2.7	8
27	Two color asynchronous event photo pixel. , 2008, , .		6
28	Mismatch reduction with relative reset in integrate-and-fire photo-pixel array. , 2008, , .		6
29	An Osmotic Pressure Sensor for Monitoring the Level of Hydration in Biological Fluids. IEEE Sensors Journal, 2016, 16, 4331-4337.	2.4	6
30	Design and Fabrication of CMOS Microstructures to Locally Synthesize Carbon Nanotubes for Gas Sensing. Sensors, 2019, 19, 4340.	2.1	6
31	Live demonstration: Inductive power and telemetry for micro-implant. , 2010, , .		5
32	An Asynchronous 4-to-4 AER Mapper. Lecture Notes in Computer Science, 2005, , 494-501.	1.0	4
33	A Gate Leakage Feedback Element in an Adaptive Amplifier Application. IEEE Transactions on Circuits and Systems II: Express Briefs, 2008, 55, 101-105.	2.2	4
34	Time domain ADC for blood glucose implant. Electronics Letters, 2011, 47, S18.	0.5	4
35	An energy efficient inverter based readout circuit for capacitive sensor. , 2013, , .		4
36	Flame monitoring with an AER color vision sensor. , 2013, , .		4

#	ARTICLE	IF	CITATIONS
37	Novel readout circuit for memristive biosensors in cancer detection. , 2014, , .		4
38	Miniaturized Sun sensor with in-pixel processing for Attitude Determination of micro space probes. , 2015, , .		4
39	Asynchronous event redirecting in bio-inspired communication. , 0, , .		3
40	Exploiting Gate Leakage in Deep-Submicrometer CMOS for Input Offset Adaptation. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2007, 54, 127-130.	2.3	3
41	Bio-inspired asynchronous pixel event tri-color vision sensor. , 2011, , .		3
42	The third revolution in medicine-the convergence of life sciences with physical sciences, mathematics, and engineering [from the guest editors]. IEEE Circuits and Systems Magazine, 2012, 12, 4-7.	2.6	3
43	A bio-inspired AER temporal tri-color differentiator. , 2014, , .		3
44	Low power integrated electronics system for the operation of a miniaturized hydration sensor. , 2014, , .		3
45	Extracellular single neuron stimulation with high-density multi-electrode array. , 2016, , .		3
46	Pixel Characterization of a Protein-Based Retinal Implant Using a Microfabricated Sensor Array. International Journal of High Speed Electronics and Systems, 2017, 26, 1740012.	0.3	3
47	Novel osmotic sensor for a continuous implantable blood-sugar reader. , 2009, , .		2
48	A dual operation mode bio-inspired vision sensor. , 2013, , .		2
49	Integrated electronic system for implantable sensory NFC tag. , 2015, 2015, 7119-22.		2
50	Direct Synthesis of Carbon Nanotubes in CMOS-Layout of Micro-heaters. , 2018, , .		2
51	A Rank Encoder: Adaptive Analog to Digital Conversion Exploiting Time Domain Spike Signal Processing. Analog Integrated Circuits and Signal Processing, 2004, 40, 39-51.	0.9	1
52	Guest Editorial - Special Issue on Selected Papers From ISCAS 2009. IEEE Transactions on Biomedical Circuits and Systems, 2010, 4, 137-138.	2.7	1
53	Inverter based readout circuit for implanted glucose sensor. , 2012, , .		1
54	An energy-efficient implant transponder for continuous glucose monitoring. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
55	Live demonstration: A Bio-Inspired AER temporal tri-color differentiator. , 2014, , .		1
56	Combined optical and chemical asynchronous event pixel array. , 2016, , .		1
57	Low Noise Combined Optical-Chemical CMOS Sensor For Biomedical Application. , 2019, , .		1
58	Pixel Characterization of a Protein-Based Retinal Implant Using a Microfabricated Sensor Array. , 2017, , .		1
59	Live demonstration of an asynchronous integrate-and-fire pixel-event vision sensor. , 2009, , .		0
60	250Mb/s to 3Gb/s unilateral continuous rate CDR using precise frequency detector and 1/5-rate linear phase detector. , 2011, , .		0
61	Interview with Philipp Häfliger. Electronics Letters, 2011, 47, S17.	0.5	0
62	Live demonstration: A bio-inspired asynchronous pixel event tri-color vision sensor. , 2012, , .		0
63	Guest Editorial“Special Issue on Selected Papers From BioCAS 2011. IEEE Transactions on Biomedical Circuits and Systems, 2012, 6, 401-402.	2.7	0
64	Single poly non-volatile memory cells for miniaturized sensors in 90nm CMOS technology. , 2013, , .		0
65	Guest Editorial“Special Issue on Selected Papers From BioCAS 2012. IEEE Transactions on Biomedical Circuits and Systems, 2013, 7, 561-562.	2.7	0
66	A 9.4-bit, 28.8-mV range inverter based readout circuit for implantable pressure bridge piezo-resistive sensor. , 2014, , .		0
67	Sub-threshold CMOS voltage-multipliers using hybrid RF-piezoelectric energy scavenging. , 2014, , .		0
68	Guest Editorial Special Section on the 2015 IEEE International Symposium on Circuits and Systems (ISCAS 2015). IEEE Transactions on Circuits and Systems I: Regular Papers, 2016, 63, 565-566.	3.5	0
69	A time-to-first-n-spikes and time-out read-out extension to the AER arbitration system. , 2016, , .		0
70	Guest Editorial ISCAS 2016 Special Issue. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 977-978.	2.7	0
71	Live Demonstration: A Miniaturized Two-Axis Low Latency and Low-Power Sun Sensor for Attitude Determination of Sounding Rockets. , 2018, , .		0
72	Characterization of Polysilicon Microstructures to Estimate Local Temperature on CMOS Chips. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
73	Investigation of the Atomic Layer Deposition of the Titanium Dioxide (TiO ₂) Film as pH Sensor Using a Switched Capacitor Amplifier. Chemosensors, 2022, 10, 274.	1.8	0