

Yung Liao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4503101/publications.pdf>

Version: 2024-02-01

69
papers

1,223
citations

394421

19
h-index

454955

30
g-index

70
all docs

70
docs citations

70
times ranked

1738
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of the audited residential neighborhood built-environment attributes with objectively-measured sedentary time among adults: a systematic review. <i>International Journal of Environmental Health Research</i> , 2023, 33, 768-782.	2.7	4
2	Smart Wearable Device Usersâ€™ Behavior Is Essential for Physical Activity Improvement. <i>International Journal of Behavioral Medicine</i> , 2022, 29, 278-285.	1.7	4
3	Nonlinear associations between sleep patterns and sarcopenia risks in older adults. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 731-738.	2.6	1
4	Workplace neighbourhood built-environment attributes and sitting at work and for transport among Japanese desk-based workers. <i>Scientific Reports</i> , 2022, 12, 195.	3.3	2
5	Studentsâ€™ perceptions of school sugar-free, food and exercise environments enhance healthy eating and physical activity. <i>Public Health Nutrition</i> , 2022, 25, 1762-1770.	2.2	2
6	A Nonlinear Association between Neighborhood Walkability and Risks of Sarcopenia in Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 618-623.	3.3	3
7	Association between objectively measured sleep duration and physical function in community-dwelling older adults. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 515-520.	2.6	8
8	Sleep duration and timing are nonlinearly associated with depressive symptoms among older adults. <i>Sleep Medicine</i> , 2021, 81, 93-97.	1.6	15
9	Is achieving 7,000 steps/day cross-sectionally and prospectively associated with older adultsâ€™ lower-extremity performance?. <i>BMC Geriatrics</i> , 2021, 21, 359.	2.7	3
10	Effects of ICT-Based Multicomponent Program on Body Composition and Cognitive Function in Older Adults: A Randomized Controlled Clinical Study. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 1161-1171.	2.9	5
11	Is Sleep Timing Related to Objectively Measured Physical Activity and Sedentary Behavior in Older Women?. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 1377-1381.	2.7	0
12	Does neighborhood built environment support older adults' daily steps differ by time of day?. <i>Journal of Transport and Health</i> , 2021, 22, 101234.	2.2	2
13	An Association between Lower Extremity Function and Cognitive Frailty: A Sample Population from the KFACS Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1007.	2.6	10
14	Device-measured light-intensity physical activity and mortality: A meta-analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 13-24.	2.9	36
15	Dog-walking in dense compact areas: The role of neighbourhood built environment. <i>Health and Place</i> , 2020, 61, 102242.	3.3	21
16	Daily lifestyle behaviors and risks of sarcopenia among older adults. <i>Archives of Public Health</i> , 2020, 78, 113.	2.4	21
17	Objectively assessed physical activity patterns and physical function in community-dwelling older adults: a cross-sectional study in Taiwan. <i>BMJ Open</i> , 2020, 10, e034645.	1.9	6
18	Which Neighborhood Destinations Matter in the Asian Context? The Role of Destinations in Older Adultsâ€™ Physical Activity and Sedentary Behaviors. <i>BioMed Research International</i> , 2020, 2020, 1-7.	1.9	2

#	ARTICLE	IF	CITATIONS
19	Moderate-to-vigorous physical activity duration is more important than timing for physical function in older adults. <i>Scientific Reports</i> , 2020, 10, 21344.	3.3	14
20	Feasibility and Tolerability of a Culture-Based Virtual Reality (VR) Training Program in Patients with Mild Cognitive Impairment: A Randomized Controlled Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3030.	2.6	44
21	Occupational, Transport, Leisure-Time, and Overall Sedentary Behaviors and Their Associations with the Risk of Cardiovascular Disease among High-Tech Company Employees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3353.	2.6	3
22	Independent and Joint Associations of Physical Activity and Dietary Behavior with Older Adults's Lower Limb Strength. <i>Nutrients</i> , 2020, 12, 443.	4.1	4
23	Walking-friendly built environments and objectively measured physical function in older adults. <i>Journal of Sport and Health Science</i> , 2020, 9, 651-656.	6.5	30
24	Neighborhood Environment and Objectively Measured Sedentary Behavior Among Older Adults: A Cross-Sectional Study. <i>Frontiers in Public Health</i> , 2020, 8, 552198.	2.7	5
25	The associations between neighborhood walkability attributes and objectively measured physical activity in older adults. <i>PLoS ONE</i> , 2019, 14, e0222268.	2.5	34
26	Personal, behavioral, and perceived environmental factors associated with late-life depression in older men and women. <i>Psychology Research and Behavior Management</i> , 2019, Volume 12, 641-650.	2.8	5
27	Is motorcycle use associated with unhealthy lifestyles? Findings from Taiwan. <i>Journal of Transport and Health</i> , 2019, 15, 100659.	2.2	2
28	Are Older Adults without a Healthy Diet Less Physically Active and More Sedentary?. <i>Nutrients</i> , 2019, 11, 1119.	4.1	15
29	Are Area-Level Crimes Associated with Older Adults's Physical Activity and Sedentary Behavior?. <i>Sustainability</i> , 2019, 11, 2454.	3.2	4
30	A Threshold of Objectively-Assessed Daily Sedentary Time for All-cause Mortality in Older Adults: A Meta-Regression of Prospective Cohort Studies. <i>Journal of Clinical Medicine</i> , 2019, 8, 564.	2.4	18
31	Walk Score® and Its Associations with Older Adults's Health Behaviors and Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 622.	2.6	20
32	Accelerometer-Measured Physical Activity and Sedentary Behavior Patterns in Taiwanese Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4392.	2.6	19
33	The Associations between Near Visual Activity and Incident Myopia in Children. <i>Ophthalmology</i> , 2019, 126, 214-220.	5.2	62
34	Walk Score® and Japanese adults' physically-active and sedentary behaviors. <i>Cities</i> , 2018, 74, 151-155.	5.6	21
35	Cross-sectional and prospective associations of neighbourhood environmental attributes with screen time in Japanese middle-aged and older adults. <i>BMJ Open</i> , 2018, 8, e019608.	1.9	9
36	Dog ownership, dog walking, and leisure-time walking among Taiwanese metropolitan and nonmetropolitan older adults. <i>BMC Geriatrics</i> , 2018, 18, 85.	2.7	10

#	ARTICLE	IF	CITATIONS
37	Validity of Walk Score® as a measure of neighborhood walkability in Japan. <i>Preventive Medicine Reports</i> , 2018, 9, 114-117.	1.8	71
38	Prospective relationship between objectively measured light physical activity and depressive symptoms in later life. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 58-65.	2.7	37
39	Leisure-Time, Domestic, and Work-Related Physical Activity and Their Prospective Associations With All-Cause Mortality in Patients With Cardiovascular Disease. <i>American Journal of Cardiology</i> , 2018, 121, 177-181.	1.6	16
40	Can neighborhood design support walking? Cross-sectional and prospective findings from Japan. <i>Journal of Transport and Health</i> , 2018, 11, 73-79.	2.2	20
41	Prevalence of Total Physical Activity, Muscle-Strengthening Activities, and Excessive TV Viewing among Older Adults; and Their Association with Sociodemographic Factors. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2499.	2.6	9
42	Personal and behavioral correlates of total and domain-specific sedentary behaviors in older Taiwanese adults. <i>BMC Geriatrics</i> , 2018, 18, 294.	2.7	4
43	Associations of total amount and patterns of objectively measured sedentary behavior with performance-based physical function. <i>Preventive Medicine Reports</i> , 2018, 12, 128-134.	1.8	13
44	Cross-Sectional Associations of Environmental Perception with Leisure-Time Physical Activity and Screen Time among Older Adults. <i>Journal of Clinical Medicine</i> , 2018, 7, 56.	2.4	10
45	A cut-off of daily sedentary time and all-cause mortality in adults: a meta-regression analysis involving more than 1 million participants. <i>BMC Medicine</i> , 2018, 16, 74.	5.5	151
46	Associations of neighbourhood walkability indices with weight gain. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 33.	4.6	13
47	Gender differences in the associations between perceived environment and walking for recreation in Taiwanese adults. <i>Women and Health</i> , 2017, 57, 551-565.	1.0	5
48	Associations of street layout with walking and sedentary behaviors in an urban and a rural area of Japan. <i>Health and Place</i> , 2017, 45, 64-69.	3.3	35
49	Associations of public bicycle use with transport-related and leisure-time physical activity in Taiwanese adults. <i>Journal of Transport and Health</i> , 2017, 6, 433-438.	2.2	6
50	Associations of Neighborhood Environmental Attributes with Walking in Japan: Moderating Effects of Area-Level Socioeconomic Status. <i>Journal of Urban Health</i> , 2017, 94, 847-854.	3.6	26
51	Associations of Older Taiwanese Adults' Personal Attributes and Perceptions of the Neighborhood Environment Concerning Walking for Recreation and Transportation. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1594.	2.6	17
52	Perceptions of activity-supportive environment and motorcycle use among urban Taiwanese adults. <i>BMC Public Health</i> , 2017, 17, 665.	2.9	9
53	Association of Motorcycle Use with Risk of Overweight in Taiwanese Urban Adults. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 410.	2.6	4
54	Association of Sociodemographic and Perceived Environmental Factors with Public Bicycle Use among Taiwanese Urban Adults. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 340.	2.6	14

#	ARTICLE	IF	CITATIONS
55	Perceived Neighborhood and Home Environmental Factors Associated with Television Viewing among Taiwanese Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 708.	2.6	17
56	Prospective associations of objectively assessed physical activity at different intensities with subjective well-being in older adults. <i>Quality of Life Research</i> , 2016, 25, 2909-2919.	3.1	43
57	Associations of Total and Domain-Specific Sedentary Time With Type 2 Diabetes in Taiwanese Older Adults. <i>Journal of Epidemiology</i> , 2016, 26, 348-354.	2.4	25
58	Associations of Perceived and Objectively Measured Neighborhood Environmental Attributes With Leisure-Time Sitting for Transport. <i>Journal of Physical Activity and Health</i> , 2016, 13, 1372-1377.	2.0	10
59	Travel mode, transportation-related physical activity, and risk of overweight in Taiwanese adults. <i>Journal of Transport and Health</i> , 2016, 3, 220-225.	2.2	31
60	Traveling by Private Motorized Vehicle and Physical Fitness in Taiwanese Adults. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 395-401.	1.7	11
61	Independent and Combined Associations of Physical Activity and Sedentary Behavior with Depressive Symptoms Among Japanese Adults. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 402-409.	1.7	23
62	Perceived Environmental and Personal Factors Associated with Walking and Cycling for Transportation in Taiwanese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 2105-2119.	2.6	32
63	Are Total and Domain-Specific Sedentary Time Associated with Overweight in Older Taiwanese Adults?. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 12697-12705.	2.6	13
64	Gender Differences in Sociodemographic Correlates with Excessive Television Viewing Time in Taiwanese Older Adults. <i>Iranian Journal of Public Health</i> , 2015, 44, 875-6.	0.5	1
65	Perceived and Objectively Measured Access to Strength-Training Facilities and Strength-Training Behavior. <i>Annals of Behavioral Medicine</i> , 2014, 48, 120-124.	2.9	13
66	Associations between health-related physical fitness and obesity in Taiwanese youth. <i>Journal of Sports Sciences</i> , 2013, 31, 1797-1804.	2.0	32
67	Correlates of physical activity among overweight and obese populations: A review of the literature. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2012, 1, 325-331.	0.3	2
68	Perceived Environmental Factors Associated with Physical Activity among Normal-Weight and Overweight Japanese Men. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 931-943.	2.6	19
69	Joint associations of physical activity and screen time with overweight among Japanese adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 131.	4.6	27