## Danielle Storck-Tonon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4503207/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Forest patch isolation drives local extinctions of Amazonian orchid bees in a 26 years old archipelago. Biological Conservation, 2017, 214, 270-277.	4.1	42
2	Orchid Bees of forest fragments in Southwestern Amazonia. Biota Neotropica, 2013, 13, 133-141.	1.0	29
3	Fauna de euglossina (Hymenoptera: Apidae) da Amazônia sul-ocidental, Acre, Brasil. Acta Amazonica, 2009, 39, 693-706.	0.7	27
4	Dung beetle (Coleoptera: Scarabaeinae) persistence in Amazonian forest fragments and adjacent pastures: biogeographic implications for alpha and beta diversity. Journal of Insect Conservation, 2016, 20, 549-564.	1.4	27
5	Effects of fragments and landscape characteristics on the orchid bee richness (Apidae: Euglossini) in an urban matrix, southwestern Amazonia. Journal of Insect Conservation, 2018, 22, 475-486.	1.4	18
6	Marked compositional changes in harvestmen assemblages in Amazonian forest islands induced by a mega dam. Insect Conservation and Diversity, 2020, 13, 432-444.	3.0	13
7	Habitat patch size and isolation drive the near-complete collapse of Amazonian dung beetle assemblages in a 30-year-old forest archipelago. Biodiversity and Conservation, 2020, 29, 2419-2438.	2.6	13
8	Effect of habitat amount and complexity on social wasps (Vespidae: Polistinae): implications for biological control. Journal of Insect Conservation, 2020, 24, 613-624.	1.4	8
9	Checklist of orchid bees (Hymenoptera: Apidae) of "Lago do Silêncio―Area, Boca do Acre, Amazonas, Brazil. Check List, 2011, 7, 648.	0.4	8
10	Contribution of the Cerrado as Habitat for Sunflower Pollinating Bees. Sociobiology, 2020, 67, 281.	0.5	5
11	Critical role of native forest and savannah habitats in retaining neotropical pollinator diversity in highly mechanized agricultural landscapes. Agriculture, Ecosystems and Environment, 2022, 338, 108084.	5.3	5
12	Re-establishment of cavity-nesting bee and wasp communities along a reforestation gradient in southern Amazonia. Oecologia, 2021, 196, 275-288.	2.0	4
13	Can Baited Pitfall Traps for Sampling Dung Beetles Replace Conventional Traps for Sampling Ants?. Sociobiology, 2020, 67, 376.	0.5	4
14	Using Relict Species–Area Relationships to Estimate the Conservation Value of Reservoir Islands to Improve Environmental Impact Assessments of Dams. , 2021, , 417-437.		2
15	Is being green what matters? Functional diversity of cavityâ€nesting bees and wasps and their interaction networks with parasites in different reforestation types in Amazonia. Insect Conservation and Diversity, 2021, 14, 620-634.	3.0	2
16	ADVANCEMENT OF AGRICULTURAL ACTIVITY ON NATURAL VEGETATION AREAS IN NATIONAL AGRIBUSINESS CAPITAL. Ambiente & Sociedade, 0, 22, .	0.5	2
17	Effects of forest degradation on Amazonian ferns in a landâ€bridge island system as revealed by nonâ€specialist inventories. Ecological Solutions and Evidence, 2022, 3, e12123.	2.0	2
18	New records of predation of Harpactorinae (Hemiptera: Reduviidae) over Euglossini and Xylocopini bees (Hymenoptera: Apidae) in Brazil. Revista Chilena De EntomologÃa, 2022, 48, 93-97.	0.2	1

#	Article	IF	CITATIONS
19	INFLUENCE OF LAND USE AND OCCUPATION IN THE QUALITY OF SURFACE WATER IN THE PARAGUAI / DIAMANTINO BASIN, MATO GROSSO, BRAZIL. , 2018, 42, 187-200.		0