

Martin O Offringa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4503429/publications.pdf>

Version: 2024-02-01

212
papers

7,984
citations

50276

46
h-index

60623

81
g-index

230
all docs

230
docs citations

230
times ranked

8343
citing authors

#	ARTICLE	IF	CITATIONS
1	Anthracycline-Induced Clinical Heart Failure in a Cohort of 607 Children: Long-Term Follow-Up Study. <i>Journal of Clinical Oncology</i> , 2001, 19, 191-196.	1.6	369
2	Definitions and Measurement of Chronic Health Conditions in Childhood. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 2741.	7.4	356
3	Mortality and causes of death of end-stage renal disease in children: A Dutch cohort study. <i>Kidney International</i> , 2002, 61, 621-629.	5.2	331
4	Frequency and risk factors of subclinical cardiotoxicity after anthracycline therapy in children: a systematic review. <i>Annals of Oncology</i> , 2002, 13, 819-829.	1.2	302
5	Diagnostic investigations in individuals with mental retardation: a systematic literature review of their usefulness. <i>European Journal of Human Genetics</i> , 2005, 13, 6-25.	2.8	231
6	Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. <i>The Cochrane Library</i> , 2015, 2015, CD000104.	2.8	223
7	Frequency and risk factors of anthracycline-induced clinical heart failure in children: a systematic review. <i>Annals of Oncology</i> , 2002, 13, 503-512.	1.2	212
8	Prognostic Tests in Term Neonates With Hypoxic-Ischemic Encephalopathy: A Systematic Review. <i>Pediatrics</i> , 2013, 131, 88-98.	2.1	203
9	Enzyme replacement therapy and/or hematopoietic stem cell transplantation at diagnosis in patients with mucopolysaccharidosis type I: results of a European consensus procedure. <i>Orphanet Journal of Rare Diseases</i> , 2011, 6, 55.	2.7	194
10	Risk factors for seizure recurrence in children with febrile seizures: A pooled analysis of individual patient data from five studies. <i>Journal of Pediatrics</i> , 1994, 124, 574-584.	1.8	170
11	Diagnosis and management of congenital diaphragmatic hernia: a clinical practice guideline. <i>Cmaj</i> , 2018, 190, E103-E112.	2.0	161
12	Natural history of cardiovascular manifestations in Marfan syndrome. <i>Archives of Disease in Childhood</i> , 2001, 84, 129-137.	1.9	158
13	Neurodevelopment After Neonatal Hypoglycemia: A Systematic Review and Design of an Optimal Future Study. <i>Pediatrics</i> , 2006, 117, 2231-2243.	2.1	153
14	Children Are Not Just Small Adults: The Urgent Need for High-Quality Trial Evidence in Children. <i>PLoS Medicine</i> , 2008, 5, e172.	8.4	152
15	Elective high-frequency oscillatory versus conventional ventilation in preterm infants: a systematic review and meta-analysis of individual patients' data. <i>Lancet, The</i> , 2010, 375, 2082-2091.	13.7	135
16	Defining chronic diseases and health conditions in childhood (0-18 years of age): national consensus in the Netherlands. <i>European Journal of Pediatrics</i> , 2008, 167, 1441-1447.	2.7	132
17	Severe bone disease and low bone mineral density after juvenile renal failure. <i>Kidney International</i> , 2003, 63, 266-275.	5.2	106
18	Febrile seizures:. <i>BMJ, The</i> , 2015, 351, h4240.	6.0	105

#	ARTICLE	IF	CITATIONS
19	Clinical prediction models for bronchopulmonary dysplasia: a systematic review and external validation study. BMC Pediatrics, 2013, 13, 207.	1.7	99
20	Effect of Hydrocortisone Therapy Initiated 7 to 14 Days After Birth on Mortality or Bronchopulmonary Dysplasia Among Very Preterm Infants Receiving Mechanical Ventilation. JAMA - Journal of the American Medical Association, 2019, 321, 354.	7.4	97
21	Effects of Higher Versus Lower Dexamethasone Doses on Pulmonary and Neurodevelopmental Sequelae in Preterm Infants at Risk for Chronic Lung Disease: A Meta-analysis. Pediatrics, 2008, 122, 92-101.	2.1	96
22	Increased Arterial Stiffness in Young Adults with End-Stage Renal Disease since Childhood. Journal of the American Society of Nephrology: JASN, 2002, 13, 2953-2961.	6.1	93
23	Usefulness of Systematic Review Search Strategies in Finding Child Health Systematic Reviews in MEDLINE. JAMA Pediatrics, 2008, 162, 111.	3.0	91
24	Impaired cognition and schooling in adults with end stage renal disease since childhood. Archives of Disease in Childhood, 2002, 87, 380-385.	1.9	88
25	Cardiac disease in young adult patients with end-stage renal disease since childhood: A Dutch cohort study. Kidney International, 2003, 63, 1058-1065.	5.2	88
26	Consensus Guidelines for Perioperative Care in Neonatal Intestinal Surgery: Enhanced Recovery After Surgery (ERAS [®]) Society Recommendations. World Journal of Surgery, 2020, 44, 2482-2492.	1.6	88
27	Prophylactic vitamin K for vitamin K deficiency bleeding in neonates. The Cochrane Library, 2000, , CD002776.	2.8	86
28	Low mannose-binding lectin (MBL) levels in neonates with pneumonia and sepsis. Clinical and Experimental Immunology, 2007, 150, 255-262.	2.6	82
29	Finding the Optimal Postnatal Dexamethasone Regimen for Preterm Infants at Risk of Bronchopulmonary Dysplasia: A Systematic Review of Placebo-Controlled Trials. Pediatrics, 2009, 123, 367-377.	2.1	81
30	High prevalence of mannose-binding lectin (MBL) deficiency in premature neonates. Clinical and Experimental Immunology, 2006, 145, 5-12.	2.6	75
31	Initial antibiotic treatment for acute simple appendicitis in children is safe: Short-term results from a multicenter, prospective cohort study. Surgery, 2015, 157, 916-923.	1.9	73
32	Lower versus Traditional Treatment Threshold for Neonatal Hypoglycemia. New England Journal of Medicine, 2020, 382, 534-544.	27.0	73
33	Developing a paediatric drug formulary for the Netherlands. Archives of Disease in Childhood, 2017, 102, 357-361.	1.9	72
34	Social consequences in adult life of end-stage renal disease in childhood. Journal of Pediatrics, 2005, 146, 512-517.	1.8	71
35	Prevalence of febrile seizures in Dutch schoolchildren. Paediatric and Perinatal Epidemiology, 1991, 5, 181-188.	1.7	69
36	Fluid resuscitation in neonatal and pediatric hypovolemic shock: a Dutch Pediatric Society evidence-based clinical practice guideline. Intensive Care Medicine, 2006, 32, 995-1003.	8.2	69

#	ARTICLE	IF	CITATIONS
37	Standard 5: Selection, Measurement, and Reporting of Outcomes in Clinical Trials in Children. Pediatrics, 2012, 129, S146-S152.	2.1	67
38	StaR Child Health: an initiative for RCTs in children. Lancet, The, 2009, 374, 1310-1312.	13.7	61
39	Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. , 2009, , CD000104.		60
40	Quality of Evidence-Based Pediatric Guidelines. Pediatrics, 2005, 115, 1378-1391.	2.1	58
41	Seizure Recurrence After A First Febrile Seizure: A Multivariate Approach. Developmental Medicine and Child Neurology, 1992, 34, 15-24.	2.1	57
42	Long-Term Follow-Up of Renal Transplantation in Children: A Dutch Cohort Study. Transplantation, 2004, 78, 453-460.	1.0	56
43	Pharmacokinetic studies in children: recommendations for practice and research. Archives of Disease in Childhood, 2018, 103, archdischild-2017-314506.	1.9	55
44	De novo malignancy after paediatric renal replacement therapy. Archives of Disease in Childhood, 2001, 85, 478-483.	1.9	53
45	Efficient ways exist to obtain the optimal sample size in clinical trials in rare diseases. Journal of Clinical Epidemiology, 2008, 61, 324-330.	5.0	53
46	Systemic corticosteroid regimens for prevention of bronchopulmonary dysplasia in preterm infants. The Cochrane Library, 2017, 2017, CD010941.	2.8	53
47	Prophylactic drug management for febrile seizures in children. The Cochrane Library, 2017, 2, CD003031.	2.8	51
48	No Damaging Effect of Chemotherapy in Addition to Radiotherapy on the Thyroid Axis in Young Adult Survivors of Childhood Cancer. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 3657-3663.	3.6	50
49	Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. , 2007, , CD000104.		50
50	Standard 1: Consent and Recruitment. Pediatrics, 2012, 129, S118-S123.	2.1	49
51	Late (≥ 7 days) inhalation corticosteroids to reduce bronchopulmonary dysplasia in preterm infants. The Cochrane Library, 2017, 2017, CD002311.	2.8	49
52	Effects of Antenatal Corticosteroids Given Prior to 26 Weeks' Gestation: A Systematic Review of Randomized Controlled Trials. American Journal of Perinatology, 2011, 28, 033-044.	1.4	46
53	Appendectomy versus non-operative treatment for acute uncomplicated appendicitis in children: study protocol for a multicentre, open-label, non-inferiority, randomised controlled trial. BMJ Paediatrics Open, 2017, 1, bmjpo-2017-000028.	1.4	46
54	Neuromuscular paralysis for newborn infants receiving mechanical ventilation. The Cochrane Library, 2005, , CD002773.	2.8	44

#	ARTICLE	IF	CITATIONS
55	Pharmacokinetics and pharmacodynamics of medication in asphyxiated newborns during controlled hypothermia. The PharmaCool multicenter study. BMC Pediatrics, 2012, 12, 45.	1.7	43
56	The Bilirubin Albumin Ratio in the Management of Hyperbilirubinemia in Preterm Infants to Improve Neurodevelopmental Outcome: A Randomized Controlled Trial “ BARTrial. PLoS ONE, 2014, 9, e99466.	2.5	42
57	Validity of Bronchiolitis Outcome Measures. Pediatrics, 2015, 135, e1399-e1408.	2.1	42
58	Systemic hydrocortisone to prevent bronchopulmonary dysplasia in preterm infants (the SToP-BPD) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.7	41
59	Late (≥ 7 days) inhalation corticosteroids to reduce bronchopulmonary dysplasia in preterm infants. , 2012, , CD002311.		39
60	Family history and recurrence of febrile seizures.. Archives of Disease in Childhood, 1994, 70, 395-399.	1.9	38
61	Quality of life in adults with end-stage renal disease since childhood is only partially impaired. Nephrology Dialysis Transplantation, 2003, 18, 310-317.	0.7	38
62	StaR Child Health: Developing Evidence-Based Guidance for the Design, Conduct, and Reporting of Pediatric Trials. Pediatrics, 2012, 129, S112-S117.	2.1	38
63	Outcome reporting in randomised controlled trials and meta-analyses of appendicitis treatments in children: a systematic review. Trials, 2015, 16, 275.	1.6	38
64	Value of abdominal ultrasound in management of necrotizing enterocolitis: a systematic review and meta-analysis. Pediatric Surgery International, 2018, 34, 589-612.	1.4	35
65	Seizures and Fever: Can We Rule Out Meningitis on Clinical Grounds Alone?. Clinical Pediatrics, 1992, 31, 514-522.	0.8	34
66	Evidence based paediatrics: Evidence based management of seizures associated with fever. BMJ: British Medical Journal, 2001, 323, 1111-1114.	2.3	34
67	Risk factors for mechanical ventilation in respiratory syncytial virus infection. European Journal of Pediatrics, 1993, 152, 125-127.	2.7	33
68	Cardiovascular Disease as a Late Complication of End-Stage Renal Disease in Children. Peritoneal Dialysis International, 2005, 25, 123-126.	2.3	33
69	Standard 4: Determining Adequate Sample Sizes. Pediatrics, 2012, 129, S138-S145.	2.1	32
70	Clinical Trial Decisions in Difficult Circumstances: Parental Consent Under Time Pressure. Pediatrics, 2015, 136, e983-e992.	2.1	32
71	Improving outcome reporting in clinical trial reports and protocols: study protocol for the Instrument for reporting Planned Endpoints in Clinical Trials (InsPECT). Trials, 2019, 20, 161.	1.6	28
72	A Core Outcome Set for Children With Feeding Tubes and Neurologic Impairment: A Systematic Review. Pediatrics, 2016, 138, .	2.1	28

#	ARTICLE	IF	CITATIONS
73	Incidence of Febrile Seizures in The Netherlands. Neuroepidemiology, 1992, 11, 169-172.	2.3	26
74	Standard 2: Containing Risk of Bias. Pediatrics, 2012, 129, S124-S131.	2.1	26
75	Prophylactic drug management for febrile seizures in children. , 2012, , CD003031.		25
76	Recommendations and evidence for reporting items in pediatric clinical trial protocols and reports: two systematic reviews. Trials, 2015, 16, 417.	1.6	25
77	A core outcome set for neonatal abstinence syndrome: study protocol for a systematic review, parent interviews and a Delphi survey. Trials, 2016, 17, 536.	1.6	24
78	Creation of an Enhanced Recovery After Surgery (ERAS) Guideline for neonatal intestinal surgery patients: a knowledge synthesis and consensus generation approach and protocol study. BMJ Open, 2018, 8, e023651.	1.9	24
79	Prophylactic vitamin K for the prevention of vitamin K deficiency bleeding in preterm neonates. The Cochrane Library, 2018, 2, CD008342.	2.8	23
80	Systematic scoping review identifies heterogeneity in outcomes measured in adolescent depression clinical trials. Journal of Clinical Epidemiology, 2020, 126, 71-79.	5.0	23
81	Outcome reporting recommendations for clinical trial protocols and reports: a scoping review. Trials, 2020, 21, 620.	1.6	23
82	Systematic reviews and meta-analysis. Seminars in Fetal and Neonatal Medicine, 2015, 20, 403-409.	2.3	22
83	Open-Label Glucocorticoids Modulate Dexamethasone Trial Results in Preterm Infants. Pediatrics, 2010, 126, e954-e964.	2.1	21
84	Standard 3: Data Monitoring Committees. Pediatrics, 2012, 129, S132-S137.	2.1	21
85	Study protocol for developing, piloting and disseminating the PRISMA-COSMIN guideline: a new reporting guideline for systematic reviews of outcome measurement instruments. Systematic Reviews, 2022, 11, .	5.3	21
86	Prediction of febrile seizures in siblings: a practical approach. European Journal of Pediatrics, 1998, 157, 340-344.	2.7	20
87	A systematic review of the reporting of Data Monitoring Committees' roles, interim analysis and early termination in pediatric clinical trials. BMC Pediatrics, 2009, 9, 77.	1.7	20
88	Prophylactic drug management for febrile seizures in children (Review). Evidence-Based Child Health: A Cochrane Review Journal, 2013, 8, 1376-1485.	2.0	20
89	Outcome of initially nonoperative treatment for acute simple appendicitis in children. Journal of Pediatric Surgery, 2018, 53, 1849-1854.	1.6	20
90	Systematic Review: The Measurement Properties of the Children's Depression Rating Scale-Revised in Adolescents With Major Depressive Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 119-133.	0.5	20

#	ARTICLE	IF	CITATIONS
91	State of the Evidence on Acute Asthma Management in Children: A Critical Appraisal of Systematic Reviews. <i>Pediatrics</i> , 2007, 120, 1334-1343.	2.1	19
92	Elective high-frequency oscillatory ventilation in preterm infants with respiratory distress syndrome: an individual patient data meta-analysis. <i>BMC Pediatrics</i> , 2009, 9, 33.	1.7	19
93	Towards evidence-based pharmacotherapy in children. <i>Paediatric Anaesthesia</i> , 2011, 21, 183-189.	1.1	19
94	Useful pharmacodynamic endpoints in children: selection, measurement, and next steps. <i>Pediatric Research</i> , 2018, 83, 1095-1103.	2.3	19
95	Primary outcome reporting in adolescent depression clinical trials needs standardization. <i>BMC Medical Research Methodology</i> , 2020, 20, 129.	3.1	19
96	Development of an international standard set of patient-centred outcome measures for overall paediatric health: a consensus process. <i>Archives of Disease in Childhood</i> , 2021, 106, 868-876.	1.9	19
97	Long-term consequences of renal insufficiency in children: lessons learned from the Dutch LERIC study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 552-560.	0.7	18
98	Improving paediatric medications: A prescription for Canadian children and youth. <i>Paediatrics and Child Health</i> , 2019, 24, 333-335.	0.6	18
99	PRISMA-Children (C) and PRISMA-Protocol for Children (P-C) Extensions: a study protocol for the development of guidelines for the conduct and reporting of systematic reviews and meta-analyses of newborn and child health research. <i>BMJ Open</i> , 2016, 6, e010270.	1.9	17
100	Core Outcome Set Development for Adolescent Major Depressive Disorder Clinical Trials: A Registered Report. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 1297-1298.	0.5	17
101	A Core Outcome Set for Neonatal Opioid Withdrawal Syndrome. <i>Pediatrics</i> , 2020, 146, .	2.1	17
102	Sequential design with boundaries approach in pediatric intervention research reduces sample size. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 19-27.	5.0	16
103	StaR Child Health: developing evidence-based guidance for the design, conduct and reporting of paediatric trials. <i>Archives of Disease in Childhood</i> , 2015, 100, 189-192.	1.9	16
104	Reporting of interventions and 'standard of care' control arms in pediatric clinical trials: a quantitative analysis. <i>Pediatric Research</i> , 2018, 84, 393-398.	2.3	16
105	Core Outcome Sets for Medium-Chain Acyl-CoA Dehydrogenase Deficiency and Phenylketonuria. <i>Pediatrics</i> , 2021, 148, .	2.1	16
106	IVF with preimplantation genetic screening, a promising new treatment with unexpectedly negative health outcomes: the Hippocratic role of Data Monitoring Committees. <i>Human Reproduction</i> , 2007, 23, 1-3.	0.9	15
107	Data monitoring committees, interim analysis and early termination in paediatric trials. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 1386-1392.	1.5	15
108	Children of non-Western origin with end-stage renal disease in the Netherlands, Belgium and a part of Germany have impaired health-related quality of life compared with Western children. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 448-457.	0.7	15

#	ARTICLE	IF	CITATIONS
109	Establishing a core outcome set for treatment of uncomplicated appendicitis in children: study protocol for an international Delphi survey. <i>BMJ Open</i> , 2019, 9, e028861.	1.9	15
110	Complex care for kids Ontario: protocol for a mixed-methods randomised controlled trial of a population-level care coordination initiative for children with medical complexity. <i>BMJ Open</i> , 2019, 9, e028121.	1.9	15
111	Outcomes in pediatric studies of medium-chain acyl-coA dehydrogenase (MCAD) deficiency and phenylketonuria (PKU): a review. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 12.	2.7	15
112	Effect of Systemic Hydrocortisone Initiated 7 to 14 Days After Birth in Ventilated Preterm Infants on Mortality and Neurodevelopment at 2 Yearsâ€™ Corrected Age. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 355.	7.4	15
113	Enzyme replacement therapy in perinatal hypophosphatasia: Case report of a negative outcome and lessons for clinical practice. <i>Molecular Genetics and Metabolism Reports</i> , 2018, 14, 22-26.	1.1	14
114	Innovative approaches to investigator-initiated, multicentre paediatric clinical trials in Canada. <i>BMJ Open</i> , 2019, 9, e029024.	1.9	14
115	Publication Trends of Pediatric and Adult Randomized Controlled Trials in General Medical Journals, 2005â€“2018: A Citation Analysis. <i>Children</i> , 2020, 7, 293.	1.5	14
116	A study of the efficacy of antipyretic drugs in the prevention of febrile seizure recurrence. <i>Ambulatory Child Health</i> , 2000, 6, 19-25.	0.1	13
117	RCTs with new antiepileptic drugs in children: A systematic review of monotherapy studies and their methodology. <i>Epilepsy Research</i> , 2010, 91, 1-9.	1.6	13
118	Ethics Review of Pediatric Multi-Center Drug Trials. <i>Paediatric Drugs</i> , 2015, 17, 23-30.	3.1	13
119	Knowledge translation in biostatistics: a survey of current practices, preferences, and barriers to the dissemination and uptake of new statistical methods. <i>Statistics in Medicine</i> , 2016, 35, 805-818.	1.6	13
120	Important differences in management policies for children with end-stage renal disease in the Netherlands and Belgiumâ€“report from the RICH-Q study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1984-1992.	0.7	12
121	Core outcome set for children with neurological impairment and tube feeding. <i>Developmental Medicine and Child Neurology</i> , 2020, 62, 201-206.	2.1	12
122	Neurodevelopmental outcome descriptions in cohorts of extremely preterm children. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 510-519.	2.8	12
123	Individualized lung recruitment during high-frequency ventilation in preterm infants is not associated with lung hyperinflation and air leaks. <i>European Journal of Pediatrics</i> , 2016, 175, 1085-1090.	2.7	11
124	Do systematic reviews on pediatric topics need special methodological considerations?. <i>BMC Pediatrics</i> , 2017, 17, 57.	1.7	11
125	Prophylactic drug management for febrile seizures in children. <i>The Cochrane Library</i> , 2021, 2021, CD003031.	2.8	11
126	Patient and family engagement in the development of core outcome sets for two rare chronic diseases in children. <i>Research Involvement and Engagement</i> , 2021, 7, 66.	2.9	11

#	ARTICLE	IF	CITATIONS
127	Counting What Counts: The Case for Harmonized Outcomes in Child and Youth Mental Health Research. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 656-658.	0.5	10
128	Implementation of an evidence-based guideline on fluid resuscitation: lessons learnt for future guidelines. <i>European Journal of Pediatrics</i> , 2010, 169, 749-758.	2.7	9
129	Quality and consistency of clinical practice guidelines for the management of children on chronic dialysis. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 3052-3061.	0.7	9
130	Applying Regulatory Science to Develop Safe and Effective Medicines for Neonates: Report of the US Food and Drug Administration First Annual Neonatal Scientific Workshop, October 28â€“29, 2014. <i>Therapeutic Innovation and Regulatory Science</i> , 2015, 49, 623-631.	1.6	9
131	Establishing core outcome sets for phenylketonuria (PKU) and medium-chain Acyl-CoA dehydrogenase (MCAD) deficiency in children: study protocol for systematic reviews and Delphi surveys. <i>Trials</i> , 2017, 18, 603.	1.6	9
132	Outcome reporting in neonates experiencing withdrawal following opioid exposure in pregnancy: a systematic review. <i>Trials</i> , 2020, 21, 262.	1.6	9
133	Introduction. <i>Pediatrics</i> , 2012, 129, S111-S111.	2.1	8
134	Guidance for reporting outcomes in clinical trials: scoping review protocol. <i>BMJ Open</i> , 2019, 9, e023001.	1.9	8
135	From Research to Practice: The Importance of Appropriate Outcome Selection, Measurement, and Reporting in Pediatric Mental Health Research. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 497-500.	0.5	8
136	Forks in the road: Definitions of response, remission, recovery, and other dichotomized outcomes in randomized controlled trials for adolescent depression. A scoping review. <i>Depression and Anxiety</i> , 2021, 38, 1152-1168.	4.1	8
137	Pitfalls in the design and analysis of paediatric clinical trials: a case of a “failed” multi-centre study, and potential solutions. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 385-391.	1.5	7
138	Lessons learned from efforts to improve the quality of care in children with end-stage renal disease in the Netherlands and Belgium. <i>Archives of Disease in Childhood</i> , 2011, 96, 1093-1096.	1.9	7
139	Important issues in the justification of a control treatment in paediatric drug trials. <i>Archives of Disease in Childhood</i> , 2016, 101, 962-967.	1.9	7
140	Study protocol for two complementary trials of non-steroidal or opioid analgesia use for children aged 6 to 17 years with musculoskeletal injuries (the No OUCH study). <i>BMJ Open</i> , 2020, 10, e035177.	1.9	7
141	Remote ischemic conditioning in necrotizing enterocolitis: study protocol of a multi-center phase II feasibility randomized controlled trial. <i>Pediatric Surgery International</i> , 2022, 38, 679-694.	1.4	7
142	The Dutch Medicines for Children Research Network. <i>Paediatric Drugs</i> , 2009, 11, 161-163.	3.1	6
143	Are child-centric aspects in newborn and child health systematic review and meta-analysis protocols and reports adequately reported?—two systematic reviews. <i>Systematic Reviews</i> , 2017, 6, 31.	5.3	6
144	Outcomes reported in randomised clinical trials of major depressive disorder treatments in adolescents: a systematic scoping review protocol. <i>BMJ Open</i> , 2019, 9, e024191.	1.9	6

#	ARTICLE	IF	CITATIONS
145	Guidance on development and operation of Young Personsâ€™ Advisory Groups. Archives of Disease in Childhood, 2020, 105, 875-880.	1.9	6
146	A Comprehensive List of Items to be Included on a Pediatric Drug Monograph. Journal of Pediatric Pharmacology and Therapeutics, 2017, 22, 48-59.	0.5	6
147	Viral infections in febrile seizures. Journal of Pediatrics, 1990, 117, 510.	1.8	5
148	Training researchers in publication science: why, what, and how. Journal of Clinical Epidemiology, 2020, 117, 165-167.	5.0	5
149	A Bayesian response-adaptive dose-finding and comparative effectiveness trial. Clinical Trials, 2021, 18, 61-70.	1.6	5
150	Prophylactic vitamin K for the prevention of vitamin K deficiency bleeding in preterm neonates. The Cochrane Library, 2010, , .	2.8	4
151	StaR Child Health: Improving global standards for child health research. Early Human Development, 2013, 89, 861-864.	1.8	4
152	Development of core outcome set for pediatric health conditions: a systematic review. Trials, 2015, 16, .	1.6	4
153	Cell-based therapy for bronchopulmonary dysplasia in preterm infants. Canadian Journal of Physiology and Pharmacology, 2019, 97, 232-234.	1.4	4
154	Small Sample Approach, and Statistical and Epidemiological Aspects. Handbook of Experimental Pharmacology, 2011, 205, 181-202.	1.8	4
155	Comparative effectiveness of prophylactic therapies for necrotizing enterocolitis in preterm infants: Protocol for a network meta-analysis of randomized trials. International Journal of Preventive Medicine, 2018, 9, 83.	0.4	4
156	Pediatric Emergency Medicine: The Trajectory to Evidence-Based Care. Evidence-Based Child Health: A Cochrane Review Journal, 2009, 4, 1-2.	2.0	3
157	Comparative evidence on harms in pediatric randomized clinical trials from less developed versus more developed countries is limited. Journal of Clinical Epidemiology, 2018, 95, 63-72.	5.0	3
158	Trial registration in pediatric surgery trials. Journal of Pediatric Surgery, 2018, 53, 1273-1279.	1.6	3
159	Adaptive randomised controlled non-inferiority multicentre trial (the Ketodex Trial) on intranasal dexmedetomidine plus ketamine for procedural sedation in children: study protocol. BMJ Open, 2020, 10, e041319.	1.9	3
160	Establishing a core outcome set for mucopolysaccharidoses (MPS) in children: study protocol for a rapid literature review, candidate outcomes survey, and Delphi surveys. Trials, 2021, 22, 816.	1.6	3
161	Remote, real-time expert elicitation to determine the prior probability distribution for Bayesian sample size determination in international randomised controlled trials: Bronchiolitis in Infants Placebo Versus Epinephrine and Dexamethasone (BIPED) study. Trials, 2022, 23, 279.	1.6	3
162	Short-term pulmonary and systemic effects of hydrocortisone initiated 7â€“14 days after birth in ventilated very preterm infants: a secondary analysis of a randomised controlled trial. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2023, 108, 20-25.	2.8	3

#	ARTICLE	IF	CITATIONS
163	Twin-to-twin transfusion syndrome: a case report. Antepartum prediction of underlying placental vascular pattern in monochorionic twin pregnancies may be possible. Twin Research and Human Genetics, 1999, 2, 286-289.	1.0	2
164	Effect of an Imaging Protocol on Clinical Outcomes Among Pediatric Patients With Appendicitis. Pediatrics, 2004, 113, 626-626.	2.1	2
165	Tips and tricks for understanding and using SR results. No 5: Prospective Trial Registers. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 536-537.	2.0	2
166	Response biomarkers in neonatal intervention studies. Pediatric Research, 2018, 83, 425-430.	2.3	2
167	Non-steroidal or opioid analgesia use for children with musculoskeletal injuries (the No OUCH) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.6	2
168	Determining a Bayesian predictive power stopping rule for futility in a non-inferiority trial with binary outcomes. Contemporary Clinical Trials Communications, 2020, 18, 100561.	1.1	2
169	Subclinical Electrographic Seizures in the Newborn—Is More Treatment Better?. JAMA Network Open, 2021, 4, e2140677.	5.9	2
170	Editors' introduction and letter to the editors. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 734-735.	2.0	1
171	Evidence-Based Child Health: A Cochrane Review Journal. Evidence-Based Child Health: A Cochrane Review Journal, 2009, 4, 1143-1144.	2.0	1
172	Prophylactic drug management for febrile seizures in children. Sao Paulo Medical Journal, 2013, 131, 285-285.	0.9	1
173	Standards for Research in Child Health: developing guidelines for the design, conduct and reporting of pediatric clinical trials. Clinical Investigation, 2014, 4, 997-1000.	0.0	1
174	Development of a core set of outcomes in children with severe neuro-disability and feeding tune dependency: a systematic review. Trials, 2015, 16, .	1.6	1
175	Development of a provisional essential medicines list for children in Canada: consensus process. CMAJ Open, 2018, 6, E146-E150.	2.4	1
176	A call for a streamlined ethics review process for multijurisdictional, child health research studies. Paediatrics and Child Health, 2020, 25, 406-408.	0.6	1
177	Standards of Research for Clinical Trials in Low- and Middle-Income Countries. , 2015, , 143-158.		1
178	Deferred Consent in Pediatric Drug Trials: Moving from Why to How. Paediatric Drugs, 2021, 23, 533-535.	3.1	1
179	Twin-to-twin transfusion syndrome: a case report. Antepartum prediction of underlying placental vascular pattern in monochorionic twin pregnancies may be possible. Twin Research and Human Genetics, 1999, 2, 286-289.	1.0	0
180	Characteristics and key findings for ~Antibiotics for acute pyelonephritis in children™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 590-591.	2.0	0

#	ARTICLE	IF	CITATIONS
181	Characteristics and key findings for “Interventions to improve antibiotic prescribing practices in ambulatory care”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 695-696.	2.0	0
182	Characteristics and key findings for “Neuromuscular paralysis for newborn infants receiving mechanical ventilation”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 730-731.	2.0	0
183	Characteristics and key findings for “Interventions for promoting the initiation of breastfeeding”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 621-622.	2.0	0
184	Characteristics and key findings for “Vaccines for preventing influenza in healthy children”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 528-529.	2.0	0
185	Characteristics and key findings for “Interventions for promoting booster seat use in four to eight year olds traveling in motor vehicles”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 895-896.	2.0	0
186	Characteristics and key findings for “Vitamin A for treating measles in children”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 771-772.	2.0	0
187	Characteristics and key findings for “EMLA and Amethocaine for reduction of children's pain associated with needle insertion”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 930-931.	2.0	0
188	Characteristics and key findings for “Ibuprofen for the treatment of patent ductus arteriosus in preterm and/or low birth weight infants”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 848-849.	2.0	0
189	Characteristics and key findings for “Ibuprofen for the prevention of patent ductus arteriosus in preterm and/or low birth weight infants”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 810-811.	2.0	0
190	Characteristics and key findings for “Antibiotic prophylaxis for surgical introduction of intracranial ventricular shunts”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 1347-1348.	2.0	0
191	Characteristics and key findings for “Antiemetics for reducing vomiting related to acute gastroenteritis in children and adolescents”™. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 1238-1239.	2.0	0
192	Characteristics and key findings for “School-based secondary prevention programmes for preventing violence”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 897-898.	2.0	0
193	Characteristics and key findings for “Antibiotics for the prevention of acute and chronic suppurative otitis media in children”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 767-768.	2.0	0
194	Characteristics and key findings for “Nitric oxide for respiratory failure in infants born at or near term”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 812-813.	2.0	0
195	Characteristics and key findings for “Modification of the home environment for the reduction of injuries”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 935-936.	2.0	0
196	Characteristics and key findings for “Written action plans for asthma in children”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 609-610.	2.0	0
197	Characteristics and key findings for “Systemic antibiotics versus topical treatments for chronically discharging ears with underlying eardrum perforations”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 695-696.	2.0	0
198	Characteristics and key findings for “Vaccines for women to prevent neonatal tetanus”™. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 991-992.	2.0	0

#	ARTICLE	IF	CITATIONS
199	Characteristics and key findings for "Prophylactic antibiotics for preventing pneumococcal infection in children with sickle cell disease". Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 1014-1015.	2.0	0
200	Characteristics and key findings for "Therapeutic interventions for Burkitt's lymphoma in children". Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 1060-1063.	2.0	0
201	Characteristics and key findings for "Corticosteroids for treating dengue shock syndrome". Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 1087-1088.	2.0	0
202	Design, analysis and reporting on a croup trial: A reply to Chub-Uppakarn s et al. International Journal of Pediatric Otorhinolaryngology, 2008, 72, 1288-1289.	1.0	0
203	Editors Introduction. Evidence-Based Child Health: A Cochrane Review Journal, 2009, 4, 1331-1331.	2.0	0
204	Tips and tricks for understanding and using SR results" meta-analysis and heterogeneity. Evidence-Based Child Health: A Cochrane Review Journal, 2010, 5, 12-16.	2.0	0
205	TORCH: Toronto Outcome Research in Child Health - enhancing evidence based outcomes selection in pediatric research. Trials, 2015, 16, .	1.6	0
206	L'actualisation des médicaments à usage pédiatrique : une prescription pour les enfants et les adolescents canadiens. Paediatrics and Child Health, 2019, 24, 336-339.	0.6	0
207	A pragmatic randomized controlled trial of multi-dose oral ondansetron for pediatric gastroenteritis (the DOSE-AGE study): statistical analysis plan. Trials, 2020, 21, 735.	1.6	0
208	Response to "Trials for depressive disorder in adolescents: the emperor's new clothes," a letter to the editor by Alain Braillon, MD, PhD. Journal of Clinical Epidemiology, 2020, 128, 159-161.	5.0	0
209	The intranasal dexmedetomidine plus ketamine for procedural sedation in children, adaptive randomized controlled non-inferiority multicenter trial (Ketodex): a statistical analysis plan. Trials, 2021, 22, 15.	1.6	0
210	The Effect of Systemic Hydrocortisone Initiated 7 to 14 Days After Birth in Ventilated Preterm Infants on Mortality and Neurodevelopment at 2 Years" Corrected Age: Follow-Up of a Double-Blind, Placebo-Controlled, Multicentre, Randomised Trial. SSRN Electronic Journal, 0, , .	0.4	0
211	Poractant alfa versus bovine lipid extract surfactant: prospective comparative effectiveness study. Journal of Perinatology, 2022, , .	2.0	0
212	Seizures Associated with Fever. , 0, , 277-284.		0