

Jolanta Opacka-Juffry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4504005/publications.pdf>

Version: 2024-02-01

52
papers

1,995
citations

236612

25
h-index

243296

44
g-index

53
all docs

53
docs citations

53
times ranked

2096
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Computational and Neurobiological Methods to Characterise the Stimulant Properties of Novel Psychoactive Substances (NPS) at the Dopamine Transporter. <i>Biophysical Journal</i> , 2021, 120, 123a.	0.2	0
2	Region- and receptor-specific effects of chronic social stress on the central serotonergic system in mice. <i>IBRO Neuroscience Reports</i> , 2021, 10, 8-16.	0.7	8
3	Molecular Mechanisms of Action of Stimulant Novel Psychoactive Substances (NPS) that target the High-affinity Transporter for Dopamine. <i>Neuronal Signaling</i> , 2021, 5, NS20210006.	1.7	3
4	Chronic social stress in mice alters energy status including higher glucose need but lower brain utilization. <i>Psychoneuroendocrinology</i> , 2020, 119, 104747.	1.3	19
5	The Role of Dopamine in the Stimulant Characteristics of Novel Psychoactive Substances (NPS) – Neurobiological and Computational Assessment Using the Case of Desoxypradol (2-DPMP). <i>Frontiers in Pharmacology</i> , 2020, 11, 806.	1.6	6
6	Chronic social stress induces peripheral and central immune activation, blunted mesolimbic dopamine function, and reduced reward-directed behaviour in mice. <i>Neurobiology of Stress</i> , 2018, 8, 42-56.	1.9	56
7	Mechanistic Insights into the Stimulant Properties of Novel Psychoactive Substances (NPS) and Their Discrimination by the Dopamine Transporter – In Silico and In Vitro Exploration of Dissociative Diarylethylamines. <i>Brain Sciences</i> , 2018, 8, 63.	1.1	15
8	Combined in Vitro and in Silico Approaches to the Assessment of Stimulant Properties of Novel Psychoactive Substances. <i>Biophysical Journal</i> , 2017, 112, 338a-339a.	0.2	0
9	Spicing Up Pharmacology: A Review of Synthetic Cannabinoids From Structure to Adverse Events. <i>Advances in Pharmacology</i> , 2017, 80, 135-168.	1.2	40
10	Combined in vitro and in silico approaches to the assessment of stimulant properties of novel psychoactive substances – The case of the benzofuran 5-MAPB. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 75, 1-9.	2.5	17
11	Electroencephalography (EEG) Measures of Neural Connectivity in the Assessment of Brain Responses to Salient Auditory Stimuli in Patients with Disorders of Consciousness. <i>Frontiers in Psychology</i> , 2016, 7, 397.	1.1	19
12	Astroglial Plasticity Is Implicated in Hippocampal Remodelling in Adult Rats Exposed to Antenatal Dexamethasone. <i>Neural Plasticity</i> , 2015, 2015, 1-8.	1.0	7
13	Disentangling the link between depressive symptoms and plasma oxytocin in men: The role of brooding rumination. <i>Hormones and Behavior</i> , 2015, 75, 142-149.	1.0	4
14	Emotional suppression explains the link between early life stress and plasma oxytocin. <i>Anxiety, Stress and Coping</i> , 2014, 27, 466-475.	1.7	21
15	Stimulant mechanisms of cathinones – Effects of mephedrone and other cathinones on basal and electrically evoked dopamine efflux in rat accumbens brain slices. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 122-130.	2.5	19
16	The effects of benzofury (5-APB) on the dopamine transporter and 5-HT ₂ -dependent vasoconstriction in the rat. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 48, 57-63.	2.5	50
17	Psychometric and neurobiological assessment of resilience in a non-clinical sample of adults. <i>Psychoneuroendocrinology</i> , 2013, 38, 2099-2108.	1.3	37
18	Experience of stress in childhood negatively correlates with plasma oxytocin concentration in adult men. <i>Stress</i> , 2012, 15, 1-10.	0.8	101

#	ARTICLE	IF	CITATIONS
19	In vivo dopaminergic and behavioral responses to acute cocaine are altered in adenosine A _{2A} receptor knockout mice. <i>Synapse</i> , 2012, 66, 383-390.	0.6	12
20	Early deprivation leads to long-term reductions in motivation for reward and 5-HT1A binding and both effects are reversed by fluoxetine. <i>Neuropharmacology</i> , 2009, 56, 692-701.	2.0	67
21	Behavioural and biochemical responses to morphine associated with its motivational properties are altered in adenosine A _{2A} receptor knockout mice. <i>British Journal of Pharmacology</i> , 2008, 155, 757-766.	2.7	22
22	The role of serotonin as a neurotransmitter in health and illness: A review. <i>British Journal of Neuroscience Nursing</i> , 2008, 4, 272-277.	0.1	1
23	Long-term effects of early life deprivation on brain glia in Fischer rats. <i>Brain Research</i> , 2007, 1142, 119-126.	1.1	114
24	Modulatory Effects of Levodopa on D2 Dopamine Receptors in Striatum Assessed Using In Vivo Microdialysis and PET. , 2005, , 261-275.		0
25	Regulation of rat pituitary cocaine- and amphetamine-regulated transcript (CART) by CRH and glucocorticoids. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E583-E590.	1.8	52
26	Effect of 5-HT on binding of [11C] WAY 100635 to 5-HT1A receptors in rat brain, assessed using in vivo microdialysis and PET after fenfluramine. <i>Synapse</i> , 2001, 41, 150-159.	0.6	80
27	Evaluation of [4-O-methyl-11C]KW-6002 as a potential PET ligand for mapping central adenosine A _{2A} receptors in rats. <i>Synapse</i> , 2001, 42, 164-176.	0.6	42
28	Small Animal PET Enables Parametric Mapping of Saturation Kinetics at the 5-HT1A Receptor. , 2001, , 171-176.		2
29	Pindolol occupancy of 5-HT1A receptors measured in vivo using small animal positron emission tomography with carbon-11 labeled WAY 100635. , 2000, 36, 330-341.		43
30	Evaluation of [O-methyl - 11 C]RS-15385-197 as a positron emission tomography radioligand for central α -2-adrenoceptors. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 475-484.	3.3	20
31	Neuroprotective effects of growth/differentiation factor 5 depend on the site of administration. <i>Brain Research</i> , 1999, 818, 176-179.	1.1	29
32	Distribution and quantification of immunoreactive orexin A in rat tissues. <i>FEBS Letters</i> , 1999, 457, 157-161.	1.3	156
33	Effects of pergolide treatment on in vivo hydroxyl free radical formation during infusion of 6-hydroxydopamine in rat striatum. <i>Brain Research</i> , 1998, 810, 27-33.	1.1	27
34	Modulatory effects of L-DOPA on D2 dopamine receptors in rat striatum, measured using in vivo microdialysis and PET. <i>Journal of Neural Transmission</i> , 1998, 105, 349.	1.4	26
35	Long-term protection of the rat nigrostriatal dopaminergic system by glial cell line-derived neurotrophic factor against 6-hydroxydopamine in vivo. <i>European Journal of Neuroscience</i> , 1998, 10, 57-63.	1.2	85
36	Growth/differentiation factor 5 protects nigrostriatal dopaminergic neurones in a rat model of Parkinson's disease. <i>Neuroscience Letters</i> , 1997, 233, 73-76.	1.0	50

#	ARTICLE	IF	CITATIONS
37	Development of central 5-HT _{2A} receptor radioligands for PET: Comparison of [³ H]RP 62203 and [³ H]SR 46349B kinetics in rat brain. <i>Nuclear Medicine and Biology</i> , 1996, 23, 245-250.	0.3	12
38	Evaluation of [¹¹ C]RTI-121 as a selective radioligand for PET studies of the dopamine transporter. <i>Nuclear Medicine and Biology</i> , 1996, 23, 377-384.	0.3	17
39	Evaluation in rat of RS-79948-197 as a potential PET ligand for central α -2-adrenoceptors. <i>European Journal of Pharmacology</i> , 1996, 317, 67-73.	1.7	28
40	Lack of permanent nigrostriatal dopamine deficit following 6-hydroxydopamine injection into the rat striatum. <i>Journal of Neural Transmission</i> , 1996, 103, 1429-1434.	1.4	10
41	Assessment of striatal graft viability in the rat in vivo using a small diameter PET scanner. <i>NeuroReport</i> , 1995, 6, 2017-2021.	0.6	51
42	L-Dihydroxyphenylalanine and its decarboxylase: New ideas on their neuroregulatory roles. <i>Movement Disorders</i> , 1995, 10, 241-249.	2.2	52
43	Effect of L-dopa and 6-hydroxydopamine lesioning on [¹¹ C]raclopride binding in rat striatum, quantified using PET. <i>Synapse</i> , 1995, 21, 45-53.	0.6	91
44	Preclinical Development of a Radioligand for the Study of Central 5-HT _{1A} Receptors with PET α ” [¹¹ C]Way-100635. , 1995, , 93-108.		1
45	GDNF protects against 6-OHDA nigrostriatal lesion. <i>NeuroReport</i> , 1995, 7, 348-352.	0.6	60
46	Evaluation of [O-methyl- ³ H]WAY-100635 as an in vivo radioligand for 5-HT _{1A} receptors in rat brain. <i>European Journal of Pharmacology</i> , 1994, 271, 515-523.	1.7	69
47	Quantitation of Carbon-11-labeled raclopride in rat striatum using positron emission tomography. <i>Synapse</i> , 1992, 12, 47-54.	0.6	198
48	Catecholamine synthesis inhibitors increase pineal adrenaline content by stimulating adrenal medullary activity. <i>Neuroscience</i> , 1991, 42, 291-297.	1.1	5
49	Nomifensine-induced increased in extracellular striatal dopamine is enhanced by isoflurane anaesthesia. <i>Synapse</i> , 1991, 7, 169-171.	0.6	70
50	Coexistence of Gonadotrophin-Releasing Hormone and Galanin: Immunohisto-chemical and Functional Studies. <i>Journal of Neuroendocrinology</i> , 1990, 2, 107-111.	1.2	63
51	Sensitive method for determination of picogram amounts of epinephrine and other catecholamines in microdissected samples of rat brain using liquid chromatography with electrochemical detection. <i>Biomedical Applications</i> , 1988, 433, 41-51.	1.7	18
52	Behind a Great Drug There Is a Great Scientist: The Discovery of a Treatment for Parkinson’s Disease. <i>Frontiers for Young Minds</i> , 0, 8, .	0.8	0