Lori A Hoepner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4504557/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Impact of Prenatal Chlorpyrifos Exposure on Neurodevelopment in the First 3 Years of Life Among Inner-City Children. Pediatrics, 2006, 118, e1845-e1859.	1.0	606
2	Seven-Year Neurodevelopmental Scores and Prenatal Exposure to Chlorpyrifos, a Common Agricultural Pesticide. Environmental Health Perspectives, 2011, 119, 1196-1201.	2.8	433
3	Effect of Prenatal Exposure to Airborne Polycyclic Aromatic Hydrocarbonson Neurodevelopment in the First 3 Years of Life among Inner-City Children. Environmental Health Perspectives, 2006, 114, 1287-1292.	2.8	399
4	Prenatal Insecticide Exposures and Birth Weight and Length among an Urban Minority Cohort. Environmental Health Perspectives, 2004, 112, 1125-1132.	2.8	371
5	Prenatal Airborne Polycyclic Aromatic Hydrocarbon Exposure and Child IQ at Age 5 Years. Pediatrics, 2009, 124, e195-e202.	1.0	346
6	Contemporary-use pesticides in personal air samples during pregnancy and blood samples at delivery among urban minority mothers and newborns Environmental Health Perspectives, 2003, 111, 749-756.	2.8	256
7	Maternal Prenatal Urinary Phthalate Metabolite Concentrations and Child Mental, Psychomotor, and Behavioral Development at 3 Years of Age. Environmental Health Perspectives, 2012, 120, 290-295.	2.8	241
8	Urban Tree Canopy and Asthma, Wheeze, Rhinitis, and Allergic Sensitization to Tree Pollen in a New York City Birth Cohort. Environmental Health Perspectives, 2013, 121, 494-500.	2.8	217
9	Association of Childhood Obesity With Maternal Exposure to Ambient Air Polycyclic Aromatic Hydrocarbons During Pregnancy. American Journal of Epidemiology, 2012, 175, 1163-1172.	1.6	198
10	The Effects of the World Trade Center Event on Birth Outcomes among Term Deliveries at Three Lower Manhattan Hospitals. Environmental Health Perspectives, 2004, 112, 1772-1778.	2.8	195
11	Prenatal and postnatal bisphenol A exposure and asthma development among inner-city children. Journal of Allergy and Clinical Immunology, 2013, 131, 736-742.e6.	1.5	162
12	Randomized Trial of Critical Time Intervention to Prevent Homelessness After Hospital Discharge. Psychiatric Services, 2011, 62, 713-719.	1.1	135
13	Bisphenol A exposure and behavioral problems among inner city children at 7–9 years of age. Environmental Research, 2015, 142, 739-745.	3.7	132
14	Prenatal Di(2-ethylhexyl)Phthalate Exposure and Length of Gestation Among an Inner-City Cohort. Pediatrics, 2009, 124, e1213-e1220.	1.0	129
15	Bisphenol A exposure and symptoms of anxiety and depression among inner city children at 10–12 years of age. Environmental Research, 2016, 151, 195-202.	3.7	120
16	Asthma in Inner-City Children at 5–11 Years of Age and Prenatal Exposure to Phthalates: The Columbia Center for Children's Environmental Health Cohort. Environmental Health Perspectives, 2014, 122, 1141-1146.	2.8	111
17	Relationships among Polycyclic Aromatic Hydrocarbon–DNA Adducts, Proximity to the World Trade Center, and Effects on Fetal Growth. Environmental Health Perspectives, 2005, 113, 1062-1067.	2.8	109
18	Changes in Pest Infestation Levels, Self-Reported Pesticide Use, and Permethrin Exposure during Pregnancy after the 2000–2001 U.S. Environmental Protection Agency Restriction of Organophosphates. Environmental Health Perspectives, 2008, 116, 1681-1688.	2.8	106

#	Article	IF	CITATIONS
19	Traffic density and stationary sources of air pollution associated with wheeze, asthma, and immunoglobulin E from birth to age 5 years among New York City children. Environmental Research, 2011, 111, 1222-1229.	3.7	103
20	Ambient Metals, Elemental Carbon, and Wheeze and Cough in New York City Children through 24 Months of Age. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 1107-1113.	2.5	102
21	Prenatal Exposure to Phthalates and Childhood Body Size in an Urban Cohort. Environmental Health Perspectives, 2016, 124, 514-520.	2.8	102
22	Neighborhood differences in exposure and sensitization to cockroach, mouse, dust mite, cat, and dog allergens in New York City. Journal of Allergy and Clinical Immunology, 2011, 128, 284-292.e7.	1.5	94
23	Within- and Between-Home Variability in Indoor-Air Insecticide Levels during Pregnancy among an Inner-City Cohort from New York City. Environmental Health Perspectives, 2007, 115, 383-389.	2.8	88
24	Anti-cockroach and anti-mouse IgE are associated with early wheeze and atopy in an inner-city birth cohort. Journal of Allergy and Clinical Immunology, 2008, 122, 914-920.	1.5	85
25	Bisphenol A and Adiposity in an Inner-City Birth Cohort. Environmental Health Perspectives, 2016, 124, 1644-1650.	2.8	85
26	Distribution and determinants of mouse allergen exposure in low-income New York City apartments Environmental Health Perspectives, 2003, 111, 1348-1351.	2.8	81
27	Transcriptional Biomarkers of Steroidogenesis and Trophoblast Differentiation in the Placenta in Relation to Prenatal Phthalate Exposure. Environmental Health Perspectives, 2010, 118, 291-296.	2.8	75
28	Predictors and Consequences of Global DNA Methylation in Cord Blood and at Three Years. PLoS ONE, 2013, 8, e72824.	1.1	75
29	Prenatal Organophosphorus Pesticide Exposure and Child Neurodevelopment at 24 Months: An Analysis of Four Birth Cohorts. Environmental Health Perspectives, 2016, 124, 822-830.	2.8	71
30	Effects of heating season on residential indoor and outdoor polycyclic aromatic hydrocarbons, black carbon, and particulate matter in an urban birth cohort. Atmospheric Environment, 2010, 44, 4545-4552.	1.9	69
31	Cockroach allergen levels and associations with cockroach-specific IgE. Journal of Allergy and Clinical Immunology, 2008, 121, 240-245.	1.5	66
32	Polycyclic aromatic hydrocarbon metabolite levels and pediatric allergy and asthma in an inner-city cohort. Pediatric Allergy and Immunology, 2010, 21, 260-267.	1.1	64
33	Obesity II: Establishing causal links between chemical exposures and obesity. Biochemical Pharmacology, 2022, 199, 115015.	2.0	62
34	Short-term exposure to PM2.5 and vanadium and changes in asthma gene DNA methylation and lung function decrements among urban children. Respiratory Research, 2017, 18, 63.	1.4	61
35	A Biomarker Validation Study of Prenatal Chlorpyrifos Exposure within an Inner-City Cohort during Pregnancy. Environmental Health Perspectives, 2009, 117, 559-567.	2.8	58
36	Excessive gestational weight gain is associated with long-term body fat and weight retention at 7 y postpartum in African American and Dominican mothers with underweight, normal, and overweight prepregnancy BMI. American Journal of Clinical Nutrition, 2015, 102, 1460-1467.	2.2	56

#	Article	IF	CITATIONS
37	Chlorpyrifos Exposure and Urban Residential Environment Characteristics as Determinants of Early Childhood Neurodevelopment. American Journal of Public Health, 2011, 101, 63-70.	1.5	55
38	Repeated exposure to polycyclic aromatic hydrocarbons and asthma: effect of seroatopy. Annals of Allergy, Asthma and Immunology, 2012, 109, 249-254.	0.5	51
39	Expression quantitative trait locus fine mapping of the 17q12–21 asthma locus in African American children: a genetic association and gene expression study. Lancet Respiratory Medicine,the, 2020, 8, 482-492.	5.2	47
40	Relationship between maternal demoralization, wheeze, and immunoglobulin E among inner-city children. Annals of Allergy, Asthma and Immunology, 2011, 107, 42-49.e1.	0.5	46
41	Urinary concentrations of bisphenol A in an urban minority birth cohort in New York City, prenatal through age 7 years. Environmental Research, 2013, 122, 38-44.	3.7	44
42	Cat ownership is a risk factor for the development of anti-cat IgE but not current wheeze at age 5 years in an inner-city cohort. Journal of Allergy and Clinical Immunology, 2008, 121, 1047-1052.	1.5	42
43	Prenatal and early childhood exposure to phthalates and childhood behavior at age 7 years. Environment International, 2020, 143, 105894.	4.8	40
44	Physical activity, black carbon exposure and airway inflammation in an urban adolescent cohort. Environmental Research, 2016, 151, 756-762.	3.7	39
45	Bisphenol a: A narrative review of prenatal exposure effects on adipogenesis and childhood obesity via peroxisome proliferator-activated receptor gamma. Environmental Research, 2019, 173, 54-68.	3.7	36
46	Prenatal exposure to polycyclic aromatic hydrocarbons and effects on neonatal anthropometric indices and thyroid-stimulating hormone in a Middle Eastern population. Chemosphere, 2022, 286, 131605.	4.2	32
47	Prenatal exposure to air pollution is associated with altered brain structure, function, and metabolism in childhood. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1316-1331.	3.1	32
48	Spatial and Temporal Trends of Polycyclic Aromatic Hydrocarbons and Other Traffic-Related Airborne Pollutants in New York City. Environmental Science & Technology, 2008, 42, 7330-7335.	4.6	31
49	Impact of Social Network Characteristics on High-Risk Sexual Behaviors Among Non-Injection Drug Users. Substance Use and Misuse, 2007, 42, 1629-1649.	0.7	28
50	Prenatal phthalate and early childhood bisphenol AÂexposures increase asthma risk in inner-city children. Journal of Allergy and Clinical Immunology, 2014, 134, 1195-1197.e2.	1.5	28
51	Vinyl flooring in the home is associated with children's airborne butylbenzyl phthalate and urinary metabolite concentrations. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 574-579.	1.8	28
52	Physical Activity and Asthma Symptoms among New York City Head Start Children. Journal of Asthma, 2009, 46, 803-809.	0.9	27
53	Prenatal exposure to airborne polycyclic aromatic hydrocarbons and childhood growth trajectories from age 5–14†years. Environmental Research, 2019, 177, 108595.	3.7	27
54	Chromosome 17q12-21 Variants Are Associated with Multiple Wheezing Phenotypes in Childhood. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 864-870.	2.5	24

#	Article	IF	CITATIONS
55	Gestational weight gain and obesity, adiposity and body size in <scp>A</scp> frican– <scp>A</scp> merican and <scp>D</scp> ominican children in the <scp>B</scp> ronx and <scp>N</scp> orthern <scp>M</scp> anhattan. Maternal and Child Nutrition, 2016, 12, 918-928.	1.4	22
56	Maturation of Brain Microstructure and Metabolism Associates with Increased Capacity for Self-Regulation during the Transition from Childhood to Adolescence. Journal of Neuroscience, 2019, 39, 8362-8375.	1.7	22
57	Asthma, allergy, and IgE levels in NYC head start children. Respiratory Medicine, 2010, 104, 345-355.	1.3	18
58	Prevalence of Allergy Symptoms and Total IgE in a New York City Cohort and Their Association with Birth Order. International Archives of Allergy and Immunology, 2005, 137, 249-257.	0.9	17
59	Association of recent exposure to ambient metals on fractional exhaled nitric oxide in 9–11year old inner-city children. Nitric Oxide - Biology and Chemistry, 2014, 40, 60-66.	1.2	17
60	Urinary Naphthol Metabolites and Chromosomal Aberrations in 5-Year-Old Children. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1191-1202.	1.1	15
61	Physical Activity and Asthma Symptoms among New York City Head Start Children. Journal of Asthma, 2009, 46, 803-809.	0.9	14
62	Sexual risk reduction among non-injection drug users: report of a randomized controlled trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 62-70.	0.6	13
63	Using Text Messaging to Improve Access to Prenatal Health Information in Urban African American and Afro-Caribbean Immigrant Pregnant Women: Mixed Methods Analysis of Text4baby Usage. JMIR MHealth and UHealth, 2020, 8, e14737.	1.8	13
64	Exercise-Induced Wheeze, Urgent Medical Visits, and Neighborhood Asthma Prevalence. Pediatrics, 2013, 131, e127-e135.	1.0	12
65	Prepregnancy obesity is associated with cognitive outcomes in boys in a low-income, multiethnic birth cohort. BMC Pediatrics, 2019, 19, 507.	0.7	12
66	Fractional exhaled nitric oxide exchange parameters among 9â€yearâ€old innerâ€city children. Pediatric Pulmonology, 2011, 46, 83-91.	1.0	11
67	Prepregnancy obesity is associated with lower psychomotor development scores in boys at age 3 in a low-income, minority birth cohort. Journal of Developmental Origins of Health and Disease, 2020, 11, 49-57.	0.7	8
68	Assessment of exposure to air pollution in children: Determining whether wearing a personal monitor affects physical activity. Environmental Research, 2018, 166, 340-343.	3.7	7
69	Corrigendum to "Obesity II: Establishing causal links between chemical exposures and obesity― [Biochem. Pharmacol. 199 (2022) 115015]. Biochemical Pharmacology, 2022, 202, 115144.	2.0	6
70	Infant rhinitis and watery eyes predict school-age exercise-induced wheeze, emergency department visits and respiratory-related hospitalizations. Annals of Allergy, Asthma and Immunology, 2018, 120, 278-284.e2.	0.5	5
71	Gestational diabetes status and dietary intake modify maternal and cord blood allostatic load markers. BMJ Open Diabetes Research and Care, 2020, 8, e001468.	1.2	5
72	Report of prenatal exposure to pesticide predicts infant rhinitis and watery eyes without a cold. Journal of Allergy and Clinical Immunology, 2019, 143, AB81.	1.5	4

#	Article	IF	CITATIONS
73	Gestational weight change and childhood body composition trajectories from pregnancy to early adolescence. Obesity, 2022, 30, 707-717.	1.5	4
74	Hospice utilization in advanced cervical malignancies: An analysis of the National Inpatient Sample. Gynecologic Oncology, 2019, 152, 594-598.	0.6	3
75	Report of prenatal maternal demoralization and material hardship and infant rhinorrhea and watery eyes. Annals of Allergy, Asthma and Immunology, 2020, 125, 399-404.e2.	0.5	3
76	Report of Exercise-Induced Wheeze Predicts Urgent Medical Visits for Asthma Among Inner-City Children. Journal of Allergy and Clinical Immunology, 2013, 131, AB55.	1.5	0
77	Why Public Health Researchers Should Consider Using Disability Data from the American Community Survey. Journal of Community Health, 2018, 43, 738-745.	1.9	Ο
78	Biomarkers in the Hypothalamus-pituitary-adrenal Axis Were Associated with Maternal Psychosocial Stress and Choline Intake and Status During Pregnancy (P11-011-19). Current Developments in Nutrition, 2019, 3, nzz048.P11-011-19.	0.1	0
79	Anti-Alternaria IgE antibodies are associated with emergency department visits among low-income children with asthma in New York City. Journal of Allergy and Clinical Immunology, 2020, 145, AB165.	1.5	0
80	Family history of cancer predicts allergic rhinitis and asthma development. Annals of Allergy, Asthma and Immunology, 2021, 126, 202-203.	0.5	0
81	Effect modification of the association between domestic mold report and wheeze by age and seroatopic predisposition among children living in lower-income New York City neighborhoods. Journal of Allergy and Clinical Immunology, 2021, 147, AB161.	1.5	0
82	Infant rhinorrhea and watery eyes and adolescent Attention Deficit Hyperactivity Disorder. Journal of Allergy and Clinical Immunology, 2021, 147, AB43.	1.5	0
83	Prenatal bisphenol A (BPA) exposure in a Brooklyn study of Afro-Caribbean women. Environmental Research Communications, 2020, 2, 041001.	0.9	0
84	Impact of housing instability on child behavior at age 7. International Journal of Child Health and Human Development: IJCHD, 2018, 10, 287-295.	2.5	0