

Lori A Hoepner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4504557/lori-a-hoepner-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

5,311
citations

40
h-index

72
g-index

85
ext. papers

6,003
ext. citations

6
avg, IF

5.1
L-index

#	Paper	IF	Citations
77	Prenatal exposure to polycyclic aromatic hydrocarbons and effects on neonatal anthropometric indices and thyroid-stimulating hormone in a Middle Eastern population. <i>Chemosphere</i> , 2022 , 286, 131605	8.4	9
76	Prenatal exposure to air pollution is associated with altered brain structure, function, and metabolism in childhood.. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022 ,	7.9	2
75	Obesity II: Establishing Causal Links Between Chemical Exposures and Obesity.. <i>Biochemical Pharmacology</i> , 2022 , 115015	6	6
74	Chromosome 17q12-21 Variants Are Associated with Multiple Wheezing Phenotypes in Childhood. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 864-870	10.2	6
73	Family history of cancer predicts allergic rhinitis and asthma development. <i>Annals of Allergy, Asthma and Immunology</i> , 2021 , 126, 202-203	3.2	
72	Expression quantitative trait locus fine mapping of the 17q12-21 asthma locus in African American children: a genetic association and gene expression study. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 482-492	25.1	20
71	Prenatal bisphenol A (BPA) exposure in a Brooklyn study of Afro-Caribbean women. <i>Environmental Research Communications</i> , 2020 , 2, 041001	3.1	
70	Using Text Messaging to Improve Access to Prenatal Health Information in Urban African American and Afro-Caribbean Immigrant Pregnant Women: Mixed Methods Analysis of Text4baby Usage. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e14737	5.5	5
69	Report of prenatal maternal demoralization and material hardship and infant rhinorrhea and watery eyes. <i>Annals of Allergy, Asthma and Immunology</i> , 2020 , 125, 399-404.e2	3.2	2
68	Prenatal and early childhood exposure to phthalates and childhood behavior at age 7 years. <i>Environment International</i> , 2020 , 143, 105894	12.9	14
67	Prepregnancy obesity is associated with lower psychomotor development scores in boys at age 3 in a low-income, minority birth cohort. <i>Journal of Developmental Origins of Health and Disease</i> , 2020 , 11, 49-57	2.4	6
66	Hospice utilization in advanced cervical malignancies: An analysis of the National Inpatient Sample. <i>Gynecologic Oncology</i> , 2019 , 152, 594-598	4.9	1
65	Maturation of Brain Microstructure and Metabolism Associates with Increased Capacity for Self-Regulation during the Transition from Childhood to Adolescence. <i>Journal of Neuroscience</i> , 2019 , 39, 8362-8375	6.6	14
64	Biomarkers in the Hypothalamus-pituitary-adrenal Axis Were Associated with Maternal Psychosocial Stress and Choline Intake and Status During Pregnancy (P11-011-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
63	Bisphenol a: A narrative review of prenatal exposure effects on adipogenesis and childhood obesity via peroxisome proliferator-activated receptor gamma. <i>Environmental Research</i> , 2019 , 173, 54-68	7.9	25
62	Report of prenatal exposure to pesticide predicts infant rhinitis and watery eyes without a cold. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, AB81	11.5	2
61	Prenatal exposure to airborne polycyclic aromatic hydrocarbons and childhood growth trajectories from age 5-14 years. <i>Environmental Research</i> , 2019 , 177, 108595	7.9	11

60	Prepregnancy obesity is associated with cognitive outcomes in boys in a low-income, multiethnic birth cohort. <i>BMC Pediatrics</i> , 2019 , 19, 507	2.6	5
59	Infant rhinitis and watery eyes predict school-age exercise-induced wheeze, emergency department visits and respiratory-related hospitalizations. <i>Annals of Allergy, Asthma and Immunology</i> , 2018 , 120, 278-284.e2	3.2	3
58	Why Public Health Researchers Should Consider Using Disability Data from the American Community Survey. <i>Journal of Community Health</i> , 2018 , 43, 738-745	4	
57	Assessment of exposure to air pollution in children: Determining whether wearing a personal monitor affects physical activity. <i>Environmental Research</i> , 2018 , 166, 340-343	7.9	4
56	Impact of housing instability on child behavior at age 7. <i>International Journal of Child Health and Human Development: IJCHD</i> , 2018 , 10, 287-295		
55	Short-term exposure to PM and vanadium and changes in asthma gene DNA methylation and lung function decrements among urban children. <i>Respiratory Research</i> , 2017 , 18, 63	7.3	48
54	Bisphenol A and Adiposity in an Inner-City Birth Cohort. <i>Environmental Health Perspectives</i> , 2016 , 124, 1644-1650	8.4	62
53	Prenatal Exposure to Phthalates and Childhood Body Size in an Urban Cohort. <i>Environmental Health Perspectives</i> , 2016 , 124, 514-20	8.4	71
52	Prenatal Organophosphorus Pesticide Exposure and Child Neurodevelopment at 24 Months: An Analysis of Four Birth Cohorts. <i>Environmental Health Perspectives</i> , 2016 , 124, 822-30	8.4	55
51	Gestational weight gain and obesity, adiposity and body size in African-American and Dominican children in the Bronx and Northern Manhattan. <i>Maternal and Child Nutrition</i> , 2016 , 12, 918-28	3.4	16
50	Physical activity, black carbon exposure and airway inflammation in an urban adolescent cohort. <i>Environmental Research</i> , 2016 , 151, 756-762	7.9	28
49	Bisphenol A exposure and symptoms of anxiety and depression among inner city children at 10-12 years of age. <i>Environmental Research</i> , 2016 , 151, 195-202	7.9	78
48	Excessive gestational weight gain is associated with long-term body fat and weight retention at 7 y postpartum in African American and Dominican mothers with underweight, normal, and overweight prepregnancy BMI. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1460-7	7	41
47	Bisphenol A exposure and behavioral problems among inner city children at 7-9 years of age. <i>Environmental Research</i> , 2015 , 142, 739-45	7.9	106
46	Vinyl flooring in the home is associated with children's airborne butylbenzyl phthalate and urinary metabolite concentrations. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015 , 25, 574-9	6.7	23
45	Prenatal phthalate and early childhood bisphenol A exposures increase asthma risk in inner-city children. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 1195-7.e2	11.5	21
44	Association of recent exposure to ambient metals on fractional exhaled nitric oxide in 9-11 year old inner-city children. <i>Nitric Oxide - Biology and Chemistry</i> , 2014 , 40, 60-6	5	12
43	Asthma in inner-city children at 5-11 years of age and prenatal exposure to phthalates: the Columbia Center for Children's Environmental Health Cohort. <i>Environmental Health Perspectives</i> , 2014 , 122, 1141-6	8.4	89

42	Urinary concentrations of bisphenol A in an urban minority birth cohort in New York City, prenatal through age 7 years. <i>Environmental Research</i> , 2013 , 122, 38-44	7.9	42
41	Prenatal and postnatal bisphenol A exposure and asthma development among inner-city children. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 736-42	11.5	128
40	Urban tree canopy and asthma, wheeze, rhinitis, and allergic sensitization to tree pollen in a New York City birth cohort. <i>Environmental Health Perspectives</i> , 2013 , 121, 494-500	8.4	158
39	Exercise-induced wheeze, urgent medical visits, and neighborhood asthma prevalence. <i>Pediatrics</i> , 2013 , 131, e127-35	7.4	11
38	Predictors and consequences of global DNA methylation in cord blood and at three years. <i>PLoS ONE</i> , 2013 , 8, e72824	3.7	61
37	Repeated exposure to polycyclic aromatic hydrocarbons and asthma: effect of seroatopy. <i>Annals of Allergy, Asthma and Immunology</i> , 2012 , 109, 249-54	3.2	41
36	Association of childhood obesity with maternal exposure to ambient air polycyclic aromatic hydrocarbons during pregnancy. <i>American Journal of Epidemiology</i> , 2012 , 175, 1163-72	3.8	159
35	Maternal prenatal urinary phthalate metabolite concentrations and child mental, psychomotor, and behavioral development at 3 years of age. <i>Environmental Health Perspectives</i> , 2012 , 120, 290-5	8.4	206
34	Urinary naphthol metabolites and chromosomal aberrations in 5-year-old children. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1191-202	4	12
33	Relationship between maternal demoralization, wheeze, and immunoglobulin E among inner-city children. <i>Annals of Allergy, Asthma and Immunology</i> , 2011 , 107, 42-49.e1	3.2	41
32	Neighborhood differences in exposure and sensitization to cockroach, mouse, dust mite, cat, and dog allergens in New York City. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 284-292.e7	11.5	76
31	Traffic density and stationary sources of air pollution associated with wheeze, asthma, and immunoglobulin E from birth to age 5 years among New York City children. <i>Environmental Research</i> , 2011 , 111, 1222-9	7.9	96
30	Randomized trial of critical time intervention to prevent homelessness after hospital discharge. <i>Psychiatric Services</i> , 2011 , 62, 713-9	3.3	104
29	Chlorpyrifos exposure and urban residential environment characteristics as determinants of early childhood neurodevelopment. <i>American Journal of Public Health</i> , 2011 , 101, 63-70	5.1	41
28	Fractional exhaled nitric oxide exchange parameters among 9-year-old inner-city children. <i>Pediatric Pulmonology</i> , 2011 , 46, 83-91	3.5	11
27	Seven-year neurodevelopmental scores and prenatal exposure to chlorpyrifos, a common agricultural pesticide. <i>Environmental Health Perspectives</i> , 2011 , 119, 1196-201	8.4	352
26	Polycyclic aromatic hydrocarbon metabolite levels and pediatric allergy and asthma in an inner-city cohort. <i>Pediatric Allergy and Immunology</i> , 2010 , 21, 260-7	4.2	55
25	Transcriptional biomarkers of steroidogenesis and trophoblast differentiation in the placenta in relation to prenatal phthalate exposure. <i>Environmental Health Perspectives</i> , 2010 , 118, 291-6	8.4	54

24	Sexual risk reduction among non-injection drug users: report of a randomized controlled trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 62-70	2.2	12
23	Asthma, allergy, and IgE levels in NYC head start children. <i>Respiratory Medicine</i> , 2010 , 104, 345-55	4.6	17
22	Effects of Heating Season on Residential Indoor and Outdoor Polycyclic Aromatic Hydrocarbons, Black Carbon, and Particulate Matter in an Urban Birth Cohort. <i>Atmospheric Environment</i> , 2010 , 44, 4545-4552	5.3	63
21	Prenatal airborne polycyclic aromatic hydrocarbon exposure and child IQ at age 5 years. <i>Pediatrics</i> , 2009 , 124, e195-202	7.4	295
20	Ambient metals, elemental carbon, and wheeze and cough in New York City children through 24 months of age. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009 , 180, 1107-13	10.2	86
19	Physical Activity and Asthma Symptoms among New York City Head Start Children. <i>Journal of Asthma</i> , 2009 , 46, 803-809	1.9	5
18	Prenatal di(2-ethylhexyl)phthalate exposure and length of gestation among an inner-city cohort. <i>Pediatrics</i> , 2009 , 124, e1213-20	7.4	116
17	Physical Activity and Asthma Symptoms among New York City Head Start Children. <i>Journal of Asthma</i> , 2009 , 46, 803-809	1.9	27
16	A biomarker validation study of prenatal chlorpyrifos exposure within an inner-city cohort during pregnancy. <i>Environmental Health Perspectives</i> , 2009 , 117, 559-67	8.4	52
15	Cockroach allergen levels and associations with cockroach-specific IgE. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 240-5	11.5	60
14	Cat ownership is a risk factor for the development of anti-cat IgE but not current wheeze at age 5 years in an inner-city cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 1047-52	11.5	36
13	Anti-cockroach and anti-mouse IgE are associated with early wheeze and atopy in an inner-city birth cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 122, 914-20	11.5	75
12	Spatial and temporal trends of polycyclic aromatic hydrocarbons and other traffic-related airborne pollutants in New York City. <i>Environmental Science & Technology</i> , 2008 , 42, 7330-5	10.3	26
11	Changes in pest infestation levels, self-reported pesticide use, and permethrin exposure during pregnancy after the 2000-2001 U.S. Environmental Protection Agency restriction of organophosphates. <i>Environmental Health Perspectives</i> , 2008 , 116, 1681-8	8.4	93
10	Impact of social network characteristics on high-risk sexual behaviors among non-injection drug users. <i>Substance Use and Misuse</i> , 2007 , 42, 1629-49	2.2	27
9	Within- and between-home variability in indoor-air insecticide levels during pregnancy among an inner-city cohort from New York City. <i>Environmental Health Perspectives</i> , 2007 , 115, 383-9	8.4	78
8	Effect of prenatal exposure to airborne polycyclic aromatic hydrocarbons on neurodevelopment in the first 3 years of life among inner-city children. <i>Environmental Health Perspectives</i> , 2006 , 114, 1287-92	8.4	331
7	Impact of prenatal chlorpyrifos exposure on neurodevelopment in the first 3 years of life among inner-city children. <i>Pediatrics</i> , 2006 , 118, e1845-59	7.4	498

6	Relationships among polycyclic aromatic hydrocarbon-DNA adducts, proximity to the World Trade Center, and effects on fetal growth. <i>Environmental Health Perspectives</i> , 2005 , 113, 1062-7	8.4	92
5	Prevalence of allergy symptoms and total IgE in a New York City cohort and their association with birth order. <i>International Archives of Allergy and Immunology</i> , 2005 , 137, 249-57	3.7	15
4	Prenatal insecticide exposures and birth weight and length among an urban minority cohort. <i>Environmental Health Perspectives</i> , 2004 , 112, 1125-32	8.4	326
3	The effects of the World Trade Center event on birth outcomes among term deliveries at three lower Manhattan hospitals. <i>Environmental Health Perspectives</i> , 2004 , 112, 1772-8	8.4	169
2	Distribution and determinants of mouse allergen exposure in low-income New York City apartments. <i>Environmental Health Perspectives</i> , 2003 , 111, 1348-51	8.4	73
1	Contemporary-use pesticides in personal air samples during pregnancy and blood samples at delivery among urban minority mothers and newborns. <i>Environmental Health Perspectives</i> , 2003 , 111, 749-56	8.4	228