

Tarec Christoffer El-Galaly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4505314/publications.pdf>

Version: 2024-02-01

135
papers

2,544
citations

201575

27
h-index

233338

45
g-index

136
all docs

136
docs citations

136
times ranked

3549
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Routine Bone Marrow Biopsy Has Little or No Therapeutic Consequence for Positron Emission Tomography/Computed Tomographyâ€“Staged Treatment-Naive Patients With Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 4508-4514. | 0.8 | 252 |
| 2 | Beyond maximum grade: modernising the assessment and reporting of adverse events in haematological malignancies. <i>Lancet Haematology</i> , 2018, 5, e563-e598. | 2.2 | 97 |
| 3 | Diffuse Large B-Cell Lymphoma Classification System That Associates Normal B-Cell Subset Phenotypes With Prognosis. <i>Journal of Clinical Oncology</i> , 2015, 33, 1379-1388. | 0.8 | 94 |
| 4 | Treatment strategies, outcomes and prognostic factors in 291 patients with secondary CNS involvement by diffuse large B-cell lymphoma. <i>European Journal of Cancer</i> , 2018, 93, 57-68. | 1.3 | 90 |
| 5 | Definitive radiotherapy for localized follicular lymphoma staged by 18F-FDG PET-CT: a collaborative study by ILROC. <i>Blood</i> , 2019, 133, 237-245. | 0.6 | 85 |
| 6 | ¹⁸ F-FDG PET/CT in the management of lymphomas: current status and future directions. <i>Journal of Internal Medicine</i> , 2018, 284, 358-376. | 2.7 | 79 |
| 7 | Routine Imaging for Diffuse Large B-Cell Lymphoma in First Complete Remission Does Not Improve Post-Treatment Survival: A Danishâ€“Swedish Population-Based Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 3993-3998. | 0.8 | 74 |
| 8 | Positron emission tomography/computed tomography surveillance in patients with Hodgkin lymphoma in first remission has a low positive predictive value and high costs. <i>Haematologica</i> , 2012, 97, 931-936. | 1.7 | 73 |
| 9 | Minimal Loss of Lifetime for Patients With Diffuse Large B-Cell Lymphoma in Remission and Event Free 24 Months After Treatment: A Danish Population-Based Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 778-784. | 0.8 | 72 |
| 10 | Outcome prediction by extranodal involvement, IPI, Râ€“IPI, and NCCNâ€“IPI in the PET/CT and rituximab era: A Danishâ€“Canadian study of 443 patients with diffuseâ€“large B-cell lymphoma. <i>American Journal of Hematology</i> , 2015, 90, 1041-1046. | 2.0 | 71 |
| 11 | The Danish National Lymphoma Registry: Coverage and Data Quality. <i>PLoS ONE</i> , 2016, 11, e0157999. | 1.1 | 66 |
| 12 | The number of extranodal sites assessed by PET/CT scan is a powerful predictor of CNS relapse for patients with diffuse large B-cell lymphoma: An international multicenter study of 1532 patients treated with chemoimmunotherapy. <i>European Journal of Cancer</i> , 2017, 75, 195-203. | 1.3 | 65 |
| 13 | Treatment strategies and outcomes in diffuse large B-cell lymphoma among 1011 patients aged 75 years or older: A Danish population-based cohort study. <i>European Journal of Cancer</i> , 2018, 99, 86-96. | 1.3 | 59 |
| 14 | miR-155 as a Biomarker in B-Cell Malignancies. <i>BioMed Research International</i> , 2016, 2016, 1-14. | 0.9 | 56 |
| 15 | The myeloma stem cell concept, revisited: from phenomenology to operational terms. <i>Haematologica</i> , 2016, 101, 1451-1459. | 1.7 | 55 |
| 16 | Utility of interim and end-of-treatment PET/CT in peripheral T-cell lymphomas: A review of 124 patients. <i>American Journal of Hematology</i> , 2015, 90, 975-980. | 2.0 | 51 |
| 17 | Role of routine imaging in detecting recurrent lymphoma: A review of 258 patients with relapsed aggressive nonâ€“Hodgkin and Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2014, 89, 575-580. | 2.0 | 49 |
| 18 | PET/CT for Staging; Past, Present, and Future. <i>Seminars in Nuclear Medicine</i> , 2018, 48, 4-16. | 2.5 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Predictive Value of PET Response Combined with Baseline Metabolic Tumor Volume in Peripheral T-Cell Lymphoma Patients. <i>Journal of Nuclear Medicine</i> , 2018, 59, 589-595. | 2.8 | 48 |
| 20 | Clinical impact of clonal hematopoiesis in patients with lymphoma undergoing ASCT: a national population-based cohort study. <i>Leukemia</i> , 2020, 34, 3256-3268. | 3.3 | 46 |
| 21 | Efficacy of routine surveillance with positron emission tomography/computed tomography in aggressive non-Hodgkin lymphoma in complete remission: status in a single center. <i>Leukemia and Lymphoma</i> , 2011, 52, 597-603. | 0.6 | 45 |
| 22 | Predicting response to multidrug regimens in cancer patients using cell line experiments and regularised regression models. <i>BMC Cancer</i> , 2015, 15, 235. | 1.1 | 44 |
| 23 | Timing of high-dose methotrexate CNS prophylaxis in DLBCL: a multicenter international analysis of 1384 patients. <i>Blood</i> , 2022, 139, 2499-2511. | 0.6 | 42 |
| 24 | COO and MYC/BCL2 status do not predict outcome among patients with stage I/II DLBCL: a retrospective multicenter study. <i>Blood Advances</i> , 2019, 3, 2013-2021. | 2.5 | 40 |
| 25 | Cumulative anthracycline exposure and risk of cardiotoxicity; a Danish nationwide cohort study of 2440 lymphoma patients treated with or without anthracyclines. <i>British Journal of Haematology</i> , 2018, 183, 717-726. | 1.2 | 37 |
| 26 | Burkitt Lymphoma International Prognostic Index. <i>Journal of Clinical Oncology</i> , 2021, 39, 1129-1138. | 0.8 | 37 |
| 27 | Implementing the FAIR Data Principles in precision oncology: review of supporting initiatives. <i>Briefings in Bioinformatics</i> , 2020, 21, 936-945. | 3.2 | 35 |
| 28 | Uterine, but not ovarian, female reproductive organ involvement at presentation by diffuse large B-cell lymphoma is associated with poor outcomes and a high frequency of secondary CNS involvement. <i>British Journal of Haematology</i> , 2016, 175, 876-883. | 1.2 | 34 |
| 29 | No survival benefit associated with routine surveillance imaging for Hodgkin lymphoma in first remission: a Danish-Swedish population-based observational study. <i>British Journal of Haematology</i> , 2016, 173, 236-244. | 1.2 | 28 |
| 30 | Simplicity at the cost of predictive accuracy in diffuse large B-cell lymphoma: a critical assessment of the R-IPI, IPI, and NCCN-IPI. <i>Cancer Medicine</i> , 2018, 7, 114-122. | 1.3 | 28 |
| 31 | A population-based study of prognosis in advanced stage follicular lymphoma managed by watch and wait. <i>British Journal of Haematology</i> , 2015, 169, 435-444. | 1.2 | 27 |
| 32 | Optimizing Outcome Prediction in Diffuse Large B-Cell Lymphoma by Use of Machine Learning and Nationwide Lymphoma Registries: A Nordic Lymphoma Group Study. <i>JCO Clinical Cancer Informatics</i> , 2018, 2, 1-13. | 1.0 | 27 |
| 33 | Single nucleotide polymorphisms and the risk of venous thrombosis: results from a Danish case-cohort study. <i>British Journal of Haematology</i> , 2013, 160, 838-841. | 1.2 | 26 |
| 34 | R-CHOP(-like) treatment of diffuse large B-cell lymphoma significantly reduces CT-assessed vertebral bone density: a single center study of 111 patients. <i>Leukemia and Lymphoma</i> , 2017, 58, 1105-1113. | 0.6 | 26 |
| 35 | Impact of R-CHOP dose intensity on survival outcomes in diffuse large B-cell lymphoma: a systematic review. <i>Blood Advances</i> , 2021, 5, 2426-2437. | 2.5 | 24 |
| 36 | Impact of ¹⁸ F-fluorodeoxyglucose positron emission tomography/computed tomography staging in newly diagnosed classical Hodgkin lymphoma: fewer cases with stage I disease and more with skeletal involvement. <i>Leukemia and Lymphoma</i> , 2014, 55, 2349-2355. | 0.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Relapse Risk and Loss of Lifetime After Modern Combined Modality Treatment of Young Patients With Hodgkin Lymphoma: A Nordic Lymphoma Epidemiology Group Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 703-713. | 0.8 | 22 |
| 38 | Outcome of peripheral T-cell lymphoma in first complete remission: a Danish-Swedish population-based study. <i>Leukemia and Lymphoma</i> , 2017, 58, 2815-2823. | 0.6 | 19 |
| 39 | Salvage Treatment and Survival for Relapsed Follicular Lymphoma Following Primary Radiation Therapy: A Collaborative Study on Behalf of ILROG. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 522-529. | 0.4 | 16 |
| 40 | Increased risk of osteoporosis following commonly used first-line treatments for lymphoma: a Danish Nationwide Cohort Study. <i>Leukemia and Lymphoma</i> , 2020, 61, 1345-1354. | 0.6 | 16 |
| 41 | Outcomes of relapsed/refractory diffuse large B-cell lymphoma and influence of chimaeric antigen receptor T trial eligibility criteria in second line: A population-based study of 736 patients. <i>British Journal of Haematology</i> , 2022, 198, 267-277. | 1.2 | 16 |
| 42 | Human B-cell cancer cell lines as a preclinical model for studies of drug effect in diffuse large B-cell lymphoma and multiple myeloma. <i>Experimental Hematology</i> , 2014, 42, 927-938. | 0.2 | 15 |
| 43 | Clinical characteristics and outcomes of patients with Hodgkin lymphoma with central nervous system involvement: An international multicenter collaboration. <i>American Journal of Hematology</i> , 2016, 91, 894-899. | 2.0 | 15 |
| 44 | High-Dose Methotrexate Is Not Associated with Reduction in CNS Relapse in Patients with Aggressive B-Cell Lymphoma: An International Retrospective Study of 2300 High-Risk Patients. <i>Blood</i> , 2021, 138, 181-181. | 0.6 | 14 |
| 45 | Risk of death, relapse or progression, and loss of life expectancy at different progression-free survival milestones in primary central nervous system lymphoma. <i>Leukemia and Lymphoma</i> , 2019, 60, 2516-2523. | 0.6 | 13 |
| 46 | Depression and anxiety in Hodgkin lymphoma patients: A Danish nationwide cohort study of 945 patients. <i>Cancer Medicine</i> , 2020, 9, 4395-4404. | 1.3 | 13 |
| 47 | Imaging of Non-Hodgkin Lymphomas: Diagnosis and Response-Adapted Strategies. <i>Cancer Treatment and Research</i> , 2015, 165, 125-146. | 0.2 | 12 |
| 48 | On estimating the time to statistical cure. <i>BMC Medical Research Methodology</i> , 2020, 20, 71. | 1.4 | 12 |
| 49 | Minimal relapse risk and early normalization of survival for patients with Burkitt lymphoma treated with intensive immunochemotherapy: an international study of 264 real-world patients. <i>British Journal of Haematology</i> , 2020, 189, 661-671. | 1.2 | 12 |
| 50 | Incidence and time trends of second primary malignancies after non-Hodgkin lymphoma: a Swedish population-based study. <i>Blood Advances</i> , 2022, 6, 2657-2666. | 2.5 | 12 |
| 51 | Estimating the loss of lifetime function using flexible parametric relative survival models. <i>BMC Medical Research Methodology</i> , 2019, 19, 23. | 1.4 | 11 |
| 52 | Pre-treatment total metabolic tumour volumes in lymphoma: Does quantity matter?. <i>British Journal of Haematology</i> , 2022, 197, 139-155. | 1.2 | 11 |
| 53 | Reaching beyond maximum grade: progress and future directions for modernising the assessment and reporting of adverse events in haematological malignancies. <i>Lancet Haematology</i> , 2022, 9, e374-e384. | 2.2 | 11 |
| 54 | Mantle Cell Lymphoma of Mucosa-Associated Lymphoid Tissue: A European Mantle Cell Lymphoma Network Study. <i>HemaSphere</i> , 2020, 4, e302. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The prognostic effect of smoking status on intensively treated acute myeloid leukaemia – A Danish nationwide cohort study. <i>British Journal of Haematology</i> , 2020, 190, 236-243. | 1.2 | 10 |
| 56 | Parenthood Rates and Use of Assisted Reproductive Techniques in Younger Hodgkin Lymphoma Survivors: A Danish Population-Based Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 3463-3472. | 0.8 | 10 |
| 57 | The MDM2 antagonist idasanutlin in patients with polycythemia vera: results from a single-arm phase 2 study. <i>Blood Advances</i> , 2022, 6, 1162-1174. | 2.5 | 10 |
| 58 | The application of human phase 0 microdosing trials: A systematic review and perspectives. <i>Leukemia and Lymphoma</i> , 2016, 57, 1281-1290. | 0.6 | 9 |
| 59 | A comparative study of standardized quantitative and visual assessment for predicting tumor volume and outcome in newly diagnosed diffuse large B-cell lymphoma staged with 18F-FDG PET/CT. <i>EJNMMI Research</i> , 2019, 9, 36. | 1.1 | 9 |
| 60 | Potentials, challenges and future of chimeric antigen receptor T-cell therapy in non-Hodgkin lymphomas. <i>Acta Oncologica</i> , 2020, 59, 766-774. | 0.8 | 9 |
| 61 | Temporal changes in survival among adult patients with acute myeloid leukaemia in the period 2000–2016: a Danish population-based study. <i>British Journal of Haematology</i> , 2021, 193, 482-487. | 1.2 | 9 |
| 62 | Development of a Precision Medicine Workflow in Hematological Cancers, Aalborg University Hospital, Denmark. <i>Cancers</i> , 2020, 12, 312. | 1.7 | 8 |
| 63 | Relapsed/Refractory International Prognostic Index (R ² -IPI): An international prognostic calculator for relapsed/refractory diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2021, 96, 599-605. | 2.0 | 8 |
| 64 | Subtype assignment of CLL based on B-cell subset associated gene signatures from normal bone marrow – A proof of concept study. <i>PLoS ONE</i> , 2018, 13, e0193249. | 1.1 | 8 |
| 65 | Prognostic impact of clinician-based interpretation of 18F-fluorodeoxyglucose positron emission tomography/computed tomography reports obtained in patients with newly diagnosed diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 1563-1569. | 0.6 | 7 |
| 66 | Circulating tumor necrosis factor- α and YKL-40 level is associated with remission status following salvage therapy in relapsed non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2015, 56, 2476-2478. | 0.6 | 7 |
| 67 | hemaClass.org: Online One-By-One Microarray Normalization and Classification of Hematological Cancers for Precision Medicine. <i>PLoS ONE</i> , 2016, 11, e0163711. | 1.1 | 7 |
| 68 | Little value of surveillance magnetic resonance imaging for primary CNS lymphomas in first remission: results from a Danish Multicentre Study. <i>British Journal of Haematology</i> , 2017, 176, 671-673. | 1.2 | 7 |
| 69 | Real world data on rituximab maintenance therapy after frontline immunochemotherapy in grade 1–3a follicular lymphoma. <i>British Journal of Haematology</i> , 2018, 182, 297-301. | 1.2 | 7 |
| 70 | Real world data as a key element in precision medicine for lymphoid malignancies: potentials and pitfalls. <i>British Journal of Haematology</i> , 2019, 186, 409-419. | 1.2 | 7 |
| 71 | Clinical prognostic scores are poor predictors of overall survival in various types of malignant lymphomas. <i>Leukemia and Lymphoma</i> , 2019, 60, 1580-1583. | 0.6 | 6 |
| 72 | Clinical characteristics and outcomes among 2347 patients aged ≥ 85 years with major lymphoma subtypes: a Nordic Lymphoma Group study. <i>British Journal of Haematology</i> , 2021, 192, 551-559. | 1.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Mental health among patients with non-Hodgkin lymphoma: A Danish nationwide study of psychotropic drug use in 8750 patients and 43%750 matched comparators. <i>American Journal of Hematology</i> , 2022, 97, 749-761. | 2.0 | 6 |
| 74 | A prognostic model integrating PET-derived metrics and image texture analyses with clinical risk factors from GOYA. <i>EJHaem</i> , 2022, 3, 406-414. | 0.4 | 6 |
| 75 | Bone health and glucocorticoid-containing lymphoma therapy – a review of risk factors and preventative measures. <i>British Journal of Haematology</i> , 2022, 198, 431-442. | 1.2 | 6 |
| 76 | Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer. <i>JACC: CardioOncology</i> , 2021, 3, 725-733. | 1.7 | 6 |
| 77 | The mutational profile of immune surveillance genes in diagnostic and refractory/relapsed DLBCLs. <i>BMC Cancer</i> , 2021, 21, 829. | 1.1 | 5 |
| 78 | Evolution of relative survival for acute promyelocytic leukemia patients alive at landmark time-points: a population-based study. <i>Leukemia</i> , 2018, 32, 2263-2303. | 3.3 | 4 |
| 79 | Limited value of routine follow-up visits in chronic lymphocytic leukemia managed initially by watch and wait: A North Denmark population-based study. <i>PLoS ONE</i> , 2018, 13, e0208180. | 1.1 | 4 |
| 80 | A randomized trial of alendronate as prophylaxis against loss in bone mineral density following lymphoma treatment. <i>Blood Advances</i> , 2022, 6, 2549-2556. | 2.5 | 4 |
| 81 | Characterization of memory B cells from thymus and its impact for DLBCL classification. <i>Experimental Hematology</i> , 2016, 44, 982-990.e11. | 0.2 | 3 |
| 82 | Normal myeloid progenitor cell subset-associated gene signatures for acute myeloid leukaemia subtyping with prognostic impact. <i>PLoS ONE</i> , 2020, 15, e0229593. | 1.1 | 3 |
| 83 | Mutational landscape of immune surveillance genes in diffuse large B-cell lymphoma. <i>Expert Review of Hematology</i> , 2020, 13, 655-668. | 1.0 | 3 |
| 84 | Detecting deviations from the efficacy and safety results of single-arm trials using real-world data: The case of a CAR-T cell therapy in B-cell lymphoma. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 514-519. | 0.9 | 3 |
| 85 | Treatment intensity and survival trends among real-world elderly AML patients diagnosed in the period 2001–2016: a Danish nationwide cohort study. <i>Leukemia and Lymphoma</i> , 2021, 62, 2014-2017. | 0.6 | 3 |
| 86 | Normalization of Survival and No Relapses after One Year in Adult Burkitt Lymphoma Patients Treated with Intensive Immunochemotherapy: An International Study of 159 Real-World Patients. <i>Blood</i> , 2018, 132, 452-452. | 0.6 | 3 |
| 87 | Patients in complete remission after R-CHOP(-like) therapy for diffuse large B-cell lymphoma have limited excess use of health care services in Denmark. <i>Blood Cancer Journal</i> , 2022, 12, 16. | 2.8 | 3 |
| 88 | Follicular Lymphoma Treated with First-Line Immunochemotherapy: A Review of PET/CT in Patients Who Did Not Achieve a Complete Metabolic Response in the GALLIUM Study. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1149-1154. | 2.8 | 3 |
| 89 | Molecular classification of tissue from a transformed non-Hodgkin's lymphoma case with unexpected long-time remission. <i>Experimental Hematology and Oncology</i> , 2017, 6, 3. | 2.0 | 2 |
| 90 | Anthropometrics and prognosis in diffuse large B-cell lymphoma: a multicentre study of 653 patients. <i>European Journal of Haematology</i> , 2017, 98, 355-362. | 1.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Monitoring CAR-T-Cell Therapies Using the Nordic Healthcare Databases. <i>Pharmaceutical Medicine</i> , 2019, 33, 83-88. | 1.0 | 2 |
| 92 | An International Collaborative Study of Outcome and Prognostic Factors in Patients with Secondary CNS Involvement By Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016, 128, 1874-1874. | 0.6 | 2 |
| 93 | A Diffuse Large B-Cell Lymphoma Classification System That Associates Normal B-Cell Subset Phenotypes with Prognosis. <i>Blood</i> , 2014, 124, 2973-2973. | 0.6 | 2 |
| 94 | Late relapses in Hodgkin lymphoma “should we search for the needle in the haystack?”. <i>British Journal of Haematology</i> , 2022, 198, 11-13. | 1.2 | 2 |
| 95 | Shared care follow-up of patients with B-cell neoplasms based on nurse-led telephone consultations and PRO-data: a feasibility study from the North Denmark Region. <i>BMC Health Services Research</i> , 2020, 20, 1047. | 0.9 | 1 |
| 96 | Hematological cancer survivors’ experiences of participating in a shared care follow-up”an exploratory interview study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 620-629. | 1.5 | 1 |
| 97 | Relapse Risk and Loss in Expectation of Lifetime in Young Classical Hodgkin Lymphoma Patients - a Nordic Lymphoma Group Study of 2,582 Patients. <i>Blood</i> , 2018, 132, 930-930. | 0.6 | 1 |
| 98 | The Absolute Number of Extranodal Sites Detected By PET-CT Is a Powerful Predictor of Secondary Central Nervous System Involvement in Patients with Diffuse Large B-Cell Lymphoma Treated with R-CHOP. <i>Blood</i> , 2015, 126, 3905-3905. | 0.6 | 1 |
| 99 | Routine Bone Marrow Biopsy Adds Little Diagnostic Information in Patients with Newly Diagnosed Hodgkin Lymphoma Undergoing PET/CT Staging. <i>Blood</i> , 2011, 118, 2627-2627. | 0.6 | 1 |
| 100 | Role of Bone Marrow Biopsy in the Staging of Diffuse Large B-Cell Lymphoma in the PET/CT Era. <i>Blood</i> , 2014, 124, 2960-2960. | 0.6 | 1 |
| 101 | Prognostic Impact of Extranodal Diffuse Large B-Cell Lymphoma in the Era of Immunochemotherapy and PET/CT Staging. <i>Blood</i> , 2014, 124, 1630-1630. | 0.6 | 1 |
| 102 | A Multiple Myeloma Classification System That Associates Normal Bone Marrow B-Cell Subset Phenotypes with Disease Stage and Prognosis. <i>Blood</i> , 2014, 124, 3352-3352. | 0.6 | 1 |
| 103 | Clinical Impact of Clonal Hematopoiesis after Autologous Stem Cell Transplantation for Lymphoma: A National Population-Based Cohort Study. <i>Blood</i> , 2018, 132, 607-607. | 0.6 | 1 |
| 104 | Patient-reported outcomes in patients with hematological relapse or progressive disease: a longitudinal observational study. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 251. | 1.0 | 1 |
| 105 | The Impact of Trial Eligibility Criteria on Outcomes in a Nationwide Cohort of Newly Diagnosed DLBCL Patients Treated with R-CHOP. <i>Blood</i> , 2021, 138, 53-53. | 0.6 | 1 |
| 106 | Event-Free and Overall Survival in over 6,000 Patients Treated with Frontline Immunochemotherapy for Follicular Lymphoma between 2002-2018: First Report from the International FLIPI24 Consortium. <i>Blood</i> , 2021, 138, 3527-3527. | 0.6 | 1 |
| 107 | Early Integration of High Dose Methotrexate to Frontline DLBCL Therapy Does Not Impact CNS Relapse Compared to End of Treatment Delivery: A Multicentre International Analysis of 1384 Patients. <i>Blood</i> , 2021, 138, 452-452. | 0.6 | 1 |
| 108 | TRAIL Score: A Simple Model to Predict Immunochemotherapy Tolerability in Patients With Diffuse Large B-Cell Lymphoma. <i>JCO Clinical Cancer Informatics</i> , 2022, 6, e2100121. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Level of unique T cell clonotypes is associated with clonal hematopoiesis and survival in patients with lymphoma undergoing ASCT. Bone Marrow Transplantation, 2022, , . | 1.3 | 1 |
| 110 | Psychotropic Drug Use in Acute Myeloid Leukaemia (AML) and Myelodysplastic Syndrome (MDS): A Danish Nationwide Matched Cohort Study of 2404 AML and 1307 MDS Patients. Clinical Epidemiology, 2022, Volume 14, 225-237. | 1.5 | 1 |
| 111 | Reply to H.J adams et al: "cells FDG-PET/CT a sensitive and specific method for the detection of extranodal involvement in diffuse large B-cell lymphoma?" American Journal of Hematology, 2016, 91, E2-E3. | 2.0 | 0 |
| 112 | To maintain or not, that is the question. British Journal of Haematology, 2016, 174, 321-322. | 1.2 | 0 |
| 113 | Blood on the tracks " toward precision medicine. Leukemia and Lymphoma, 2016, 57, 1753-1754. | 0.6 | 0 |
| 114 | Questioning the value of routine imaging for patients with mantle cell lymphoma in first remission. Leukemia and Lymphoma, 2018, 59, 775-777. | 0.6 | 0 |
| 115 | No differential overall or relative survival effect of rituximab in male and female patients with diffuse large B-cell lymphoma: a Danish population-based study of 3783 patients. Leukemia and Lymphoma, 2019, 60, 2798-2801. | 0.6 | 0 |
| 116 | Mantle cell lymphoma " where precision medicine based on response-adapted treatment strategies could show its full worth. British Journal of Haematology, 2020, 189, 600-602. | 1.2 | 0 |
| 117 | Routine imaging for disease surveillance in follicular lymphoma "To comfort the patients or their doctors?. Cancer, 2021, 127, 3298-3301. | 2.0 | 0 |
| 118 | Direct costs of antineoplastic and supportive treatment for progressive multiple myeloma in a tax-based health system. Future Oncology, 2021, 17, 3331-3341. | 1.1 | 0 |
| 119 | Prognostic Impact of Clinician-Based Interpretation of FDG-PET/CT Reports Obtained in Patients with Newly Diagnosed Diffuse Large B-Cell Lymphoma.. Blood, 2012, 120, 2646-2646. | 0.6 | 0 |
| 120 | Clinical Features and Outcome in Newly Diagnosed Hodgkin Lymphoma Patients Presenting with PET/CT-Ascertained Focal Skeletal Lesions.. Blood, 2012, 120, 2637-2637. | 0.6 | 0 |
| 121 | Disease Extent in Newly Diagnosed Hodgkin Lymphoma: A Comparison of CT and PET/CT Staged Patients. Blood, 2012, 120, 1532-1532. | 0.6 | 0 |
| 122 | The International Prognostic Index Predicts Outcome In Patients With Untreated Nodal Peripheral T-Cell Lymphomas Staged With PET/CT. Blood, 2013, 122, 5077-5077. | 0.6 | 0 |
| 123 | Clinical Characteristics and Outcomes of Patients with Hodgkin Lymphoma with Central Nervous System Involvement: An International Multicenter Collaboration. Blood, 2015, 126, 3865-3865. | 0.6 | 0 |
| 124 | Subtyping of B-Cell Malignancies By B-Cell Subset Associated Gene Signatures (BAGS), Generated from Human Primary and Secondary Lymphoid Organs.. Blood, 2015, 126, 5347-5347. | 0.6 | 0 |
| 125 | PET/CT for HL Staging. , 2016, , 1-13. | | 0 |
| 126 | Normal B-Cell Gene Expression Signatures Classifies Chronic Lymphocytic Leukemia into Distinct Subtypes - Indication of Plasticity. Blood, 2016, 128, 2017-2017. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Risk of Death, Relapse or Progression, and Loss of Life Expectancy at Different Progression-Free Survival Milestones in Primary Central Nervous System Lymphoma. <i>Blood</i> , 2018, 132, 1699-1699. | 0.6 | 0 |
| 128 | Risk of Incident Diabetes and Dysregulated Pre-Existing Diabetes Mellitus in Newly Diagnosed Lymphoma Patients Treated with Steroid-Containing Immunochemotherapy: A Danish Population-Based Study. <i>Blood</i> , 2021, 138, 454-454. | 0.6 | 0 |
| 129 | Sex Differences in Lymphoma Incidence and Excess Mortality By Subtype: A Comprehensive National Study. <i>Blood</i> , 2021, 138, 2534-2534. | 0.6 | 0 |
| 130 | A Randomized Placebo-Controlled Trial of Primary Prophylaxis with Weekly Alendronate Against Glucocorticoid-Induced Osteoporosis in Lymphoma Patients Treated with Steroid-Containing Chemotherapy. <i>Blood</i> , 2021, 138, 456-456. | 0.6 | 0 |
| 131 | Mental Health Among Patients with Non-Hodgkin Lymphoma: A Danish Nationwide Study of Psychotropic Drug Use in 7,201 Patients and 36,005 Matched Comparators. <i>Blood</i> , 2021, 138, 51-51. | 0.6 | 0 |
| 132 | Hodgkin Lymphoma: Recent Progress in Overall Management. , 0, , 83-116. | | 0 |
| 133 | Level of Unique T-Cell Clonotypes Are Associated with Clonal Hematopoiesis and Survival in Patients with Lymphoma Intended for Autologous Stem Cell Transplant. <i>Blood</i> , 2021, 138, 3942-3942. | 0.6 | 0 |
| 134 | The Burkitt Lymphoma International Prognostic Index (BL-IPI). <i>Blood</i> , 2020, 136, 46-49. | 0.6 | 0 |
| 135 | Cardiovascular diseases in elderly survivors of diffuse large B-cell lymphoma: a Danish population-based cohort study. <i>Leukemia and Lymphoma</i> , 2022, , 1-10. | 0.6 | 0 |