

# John Elsby Sanderson

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4505639/john-elsby-sanderson-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43  
papers

4,696  
citations

23  
h-index

48  
g-index

48  
ext. papers

5,195  
ext. citations

5.7  
avg, IF

4.87  
L-index

#	Paper	IF	Citations
43	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. <i>European Heart Journal</i> , <b>2007</b> , 28, 2539-50	9.5	1934
42	Tissue Doppler imaging a new prognosticator for cardiovascular diseases. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 49, 1903-14	15.1	432
41	The pathophysiology of heart failure with normal ejection fraction: exercise echocardiography reveals complex abnormalities of both systolic and diastolic ventricular function involving torsion, untwist, and longitudinal motion. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 54, 36-46	15.1	359
40	Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value. <i>Journal of the American College of Cardiology</i> , <b>2003</b> , 41, 820-6	15.1	346
39	Severe obstructive sleep apnea is associated with left ventricular diastolic dysfunction. <i>Chest</i> , <b>2002</b> , 121, 422-9	5.3	218
38	Tissue Doppler imaging provides incremental prognostic value in patients with systemic hypertension and left ventricular hypertrophy. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 183-91	1.9	155
37	Association of inflammation and malnutrition with cardiac valve calcification in continuous ambulatory peritoneal dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2001</b> , 12, 1927-1936	12.7	130
36	Albumin levels predict survival in patients with heart failure and preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2012</b> , 14, 39-44	12.3	118
35	Chinese herbs and warfarin potentiation by danshenb <i>Journal of Internal Medicine</i> , <b>1997</b> , 241, 337-9	10.8	111
34	Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. <i>Clinical Science</i> , <b>2002</b> , 102, 515-522	6.5	79
33	Comparison of frequencies of left ventricular systolic and diastolic heart failure in Chinese living in Hong Kong. <i>American Journal of Cardiology</i> , <b>1999</b> , 84, 563-7	3	71
32	Impact of changes in respiratory frequency and posture on power spectral analysis of heart rate and systolic blood pressure variability in normal subjects and patients with heart failure. <i>Clinical Science</i> , <b>1996</b> , 91, 35-43	6.5	71
31	Mitral annular plane systolic excursion on exercise: a simple diagnostic tool for heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2011</b> , 13, 953-60	12.3	63
30	Plasma brain natriuretic peptide--an independent predictor of cardiovascular mortality in acute heart failure. <i>European Journal of Heart Failure</i> , <b>1999</b> , 1, 59-65	12.3	60
29	Impact of atrial fibrillation in heart failure with normal ejection fraction: a clinical and echocardiographic study. <i>Journal of Cardiac Failure</i> , <b>2007</b> , 13, 649-55	3.3	59
28	Systolic dysfunction in heart failure with a normal ejection fraction: echo-Doppler measurements. <i>Progress in Cardiovascular Diseases</i> , <b>2006</b> , 49, 196-206	8.5	59
27	Tissue Doppler imaging for predicting outcome in patients with cardiovascular disease. <i>Current Opinion in Cardiology</i> , <b>2004</b> , 19, 458-63	2.1	45

26	Left ventricular long-axis performance during exercise is an important prognosticator in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , <b>2015</b> , 178, 131-5	3.2	34
25	Renin-angiotensin-aldosterone system gene polymorphisms and hypertension in Hong Kong Chinese. <i>Clinical and Experimental Hypertension</i> , <b>2000</b> , 22, 87-97	2.2	32
24	Micro-RNA and mRNA myocardial tissue expression in biopsy specimen from patients with heart failure. <i>International Journal of Cardiology</i> , <b>2015</b> , 199, 79-83	3.2	31
23	Abnormal left ventricular function occurs on exercise in well-treated hypertensive subjects with normal resting echocardiography. <i>Heart</i> , <b>2010</b> , 96, 948-55	5.1	28
22	Echocardiography for cardiac resynchronization therapy selection: fatally flawed or misjudged?. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 53, 1960-4	15.1	28
21	What can three-dimensional speckle-tracking echocardiography contribute to evaluate global left ventricular systolic performance in patients with heart failure?. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 132-7	3.2	22
20	Early Diagnosis of Acute Myocardial Infarction Using Immunosensors and Immunotests. <i>Analytical Letters</i> , <b>2003</b> , 36, 1987-2004	2.2	22
19	Exercise-induced torsional dyssynchrony relates to impaired functional capacity in patients with heart failure and normal ejection fraction. <i>Heart</i> , <b>2013</b> , 99, 259-66	5.1	20
18	A sibling-pair analysis of fasting lipids and anthropometric measurements and their relationship to hypertension. <i>Clinical and Experimental Hypertension</i> , <b>1999</b> , 21, 1161-76	2.2	19
17	HFNEF, HFpEF, HF-PEF, or DHF: what is in an acronym?. <i>JACC: Heart Failure</i> , <b>2014</b> , 2, 93-4	7.9	18
16	Changes of ventricular and peripheral performance in patients with heart failure and normal ejection fraction: insights from ergometry stress echocardiography. <i>European Journal of Heart Failure</i> , <b>2014</b> , 16, 888-97	12.3	14
15	Prognostic value of acoustic cardiography in patients with chronic heart failure. <i>International Journal of Cardiology</i> , <b>2016</b> , 219, 121-6	3.2	12
14	Dietary Fiber Intake, Myocardial Injury, and Major Adverse Cardiovascular Events Among End-Stage Kidney Disease Patients: A Prospective Cohort Study. <i>Kidney International Reports</i> , <b>2019</b> , 4, 814-823	4.1	11
13	Obstructive sleep apnoea, intermittent hypoxia and heart failure with a preserved ejection fraction. <i>Heart</i> , <b>2021</b> , 107, 190-194	5.1	10
12	Re: The PEP-CHF study. <i>European Journal of Heart Failure</i> , <b>2000</b> , 2, 117	12.3	9
11	Factors related to outcome in heart failure with a preserved (or normal) left ventricular ejection fraction. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2016</b> , 2, 153-163	4.6	8
10	Importance of chronotropic response and left ventricular long-axis function for exercise performance in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , <b>2016</b> , 202, 339-43	3.2	7
9	Should all patients with heart block receive biventricular pacing? All heart block patients with a pacemaker indication should receive biventricular pacing: one move, double the gains?. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2015</b> , 8, 722-9	6.4	6

8	Left anterior descending coronary artery flow impaired by right ventricular apical pacing: the role of systolic dyssynchrony. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 80-5	3.2	6
7	Obstructive sleep apnoea and inflammation in age-dependent cardiovascular disease. <i>European Heart Journal</i> , <b>2020</b> , 41, 2503	9.5	3
6	Do metoprolol and carvedilol have equivalent effects on diurnal heart rate in patients with chronic heart failure?. <i>European Journal of Heart Failure</i> , <b>2005</b> , 7, 874-7	12.3	3
5	The fallacy of resting echocardiographic parameters of cardiac function in heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 619	12.3	2
4	Should $\beta$ -blocking agents be used in thyrotoxic heart disease?. <i>Medical Journal of Australia</i> , <b>1995</b> , 162, 426-427	4	2
3	Response to obstructive sleep apnoea, intermittent hypoxia and heart failure with a preserved ejection fraction. <i>Heart</i> , <b>2021</b> , 107, 430-431	5.1	1
2	Alcohol, hypertension, and heart failure with preserved (or normal) ejection fraction. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2017</b> , 3, 93	4.6	
1	Passive Prescription of Secondary Prevention Medical Therapy during Index Hospitalization for Acute Myocardial Infarction Is Prevalent and Associated with Adverse Clinical Outcomes.. <i>Journal of Healthcare Engineering</i> , <b>2021</b> , 2021, 9543912	3.7	