

# Benedikt L Amann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4505685/publications.pdf>

Version: 2024-02-01

65  
papers

2,654  
citations

159585

30  
h-index

197818

49  
g-index

65  
all docs

65  
docs citations

65  
times ranked

2906  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.   | 7.2 | 269       |
| 2  | Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 4-18.  | 4.5 | 151       |
| 3  | Excitability of motor cortex inhibitory circuits in Tourette syndrome before and after single dose nicotine. <i>Brain</i> , 2005, 128, 1292-1300.  | 7.6 | 114       |
| 4  | EMDR beyond PTSD: A Systematic Literature Review. <i>Frontiers in Psychology</i> , 2017, 8, 1668.  | 2.1 | 113       |
| 5  | Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.  | 4.5 | 103       |
| 6  | How Does Eye Movement Desensitization and Reprocessing Therapy Work? A Systematic Review on Suggested Mechanisms of Action. <i>Frontiers in Psychology</i> , 2018, 9, 1395.  | 2.1 | 97        |
| 7  | Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.  | 2.8 | 95        |
| 8  | Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011, 52, 613-622.  | 3.1 | 91        |
| 9  | Tiagabine Appears Not to Be Efficacious in the Treatment of Acute Mania. <i>Journal of Clinical Psychiatry</i> , 1999, 60, 759-762.  | 2.2 | 82        |
| 10 | Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. <i>PLoS ONE</i> , 2017, 12, e0175683.  | 2.5 | 79        |
| 11 | Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. <i>Journal of Affective Disorders</i> , 2013, 148, 170-178.                               | 4.1 | 77        |
| 12 | Eye movement desensitization and reprocessing therapy in subsyndromal bipolar patients with a history of traumatic events: A randomized, controlled pilot-study. <i>Psychiatry Research</i> , 2014, 219, 122-128.          | 3.3 | 76        |
| 13 | EEG abnormalities associated with antipsychotics: a comparison of quetiapine, olanzapine, haloperidol and healthy subjects. <i>Human Psychopharmacology</i> , 2003, 18, 641-646.   | 1.5 | 72        |
| 14 | Efficacy of Eye Movement Desensitization and Reprocessing in Children and Adolescent with Post-traumatic Stress Disorder: A Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Psychology</i> , 2017, 8, 1750. | 2.1 | 67        |
| 15 | Meta-Analysis of the Risk of Subsequent Mood Episodes in Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 90-98.  | 8.8 | 63        |
| 16 | Brain functional changes across the different phases of bipolar disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 136-144.   | 2.8 | 59        |
| 17 | Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 453-460.  | 4.5 | 53        |
| 18 | A Prospective 4-Year Naturalistic Follow-Up of Treatment and Outcome of 300 Bipolar I and II Patients. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 254-263.  | 2.2 | 53        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.   | 0.7 | 52        |
| 20 | Acute antimanic efficacy and safety of oxcarbazepine in an open trial with an on-off-on design. <i>Bipolar Disorders</i> , 2002, 4, 412-417.   | 1.9 | 49        |
| 21 | Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 363-374.   | 1.9 | 49        |
| 22 | Intravenous Valproate Loading in Acutely Manic and Depressed Bipolar I Patients. <i>Journal of Clinical Psychopharmacology</i> , 1999, 19, 303-309.  | 1.4 | 49        |
| 23 | Number needed to treat analyses of drugs used for maintenance treatment of bipolar disorder. <i>Psychopharmacology</i> , 2011, 213, 657-667.   | 3.1 | 46        |
| 24 | 25 años de Eye Movement Desensitization and Reprocessing: protocolo de aplicación, hipótesis de funcionamiento y revisión sistemática de su eficacia en el trastorno por estrés postraumático. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 101-114. | 1.8 | 42        |
| 25 | The Status of EMDR Therapy in the Treatment of Posttraumatic Stress Disorder 30 Years After Its Introduction. <i>Journal of EMDR Practice and Research</i> , 2019, 13, 261-269.  | 0.6 | 42        |
| 26 | Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 160.                   | 1.6 | 38        |
| 27 | Eye Movement Desensitization and Reprocessing and Slow Wave Sleep: A Putative Mechanism of Action. <i>Frontiers in Psychology</i> , 2017, 8, 1935.   | 2.1 | 37        |
| 28 | Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 464-473.  | 4.3 | 35        |
| 29 | Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016, 11, e0158867.   | 2.5 | 35        |
| 30 | Prevalence and impact of comorbid alcohol use disorder in bipolar disorder: A prospective follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 345-351.  | 2.3 | 34        |
| 31 | Psychiatric and physical comorbidities and their impact on the course of bipolar disorder: A prospective, naturalistic 4-year follow-up study. <i>Bipolar Disorders</i> , 2017, 19, 225-234.   | 1.9 | 31        |
| 32 | EMDR Therapy Modulates the Default Mode Network in a Subsyndromal, Traumatized Bipolar Patient. <i>Neuropsychobiology</i> , 2013, 67, 181-184.   | 1.9 | 30        |
| 33 | The prevalence and effect of life events in 222 bipolar I and II patients: A prospective, naturalistic 4 year follow-up study. <i>Journal of Affective Disorders</i> , 2015, 170, 166-171.   | 4.1 | 26        |
| 34 | Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.  | 0.7 | 26        |
| 35 | Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2015, 42, sbv097.   | 4.3 | 25        |
| 36 | The Prevalence and Clinical and Sociodemographic Factors of Problem Online Gambling: A Systematic Review. <i>Journal of Gambling Studies</i> , 2021, 37, 899-926.  | 1.6 | 23        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The Current Status of EMDR Therapy, Specific Target Areas, and Goals for the Future. <i>Journal of EMDR Practice and Research</i> , 2020, 14, 241-284.   | 0.6 | 22        |
| 38 | Saving time and money: a validation of the self ratings on the prospective NIMH life-chart method (NIMH-LCM). <i>BMC Psychiatry</i> , 2014, 14, 130.   | 2.6 | 20        |
| 39 | Workplace interventions to reduce depression and anxiety in small and medium-sized enterprises: A systematic review. <i>Journal of Affective Disorders</i> , 2021, 290, 378-386.   | 4.1 | 18        |
| 40 | Comparison of serum BDNF levels in deficit and nondeficit chronic schizophrenia and healthy controls. <i>Psychiatry Research</i> , 2014, 220, 197-200.   | 3.3 | 17        |
| 41 | Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017, 27, 959-969.  | 0.7 | 17        |
| 42 | Evidence for implementation of interventions to promote mental health in the workplace: a systematic scoping review protocol. <i>Systematic Reviews</i> , 2021, 10, 41.  | 5.3 | 16        |
| 43 | Efficacy of Carbamazepine and Its Derivatives in the Treatment of Bipolar Disorder. <i>Medicina (Lithuania)</i> , 2021, 57, 433.   | 2.0 | 14        |
| 44 | A 2-Year, Open-Label Pilot Study of Adjunctive Chromium in Patients With Treatment-Resistant Rapid-Cycling Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 104-106.  | 1.4 | 11        |
| 45 | Surface-based brain morphometry and diffusion tensor imaging in schizoaffective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 42-54.   | 2.3 | 11        |
| 46 | A Non-randomized Controlled Trial of EMDR on Affective Symptoms in Patients With Glioblastoma Multiforme. <i>Frontiers in Psychology</i> , 2018, 9, 785.   | 2.1 | 11        |
| 47 | Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.  | 4.1 | 11        |
| 48 | Clinical Features, Neuropsychology and Neuroimaging in Bipolar and Borderline Personality Disorder: A Systematic Review of Cross-Diagnostic Studies. <i>Frontiers in Psychiatry</i> , 2021, 12, 681876.  | 2.6 | 11        |
| 49 | 25 years of Eye Movement Desensitization and Reprocessing (EMDR): The EMDR therapy protocol, hypotheses of its mechanism of action and a systematic review of its efficacy in the treatment of post-traumatic stress disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2018, 11, 101-114. | 0.3 | 10        |
| 50 | Trait or state? A longitudinal neuropsychological evaluation and fMRI study in schizoaffective disorder. <i>Schizophrenia Research</i> , 2014, 159, 458-464.   | 2.0 | 9         |
| 51 | Transcultural adaption and validation of the Spanish version of the Bipolar Depression Rating Scale (BDRS-S). <i>Journal of Affective Disorders</i> , 2015, 172, 110-115.  | 4.1 | 9         |
| 52 | Meta-analyses of cavum septum pellucidum in mood disorders in comparison with healthy controls or schizophrenia. <i>European Neuropsychopharmacology</i> , 2018, 28, 1325-1338.  | 0.7 | 9         |
| 53 | Traumatic Events in Dual Disorders: Prevalence and Clinical Characteristics. <i>Journal of Clinical Medicine</i> , 2020, 9, 2553.  | 2.4 | 8         |
| 54 | The Current Status of EMDR Therapy Involving the Treatment of Complex Posttraumatic Stress Disorder. <i>Journal of EMDR Practice and Research</i> , 2019, 13, 284-290.   | 0.6 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | EMDR Versus Treatment-as-Usual in Patients With Chronic Non-Malignant Pain: A Randomized Controlled Pilot Study. <i>Journal of EMDR Practice and Research</i> , 2020, 14, 190-205.  | 0.6 | 6         |
| 56 | Prevalence of cavum vergae in psychosis and mood spectrum disorders. <i>Journal of Affective Disorders</i> , 2015, 186, 53-57.  | 4.1 | 5         |
| 57 | A Multicenter Phase II Rater-Blinded Randomized Controlled Trial to Compare the Effectiveness of Eye Movement Desensitization Reprocessing Therapy vs. Treatment as Usual in Patients With Substance Use Disorder and History of Psychological Trauma: A Study Design and Protocol. <i>Frontiers in Psychiatry</i> , 2019, 10, 108. | 2.6 | 5         |
| 58 | A Multicenter Phase II RCT to Compare the Effectiveness of EMDR Versus TAU in Patients With a First-Episode Psychosis and Psychological Trauma: A Protocol Design. <i>Frontiers in Psychiatry</i> , 2020, 10, 1023.   | 2.6 | 5         |
| 59 | A 12-month prospective study on the time to hospitalization and clinical management of a cohort of bipolar type I and schizoaffective bipolar patients. <i>European Psychiatry</i> , 2019, 61, 1-8.   | 0.2 | 4         |
| 60 | Theoretical Background and Clinical Aspects of the Use of EMDR in Patients With Bipolar Disorder. <i>Journal of EMDR Practice and Research</i> , 2019, 13, 307-312.   | 0.6 | 4         |
| 61 | No effects of eye movements on the encoding of the visuospatial sketchpad and the phonological loop in healthy participants: Possible implications for eye movement desensitization and reprocessing therapy. <i>Personality and Individual Differences</i> , 2013, 55, 983-988.  | 2.9 | 3         |
| 62 | Successful treatment of hydroxyzine and dexchlorfeniramine maleate in combination with electroconvulsive therapy in a neuroleptic malignant catatonia. <i>International Clinical Psychopharmacology</i> , 2015, 30, 115-117.  | 1.7 | 3         |
| 63 | Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018, 9, 470.  | 2.6 | 3         |
| 64 | That which does not kill youâ€”May afflict you? Psychological trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 192-193.   | 1.9 | 2         |
| 65 | Clinical improvement of somatic and affective symptoms in a patient with complex trauma through the use of EMDR. Report of a clinical case. <i>Actas Espanolas De Psiquiatria</i> , 2018, 46, 242-8.  | 0.1 | 0         |