

Seung Jae Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4506716/seung-jae-yang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

4,563

citations

31

h-index

67

g-index

93

ext. papers

5,081

ext. citations

9.5

avg, IF

5.63

L-index

#	Paper	IF	Citations
86	All-in-one flexible supercapacitor with ultrastable performance under extreme load.. <i>Science Advances</i> , 2022 , 8, eabl8631	14.3	6
85	Dimension-controlled N-doped graphitic carbon nanostructures through low-temperature metal-catalyzed transformation from C ₃ N ₄ for high-performance electrochemical barrier in lithium-sulfur batteries. <i>Carbon</i> , 2022 , 196, 304-312	10.4	0
84	Concentration-driven polymorphic mesocrystal and morphosynthetic transformation toward omni-adsorbent with the widest range of pores. <i>Chemical Engineering Journal</i> , 2021 , 433, 133871	14.7	0
83	Facile Fabrication of Anisotropic Multicompartmental Microfibers Using Charge Reversal Electrohydrodynamic Co-Jetting. <i>Macromolecular Rapid Communications</i> , 2021 , e2100560	4.8	2
82	Fast-chargeable N-doped multi-oriented graphitic carbon as a Li-intercalation compound. <i>Energy Storage Materials</i> , 2021 ,	19.4	3
81	Rational Design of Metal-Organic Framework-Based Materials for Advanced Li/S Batteries. <i>Bulletin of the Korean Chemical Society</i> , 2021 , 42, 148-158	1.2	5
80	Function-convertible metal-organic crystal derived from liquid-solid interfacial reaction for lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2021 , 491, 229593	8.9	5
79	Facile preparation of ZnO quantum dots@porous carbon composites through direct carbonization of metal-organic complex for high-performance lithium ion batteries. <i>Carbon Letters</i> , 2021 , 31, 323-329	2.3	4
78	Pseudo metal-organic coordination derived one-step carbonization of non-carbonizable carboxylate organic molecules toward functional mesostructured porous carbons. <i>Carbon</i> , 2021 , 173, 637-645	10.4	9
77	A universal surface modification method of carbon nanotube fibers with enhanced tensile strength. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 140, 106182	8.4	12
76	A New Class of Carbon Nanostructures for High-Performance Electro-Magnetic and -Chemical Barriers. <i>Advanced Science</i> , 2021 , 8, e2102718	13.6	2
75	Atomic-Distributed Coordination State of Metal-Phenolic Compounds Enabled Low Temperature Graphitization for High-Performance Multioriented Graphite Anode. <i>Small</i> , 2020 , 16, e2003104	11	8
74	Recent progress on biomass-derived ecomaterials toward advanced rechargeable lithium batteries. <i>EcoMat</i> , 2020 , 2, e12019	9.4	55
73	Mechanical Properties and Epoxy Resin Infiltration Behavior of Carbon-Nanotube-Fiber-Based Single-Fiber Composites. <i>Materials</i> , 2020 , 14,	3.5	5
72	Lithium Ion Batteries: Atomic-Distributed Coordination State of Metal-Phenolic Compounds Enabled Low Temperature Graphitization for High-Performance Multioriented Graphite Anode (Small 33/2020). <i>Small</i> , 2020 , 16, 2070182	11	0
71	Enhanced gas barrier property of stacking-controlled reduced graphene oxide films for encapsulation of polymer solar cells. <i>Carbon</i> , 2019 , 150, 275-283	10.4	14
70	Stacked double-walled carbon nanotube sheet electrodes for electrochemically harvesting thermal energy. <i>Carbon</i> , 2019 , 147, 559-565	10.4	12

69	Function-regeneration of non-porous hydrolyzed-MOF-derived materials. <i>Nano Research</i> , 2019 , 12, 1921-1930	9	
68	Revisiting the Role of Graphene Quantum Dots in Ternary Organic Solar Cells: Insights into the Nanostructure Reconstruction and Effective Förster Resonance Energy Transfer. <i>ACS Applied Energy Materials</i> , 2019 , 2, 8826-8835	6.1	7
67	Demonstration of the nanosize effect of carbon nanomaterials on the dehydrogenation temperature of ammonia borane. <i>Nanoscale Advances</i> , 2019 , 1, 4697-4703	5.1	7
66	Versatile reorganization of metal-polyphenol coordination on CNTs for dispersion, assembly, and transformation. <i>Carbon</i> , 2019 , 144, 402-409	10.4	4
65	Characteristics tuning of graphene-oxide-based-graphene to various end-uses. <i>Energy Storage Materials</i> , 2018 , 14, 8-21	19.4	31
64	Rational Design of Nanostructured Functional Interlayer/Separator for Advanced LiB Batteries. <i>Advanced Functional Materials</i> , 2018 , 28, 1707411	15.6	196
63	Macroscopically interconnected hierarchically porous carbon monolith by metal-phenolic coordination as an sorbent for multi-scale molecules. <i>Carbon</i> , 2018 , 126, 190-196	10.4	13
62	Revisit to the correlation of surface characteristic nature with performance of N-enriched carbon-based supercapacitor. <i>Carbon</i> , 2018 , 140, 68-76	10.4	11
61	Rational Design of 1D Partially Graphitized N-Doped Hierarchical Porous Carbon with Uniaxially Packed Carbon Nanotubes for High-Performance Lithium-Ion Batteries. <i>ACS Nano</i> , 2018 , 12, 11106-11119	16.7	23
60	Metal-Phenolic Carbon Nanocomposites for Robust and Flexible Energy-Storage Devices. <i>ChemSusChem</i> , 2017 , 10, 1675-1682	8.3	26
59	Secondary Interactions of Graphene Oxide on Liquid Crystal Formation and Stability. <i>Particle and Particle Systems Characterization</i> , 2017 , 34, 1600383	3.1	9
58	Metal-Phenolic Carbon Nanocomposites for Robust and Flexible Energy-Storage Devices. <i>ChemSusChem</i> , 2017 , 10, 1644-1644	8.3	4
57	Crucial Role of Oxidation Debris of Carbon Nanotubes in Subsequent End-Use Applications of Carbon Nanotubes. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17552-17564	9.5	8
56	Influence of the physicochemical characteristics of reduced graphene oxides on the gas permeability of the barrier films for organic electronics. <i>Chemical Communications</i> , 2017 , 53, 6573-6576	5.8	5
55	High-Density Carbon Nanotube Wet-laid Buckypapers with Enhanced Strength and Conductivity Using a High-pressure Homogenization Process. <i>Bulletin of the Korean Chemical Society</i> , 2017 , 38, 438-443	1.2	3
54	Rational design of exfoliated 1T MoS ₂ @CNT-based bifunctional separators for lithium sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23909-23918	13	96
53	Morphochemical imprinting of melamine cyanurate mesocrystals in glucose-derived carbon for high performance lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 20635-20642	13	23
52	Flexible and Robust Thermoelectric Generators Based on All-Carbon Nanotube Yarn without Metal Electrodes. <i>ACS Nano</i> , 2017 , 11, 7608-7614	16.7	146

51	Guidelines for Tailored Chemical Functionalization of Graphene. <i>Chemistry of Materials</i> , 2017 , 29, 307-318	6	28
50	One step preparation and excellent performance of CNT yarn based flexible micro lithium ion batteries. <i>Energy Storage Materials</i> , 2016 , 5, 1-7	19.4	29
49	Preparation and Exceptional Mechanical Properties of Bone-Mimicking Size-Tuned Graphene Oxide@Carbon Nanotube Hybrid Paper. <i>ACS Nano</i> , 2016 , 10, 2184-92	16.7	55
48	Hidden Second Oxidation Step of Hummers Method. <i>Chemistry of Materials</i> , 2016 , 28, 756-764	9.6	149
47	Partially unzipped carbon nanotubes for high-rate and stable lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 819-826	13	66
46	Easy preparation of partially-opened carbon nanotubes by simple air oxidation for high performance LiS batteries. <i>RSC Advances</i> , 2016 , 6, 113522-113526	3.7	7
45	A sustainable synthesis alternative for IL-derived N-doped carbons: Bio-based-imidazolium compounds. <i>Carbon</i> , 2015 , 94, 641-645	10.4	11
44	Self-Assembly of Metal Phenolic Mesocrystals and Morphosynthetic Transformation toward Hierarchically Porous Carbons. <i>Journal of the American Chemical Society</i> , 2015 , 137, 8269-73	16.4	98
43	Effect of microstructure and morphological properties of carbon nanotubes on the length reduction during melt processing. <i>Composites Science and Technology</i> , 2015 , 112, 42-49	8.6	5
42	Impact of large-scale meso- and macropore structures in adenosine-derived affordable noble carbon on efficient reversible oxygen electrocatalytic redox reactions. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 11720-11724	13	25
41	Easy preparation of self-assembled high-density buckypaper with enhanced mechanical properties. <i>Nano Letters</i> , 2015 , 15, 190-7	11.5	57
40	New insights into the oxidation of single-walled carbon nanotubes for the fabrication of transparent conductive films. <i>Carbon</i> , 2015 , 81, 525-534	10.4	14
39	Stabilization of Insoluble Discharge Products by Facile Aniline Modification for High Performance Li-S Batteries. <i>Advanced Energy Materials</i> , 2015 , 5, 1500268	21.8	43
38	Wrapping SnO ₂ with porosity-tuned graphene as a strategy for high-rate performance in lithium battery anodes. <i>Carbon</i> , 2015 , 85, 289-298	10.4	48
37	Highly reproducible thermocontrolled electrospun fiber based organic photovoltaic devices. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 4481-7	9.5	13
36	Unusual thermopower of inhomogeneous graphene grown by chemical vapor deposition. <i>Applied Physics Letters</i> , 2014 , 104, 021902	3.4	12
35	Enhanced water stability and CO ₂ gas sorption properties of a methyl functionalized titanium metal-organic framework. <i>New Journal of Chemistry</i> , 2014 , 38, 2752-2755	3.6	19
34	Preparation of PCDTBT nanofibers with a diameter of 20 nm and their application to air-processed organic solar cells. <i>Nanoscale</i> , 2014 , 6, 2847-54	7.7	22

33	Facile preparation of reduced graphene oxide-based gas barrier films for organic photovoltaic devices. <i>Energy and Environmental Science</i> , 2014 , 7, 3403-3411	35.4	54
32	Solvent evaporation mediated preparation of hierarchically porous metal organic framework-derived carbon with controllable and accessible large-scale porosity. <i>Carbon</i> , 2014 , 71, 294-302	19.4	67
31	Preliminary test results on tungsten tile with castellation structures in KSTAR. <i>Fusion Engineering and Design</i> , 2014 , 89, 1704-1708	1.7	7
30	Effect of annealing with pressure on tungsten film properties fabricated by atmospheric plasma spray. <i>Metals and Materials International</i> , 2014 , 20, 1037-1042	2.4	12
29	Simple Preparation of Anatase Titanium Dioxide Nanoparticles by Heating Titanium-Organic Frameworks. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 2477-2480	1.2	8
28	Effect of Helmholtz Oscillation on Auto-shroud for APS Tungsten Carbide Coating. <i>Journal of Thermal Spray Technology</i> , 2013 , 22, 756-763	2.5	1
27	Reversible pore size control of elastic microporous material by mechanical force. <i>Chemistry - A European Journal</i> , 2013 , 19, 13009-16	4.8	13
26	Preparation of a freestanding, macroporous reduced graphene oxide film as an efficient and recyclable sorbent for oils and organic solvents. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 9427	13	78
25	Determination of solubility parameters of single-walled and double-walled carbon nanotubes using a finite-length model. <i>RSC Advances</i> , 2013 , 3, 4814	3.7	28
24	The effect of heating rate on porosity production during the low temperature reduction of graphite oxide. <i>Carbon</i> , 2013 , 53, 73-80	10.4	50
23	Deposition/erosion and H/D retention characteristics in gaps of PFCs in KSTAR studied by cavity technique. <i>Journal of Nuclear Materials</i> , 2013 , 438, S698-S706	3.3	11
22	Ultrafast room-temperature reduction of graphene oxide to graphene with excellent dispersibility by lithium naphthalenide. <i>Carbon</i> , 2013 , 63, 165-174	10.4	21
21	Preparation and exceptional lithium anodic performance of porous carbon-coated ZnO quantum dots derived from a metal-organic framework. <i>Journal of the American Chemical Society</i> , 2013 , 135, 7394-7	16.4	418
20	Quantum Hall effect in graphene decorated with disordered multilayer patches. <i>Applied Physics Letters</i> , 2013 , 103, 233110	3.4	24
19	Influence of H ⁺ ion irradiation on the surface and microstructural changes of a nuclear graphite. <i>Fusion Engineering and Design</i> , 2012 , 87, 344-351	1.7	23
18	Recent advances in hydrogen storage technologies based on nanoporous carbon materials. <i>Progress in Natural Science: Materials International</i> , 2012 , 22, 631-638	3.6	59
17	General Relationship between Hydrogen Adsorption Capacities at 77 and 298 K and Pore Characteristics of the Porous Adsorbents. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 10529-10540	3.8	46
16	Simple fabrication of carbon/TiO ₂ composite nanotubes showing dual functions with adsorption and photocatalytic decomposition of Rhodamine B. <i>Nanotechnology</i> , 2012 , 23, 035604	3.4	38

15	MOF-Derived Hierarchically Porous Carbon with Exceptional Porosity and Hydrogen Storage Capacity. <i>Chemistry of Materials</i> , 2012 , 24, 464-470	9.6	593
14	Preparation of highly moisture-resistant black-colored metal organic frameworks. <i>Advanced Materials</i> , 2012 , 24, 4010-3	24	135
13	Surface modifications for the effective dispersion of carbon nanotubes in solvents and polymers. <i>Carbon</i> , 2012 , 50, 3-33	10.4	526
12	Simple and cost-effective reduction of graphite oxide by sulfuric acid. <i>Carbon</i> , 2012 , 50, 3229-3232	10.4	62
11	Effects of carbon dioxide and acidic carbon compounds on the analysis of Boehm titration curves. <i>Carbon</i> , 2012 , 50, 1510-1516	10.4	28
10	A simple method for determining the neutralization point in Boehm titration regardless of the CO ₂ effect. <i>Carbon</i> , 2012 , 50, 3315-3323	10.4	37
9	Effects of structural modifications on the hydrogen storage capacity of MOF-5. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 5777-5783	6.7	22
8	Si-doping effect on the enhanced hydrogen storage of single walled carbon nanotubes and graphene. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 12286-12295	6.7	76
7	Preparation and photoluminescence (PL) performance of a nanoweb of P3HT nanofibers with diameters below 100 nm. <i>Journal of Materials Chemistry</i> , 2011 , 21, 14231		36
6	MOF-derived ZnO and ZnO@C composites with high photocatalytic activity and adsorption capacity. <i>Journal of Hazardous Materials</i> , 2011 , 186, 376-82	12.8	104
5	Concentration-Driven Evolution of Crystal Structure, Pore Characteristics, and Hydrogen Storage Capacity of Metal Organic Framework-5s: Experimental and Computational Studies. <i>Chemistry of Materials</i> , 2010 , 22, 6138-6145	9.6	18
4	Enhanced hydrogen storage capacity of Pt-loaded CNT@MOF-5 hybrid composites. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 13062-13067	6.7	83
3	Easy synthesis of highly nitrogen-enriched graphitic carbon with a high hydrogen storage capacity at room temperature. <i>Carbon</i> , 2009 , 47, 1585-1591	10.4	95
2	Preparation and Enhanced Hydrostability and Hydrogen Storage Capacity of [email[protected]] Hybrid Composite. <i>Chemistry of Materials</i> , 2009 , 21, 1893-1897	9.6	287
1	Facile preparation of monodisperse ZnO quantum dots with high quality photoluminescence characteristics. <i>Nanotechnology</i> , 2008 , 19, 035609	3.4	36