

# Silvana Naredi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4506859/publications.pdf>

Version: 2024-02-01

19  
papers

247  
citations

1040056

9  
h-index

996975

15  
g-index

19  
all docs

19  
docs citations

19  
times ranked

337  
citing authors

#	ARTICLE	IF	CITATIONS
1	Machine learning analysis of heart rate variability to detect delayed cerebral ischemia in subarachnoid hemorrhage. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 151-159.	2.1	12
2	Long-term outcomes after aneurysmal subarachnoid hemorrhage: A prospective observational cohort study. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 525-536.	2.1	5
3	Association between inflammatory response and outcome after subarachnoid haemorrhage. <i>Acta Neurologica Scandinavica</i> , 2021, 143, 195-205.	2.1	12
4	Prevalence and Intensive Care Bed Use in Subjects on Prolonged Mechanical Ventilation in Swedish ICUs. <i>Respiratory Care</i> , 2021, 66, 300-306.	1.6	9
5	Robust Machine Learning in Critical Care – Software Engineering and Medical Perspectives. , 2021, , .		2
6	Cerebral ischemia detection using artificial intelligence (CIDAI) – A study protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1335-1342.	1.6	17
7	Are available methods for assessment of cerebral perfusion sufficient for scientific studies or not?. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 566-567.	1.6	0
8	Swedish intensivists' experiences and attitudes regarding end-of-life decisions. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 656-662.	1.6	7
9	Heart rate variability monitoring for the detection of delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 945-952.	1.6	11
10	Age, SAPS 3 and female sex are associated with decisions to withdraw or withhold intensive care. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1210-1215.	1.6	14
11	Mental fatigue assessment may add information after aneurysmal subarachnoid hemorrhage. <i>Brain and Behavior</i> , 2019, 9, e01303.	2.2	7
12	Speckle tracking vs conventional echocardiography for the detection of myocardial injury – A study on patients with subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 365-372.	1.6	4
13	Cerebrospinal fluid lactate and neurological outcome after subarachnoid haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2019, 60, 63-67.	1.5	5
14	Person-centred care during prolonged weaning from mechanical ventilation, nurses' views: an interview study. <i>Intensive and Critical Care Nursing</i> , 2018, 46, 32-37.	2.9	14
15	Leptin levels after subarachnoid haemorrhage are gender dependent. <i>SpringerPlus</i> , 2016, 5, 667.	1.2	1
16	ADMA Levels and Arginine/ADMA Ratios Reflect Severity of Disease and Extent of Inflammation After Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2014, 21, 91-101.	2.4	17
17	Effects of prostacyclin on the early inflammatory response in patients with traumatic brain injury-a randomised clinical study. <i>SpringerPlus</i> , 2014, 3, 98.	1.2	13
18	Sympathetic activation and inflammatory response in patients with subarachnoid haemorrhage. <i>Intensive Care Medicine</i> , 2006, 32, 1955-1961.	8.2	55

#	ARTICLE	IF	CITATIONS
19	Instillation of Alcohol into Venous Malformations of the Head and Neck. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1994, 28, 279-284.	0.6	42