

# Gwendolijne Gm Scholten-Peeters

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4507034/publications.pdf>

Version: 2024-02-01

75  
papers

2,080  
citations

304368

22  
h-index

253896

43  
g-index

82  
all docs

82  
docs citations

82  
times ranked

1852  
citing authors

#	ARTICLE	IF	CITATIONS
1	In patients eligible for meniscal surgery who first receive physical therapy, multivariable prognostic models cannot predict who will eventually undergo surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 231-238.	2.3	3
2	Clinical characteristics differ between patients with non-traumatic neck pain, patients with whiplash-associated disorders, and pain-free individuals. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2592-2602.	0.6	2
3	Back2Action: effectiveness of physiotherapy blended with eHealth consisting of pain education and behavioural activation versus physiotherapy alone protocol for a pragmatic randomised clinical trial for people with subacute or persistent spinal pain. <i>BMJ Open</i> , 2022, 12, e050808.	0.8	2
4	An individualized decision between physical therapy or surgery for patients with degenerative meniscal tears cannot be based on continuous treatment selection markers: a marker-by-treatment analysis of the ESCAPE study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1937-1948.	2.3	6
5	Neuroimmune responses following joint mobilisation and manipulation in people with persistent neck pain: a protocol for a randomised placebo-controlled trial. <i>BMJ Open</i> , 2022, 12, e055748.	0.8	2
6	Preferred self-administered questionnaires to assess resilience, optimism, pain acceptance and social support in people with pain. A modified Delphi study. <i>Pain Medicine</i> , 2022, , .	0.9	0
7	Effect of Physical Therapy vs Arthroscopic Partial Meniscectomy in People With Degenerative Meniscal Tears. <i>JAMA Network Open</i> , 2022, 5, e2220394.	2.8	13
8	Risk factors for overuse injuries in short- and long-distance running: A systematic review. <i>Journal of Sport and Health Science</i> , 2021, 10, 14-28.	3.3	45
9	Diagnostic accuracy of patient interview items and clinical tests for cervical radiculopathy. <i>Physiotherapy</i> , 2021, 111, 74-82.	0.2	17
10	Diagnostic ultrasound in patients with shoulder pain: An inter-examiner agreement and reliability study among Dutch physical therapists. <i>Musculoskeletal Science and Practice</i> , 2021, 51, 102283.	0.6	2
11	A Clinical Journey Mobile Health App for Perioperative Patients: Cross-sectional Study. <i>JMIR Human Factors</i> , 2021, 8, e20694.	1.0	10
12	Interexaminer Agreement and Reliability of an Internationally Endorsed Screening Framework for Cervical Vascular Risks Following Manual Therapy and Exercise: The Go4Safe Project. <i>Physical Therapy</i> , 2021, 101, .	1.1	4
13	Effects of joint and nerve mobilisation on neuroimmune responses in animals and humans with neuromusculoskeletal conditions: a systematic review and meta-analysis. <i>Pain Reports</i> , 2021, 6, e927.	1.4	11
14	High concurrent validity between digital and analogue algometers to measure pressure pain thresholds in healthy participants and people with migraine: a cross-sectional study. <i>Journal of Headache and Pain</i> , 2021, 22, 69.	2.5	11
15	Identifying the Most Important Confounders When Assessing the Association Between Low-Grade Systemic Inflammation and Musculoskeletal Pain: A Modified Delphi Study. <i>Pain Medicine</i> , 2021, 22, 2661-2669.	0.9	11
16	Pericranial Total Tenderness Score in Patients with Tension-type Headache and Migraine. A Systematic Review and Meta-analysis. <i>Pain Physician</i> , 2021, 24, E1177-E1189.	0.3	0
17	No relevant differences in conditioned pain modulation effects between parallel and sequential test design. A cross-sectional observational study. <i>PeerJ</i> , 2021, 9, e12330.	0.9	8
18	Preferred Self-Administered Questionnaires to Assess Depression, Anxiety and Somatization in People With Musculoskeletal Pain – A Modified Delphi Study. <i>Journal of Pain</i> , 2020, 21, 409-417.	0.7	27

#	ARTICLE	IF	CITATIONS
19	&lt;p&gt;Clinical Characteristics and Patient-Reported Outcomes of Primary Care Physiotherapy in Patients with Whiplash-Associated Disorders: A Longitudinal Observational Study&lt;/p&gt;. Patient Preference and Adherence, 2020, Volume 14, 1733-1750.	0.8	3
20	Baseline Patient Characteristics Commonly Captured Before Surgery Do Not Accurately Predict Long-Term Outcomes of Lumbar Microdiscectomy Followed by Physiotherapy. Spine, 2020, 45, E885-E891.	1.0	7
21	The Effect of a Personalized Newsletter to Physical Therapists on Patient Recruitment: A Cluster Randomized Trial in Primary Physiotherapy Care. Journal of Manipulative and Physiological Therapeutics, 2020, 43, 476-482.	0.4	0
22	How do people in China think about causes of their back pain? A predominantly qualitative cross-sectional survey. BMC Musculoskeletal Disorders, 2020, 21, 476.	0.8	6
23	Functional Outcomes of Arthroscopic Partial Meniscectomy Versus Physical Therapy for Degenerative Meniscal Tears Using a Patient-Specific Score: A Randomized Controlled Trial. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712095439.	0.8	11
24	&lt;p&gt;Relationships Between Context, Process, and Outcome Indicators to Assess Quality of Physiotherapy Care in Patients with Whiplash-Associated Disorders: Applying Donabedianâ€™s Model of Care&lt;/p&gt;. Patient Preference and Adherence, 2020, Volume 14, 425-442.	0.8	7
25	Fluctuations in local and widespread mechanical sensitivity throughout the migraine cycle: a prospective longitudinal study. Journal of Headache and Pain, 2020, 21, 16.	2.5	21
26	Preferred self-administered questionnaires to assess fear of movement, coping, self-efficacy, and catastrophizing in patients with musculoskeletal painâ€™A modified Delphi study. Pain, 2019, 160, 600-606.	2.0	32
27	Does the outcome of diagnostic ultrasound influence the treatment modalities and recovery in patients with shoulder pain in physiotherapy practice? Results from a prospective cohort study. Musculoskeletal Science and Practice, 2019, 41, 28-35.	0.6	5
28	Identifying psychosocial characteristics that predict outcome to the UPLIFT programme for people with persistent back pain: protocol for a prospective cohort study. BMJ Open, 2019, 9, e028747.	0.8	6
29	Authors' Reply: Confounding and mediation to reveal the true association between systemic inflammation and musculoskeletal pain. Spine Journal, 2019, 19, 1901.	0.6	3
30	Agreement between physical therapists and radiologists of stratifying patients with shoulder pain into new treatment related categories using ultrasound; an exploratory study. Musculoskeletal Science and Practice, 2019, 40, 1-9.	0.6	1
31	Author Response. Physical Therapy, 2019, 99, 120-120.	1.1	0
32	Translation of the eHealth Impact Questionnaire for a Population of Dutch Electronic Health Users: Validation Study. Journal of Medical Internet Research, 2019, 21, e13408.	2.1	13
33	Concurrent validity and interrater reliability of a new smartphone application to assess 3D active cervical range of motion in patients with neck pain. Musculoskeletal Science and Practice, 2018, 34, 59-65.	0.6	26
34	Clinical Practice Guideline for Physical Therapy Assessment and Treatment in Patients With Nonspecific Neck Pain. Physical Therapy, 2018, 98, 162-171.	1.1	144
35	Risk models for lower extremity injuries among short- and long distance runners: A prospective cohort study. Musculoskeletal Science and Practice, 2018, 36, 48-53.	0.6	20
36	Value of physical tests in diagnosing cervical radiculopathy: a systematic review. Spine Journal, 2018, 18, 179-189.	0.6	75

#	ARTICLE	IF	CITATIONS
37	One question might be capable of replacing the Shoulder Pain and Disability Index (SPADI) when measuring disability: a prospective cohort study. <i>Quality of Life Research</i> , 2018, 27, 401-410.	1.5	4
38	Considerations to improve the safety of cervical spine manual therapy. <i>Musculoskeletal Science and Practice</i> , 2018, 33, 41-45.	0.6	38
39	Validity of the Flemish working alliance inventory in a Dutch physiotherapy setting in patients with shoulder pain. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 384-392.	0.6	7
40	Has the quality of physiotherapy care in patients with Whiplash-associated disorders (WAD) improved over time? A retrospective study using routinely collected data and quality indicators. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 2291-2308.	0.8	9
41	Clinical course and prognostic models for the conservative management of cervical radiculopathy: a prospective cohort study. <i>European Spine Journal</i> , 2018, 27, 2710-2719.	1.0	14
42	Multiple confounders influence the association between low-grade systemic inflammation and musculoskeletal pain. A call for a prudent interpretation of the literature. <i>Spine Journal</i> , 2018, 18, 2162-2163.	0.6	12
43	Development of a Prognostic Model for Patients With Shoulder Complaints in Physical Therapist Practice. <i>Physical Therapy</i> , 2017, 97, 72-80.	1.1	15
44	The Responsiveness and Interpretability of the Shoulder Pain and Disability Index. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 278-286.	1.7	22
45	Physiotherapy for patients with shoulder pain in primary care: a descriptive study of diagnostic- and therapeutic management. <i>Physiotherapy</i> , 2017, 103, 369-378.	0.2	32
46	The diagnostic accuracy and test-retest reliability of the Dutch PainDETECT and the DN4 screening tools for neuropathic pain in patients with suspected cervical or lumbar radiculopathy. <i>Musculoskeletal Science and Practice</i> , 2017, 30, 72-79.	0.6	19
47	To What Degree Does Active Cervical Range of Motion Differ Between Patients With Neck Pain, Patients With Whiplash, and Those Without Neck Pain? A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1407-1434.	0.5	77
48	Support and preferences for intermediate health care services for back and neck pain: a survey among members of the Dutch patient association for spinal pain. <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 726-731.	0.9	0
49	Evaluation of measurement properties of self-administered PROMs aimed at patients with non-specific shoulder pain and "activity limitations": a systematic review. <i>Quality of Life Research</i> , 2016, 25, 2141-2160.	1.5	34
50	Risk factors for lower extremity injuries among half marathon and marathon runners of the <sc>L</sc>age <sc>L</sc>anden <sc>M</sc>arathon <sc>E</sc>indhoven 2012: A prospective cohort study in the <sc>N</sc>etherlands. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 226-234.	1.3	22
51	Letter to the Editor: Physical examination tests for screening and diagnosis of cervicogenic headache: A systematic review by Rubio-Ochoa et Al. (2015). <i>Manual Therapy</i> , 2016, 23, e7-e8.	1.6	3
52	The Dutch Shoulder Pain and Disability Index (SPADI): a reliability and validation study. <i>Quality of Life Research</i> , 2015, 24, 1515-1519.	1.5	36
53	Validity of the Thessaly Test in Evaluating Meniscal Tears Compared With Arthroscopy: A Diagnostic Accuracy Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 18-24.	1.7	29
54	Risk reduction of serious complications from manual therapy: Are we reducing the risk?. <i>Manual Therapy</i> , 2014, 19, e5-e6.	1.6	2

#	ARTICLE	IF	CITATIONS
55	The opinion and experiences of Dutch orthopedic surgeons and radiologists about diagnostic musculoskeletal ultrasound imaging in primary care: A survey. <i>Manual Therapy</i> , 2014, 19, 109-113.	1.6	15
56	Prevalence, incidence and course of lower extremity injuries in runners during a 12-month follow-up period. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, 943-949.	1.3	36
57	Inter-professional agreement of ultrasound-based diagnoses in patients with shoulder pain between physical therapists and radiologists in the Netherlands. <i>Manual Therapy</i> , 2014, 19, 478-483.	1.6	15
58	Attitude, knowledge and behaviour towards evidence-based medicine of physical therapists, students, teachers and supervisors in the Netherlands: a survey. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 598-606.	0.9	24
59	Is manipulative therapy more effective than sham manipulation in adults?: a systematic review and meta-analysis. <i>Chiropractic &amp; Manual Therapies</i> , 2013, 21, 34.	0.6	23
60	Diagnostic accuracy of premanipulative vertebrobasilar insufficiency tests: A systematic review. <i>Manual Therapy</i> , 2013, 18, 177-182.	1.6	41
61	Diagnostic Accuracy of Upper Cervical Spine Instability Tests: A Systematic Review. <i>Physical Therapy</i> , 2013, 93, 1686-1695.	1.1	49
62	The Effectiveness of Conservative Treatment for Patients With Cervical Radiculopathy. <i>Clinical Journal of Pain</i> , 2013, 29, 1073-1086.	0.8	83
63	Lack of uniform diagnostic criteria for cervical radiculopathy in conservative intervention studies: a systematic review. <i>European Spine Journal</i> , 2012, 21, 1459-1470.	1.0	61
64	Clinical Classification of Deformational Plagiocephaly According to Argenta. <i>Journal of Craniofacial Surgery</i> , 2008, 19, 664-668.	0.3	42
65	Education by General Practitioners or Education and Exercises by Physiotherapists for Patients With Whiplash-Associated Disorders? A Randomized Clinical Trial. <i>Spine</i> , 2006, 31, 723-731.	1.0	65
66	Physical Therapy and Manual Physical Therapy for Patients with Non-Specific Low-Back Pain: Differences in Patient Characteristics with Implications for Diagnostic Classification. <i>Journal of Manual and Manipulative Therapy</i> , 2006, 14, 46E-55E.	0.7	2
67	Physical Therapy and Manual Physical Therapy: Differences in Patient Characteristics. <i>Journal of Manual and Manipulative Therapy</i> , 2005, 13, 113-124.	0.7	8
68	Prognostic factors for poor recovery in acute whiplash patients. <i>Pain</i> , 2005, 114, 408-416.	2.0	164
69	Comment on Hendriks et al.: Prognostic factors for poor recovery in acute whiplash patients. <i>Pain</i> 2005;114:408-416. <i>Pain</i> , 2005, 119, 247-248.	2.0	4
70	Comment on Hendriks et al.: Prognostic factors for poor recovery in acute whiplash patients. <i>Pain</i> 2005;114:408-416. <i>Pain</i> , 2005, 119, 248-249.	2.0	0
71	Evidence-Based Practice in Physical and Manual Therapy: Development and Content of Dutch National Practice Guidelines for Patients with Non-Specific Low Back Pain. <i>Journal of Manual and Manipulative Therapy</i> , 2004, 12, 21-31.	0.7	10
72	Conservative treatments for whiplash. , 2004, , CD003338.		22

#	ARTICLE	IF	CITATIONS
73	Prognostic factors of whiplash-associated disorders: a systematic review of prospective cohort studies. <i>Pain</i> , 2003, 104, 303-322.	2.0	367
74	Randomized clinical trial of conservative treatment for patients with whiplash-associated disorders: considerations for the design and dynamic treatment protocol. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2003, 26, 412-420.	0.4	23
75	Clinical Practice Guideline for the Physiotherapy of Patients With Whiplash-Associated Disorders. <i>Spine</i> , 2002, 27, 412-422.	1.0	95