
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4507645/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Very late reactions in the patch test with fragrance mix I and oak moss absolute (<i>Evernia) Tj ETQq1 1 0.7843 Dermatitis, 2022, 86, 54-57.</i>	14 rgBT 1.4	/Overlock 10 Tf 0
2	Epidemiology, comorbidities, and healthcare utilization of patients with chronic urticaria in Germany. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 91-99.	2.4	23
3	Risk factors for systemic reactions in typical cold urticaria: Results from the COLDâ€CE study. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 2185-2199.	5.7	20
4	European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20: Joint results of the <scp>ESSCA^A</scp> and the <scp>EBS^B</scp> working groups of the <scp>ESCD</scp> , and the <scp>GEIDAC^C</scp> . Contact Dermatitis, 2022, 86, 379-389.	1.4	18
5	The <scp>panâ€JAK</scp> inhibitor delgocitinib in a cream formulation demonstrates dose response in chronic hand eczema in a 16â€week randomized phase <scp>IIb</scp> trial*. British Journal of Dermatology, 2022, 187, 42-51.	1.5	28
6	Adrenaline autoinjector is underprescribed in typical cold urticaria patients. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 2224-2229.	5.7	4
7	Guidelines for diagnosis, prevention, and treatment of hand eczema. Contact Dermatitis, 2022, 86, 357-378.	1.4	83
8	Adrenaline autoinjector is under-prescribed in typical cold urticaria patients living in tropical climate countries. Qatar Medical Journal, 2022, 2022, .	0.5	0
9	German S1 guideline: Contact dermatitis. JDDG - Journal of the German Society of Dermatology, 2022, 20, 712-734.	0.8	10
10	S1‣eitlinie Kontaktekzem. JDDG - Journal of the German Society of Dermatology, 2022, 20, 711-734.	0.8	4
11	From the Cochrane Library: Interventions for Preventing Occupational Irritant Hand Dermatitis. JMIR Dermatology, 2022, 5, e37961.	0.7	Ο
12	Patch test results with the European baseline series, 2019/20—Joint European results of the <scp>ESSCA</scp> and the <scp>EBS</scp> working groups of the <scp>ESCD</scp> , and the <scp>CEIDAC</scp> . Contact Dermatitis, 2022, 87, 343-355.	1.4	22
13	Phenotype and risk factors of venom-induced anaphylaxis: AÂcase-control study of the European Anaphylaxis Registry. Journal of Allergy and Clinical Immunology, 2021, 147, 653-662.e9.	2.9	40
14	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015â \in 2018. Contact Dermatitis, 2021, 84, 109-120.	1.4	44
15	The global impact of the COVIDâ€19 pandemic on the management and course of chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 816-830.	5.7	58
16	Developing a cosmetic series: Results from the <scp>ESSCA</scp> network, 2009â€2018. Contact Dermatitis, 2021, 84, 82-94.	1.4	10
17	Formaldehyde 2% is not a useful means of detecting allergy to formaldehyde releasers— results of the <scp>ESSCA</scp> network, 2015â€2018. Contact Dermatitis, 2021, 84, 95-102.	1.4	15
18	Patch test results with caine mix <scp>III</scp> and its three constituents in consecutive patients of the <scp>IVDK</scp> . Contact Dermatitis, 2021, 84, 481-483.	1.4	4

#	Article	IF	CITATIONS
19	Expert consensus on practical aspects in the treatment of chronic urticaria. Allergo Journal International, 2021, 30, 64-75.	2.0	13
20	Severe allergic reactions after COVID-19 vaccination with the Pfizer/BioNTech vaccine in Great Britain and USA. Allergo Journal International, 2021, 30, 51-55.	2.0	55
21	A negative breakdown test in a fragrance mix lâ€positive patient does not rule out contact allergy to its fragrance constituents. Contact Dermatitis, 2021, 84, 407-418.	1.4	11
22	Wheat Anaphylaxis in Adults Differs from Reactions to Other Types of Food. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 2844-2852.e5.	3.8	28
23	European Surveillance System on Contact Allergies (ESSCA): Characteristics of patients patch tested and diagnosed with irritant contact dermatitis. Contact Dermatitis, 2021, 85, 186-197.	1.4	11
24	Effects of pregnancy on chronic urticaria: Results of the PREG U UCARE study. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 3133-3144.	5.7	15
25	What's New in the Treatment of Urticaria and Angioedema. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 2170-2184.	3.8	10
26	How are patients with chronic urticaria interested in using information and communication technologies to guide their healthcare? A UCARE study. World Allergy Organization Journal, 2021, 14, 100542.	3.5	11
27	Patch test informed consent form: position statement by European Academy of Dermatology and Venereology Task Force on Contact Dermatitis. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1957-1962.	2.4	2
28	Occupational contact dermatitis in painters and varnishers: Data from the <scp>Information Network of Departments of Dermatology</scp> (<scp>IVDK</scp>), 2000 to 2019. Contact Dermatitis, 2021, 85, 494-502.	1.4	8
29	White paper on peanut allergy– partÂ1: Epidemiology, burden of disease, health economic aspects. Allergo Journal International, 2021, 30, 261-269.	2.0	8
30	Assessment of the effects of a work-related allergy to seafood on the reduction of earning capacity in the context of BK No. 5101. Allergologie Select, 2021, 5, 33-44.	3.1	3
31	Contact Allergy to Paint and Lacquers. , 2021, , 1083-1091.		2
32	The Preventive Value of Sun Protection. Current Problems in Dermatology, 2021, 55, 316-328.	0.7	2
33	Chronic urticaria patients are interested in apps to monitor their disease activity and control: A UCARE CURICT analysis. Clinical and Translational Allergy, 2021, 11, e12089.	3.2	9
34	Secondary prevention measures in anaphylaxis patients: Data from the anaphylaxis registry. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 901-910.	5.7	10
35	Efficacy and safety of topical delgocitinib in patients with chronic hand eczema: data from a randomized, doubleâ€blind, vehicle ontrolled phase <scp>II</scp> a study. British Journal of Dermatology, 2020, 182, 1103-1110.	1.5	69
36	The methylisothiazolinone epidemic goes along with changing patients' characteristics – After cosmetics, industrial applications are the focus. Contact Dermatitis, 2020, 82, 87-93.	1.4	30

#	Article	IF	CITATIONS
37	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm―to identify allergens tested in cosmetic series across Europe. Contact Dermatitis, 2020, 82, 195-200.	1.4	5
38	Basal cell carcinoma risk and solar UV exposure in occupationally relevant anatomic sites: do histological subtype, tumor localization and Fitzpatrick phototype play a role? A population-based case-control study. Journal of Occupational Medicine and Toxicology, 2020, 15, 28.	2.2	23
39	Occupational allergy to phytase: case series of eight production workers exposed to animal feed additives. JDDG - Journal of the German Society of Dermatology, 2020, 18, 859-865.	0.8	2
40	Definition, aims, and implementation of GA ² LEN/HAEi Angioedema Centers of Reference and Excellence. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2115-2123.	5.7	29
41	Protocol for the development of a core domain set for hand eczema trials. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 2871-2876.	2.4	3
42	Prevention of Occupational Skin Cancer. , 2020, , 1685-1697.		5
43	The usage, quality and relevance of information and communications technologies in patients with chronic urticaria: A UCARE study. World Allergy Organization Journal, 2020, 13, 100475.	3.5	13
44	Cleaners. , 2020, , 1793-1798.		0
45	Prevention in Food Workers. , 2020, , 1645-1653.		0
46	Paint and Lacquers. , 2020, , 1-9.		0
47	Contact Allergy to Paint and Lacquers. , 2020, , 1-9.		0
48	The frequency of specific contact allergies is reduced in patients with psoriasis. British Journal of Dermatology, 2019, 180, 315-320.	1.5	15
49	Omalizumab normalizes the gene expression signature of lesional skin in patients with chronic spontaneous urticaria: A randomized, doubleâ€blind, placeboâ€controlled study. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 141-151.	5.7	32
50	lmatinib mesylate and nilotinib decrease synthesis of bone matrix in�vitro. Oncology Letters, 2019, 18, 2102-2108.	1.8	5
51	S3 guidelines: Epicutaneous patch testing with contact allergens and drugs – Short version, Part 1. JDDG - Journal of the German Society of Dermatology, 2019, 17, 1076-1093.	0.8	81
52	Ligelizumab for Chronic Spontaneous Urticaria. New England Journal of Medicine, 2019, 381, 1321-1332.	27.0	187
53	S2k‣eitlinie Basalzellkarzinom der Haut – Teil 1: Epidemiologie, Genetik und Diagnostik. JDDG - Journal of the German Society of Dermatology, 2019, 17, 94-104.	0.8	23
54	S3 Guidelines: Epicutaneous patch testing with contact allergens and drugs – Short version, Part 2. JDDG - Journal of the German Society of Dermatology, 2019, 17, 1187-1207.	0.8	44

#	Article	IF	CITATIONS
55	Epidermolytic ichthyosis due to a de novo missense mutation c.1307T> C; p.Leu436Pro in KRT10. JDDG - Journal of the German Society of Dermatology, 2019, 17, 82-84.	0.8	1
56	S2k Guidelines for Cutaneous Basal Cell Carcinoma – Part 1: Epidemiology, Genetics and Diagnosis. JDDG - Journal of the German Society of Dermatology, 2019, 17, 94-103.	0.8	44
57	Contact sensitization to plants of the Compositae family: Data of the Information Network of Departments of Dermatology (IVDK) from 2007 to 2016. Contact Dermatitis, 2019, 80, 222-227.	1.4	17
58	Antihistamineâ€resistant chronic spontaneous urticaria: 1â€year data from the AWARE study. Clinical and Experimental Allergy, 2019, 49, 655-662.	2.9	45
59	Which outcomes have been measured in hand eczema trials? A systematic review. Contact Dermatitis, 2019, 80, 201-207.	1.4	18
60	European Surveillance System on Contact Allergies (ESSCA): Contact allergies in relation to body sites in patients with allergic contact dermatitis. Contact Dermatitis, 2019, 80, 263-272.	1.4	39
61	Chronic hand eczema in Germany: 5â€year followâ€up data from the CARPE registry. Contact Dermatitis, 2019, 80, 45-53.	1.4	32
62	European Surveillance System on Contact Allergies (ESSCA): polysensitization, 2009–2014. Contact Dermatitis, 2018, 78, 373-385.	1.4	17
63	Non-IgE-dependent hypersensitivity to macrogol 6000. JDDG - Journal of the German Society of Dermatology, 2018, 16, 479-481.	0.8	5
64	Factors increasing the risk for a severe reaction in anaphylaxis: An analysis of data from The European Anaphylaxis Registry. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1322-1330.	5.7	176
65	Interventions for preventing occupational irritant hand dermatitis. The Cochrane Library, 2018, 2018, CD004414.	2.8	50
66	Increased attentionâ€deficit/hyperactivity symptoms in atopic dermatitis are associated with history of antihistamine use. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 615-626.	5.7	48
67	Is ultraviolet exposure acquired at work the most important risk factor for cutaneous squamous cell carcinoma? Results of the population-based case-control study FB-181. British Journal of Dermatology, 2018, 178, 462-472.	1.5	62
68	Health utilities for controlled and uncontrolled chronic hand eczema in healthcare employees. Contact Dermatitis, 2018, 78, 18-27.	1.4	6
69	Occupational UV-Exposure is a Major Risk Factor for Basal Cell Carcinoma. Journal of Occupational and Environmental Medicine, 2018, 60, 36-43.	1.7	52
70	Prevention of Occupational Skin Cancer. , 2018, , 1-13.		1
71	Recommendations for photopatch testing by the Photopatch Test Working Group of the German Contact Dermatitis Research Group (DKG). JDDG - Journal of the German Society of Dermatology, 2018, 16, 1363-1364.	0.8	13
72	Extended documentation for hand dermatitis patients: Pilot study on irritant exposures. Contact Dermatitis, 2018, 79, 168-174.	1.4	15

#	Article	IF	CITATIONS
73	Pilot study on a new concept of documenting the clinical relevance of patch test results in contact dermatitis patients. Contact Dermatitis, 2018, 79, 370-377.	1.4	8
74	Cleaners. , 2018, , 1-6.		0
75	H1â€antihistamineâ€refractory chronic spontaneous urticaria: it's worse than we thought – first results of the multicenter realâ€life <scp>AWARE</scp> study. Clinical and Experimental Allergy, 2017, 47, 684-692.	2.9	96
76	Contact allergy to preservatives: <scp>ESSCA</scp> * results with the baseline series, 2009–2012. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 664-671.	2.4	64
77	Dealing with absolute and relative contraindications to specific immunotherapy using Hymenoptera venoms. Allergo Journal International, 2017, 26, 122-128.	2.0	1
78	European Surveillance System on Contact Allergies (<scp>ESSCA</scp>): results with the European baseline series, 2013/14. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1516-1525.	2.4	106
79	Patch testing with rubber series in <scp>E</scp> urope: a critical review and recommendation. Contact Dermatitis, 2017, 76, 195-203.	1.4	21
80	Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 12-30.	2.4	56
81	Minimum standards on prevention, diagnosis and treatment of occupational and workâ€related skin diseases in Europe – position paper of the COST Action StanDerm (TD 1206). Journal of the European Academy of Dermatology and Venereology, 2017, 31, 31-43.	2.4	94
82	Clinical efficacy of omalizumab in chronic spontaneous urticaria is associated with a reduction of FcεRl-positive cells in the skin. Theranostics, 2017, 7, 1266-1276.	10.0	113
83	Off‑target effect of imatinib and nilotinib on human vitamin D3 metabolism. Molecular Medicine Reports, 2017, 17, 1382-1388.	2.4	7
84	Report from the kick-off meeting of the Cochrane Skin Group Core Outcome Set Initiative (CSG-COUSIN). British Journal of Dermatology, 2016, 174, 287-295.	1.5	41
85	Safety and tolerability during build-up phase of a rush venom immunotherapy. Annals of Allergy, Asthma and Immunology, 2016, 116, 360-365.	1.0	14
86	Are the classic diagnostic methods in mycology still state of the art?. JDDG - Journal of the German Society of Dermatology, 2016, 14, 490-494.	0.8	13
87	Sind die klassischen Methoden zur mykologischen Diagnostik noch "Stateâ€ofâ€ŧheâ€Art"?. JDDG - Journal the German Society of Dermatology, 2016, 14, 490-494.	of 0.8	8
88	The European Status Quo in legal recognition and patient-care services of occupational skin cancer. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 46-51.	2.4	46
89	Knowledge of outdoor workers on the effects of natural UV radiation and methods of protection against exposure. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 34-37.	2.4	35
90	Which factors are associated with the use of systemic antihistamines in patients with chronic hand eczema? Results from the <scp>CARPE</scp> registry. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 50-56.	2.4	5

#	Article	IF	CITATIONS
91	Inhibitory effects of imatinib on vitamin D3 synthesis in human keratinocytes. Molecular Medicine Reports, 2015, 11, 3143-3147.	2.4	16
92	Patch test results of the <scp>E</scp> uropean baseline series among patients with occupational contact dermatitis across <scp>E</scp> urope – analyses of the <scp>E</scp> uropean <scp>S</scp> urveillance <scp>S</scp> ystem on <scp>C</scp> ontact <scp>A</scp> llergy network, 2002–2010. Contact Dermatitis, 2015, 72, 154-163.	1.4	144
93	Occupational contact allergy in nurses: results from the <scp>I</scp> nformation <scp>N</scp> etwork of <scp>D</scp> epartments of <scp>D</scp> ermatology 2003–2012. Contact Dermatitis, 2015, 72, 164-171.	1.4	54
94	ESSCA results with the baseline series, 2009–2012: rubber allergens. Contact Dermatitis, 2015, 73, 305-312.	1.4	35
95	Characteristics and Provision of Care in Patients with Chronic Hand Eczema: Updated Data from the CARPE Registry. Acta Dermato-Venereologica, 2014, 94, 163-167.	1.3	46
96	Acceptance and Usability of Different Sunscreen Formulations among Outdoor Workers: A Randomized, Single-blind, Cross-over Study. Acta Dermato-Venereologica, 2014, 94, 152-156.	1.3	19
97	ltching in Patients with Chronic Hand Eczema: Data from the CARPE Registry. Dermatology, 2014, 229, 146-153.	2.1	24
98	Sun exposure: perceptions and behaviours in outdoor workers. British Journal of Dermatology, 2014, 171, 1570-1572.	1.5	14
99	Occupational allergic contact dermatitis: the big challenge. British Journal of Dermatology, 2014, 170, 1010-1011.	1.5	Ο
100	Severity And Functional Disability Of Patients With Occupational Contact Dermatitis: Validation Of The German Version Of The Occupational Contact Dermatitis Disease Severity Index (ODDI). Value in Health, 2014, 17, A567.	0.3	0
101	Clinical evaluation of a novel commercial multiplexâ€based <scp>PCR</scp> diagnostic test for differential diagnosis of dermatomycoses. Mycoses, 2014, 57, 27-34.	4.0	46
102	Durch UV-Strahlung induzierte bösartige Hauttumoren – Erarbeitung und Evaluation von versicherungsrechtlich relevanten Abgrenzungskriterien beruflicher gegenüber nicht beruflicher Verursachung. Wissenschaftlicher Abschlussbericht des DGUV Dermatologie in Beruf Und Umwelt, 2014, 62, 107-132.	0.5	5
103	Contact dermatitis in the cleaning industry. Current Opinion in Allergy and Clinical Immunology, 2013, 13, 521-524.	2.3	27
104	Risk factors associated with methylisothiazolinone contact sensitization. Contact Dermatitis, 2013, 69, 231-238.	1.4	109
105	Satisfaction with medical treatment in patients with hand dermatitis – a crossâ€sectional study. JDDG - Journal of the German Society of Dermatology, 2013, 11, 1007-1013.	0.8	5
106	Efficacy of pimecrolimus 1 % cream in the long term management of atopic hand dermatitis. A doubleâ€blind RCT. JDDG - Journal of the German Society of Dermatology, 2012, 10, 426-432.	0.8	9
107	Current patch test results with the European baseline series and extensions to it from the â€ ⁻ European Surveillance System on Contact Allergy' network, 2007–2008. Contact Dermatitis, 2012, 67, 9-19.	1.4	114
108	Occupational ultraviolet light exposure increases the risk for the development of cutaneous squamous cell carcinoma: a systematic review and meta-analysis. British Journal of Dermatology, 2011, 164, 291-307.	1.5	269

#	Article	IF	CITATIONS
109	Is occupational solar ultraviolet irradiation a relevant risk factor for basal cell carcinoma? A systematic review and meta-analysis of the epidemiological literature. British Journal of Dermatology, 2011, 165, no-no.	1.5	189
110	Contact allergy in the cleaning industry: analysis of contact allergy surveillance data of the Information Network of Departments of Dermatology. Contact Dermatitis, 2011, 65, 159-166.	1.4	34
111	Interventions for preventing occupational irritant hand dermatitis. The Cochrane Library, 2010, , CD004414.	2.8	28
112	Prospective safety analysis of an ultrarush specific immunotherapy in adults with wasp venom allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1237-1238.	5.7	9
113	Skin protection in bakers' apprentices. Contact Dermatitis, 2002, 46, 81-85.	1.4	68
114	Type IV allergy in the food processing industry: sensitization profiles in bakers, cooks and butchers. Contact Dermatitis, 2002, 46, 228-235.	1.4	23
115	Occupational hand dermatitis in food industry apprentices: results of a 3-year follow-up cohort study. International Archives of Occupational and Environmental Health, 2001, 74, 437-442.	2.3	56
116	Development of occupational skin diseases during vocational training in baker and confectioner apprentices: a follow-up study. Contact Dermatitis, 1998, 39, 307-311.	1.4	55