

Antonio Antiñolo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4510639/publications.pdf>

Version: 2024-02-01

203
papers

4,628
citations

145106

33
h-index

206121

51
g-index

206
all docs

206
docs citations

206
times ranked

2550
citing authors

#	ARTICLE	IF	CITATIONS
1	Combination of air/moisture/ambient temperature compatible organolithium chemistry with sustainable solvents: selective and efficient synthesis of guanidines and amidines. <i>Green Chemistry</i> , 2022, 24, 800-812.	4.6	7
2	Synthesis and Theoretical Study of New Guanylated Cyclophosphazenes and Their Use in the CO ₂ Fixation into Styrene Carbonate. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2022, 32, 1724-1735.	1.9	1
3	New guanidine-borane adducts: An experimental and theoretical approach. <i>Inorganica Chimica Acta</i> , 2021, 518, 120217.	1.2	1
4	Mono- and Dinuclear Asymmetric Aluminum Guanidates for the Catalytic CO ₂ Fixation into Cyclic Carbonates. <i>Organometallics</i> , 2021, 40, 2859-2869.	1.1	12
5	Aluminum complexes with new non-symmetric ferrocenyl amidine ligands and their application in CO ₂ transformation into cyclic carbonates. <i>Dalton Transactions</i> , 2020, 49, 1124-1134.	1.6	10
6	Copper (II) as catalyst for intramolecular cyclization and oxidation of (1,4-phenylene)bisguanidines to benzodiimidazole-diylidenes. <i>Journal of Catalysis</i> , 2020, 382, 150-154.	3.1	7
7	Reactivity of N-Phosphinoguanidines of the Formula (HNR)(Ph ₂ PNR)C(NAr) toward Main Group Metal Alkyls: Facile Ligand Rearrangement from N-Phosphinoguanidates to Phosphinimine-Amidates. <i>Inorganic Chemistry</i> , 2020, 59, 15262-15275.	1.9	2
8	Ph ₂ PCH ₂ CH ₂ B(C ₈ H ₁₄) and Its Formaldehyde Adduct as Catalysts for the Reduction of CO ₂ with Hydroboranes. <i>Inorganic Chemistry</i> , 2020, 59, 9998-10012.	1.9	10
9	Reactivity studies on a trihydride niobocene complex towards $\hat{1},\hat{1}^2$ -Unsaturated carboxylic acids. <i>Journal of Organometallic Chemistry</i> , 2019, 897, 120-129.	0.8	1
10	Aromatic guanidines as highly active binary catalytic systems for the fixation of CO ₂ into cyclic carbonates under mild conditions. <i>Catalysis Science and Technology</i> , 2019, 9, 3879-3886.	2.1	22
11	9-Borabicyclo[3.3.1]nonane: a metal-free catalyst for the hydroboration of carbodiimides. <i>Chemical Communications</i> , 2019, 55, 3073-3076.	2.2	22
12	Unusual ligand rearrangement: from <i>N</i> -phosphinoguanidinato to phosphinimine-amidinato compounds. <i>Chemical Communications</i> , 2019, 55, 2809-2812.	2.2	4
13	Reactions of an Osmium(IV)-Hydroxo Complex with Amino-Boranes: Formation of Boroxide Derivatives. <i>Organometallics</i> , 2019, 38, 310-318.	1.1	17
14	Guanidine Substitutions in Naphthyl Systems to Allow a Controlled Excited-State Intermolecular Proton Transfer: Tuning Photophysical Properties in Aqueous Solution. <i>Journal of Physical Chemistry C</i> , 2018, 122, 9363-9373.	1.5	13
15	Carbodiimides as catalysts for the reduction of CO ₂ with boranes. <i>Chemical Communications</i> , 2018, 54, 4700-4703.	2.2	31
16	Selective Three-Component Coupling for CO ₂ Chemical Fixation to Boron Guanidinato Compounds. <i>Inorganic Chemistry</i> , 2018, 57, 8404-8413.	1.9	6
17	Simple ZnEt ₂ as a catalyst in carbodiimide hydroalkynylation: structural and mechanistic studies. <i>Dalton Transactions</i> , 2017, 46, 12923-12934.	1.6	6
18	Insertion reactions of small unsaturated molecules in the N=B bonds of boron guanidates. <i>Dalton Transactions</i> , 2017, 46, 10281-10299.	1.6	11

#	ARTICLE	IF	CITATIONS
19	Half-Sandwich Guanidinate-Osmium(II) Complexes: Synthesis and Application in the Selective Dehydration of Aldoximes. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 393-402.	1.0	17
20	Dialkylboron guanidinate: syntheses, structures and carbodiimide de-insertion reactions. <i>Dalton Transactions</i> , 2016, 45, 15350-15363.	1.6	9
21	Structural and Mechanistic Insights into Block Bimetallic Catalysis: Sodium Magnesiato-Catalyzed Guanylation of Amines. <i>Chemistry - A European Journal</i> , 2016, 22, 17646-17656.	1.7	39
22	Tris(pentafluorophenyl)borane as an efficient catalyst in the guanylation reaction of amines. <i>Dalton Transactions</i> , 2016, 45, 10717-10729.	1.6	14
23	Reactivity of the Dimer $[\{\text{RuCl}(\eta^4\text{-C}_6\text{H}_6)(\eta^3\text{-C}_{10}\text{H}_{16})\}_2]$ ($\text{C}_{10}\text{H}_{16}$ = 2,7-Dimethylocta-2,6-diene-1,8-diyl) toward Guanidines: Access to Ruthenium(IV) and Ruthenium(II) Guanidinate Complexes. <i>Organometallics</i> , 2015, 34, 2796-2809.	1.1	20
24	Catalytically Generated Ferrocene-Containing Guanidines as Efficient Precursors for New Redox-Active Heterometallic Platinum(II) Complexes with Anticancer Activity. <i>Organometallics</i> , 2015, 34, 5407-5417.	1.1	57
25	Unusual Mechanism for the Reaction of a Niobocene Hydride Complex with Activated Alkynes. Experimental and DFT Studies. <i>Organometallics</i> , 2015, 34, 2695-2698.	1.1	7
26	Toward the Prediction of Activity in the Ethylene Polymerisation of ansa-Bis(indenyl) Zirconocenes: Effect of the Stereochemistry and Hydrogenation of the Indenyl Moiety. <i>ChemPlusChem</i> , 2015, 80, 963-972.	1.3	3
27	Mixed amido-/imido-/guanidinato niobium complexes: synthesis and the effect of ligands on insertion reactions. <i>Dalton Transactions</i> , 2014, 43, 17434-17444.	1.6	12
28	Preparation and Structural Studies of Non-Symmetric Guanidinate-Supported Zirconium Complexes. <i>Australian Journal of Chemistry</i> , 2014, 67, 1063.	0.5	10
29	Guanidines: from classical approaches to efficient catalytic syntheses. <i>Chemical Society Reviews</i> , 2014, 43, 3406-3425.	18.7	176
30	Grafting of the zirconium complexes $[\text{Zr}(\eta^5\text{-C}_5\text{H}_5)\{\text{NC-amidine}\}\text{Cl}_2]$ and $[\text{Zr}(\eta^5\text{-C}_5\text{H}_5)(\text{NC-NacNac})\text{Cl}_2]$ and the study of their behavior in ethylene polymerization. <i>Journal of Molecular Catalysis A</i> , 2014, 391, 130-138.	4.8	4
31	Synthesis, Characterization and Reactivity of New Dinuclear Guanidinate Diimidoniobium Complexes. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2940-2946.	1.0	25
32	Synthesis and Reactivity of New Niobocene Hydride-Stibine and Hydride-Stilbene Complexes. X-ray Crystal Structure of $[\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2(\text{H})(\text{trans-}\eta^2\text{-C,C-PhCH=CHPh})]$. <i>Organometallics</i> , 2013, 32, 862-868.	1.1	6
33	Unexpected mild C-N bond cleavage mediated by guanidine coordination to a niobium iminocarbamoyl complex. <i>Chemical Communications</i> , 2013, 49, 8701.	2.2	23
34	Asymmetric niobium guanidinate as intermediates in the catalytic guanylation of amines. <i>Dalton Transactions</i> , 2013, 42, 8223.	1.6	28
35	Neutral Dimethylzirconocene Complexes as Initiators for the Ring-Opening Polymerization of ϵ -Caprolactone. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 1184-1196.	1.0	7
36	Migratory Insertion Reactions in Asymmetrical Guanidinate-Supported Zirconium Complexes. <i>Organometallics</i> , 2012, 31, 8360-8369.	1.1	29

#	ARTICLE	IF	CITATIONS
37	Experimental and Theoretical Studies of the Hydrogenation of \hat{I}_{\pm}, \hat{I}^2 -Unsaturated Acids by an 18 <i>e</i> -Hydride Carbonylniobocene Complex. <i>Organometallics</i> , 2012, 31, 5177-5184.	1.1	8
38	New zirconium and zirconocene guanidinate complexes. <i>Journal of Organometallic Chemistry</i> , 2012, 711, 35-42.	0.8	21
39	Ruthenium(II) Arene Complexes with Asymmetrical Guanidinate Ligands: Synthesis, Characterization, and Application in the Base-Free Catalytic Isomerization of Allylic Alcohols. <i>Organometallics</i> , 2012, 31, 8301-8311.	1.1	40
40	New Alkylimido Niobium Complexes Supported by Guanidinate Ligands: Synthesis, Characterization, and Migratory Insertion Reactions. <i>Organometallics</i> , 2012, 31, 1840-1848.	1.1	34
41	Microwave-Assisted Meyer-Schuster Rearrangement of Propargylic Alcohols Catalyzed by the Oxovanadate Complex $[V(O)Cl(OEt)_2]$. <i>ChemCatChem</i> , 2012, 4, 123-128.	1.8	29
42	Molecular Structure of a Hydridoniobocene Complex $[Nb(\hat{I}^5-C_5H_4SiMe_3)_2(H)_3]$ and Its Use as Catalyst for the Ring-Opening Polymerization of Cyclic Esters. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 1139-1144.	1.0	14
43	Lewis base character of the phosphorus atom in phosphanido-niobocene complexes. Synthesis of new early-early homo- and heterobimetallic entities. <i>Dalton Transactions</i> , 2011, 40, 2622.	1.6	7
44	C-ansa-zirconocene complexes with O/S donor ligands: Novel homoleptic six coordinate 4-mercaptophenolate complex of Zr(IV). <i>Inorganica Chimica Acta</i> , 2010, 363, 3489-3497.	1.2	4
45	An easy and direct synthetic route to phosphamido niobocenes through nucleophilic attack of phosphide niobocene complexes on acyl halides. <i>Comptes Rendus Chimie</i> , 2010, 13, 929-934.	0.2	6
46	Simple, Versatile, and Efficient Catalysts for Guanylation of Amines. <i>Organometallics</i> , 2010, 29, 2789-2795.	1.1	86
47	Oxo- and imido-alkoxide vanadium complexes as precatalysts for the guanylation of aromatic amines. <i>Dalton Transactions</i> , 2010, 39, 6419.	1.6	40
48	Reactions of alkynes with phosphido niobocenes: a combined experimental and theoretical study. <i>Dalton Transactions</i> , 2010, 39, 1962.	1.6	15
49	Well-Defined Regioselective Iminopyridine Rhodium Catalysts for Anti-Markovnikov Addition of Aromatic Primary Amines to 1-octyne. <i>Advanced Synthesis and Catalysis</i> , 2009, 351, 881-890.	2.1	29
50	Insertion Reactions of Isothiocyanates into the Nb-P Bond of Phosphide-Niobocene Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 539-544.	1.0	7
51	UV-visible spectroscopy for zirconocene activation by MAO in olefin polymerization: activity versus wavenumber. <i>Applied Organometallic Chemistry</i> , 2009, 23, 241-244.	1.7	5
52	Synthesis, characterization and applications in ethylene polymerization of asymmetric ansa-titanocene complexes. Molecular structure of $[Ti\{Me_2Si(\hat{I}^5-C_5Me_4)(\hat{I}^5-C_5H_3iPr)\}Cl_2]$. <i>Inorganica Chimica Acta</i> , 2009, 362, 1042-1046.	1.2	7
53	Hybrid scorpionate/cyclopentadienyl titanium and zirconium complexes with alkoxide and imido ligands. <i>Inorganica Chimica Acta</i> , 2009, 362, 2909-2914.	1.2	10
54	Homogeneous and supported bis(imino)pyridyl vanadium(III) catalysts. <i>Journal of Molecular Catalysis A</i> , 2009, 304, 180-186.	4.8	16

#	ARTICLE	IF	CITATIONS
55	New alkenyl-substituted group 4 C-ansa-metallocene complexes. Reactivity of the substituent at the carbon ansa bridge. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 1959-1970.	0.8	12
56	Synthesis, characterization and compared reactivity of asymmetrical ansa-metallocenes. <i>Inorganic Chemistry Communication</i> , 2009, 12, 184-186.	1.8	7
57	Heterocycle-Substituted Indenes as Precursors for Supported Zirconocene Catalysts. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 330-337.	1.0	7
58	Versatile Scorpionates and New Developments in the Denticity Changes of NNCp Hybrid Scorpionate/Cyclopentadienyl Ligands in Sc and Y Compounds: From $\text{I}^{\text{p}}\text{-Ni}^{\text{5}}\text{-Cp}$ to $\text{I}^{\text{p}}\text{-Ni}^{\text{2}}\text{-Ni}^{\text{5}}\text{-Cp}$. <i>Inorganic Chemistry</i> , 2008, 47, 4996-5005.	1.9	38
59	Nitric oxide binding and photodelivery based on ruthenium(ii) complexes of 4-arylaazo-3,5-dimethylpyrazole. <i>Dalton Transactions</i> , 2008, , 3559.	1.6	21
60	Scandium and Yttrium Complexes Supported by NNCp Heteroscorpionate Ligands: Synthesis, Structure, and Polymerization of μ -Caprolactone. <i>Organometallics</i> , 2008, 27, 976-983.	1.1	61
61	Discrete Heteroscorpionate Lithium and Zinc Alkyl Complexes. Synthesis, Structural Studies, and ROP of Cyclic Esters. <i>Organometallics</i> , 2008, 27, 1310-1321.	1.1	72
62	Synthesis of Bulky Zirconocene Dichloride Compounds and Their Applications in Olefin Polymerization. <i>Collection of Czechoslovak Chemical Communications</i> , 2007, 72, 747-763.	1.0	7
63	Highly Diastereoselective Nucleophilic Addition to Myrtenal. Straightforward Synthesis of an Enantiopure Scorpionate Ligand. <i>Inorganic Chemistry</i> , 2007, 46, 8475-8477.	1.9	27
64	Lithium, Titanium, and Zirconium Complexes with Novel Amidinate Scorpionate Ligands. <i>Inorganic Chemistry</i> , 2007, 46, 1760-1770.	1.9	51
65	Well-Defined Alkyl Heteroscorpionate Magnesium Complexes as Excellent Initiators for the ROP of Cyclic Esters. <i>Organometallics</i> , 2007, 26, 6403-6411.	1.1	107
66	Expanding Heteroscorpionates. Facile Synthesis of New Hybrid Scorpionate/Cyclopentadienyl Ligands and Their Lithium and Group 4 Metal Compounds: A Combined Experimental and Density Functional Theory Study. <i>Organometallics</i> , 2007, 26, 4310-4320.	1.1	38
67	Synthesis and Reactivity of Alkenyl-Substituted Zirconocene Complexes and Their Application as Olefin Polymerisation Catalysts. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4445-4455.	1.0	18
68	Activation process of 3-alkyl-substituted ansa-bis(indenyl) zirconocenes by MAO. <i>Journal of Molecular Catalysis A</i> , 2007, 261, 53-63.	4.8	11
69	Synthesis of chiral unbridged zirconocene complexes: Applications in the polymerization of ethylene and propylene. <i>Journal of Molecular Catalysis A</i> , 2007, 268, 264-276.	4.8	23
70	Synthesis and catalytic applications of C1 symmetric group 4 ansa-metallocene complexes. <i>Journal of Molecular Catalysis A</i> , 2007, 264, 260-269.	4.8	16
71	Synthesis, structural characterization and reactivity of new tin bridged ansa-bis(cyclopentadiene) compounds: X-ray crystal structures of $\text{Me}_2\text{Sn}(\text{C}_5\text{Me}_4\text{R}-1)_2$ (R=H, SiMe ₃). <i>Journal of Organometallic Chemistry</i> , 2007, 692, 3057-3064.	0.8	3
72	Heterocycle-containing niobocene derivatives from hydride-bridged niobocene complexes. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 3328-3339.	0.8	13

#	ARTICLE	IF	CITATIONS
73	On the insertion processes of unsaturated molecules into the Nb ϵ -X σ -bond of moieties (Cp ϵ^2 - η^5 -C ₅ H ₄ SiMe ₃ ; X=H, C, P). <i>Journal of Organometallic Chemistry</i> , 2007, 692, 4436-4447.	0.8	19
74	Activation of a CNXyllyl ancillary ligand in the reaction of electron-deficient alkynes with a phosphido niobocene complex. <i>Dalton Transactions</i> , 2006, , 1495.	1.6	14
75	Design of new heteroscorpionate ligands and their coordinative ability toward Group 4 transition metals; an efficient synthetic route to obtain enantiopure ligands. <i>Dalton Transactions</i> , 2006, , 4359-4370.	1.6	39
76	Synthesis, Characterization, and Reactivity of Isocyanidophosphidoniobocene Derivatives: X-ray Diffraction Structures of New Isocyanidoniobocene Complexes, [Nb(η^5 -C ₅ H ₄ SiMe ₃) ₂ (CNR)(PMePh ₂)] _l , R = Xyllyl, Cy. <i>Organometallics</i> , 2006, 25, 3670-3677.	1.1	11
77	Reactivity of a Phosphido-Niobocene Derivative toward CS ₂ and Alkyl Halides to Give Phosphinodithioformato- and Phosphino-Niobocene Complexes: X-ray Crystal Structures of [Nb(η^5 -C ₅ H ₄ SiMe ₃) ₂ (η^1 -S-SC(S)(PPh ₂))(CO)] and [Nb(η^5 -C ₅ H ₄ SiMe ₃) ₂ (P(l)Ph ₂)(CO)] _l . <i>Organometallics</i> , 2006, 25, 1310-1316.	1.1	16
78	Insights into group 4 and 5 ansa-bis(cyclopentadienyl) complexes with a single-atom bridge. <i>Coordination Chemistry Reviews</i> , 2006, 250, 133-154.	9.5	55
79	Supported modified zirconocene catalyst for ethylene polymerization. <i>Journal of Molecular Catalysis A</i> , 2006, 258, 236-245.	4.8	15
80	Synthesis and reactivity of new mono- and dinuclear niobium and tantalum imido complexes: X-ray crystal structure of [Ta(η^5 -C ₅ H ₄ SiMe ₃)Cl ₂ {NC ₆ Me ₄ -4-(N(SiMe ₃) ₂)}]. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 1361-1368.	0.8	10
81	Synthesis and reactivity of asymmetrically substituted ansa-bridged zirconocene complexes: X-ray crystal structures of [Zr{R(H)C(η^5 -C ₅ Me ₄)(η^5 -C ₅ H ₄)}Cl ₂] (R=Bun, But) and [Zr{Bun(H)C(η^5 -C ₅ Me ₄)(η^5 -C ₅ H ₄)}(CH ₂ Ph) ₂]. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 2924-2932.	0.8	14
82	Synthesis of niobocene imido cations: X-ray crystal structure of [Nb(NBut)(η^5 -C ₅ H ₄ SiMe ₃) ₂ (CNBut)] [BPh ₄]. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 3652-3658.	0.8	9
83	Synthesis, Structure and Reactivity in Styrene Polymerization by Heterocyclic Alkoxy- and Thiolatotitanium(IV) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 965-971.	1.0	10
84	Synthesis, Characterization, and Catalytic Properties of ansa-Zirconocenes [Zr{1-Me ₂ Si(3- η^5 -C ₉ H ₅ R) ₂ }Cl ₂] (R = Me, nPr, nBu, and Bz). <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 972-979.	1.0	5
85	A Simple and Efficient Synthetic Route to Enantiopure Scorpionate Ligands. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 707-710.	1.0	27
86	New reactivity of . Synthesis, electrosynthesis and reactivity of new carboxylato niobocene complexes. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 3134-3141.	0.8	11
87	Synthesis, hydrosilylation reactivity and catalytic properties of group 4 ansa-metallocene complexes. <i>Polyhedron</i> , 2005, 24, 1298-1313.	1.0	25
88	Ruthenium Complexes of the Scorpionate Ligand Bis(3,5-dimethylpyrazol-1-yl)dithioacetate and the Effect of Nitric Oxide Coordination. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3135-3140.	1.0	14
89	Novel Indenylzirconium Complexes as Supported Catalysts in the Polymerization of Ethylene. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2924-2934.	1.0	24
90	First Complexes of Scandium and Yttrium with NNO and NNS Heteroscorpionate Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 5336-5344.	1.9	41

#	ARTICLE	IF	CITATIONS
91	Modified silicas as supports for single-site zirconocene catalysts. <i>Journal of Molecular Catalysis A</i> , 2004, 220, 286-296.	4.8	30
92	New Complexes of Niobium(V) and Tantalum(V) with Monoanionic NNO Heteroscorpionate Ligands. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 260-266.	1.0	30
93	Synthesis, Structural Characterisation and Reactivity of New Dinuclear Monocyclopentadienyl Imidoniobium and -tantalum Complexes ^â X-ray Crystal Structures of $[\{Nb(\eta^5-C_5H_4SiMe_3)Cl_2\}_2(\eta^4-1,4-NC_6H_4N)]$, $[\{Ta(\eta^5-C_5Me_5)Cl_2\}_2(\eta^4-1,4-NC_6H_4N)]$ and $[\{Ta(\eta^5-C_5Me_5)(CH_2SiMe_3)_2\}_2(\eta^4-1,4-NC_6H_4N)]$. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 1299-1310.	1.0	15
94	Ruthenium Nitrosyl Complexes of Bis(3,5-dimethylpyrazol-1-yl)methane Oxyanions. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 3353-3357.	1.0	14
95	Isocyanide insertion reactivity of dinuclear niobium and tantalum imido complexes: X-ray crystal structure of $[\{Nb(\eta^5-C_5H_4SiMe_3)(CH_2Ph)_2\}_2(\eta^4-1,4-NC_6H_4N)]$. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 1304-1314.	0.8	25
96	Electron-transfer-catalyzed ligand substitution of carboxylato niobocene complex induced by electrochemical oxidation. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 3473-3480.	0.8	2
97	Titanium and niobium imido complexes stabilized by heteroscorpionate ligands. <i>Dalton Transactions</i> , 2004, , 3963-3969.	1.6	16
98	Hydrosilylation in the Design and Functionalization of ansa-Metallocene Complexes. <i>Organometallics</i> , 2004, 23, 4062-4069.	1.1	33
99	An Unprecedented Hybrid Scorpionate/Cyclopentadienyl Ligand. <i>Journal of the American Chemical Society</i> , 2004, 126, 1330-1331.	6.6	63
100	New Complexes of Zirconium(IV) and Hafnium(IV) with Heteroscorpionate Ligands and the Hydrolysis of Such Complexes To Give a Zirconium Cluster#. <i>Inorganic Chemistry</i> , 2004, 43, 1350-1358.	1.9	57
101	New Synthon in the Design of ansa-Cyclopentadienyl Ligands with Variable Substitution at the Bridging Atom. <i>Organometallics</i> , 2004, 23, 5108-5111.	1.1	12
102	Heteroscorpionate ligands based on bis(pyrazol-1-yl)methane: design and coordination chemistry. <i>Dalton Transactions</i> , 2004, , 1499-1510.	1.6	207
103	The Reactivity of Allyl and Olefin-Hydride Niobocene Derivatives Towards Isocyanides. X-ray Crystal Structure of $[Nb(\eta^5-C_5H_4SiMe_3)_2(\eta^3-CH(R)CHCH(R))]$ (R = SiMe ₂ tBu). <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2438-2445.	1.0	10
104	Synthesis and Reactivity of Alkylzirconium Complexes Incorporating Asymmetrically Substituted ansa Ligands ^â X-ray Crystal Structure of $[Zr\{Me_2Si(\eta^5-C_5Me_4)(\eta^5-C_5H_3Me)\}(CH_2Ph)Cl]$. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2626-2632.	1.0	20
105	Synthesis, Structure and Reactivity of New Late Transition Metal Complexes Bearing Diphosphate Ligands Derived from Bis(pyrazol-1-yl)methane. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 3233-3241.	1.0	12
106	Sandwich and Half-Sandwich (Imido)niobium Complexes. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 17-28.	1.0	14
107	Sandwich and Half-Sandwich (Imido)niobium Complexes. <i>ChemInform</i> , 2003, 34, no.	0.1	0
108	Synthesis and reactivity of alkynyl niobocene complexes. <i>Journal of Organometallic Chemistry</i> , 2003, 670, 123-131.	0.8	8

#	ARTICLE	IF	CITATIONS
109	Group 4 metallocene complexes incorporating vinyl or allyl substituted ansa ligands. X-Ray crystal structures of $[Zr\{Me(CH_2\bar{\tau}\dots CH)Si(\bar{i}\text{-}5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2\bar{\tau}\dots CHCH_2)Si(\bar{i}\text{-}5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2\bar{\tau}\dots CHCH_2)Si(\bar{i}\text{-}5\text{-}C_5Me_4)(\bar{i}\text{-}5\text{-}C_5H_4)\}Cl_2]$. Journal of Organometallic Chemistry, 2003, 683, 11-22.	0.8	32
110	Niobium complexes containing a new chiral heteroscorpionate ligand and the reactivity of such a complex with O ₂ to give the first gem-diolate niobium complex. Dalton Transactions, 2003, , 1614-1619.	1.6	32
111	Synthesis and structural characterisation of new organo-diimido tantalum and niobium complexes. Dalton Transactions, 2003, , 910-917.	1.6	17
112	Preparation of New Monoanionic η^5 -Scorpionate Ligands: Synthesis and Structural Characterization of Titanium(IV) Complexes Bearing This Class of Ligand. Inorganic Chemistry, 2002, 41, 5193-5202.	1.9	75
113	Reactivity of Zirconium Complexes Incorporating Asymmetrically Substituted ansa Ligands and Their Use as Catalysts in Olefin Polymerization. X-ray Crystal Structures of $[Me_2Si(\bar{i}\text{-}5\text{-}C_5Me_4)(\bar{i}\text{-}5\text{-}C_5H_3R)]ZrCl_2$ (R = Et, iPr). Organometallics, 2002, 21, 2460-2467.	1.1	31
114	$[(\bar{i}\text{-}5\text{-}C_5Me_4)SiMe_2(NtertBu)]TiCl_2$ as Pre-Catalyst for the Copolymerisation of Ethylene with 5,7-Dimethylocta-1,6-diene and with 3,7-Dimethylocta-1,6-diene. Macromolecular Chemistry and Physics, 2002, 203, 139-145.	1.1	18
115	New Group 4 Metallocene and Niobocene Complexes Containing Phosphane-Functionalized ansa-Ligands. European Journal of Inorganic Chemistry, 2002, 2002, 2470-2476.	1.0	19
116	Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted ansa-ligands. Journal of Organometallic Chemistry, 2002, 655, 63-69.	0.8	13
117	Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged ansa ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\bar{i}\text{-}5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\bar{i}\text{-}5\text{-}C_5Me_4)(\bar{i}\text{-}5\text{-}C_5H_4)\}Cl_2]$ (M=Zr, Hf). Journal of Organometallic Chemistry, 2002, 656, 129-138.	0.8	29
118	Niobium and Zirconium Complexes Incorporating Asymmetrically Substituted ansa Ligands. X-ray Crystal Structures of $[Me_2Si(\bar{i}\text{-}5\text{-}C_5Me_4)(\bar{i}\text{-}5\text{-}C_5H_3R)]Nb(NtBu)Cl$ (R = Me, iPr) and $[Me_2Si(\bar{i}\text{-}5\text{-}C_5Me_4)(\bar{i}\text{-}5\text{-}C_5H_3R)]ZrCl_2$ (R = H, Me). Organometallics, 2001, 20, 71-78.	1.1	35
119	Polymerization of Ethylene by the Electrophilic Heteroscorpionate-Containing Complexes $[TiCl_3(bdmpza)]$ and $[TiCl_2(bdmpza)\{O(CH_2)_4Cl\}]$ (bdmpza = Bis(3,5-dimethylpyrazol-1-yl)acetate). Organometallics, 2001, 20, 2428-2430.	1.1	64
120	Synthesis, Structure, and Reactivity of Niobocene Imido Complexes Containing Alkynyl Ligands. X-ray Crystal Structure of $[Nb(NPh)(\bar{i}\text{-}5\text{-}C_5H_4SiMe_3)_2(C\bar{\alpha}\text{-}CPh)]$. Organometallics, 2001, 20, 3132-3138.	1.1	14
121	Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes. Journal of Organometallic Chemistry, 2001, 629, 54-60.	0.8	5
122	Synthesis and spectroscopic characterization of η^5 -keto ylido-containing Group 4 metal complexes. The X-ray molecular structure of $[Cp^*ZrCl_3(2\text{-}TCMP)]$, $Cp^* = \bar{i}\text{-}5\text{-}C_5Me_5$, 2-TCMP = $\{[2\text{-}thiazolylcarbonyl]methylene\}$ triphenylphosphorane. Journal of Organometallic Chemistry, 2001, 629, 68-76.	0.8	1
123	The synthesis of alkyl niobocene imido complexes and the X-ray crystal structure of $[Nb(\bar{\tau}\dots O)Cp_2Me]$ (Cp = $\bar{i}\text{-}5\text{-}C_5H_5$). Journal of Organometallic Chemistry, 2001, 631, 151-156.	0.8	9
124	New Studies on the Reactivity of Hydride-Containing Niobocene Complexes Towards Insertion and Protonation Processes. European Journal of Inorganic Chemistry, 2000, 2000, 1437-1443.	1.0	17
125	Studies on the reactivity of alkoxo-niobium(V) compounds towards O,O- or S,S-enolate ligands. Synthesis and structural characterisation of (alkoxo)(η^2 -diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamate] complexes of niobium(V). Journal of Organometallic Chemistry, 2000, 603, 194-202.	0.8	13
126	Synthesis and reactivity of new oxo alkyl or oxo acyl niobocene complexes and crystal structure of $Cp\bar{\alpha}^2Nb(\bar{\tau}\dots O)(OC(O)CF_3)$ (Cp = $\bar{i}\text{-}5\text{-}C_5H_4SiMe_3$). Journal of Organometallic Chemistry, 2000, 598, 167-173.	0.8	6

#	ARTICLE	IF	CITATIONS
127	A grafted methane partial oxidation catalyst from MoO ₂ (acac) ₂ and HZSM-5 zeolite. <i>Applied Catalysis A: General</i> , 2000, 193, 139-146.	2.2	21
128	Studies on the reactivity of Nb(η -5-C ₅ H ₄ SiMe ₃) ₂ (X)(L), X=H,Cl; L=CNXylyl, CNCy, CO and Nb(η -5-C ₅ H ₄ SiMe ₃) ₂ (H) ₃ complexes toward the Lewis acids B(C ₆ F ₅) ₃ and BF ₃ . <i>Journal of Organometallic Chemistry</i> , 2000, 609, 123-129.	0.8	12
129	Synthesis and characterization of thiolate, -amido, and -oxy heterocyclic-containing niobocene complexes: X-ray molecular studies of [Nb(η -5-C ₅ H ₄ SiMe ₃) ₂ (η -2-N,S-S(C ₆ H ₇ N ₂))] (3). <i>Inorganica Chimica Acta</i> , 2000, 300-302, 131-137.	1.2	9
130	Synthesis of Zirconium(IV) Monocyclopentadienyl Aryloxy Complexes and Their Use in Catalytic Ethylene Polymerization. X-ray Structure of (η -5-C ₅ Me ₅)Zr{2,6-OC ₆ H ₃ (CH ₃) ₂ } ₃ . <i>Organometallics</i> , 2000, 19, 2837-2843.	1.1	52
131	Synthesis and structural characterisation of new ansa-bis(propene)s and {ansa-bis(allyl)}alkali metal and {ansa-bis(allyl)}transition metal complexes. <i>Dalton Transactions RSC</i> , 2000, , 1743-1749.	2.3	25
132	Synthesis and structural characterization of new organo-diimido and organo-imido niobium and titanium complexes. <i>Dalton Transactions RSC</i> , 2000, , 2375-2382.	2.3	21
133	Structure and Dynamics of [Nb(η -5-C ₅ H ₄ SiMe ₃) ₂ (η -2-H ₂ BR ₂)] (R ₂ = O ₂ C ₆ H ₄ , C ₈ H ₁₄ , H ₂) Complexes. A Combined Experimental and Theoretical Study. <i>Organometallics</i> , 2000, 19, 3654-3663.	1.1	26
134	A new type of monoanionic η -6-scorpionate ligand. Synthesis, spectroscopic characterisation and dynamic behaviour of some niobium(III) complexes. <i>Dalton Transactions RSC</i> , 2000, , 2367-2374.	2.3	55
135	Facile Synthesis of Alkynyl and Vinylidene Niobocene Complexes. Unexpected η -1-Vinylidene η -1-Alkyne Isomerization. <i>Organometallics</i> , 2000, 19, 1749-1765.	1.1	32
136	Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of [Nb(η -5-C ₅ H ₄ SiMe ₃)(η -5-C ₅ H ₄ OMe) ₂ Cl] (Cp [*] = η -5-C ₅ H ₄ SiMe ₃ , Ar=C ₆ H ₄ OMe-4). <i>Journal of Organometallic Chemistry</i> , 1999, 585, 154-161.	0.8	17
137	Iridium fluorobenzenethiolato complexes: crystal structures of [Ir(SC ₆ F ₅)(CO)(PPh ₃) ₂], [Ir(η -5-SC ₆ F ₅) ₃ (η -4-CO)(CO) ₄ (PPh ₃) ₂] and [Ir(SC ₆ F ₅)(η -O ₂)(CO)(PPh ₃) ₂]. <i>Polyhedron</i> , 1999, 18, 959-968.	1.0	7
138	Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me ₂ pz) ₃ Cl) ₃]. <i>Journal of Organometallic Chemistry</i> , 1999, 577, 174-180.	0.8	25
139	Advances in the chemistry of bis-cyclopentadienyl hydride derivatives of niobium and tantalum. <i>Coordination Chemistry Reviews</i> , 1999, 193-195, 43-72.	9.5	21
140	Syntheses and crystal structures of lithium and niobium complexes containing a new type of monoanionic η -6-scorpionate ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 3537-3539.	1.1	107
141	New Niobocene Alkyne Complexes: Synthesis and Characterization of Neutral and Cationic Niobium Complexes with Functionalized Alkynes. X-ray Crystal Structure of [Nb(η -5-C ₅ H ₄ SiMe ₃) ₂ (Cl)(η -2(C,C)-R ₁ C α -CR ₂)] (R ₁ = C α -CPh, R ₂ = Ph (2b); R ₁ = CH ₂ CHC(CH ₃) ₂ , R ₂ = Ph (3b)). <i>Organometallics</i> , 1999, 18, 1287-1298.	1.1	12
142	New Monocyclopentadienyl Complexes of Titanium(IV) and Zirconium(IV) with Chelating Pyrimidinethiolate, Oxypyrimidine, and Oxypyridine Ligands. Molecular Structure of [Zr(η -5-C ₅ Me ₅)(η -2-O,N-ON ₂ C ₆ H ₇) ₃]. <i>Organometallics</i> , 1999, 18, 5219-5224.	1.1	11
143	Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an η -keto ylide ligand. <i>Journal of Organometallic Chemistry</i> , 1998, 570, 97-105.	0.8	12
144	New functionalized bis(pyrazol-1-yl)methane ligands. Synthesis, spectroscopic characterization of early and late transition metal complexes containing a functionalized N,N or P,P-chelate bis(5-diphenylphosphinopyrazol-1-yl)methane ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3737-3744.	1.1	35

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------

145	Synthesis and structural characterization of isocyanate, amido and imido niobocene derivatives:		
-----	---	--	--

#	ARTICLE	IF	CITATIONS
163	Synthesis of Coinage Metal Cation Adducts of Nb(C ₅ H ₄ SiMe ₃) ₂ H(CO). X-ray Crystal Structure of [Nb(C ₅ H ₄ SiMe ₃) ₂ (CO)] ₂ (μ-H) ₂ Cu]PF ₆ . <i>Organometallics</i> , 1995, 14, 1297-1301.	1.1	17
164	Synthesis and structural characterisation of new isocyanate and imido niobocene complexes. Crystal structures of [Nb(η-C ₅ H ₄ SiMe ₃) ₂ Cl] ₂ and [Nb(η-C ₅ H ₄ SiMe ₃) ₂ (=NPh)Cl]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 1007-1013.	1.1	32
165	Synthesis, electrochemistry and reactivity of formato ⁻ and acetato ⁻ niobocene complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 3409-3414.	1.1	20
166	Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors. <i>Journal of Organometallic Chemistry</i> , 1994, 470, 127-130.	0.8	12
167	Synthesis, electrochemistry and structural studies of bis(silylcyclopentadienyl) niobium complexes with acetylene ligands. <i>Journal of Organometallic Chemistry</i> , 1994, 481, 27-35.	0.8	10
168	Studies of the reactivity towards insertion and electrophilic processes of Nb-H and Nb(η-C ₅ H ₄ SiMe ₃) ₂ moieties of bis(trimethylsilylcyclopentadienyl)niobium complexes. <i>Journal of Organometallic Chemistry</i> , 1994, 482, 93-98.	0.8	27
169	Studies on the Reaction between Bis((trimethylsilyl)cyclopentadienyl)niobium Trihydride and Styrene. <i>Organometallics</i> , 1994, 13, 2761-2766.	1.1	20
170	Synthesis, Spectroscopic Properties, and X-ray Crystal Structure of {[Nb(C ₅ H ₃ [SiMe ₃) ₂ 2H ₃] ₂ Au} ⁺ , a Complex Showing Large Quantum Mechanical Exchange Couplings. <i>Inorganic Chemistry</i> , 1994, 33, 5163-5164.	1.9	37
171	Synthesis and Characterization of the Stable Cationic d ² Metal Acetylene Complexes [Nb(η-C ₅ H ₄ SiMe ₃) ₂ (η-C ₂ (C,C)-RC.tplbond.CR ⁺)(NCMe)] ⁺ . X-ray Crystal Structures of [Nb(η-C ₅ H ₄ SiMe ₃) ₂ (η-C ₂ (C,C)-MeO ₂ CC.tplbond.CMe)(NCMe)] [BPh ₄] and [(η-C ₅ H ₄ SiMe ₃) ₂ (CO)Nb:C:C(CH ₃)(CH ₃)C:C:Nb(CO)(η-C ₅ H ₄ SiMe ₃) ₂] [BPh ₄] ₂ . <i>Organometallics</i> , 1994, 13, 4679-4682.	1.1	28
172	Synthesis, Structure, and Chemistry of Niobium Cationic Ketenimine Complexes, [Nb(η-C ₅ H ₄ SiMe ₃) ₂ (η-C ₂ -PhRCCNPh-C,N)(L)] ⁺ . Molecular Structure of [Nb(η-C ₅ H ₄ SiMe ₃) ₂ (η-C ₂ -Ph ₂ CCNPh-C,N)(CH ₃ CN)] [PF ₆]. <i>Organometallics</i> , 1994, 13, 1200-1207.	1.1	19
173	Formation of η-C ₂ -iminoacyl compounds by protonation of a ketenimine ligand in bis((trimethylsilyl)cyclopentadienyl) compounds of niobium. Molecular structures of [Nb(η-C ₅ H ₄ SiMe ₃) ₂ Cl(η-C ₂ (C,N)-EtPhHCCNPh)] ⁺ BF ₄ ⁻ and [Nb(η-C ₅ H ₄ SiMe ₃) ₂ F(η-C ₂ (C,N)-Ph ₂ HCCNPh)] ⁺ BF ₄ ⁻ . <i>Organometallics</i> , 1993, 12, 381-388.	1.1	27
174	Exchange couplings in Lewis acid adducts of substituted niobocene trihydrides. <i>Inorganic Chemistry</i> , 1992, 31, 5156-5157.	1.9	26
175	Electrochemical studies on organometallic compounds. <i>Journal of Organometallic Chemistry</i> , 1992, 441, 45-49.	0.8	6
176	Electrochemical studies on organometallic compounds. <i>Journal of Organometallic Chemistry</i> , 1992, 426, C4-C7.	0.8	11
177	Electrochemical studies on organometallic compounds. <i>Journal of Organometallic Chemistry</i> , 1992, 435, C3-C7.	0.8	12
178	Early-transition-metal ketene complexes: Synthesis, reactivity and structure of ketene complexes of bis(trimethylsilyl)niobocene, X-ray structure of [Nb(η-C ₅ H ₄ SiMe ₃) ₂ 2Br(Ph ₂ C=O)C=O]. <i>Journal of Organometallic Chemistry</i> , 1992, 435, 55-72.	0.8	35
179	Reactivity of ruthenium and niobium trihydrides with gold fragments. Crystal structure of the hexanuclear raft cluster [Au ₃ Nb ₃ (μ-H) ₆ (η-C ₅ H ₄ SiMe ₃) ₆]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 1861-1866.	1.1	12
180	Easy route for the synthesis of iminoacyl niobocene complexes. The first x-ray structure of an		

#	ARTICLE	IF	CITATIONS
181	Electrochemical studies on organometallic compounds. Journal of Organometallic Chemistry, 1991, 412, 353-362.	0.8	12
182	Synthesis and electrosynthesis of bis-silylated cyclopentadienylniobium(V) cationic complexes. Their reactions and structural characterization. Journal of Organometallic Chemistry, 1991, 414, 155-164.	0.8	9
183	Metallocene derivatives of early transition metals. Reactions of bis(silylated) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td (cy 382, 389-395.	0.8	3
184	Electrochemical studies on organometallic compounds XXXVII. Unusual paramagnetic bis(silylated) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 C12-C16.	0.8	13
185	Preparation, X-ray crystal and electronic structure of the novel raft cluster [NbAuH2{C5H4(SiMe3)}2]3. Journal of the Chemical Society Chemical Communications, 1990, , 17.	2.0	13
186	Early-transition-metal ketenimine complexes. Synthesis, reactivity and structural characterization of complexes with .eta.2(C,N)-ketenimine groups bound to the halobis[(trimethylsilyl)cyclopentadienyl]niobium unit. X-ray structure of Nb(.eta.5-C5H4SiMe3)2Cl(.eta.2(C,N)-PhN:C:CPh2). Organometallics, 1990, 9, 2919-2925.	1.1	35
187	Electrochemical studies on organometallic compounds XXXII. Pseudo-reversibility of the first reduction stage of Nb[.eta.5-1,3-C5H3(SiMe3)2]2Cl2. Journal of Organometallic Chemistry, 1989, 375, 67-72.	0.8	12
188	Electrochemical studies on organometallic compounds. Journal of Organometallic Chemistry, 1989, 362, C8-C10.	0.8	5
189	Metallocene derivatives of early transition metals. Synthesis and characterization of new halo hydridobis(silylated cyclopentadienyl)niobium complexes. Journal of Organometallic Chemistry, 1989, 369, 187-196.	0.8	30
190	Synthesis of bis-silylated cyclopentadienyl niobium(IV) and (V) neutral and cationic complexes. Polyhedron, 1989, 8, 1848-1849.	1.0	4
191	Aspects of the chemistry of a bulky zirconocene(III) chloride. Polyhedron, 1989, 8, 1882.	1.0	7
192	Synthetic and structural studies on some organic compounds of zirconium. Polyhedron, 1989, 8, 1601-1606.	1.0	17
193	Preparation and structural characterization of new alkoxo- and (alkoxo)(amido)(imido)-niobium(V) compounds. Crystal structure of [NbCl(.eta.1/4-OMe)[N(SiMe3)2](NSiMe3)]2. Journal of Organometallic Chemistry, 1988, 350, 25-34.	0.8	22
194	Bonding interactions between three adjacent hydrogen ligands. Preparation and spectroscopic properties of the tantalum and niobium complexes [Ta(H)3(C5H5.eta.nRn)2] (R = SiMe3, n= 1 or 2) and [Nb(H)3(C5H5.eta.nRn)2] (n= 1, R = Me or SiMe3; n= 2, R = SiMe3). Journal of the Chemical Society Chemical Communications, 1988, .	2.0	56
195	Preparation of carbonyl, halogeno, and alkyl niobocene complexes and their reactions with oxygen. Crystal structures of [Nb(.eta.5-C5H4SiMe3)2Cl]2, [Nb(.eta.5-C5H4SiMe3)2(O)Me], and [Nb(.eta.5-C5H4SiMe3)2(C6F5)(CO)]. Journal of the Chemical Society Dalton Transactions, 1988, , 2685-2693.	1.1	32
196	New dicyclopentadienyl phosphine, phosphite, and acetylene niobium(III) complexes. Crystal structure of [Nb(.eta.5-C5H4SiMe3)2Cl(PhC.eta.CPh)]. Journal of the Chemical Society Dalton Transactions, 1987, , 975-980.	1.1	21
197	Metallocene derivatives of early transition elements. Part 4. Synthesis and crystal structures of a series of zirconocene(IV) halides [Zr(.eta.5-C5H4SiMe3)2X2] (X = Cl or Br) and [Zr(.eta.5-C5H3(SiMe3)2-1,3}2X2] (X.eta.F), Tj.ETQq1 1 0.784314 r		
198	Synthesis and reactivity of bis(trimethylsilylcyclopentadienyl)- niobium compounds with cumulene ligands. Journal of Organometallic Chemistry, 1987, 335, 85-90.	0.8	27

#	ARTICLE	IF	CITATIONS
199	Mixed halodicyclopentadienyl-niobium(V) and -tantalum(V). Journal of Organometallic Chemistry, 1984, 265, 35-43.	0.8	14

200 High yield syntheses and characterisation of a new zirconocene(II) dicarbonyl