List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4513031/publications.pdf Version: 2024-02-01

		23544	29127
330	14,727	58	104
papers	citations	h-index	g-index
333	333	333	19241
all docs	docs citations	times ranked	citing authors

ΔΝΝΕ ΤΑΧΙ ΟΡ

#	Article	IF	CITATIONS
1	Prevalence and cost of alternative medicine in Australia. Lancet, The, 1996, 347, 569-573.	6.3	872
2	The prevalence of pelvic floor disorders and their relationship to gender, age, parity and mode of delivery. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1460-1470.	1.1	831
3	Hand Grip Strength: age and gender stratified normative data in a population-based study. BMC Research Notes, 2011, 4, 127.	0.6	497
4	The Escalating Cost and Prevalence of Alternative Medicine. Preventive Medicine, 2002, 35, 166-173.	1.6	404
5	Diabetes and Cardiovascular Disease Outcomes in the Metabolically Healthy Obese Phenotype. Diabetes Care, 2013, 36, 2388-2394.	4.3	402
6	The continuing use of complementary and alternative medicine in South Australia: costs and beliefs in 2004. Medical Journal of Australia, 2006, 184, 27-31.	0.8	353
7	Health inequalities and place: A theoretical conception of neighbourhood. Social Science and Medicine, 2007, 65, 1839-1852.	1.8	311
8	Prevalence and correlates of foot pain in a populationâ€based study: the North West Adelaide health study. Journal of Foot and Ankle Research, 2008, 1, 2.	0.7	250
9	The SF36 Version 2: critical analyses of population weights, scoring algorithms and population norms. Quality of Life Research, 2007, 16, 661-673.	1.5	245
10	Inverse associations between muscle mass, strength, and the metabolic syndrome. Metabolism: Clinical and Experimental, 2009, 58, 1013-1022.	1.5	218
11	Sleep health of Australian adults in 2016: results of the 2016 Sleep Health Foundation national survey. Sleep Health, 2017, 3, 35-42.	1.3	204
12	Multimorbidity - not just an older person's issue. Results from an Australian biomedical study. BMC Public Health, 2010, 10, 718.	1.2	187
13	A Population-Based Survey of Factors Relating to the Prevalence of Falls in Older People. Gerontology, 2005, 51, 340-345.	1.4	177
14	Testosterone treatment to prevent or revert type 2 diabetes in men enrolled in a lifestyle programme (T4DM): a randomised, double-blind, placebo-controlled, 2-year, phase 3b trial. Lancet Diabetes and Endocrinology,the, 2021, 9, 32-45.	5.5	164
15	How valid are selfâ€reported height and weight? A comparison between CATI selfâ€report and clinic measurements using a large cohort study. Australian and New Zealand Journal of Public Health, 2006, 30, 238-246.	0.8	158
16	The epidemiology of hearing impairment in an Australian adult population. International Journal of Epidemiology, 1999, 28, 247-252.	0.9	149
17	Child maltreatment, subsequent non-suicidal self-injury and the mediating roles of dissociation, alexithymia and self-blame. Child Abuse and Neglect, 2012, 36, 572-584.	1.3	141
18	Hormone therapy, timing of initiation, and cognition in women aged older than 60 years: the REMEMBER pilot study. Menopause, 2006, 13, 28-36.	0.8	134

#	Article	IF	CITATIONS
19	The North West Adelaide Health Study: detailed methods and baseline segmentation of a cohort for selected chronic diseases. Epidemiologic Perspectives and Innovations, 2006, 3, 4.	7.0	130
20	Subsyndromal depression: prevalence, use of health services and quality of life in an Australian population. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 293-298.	1.6	126
21	Psychological well-being and psychological distress: is it necessary to measure both?. Psychology of Well-being, 2012, 2, 3.	2.3	124
22	Food environment, walkability, and public open spaces are associated with incident development of cardio-metabolic risk factors in a biomedical cohort. Health and Place, 2014, 28, 173-176.	1.5	119
23	Psychological factors and asthma quality of life: a population based study. Thorax, 2004, 59, 930-935.	2.7	117
24	Framing the biosocial pathways underlying associations between place and cardiometabolic disease. Health and Place, 2008, 14, 117-132.	1.5	114
25	Central obesity is associated with nonatopic but not atopic asthma in a representative population sample. Journal of Allergy and Clinical Immunology, 2006, 118, 1284-1291.	1.5	109
26	Are accessibility and characteristics of public open spaces associated with a better cardiometabolic health?. Landscape and Urban Planning, 2013, 118, 70-78.	3.4	108
27	Population Comparison of Two Clinical Approaches to the Metabolic Syndrome: Implications of the new International Diabetes Federation consensus definition. Diabetes Care, 2005, 28, 2777-2779.	4.3	107
28	Selfâ€injury in Australia: a community survey. Medical Journal of Australia, 2010, 193, 506-510.	0.8	107
29	Cohort Profile: The North West Adelaide Health Study (NWAHS). International Journal of Epidemiology, 2009, 38, 1479-1486.	0.9	103
30	Governing childhood obesity: Framing regulation of fast food advertising in the Australian print media. Social Science and Medicine, 2009, 69, 1402-1408.	1.8	97
31	Hypertension Is Associated With Undiagnosed OSA During Rapid Eye Movement Sleep. Chest, 2016, 150, 495-505.	0.4	96
32	Monosodium glutamate is not associated with obesity or a greater prevalence of weight gain over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. British Journal of Nutrition, 2010, 104, 457-463.	1.2	90
33	Field validation of listings of food stores and commercial physical activity establishments from secondary data International Journal of Behavioral Nutrition and Physical Activity, 2008, 5, 58.	2.0	88
34	Social Inequalities in Food Exposure Around Schools in an Urban Area. American Journal of Preventive Medicine, 2010, 39, 33-40.	1.6	88
35	Familial hypercholesterolemia in China: Prevalence and evidence of underdetection and undertreatment in a community population. International Journal of Cardiology, 2014, 174, 834-836.	0.8	82
36	Association between dietary patterns, cadmium intake and chronic kidney disease among adults. Clinical Nutrition, 2018, 37, 276-284.	2.3	82

#	Article	IF	CITATIONS
37	Associations of Supermarket Characteristics with Weight Status and Body Fat: A Multilevel Analysis of Individuals within Supermarkets (RECORD Study). PLoS ONE, 2012, 7, e32908.	1.1	82
38	Coexistent Chronic Conditions and Asthma Quality of Life. Chest, 2006, 129, 285-291.	0.4	81
39	Association between nutrition and the evolution of multimorbidity: The importance of fruits and vegetables and whole grain products. Clinical Nutrition, 2014, 33, 513-520.	2.3	80
40	Predictors of Sexual Dysfunction Incidence and Remission in Men. Journal of Sexual Medicine, 2014, 11, 1136-1147.	0.3	79
41	Changes in the Prevalence of Major Depression in an Australian Community Sample Between 1998 and 2008. Australian and New Zealand Journal of Psychiatry, 2010, 44, 901-910.	1.3	78
42	Differences in health estimates using telephone and door-to-door survey methods-a hypothetical exercise. Australian and New Zealand Journal of Public Health, 1998, 22, 223-226.	0.8	77
43	Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation national survey. Sleep Health, 2018, 4, 13-19.	1.3	77
44	Risk Factors for Progression or Improvement of Lower Urinary Tract Symptoms in a Prospective Cohort of Men. Journal of Urology, 2014, 191, 130-137.	0.2	76
45	Reconnecting Australian consumers and producers: Identifying problems of distrust. Food Policy, 2012, 37, 634-640.	2.8	73
46	An ecological analysis of factors associated with food insecurity in South Australia, 2002–7. Public Health Nutrition, 2010, 13, 215-221.	1.1	72
47	Soft drink consumption and mental health problems among adults in Australia. Public Health Nutrition, 2010, 13, 1073-1079.	1.1	72
48	Prevalence and correlates of shoulder pain and stiffness in a populationâ€based study: the North West Adelaide Health Study. International Journal of Rheumatic Diseases, 2010, 13, 215-222.	0.9	70
49	A life-course approach to measuring socioeconomic position in population health surveillance systems. Journal of Epidemiology and Community Health, 2006, 60, 981-992.	2.0	69
50	Lifestyle factors associated with age-related differences in body composition: the Florey Adelaide Male Aging Study. American Journal of Clinical Nutrition, 2008, 88, 95-104.	2.2	68
51	Food Habits, Lifestyle Factors and Mortality among Oldest Old Chinese: The Chinese Longitudinal Healthy Longevity Survey (CLHLS). Nutrients, 2015, 7, 7562-7579.	1.7	68
52	Early life exposure to Chinese famine modifies the association between hypertension and cardiovascular disease. Journal of Hypertension, 2018, 36, 54-60.	0.3	68
53	Short sleep duration and obesity among Australian children. BMC Public Health, 2010, 10, 609.	1.2	66
54	Is walkability associated with a lower cardiometabolic risk?. Health and Place, 2013, 21, 163-169.	1.5	66

#	Article	IF	CITATIONS
55	Effects of area deprivation on health risks and outcomes: a multilevel, cross-sectional, Australian population study. International Journal of Public Health, 2009, 54, 183-192.	1.0	64
56	Vitamin D levels in an Australian population. BMC Public Health, 2014, 14, 1001.	1.2	64
57	Underdiagnosed asthma in South Australia. Thorax, 2003, 58, 846-850.	2.7	63
58	Interactive effects of reward sensitivity and residential fast-food restaurant exposure on fast-food consumption. American Journal of Clinical Nutrition, 2010, 91, 771-776.	2.2	60
59	Sampling and coverage issues of telephone surveys used for collecting health information in Australia: results from a face-to-face survey from 1999 to 2008. BMC Medical Research Methodology, 2010, 10, 77.	1.4	57
60	Undiagnosed obstructive sleep apnea is independently associated with reductions in quality of life in middle-aged, but not elderly men of a population cohort. Sleep and Breathing, 2015, 19, 1309-1316.	0.9	57
61	Changes in mental health literacy about depression: South Australia, 1998Âto 2004. Medical Journal of Australia, 2005, 183, 134-137.	0.8	56
62	Monosodium glutamate is related to a higher increase in blood pressure over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. Journal of Hypertension, 2011, 29, 846-853.	0.3	55
63	Factor structure and validity of the shoulder pain and disability index in a population-based study of people with shoulder symptoms. BMC Musculoskeletal Disorders, 2011, 12, 8.	0.8	55
64	Health Status Assessed by the SF-36 Along the Diabetes Continuum in an Australian Population. Quality of Life Research, 2006, 15, 687-694.	1.5	54
65	Cohort Profile: The Men Androgen Inflammation Lifestyle Environment and Stress (MAILES) Study. International Journal of Epidemiology, 2014, 43, 1040-1053.	0.9	53
66	Random digit dialling and Electronic White Pages samples compared: demographic profiles and health estimates. Australian and New Zealand Journal of Public Health, 1999, 23, 627-633.	0.8	52
67	Hormone therapy use after the Women's Health Initiative. Climacteric, 2004, 7, 138-142.	1.1	52
68	Cause for concern in the use of non-steroidal anti-inflammatory medications in the community -a population-based study. BMC Family Practice, 2011, 12, 70.	2.9	50
69	Living in a Well-Serviced Urban Area Is Associated With Maintenance of Frequent Walking Among Seniors in the VoisiNuAge Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2012, 67B, 76-88.	2.4	50
70	Rice intake, weight change and risk of the metabolic syndrome development among Chinese adults: the Jiangsu Nutrition Study (JIN). Asia Pacific Journal of Clinical Nutrition, 2012, 21, 35-43.	0.3	50
71	Trends in asthma prevalence and population changes in South Australia, 1990–2003. Medical Journal of Australia, 2006, 184, 226-229.	0.8	49
72	Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990–2015: findings from the Global Burden of Disease Study 2015. European Journal of Nutrition, 2019, 58, 1299-1313.	1.8	49

#	Article	IF	CITATIONS
73	Changes in the use of hormone replacement therapy in South Australia. Medical Journal of Australia, 1995, 162, 420-422.	0.8	48
74	Age differences in associations between psychological distress and chronic conditions. International Journal of Public Health, 2011, 56, 71-80.	1.0	48
75	Relative residential property value as a socio-economic status indicator for health research. International Journal of Health Geographics, 2013, 12, 22.	1.2	48
76	The increasing prevalence of diabetes in South Australia: The relationship with population ageing and obesity. Public Health, 2007, 121, 92-99.	1.4	47
77	Psychological factors and quality of life in arthritis: a population-based study. Clinical Rheumatology, 2007, 26, 1049-1054.	1.0	47
78	Nocturnal Hypoxemia and Severe Obstructive Sleep Apnea are Associated with Incident Type 2 Diabetes in a Population Cohort of Men. Journal of Clinical Sleep Medicine, 2015, 11, 609-614.	1.4	47
79	Identifying the quality of life effects of urinary incontinence with depression in an Australian population. BMC Urology, 2013, 13, 11.	0.6	46
80	Reliability of self-reported health risk factors and chronic conditions questions collected using the telephone in South Australia, Australia. BMC Medical Research Methodology, 2012, 12, 108.	1.4	44
81	Comparing selfâ€reported and measured high blood pressure and high cholesterol status using data from a large representative cohort study. Australian and New Zealand Journal of Public Health, 2010, 34, 394-400.	0.8	43
82	The Australian Food and Trust Survey: Demographic indicators associated with food safety and quality concerns. Food Control, 2012, 25, 476-483.	2.8	43
83	Lower Urinary Tract Symptoms, Depression, Anxiety and Systemic Inflammatory Factors in Men: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0137903.	1.1	43
84	Hypertension, antihypertensive treatment and cancer incidence and mortality. Journal of Hypertension, 2016, 34, 149-155.	0.3	42
85	The role of sex hormone-binding globulin (SHBC), testosterone, and other sex steroids, on the development of type 2 diabetes in a cohort of community-dwelling middle-aged to elderly men. Acta Diabetologica, 2018, 55, 861-872.	1.2	42
86	Public Perceptions and Self-Reported Prevalence of Osteoporosis in South Australia. Osteoporosis International, 1998, 8, 552-556.	1.3	41
87	Body mass index, waist hip ratio, and waist circumference: which measure to classify obesity?. International Journal of Public Health, 2003, 48, 191-200.	2.7	41
88	Mental, Emotional, and Social Problems Among School Children with Asthma. Journal of Asthma, 2008, 45, 489-493.	0.9	41
89	Demographic, physical and lifestyle factors associated with androgen status: the Florey Adelaide Male Ageing Study (FAMAS). Clinical Endocrinology, 2009, 71, 261-272.	1.2	41
90	Association between soft drink consumption and asthma and chronic obstructive pulmonary disease among adults in Australia. Respirology, 2012, 17, 363-369.	1.3	41

#	Article	IF	CITATIONS
91	Does health service utilisation vary by remoteness? South Australian population data and the Accessibility and Remoteness Index of Australia. Australian and New Zealand Journal of Public Health, 2004, 28, 426-432.	0.8	40
92	Is Diabetes Associated with Shoulder Pain or Stiffness? Results from a Population Based Study. Journal of Rheumatology, 2009, 36, 371-377.	1.0	40
93	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 615-625.	1.6	40
94	Cohort Profile: The Florey Adelaide Male Ageing Study (FAMAS). International Journal of Epidemiology, 2007, 36, 302-306.	0.9	39
95	Independent Association of HbA _{1c} and Incident Cardiovascular Disease in People Without Diabetes. Obesity, 2009, 17, 559-563.	1.5	39
96	Cardiovascular disease risk associated with asthma and respiratory morbidity might be mediated by short-acting β2-agonists. Journal of Allergy and Clinical Immunology, 2009, 123, 124-130.e1.	1.5	39
97	Health Estimates Using Survey Raked-Weighting Techniques in an Australian Population Health Surveillance System. American Journal of Epidemiology, 2015, 182, 544-556.	1.6	39
98	Glycated Hemoglobin as an Indicator of Social Environmental Stress among Indigenous versus Westernized Populations. Preventive Medicine, 1999, 29, 405-413.	1.6	38
99	Spirometric criteria for asthma: Adding further evidence to the debate. Journal of Allergy and Clinical Immunology, 2005, 116, 976-982.	1.5	37
100	Do people with risky behaviours participate in biomedical cohort studies?. BMC Public Health, 2006, 6, 11.	1.2	37
101	Relationships Between Body Mass Index, Mental Health, and Suicidal Ideation: Population Perspective Using Two Methods. Australian and New Zealand Journal of Psychiatry, 2009, 43, 652-658.	1.3	37
102	Health outcomes of a subsidised fruit and vegetable program for Aboriginal children in northern New South Wales. Medical Journal of Australia, 2013, 199, 46-50.	0.8	37
103	Ten-year trends in major lifestyle risk factors using an ongoing population surveillance system in Australia. Population Health Metrics, 2014, 12, 31.	1.3	37
104	How does mental health status relate to accessibility and remoteness?. Medical Journal of Australia, 2004, 181, 540-543.	0.8	36
105	Mental health in immigrant men and women in Australia: the North West Adelaide health study. BMC Public Health, 2014, 14, 1111.	1.2	36
106	Detecting determinants of suicidal ideation: South Australian surveillance system results. International Journal of Public Health, 2007, 52, 142-152.	2.7	35
107	Continuing decline in hormone therapy use: population trends over 17 years. Climacteric, 2009, 12, 122-130.	1.1	35
108	Tracking Depression-Related Mental Health Literacy Across South Australia: A Decade of Change. Australian and New Zealand Journal of Psychiatry, 2009, 43, 476-483.	1.3	35

#	Article	IF	CITATIONS
109	Sense of Mastery and Metabolic Risk: Moderating Role of the Local Fast-Food Environment. Psychosomatic Medicine, 2010, 72, 324-331.	1.3	35
110	Farmers are the most trusted part of the Australian food chain: results from a national survey of consumers. Australian and New Zealand Journal of Public Health, 2011, 35, 319-324.	0.8	35
111	Mental ill-health across the continuum of body mass index. BMC Public Health, 2011, 11, 765.	1.2	35
112	Are the ICSD-3 criteria for sleep apnoea syndrome too inclusive?. Lancet Respiratory Medicine,the, 2016, 4, e19-e20.	5.2	35
113	The association between total phthalate concentration and non-communicable diseases and chronic inflammation in South Australian urban dwelling men. Environmental Research, 2017, 158, 366-372.	3.7	35
114	Inadequate Riboflavin Intake and Anemia Risk in a Chinese Population: Five-Year Follow Up of the Jiangsu Nutrition Study. PLoS ONE, 2014, 9, e88862.	1.1	35
115	Association of daytime sleepiness with obstructive sleep apnoea and comorbidities varies by sleepiness definition in a population cohort of men. Respirology, 2016, 21, 1314-1321.	1.3	34
116	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 122.	2.0	34
117	The role of business size in assessing the uptake of health promoting workplace initiatives in Australia. BMC Public Health, 2016, 16, 353.	1.2	34
118	Chilli consumption and the incidence of overweight and obesity in a Chinese adult population. International Journal of Obesity, 2017, 41, 1074-1079.	1.6	34
119	Obesity in South Australian adults - prevalence, projections and generational assessment over 13 years. Australian and New Zealand Journal of Public Health, 2005, 29, 343-348.	0.8	33
120	Factors Associated with Gamblers: A Population-based Cross-sectional Study of South Australian Adults. Journal of Gambling Studies, 2006, 22, 143-164.	1.1	33
121	Demographic and Urban Form Correlates of Healthful and Unhealthful Food Availability in Montréal, Canada. Canadian Journal of Public Health, 2009, 100, 189-193.	1.1	33
122	Gender-specific epidemiology of diabetes: a representative cross-sectional study. International Journal for Equity in Health, 2009, 8, 6.	1.5	33
123	Environmental Risk Conditions and Pathways to Cardiometabolic Diseases in Indigenous Populations. Annual Review of Public Health, 2011, 32, 327-347.	7.6	33
124	Do Relationships Between Environmental Attributes and Recreational Walking Vary According to Area-Level Socioeconomic Status?. Journal of Urban Health, 2015, 92, 253-264.	1.8	33
125	The association between gastroesophageal reflux disease with sleep quality, depression, and anxiety in a cohort study of Australian men. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 1170-1177.	1.4	33
126	Associations of Undiagnosed Obstructive Sleep Apnea and Excessive Daytime Sleepiness With Depression: An Australian Population Study. Journal of Clinical Sleep Medicine, 2017, 13, 575-582.	1.4	33

#	Article	IF	CITATIONS
127	Predictive value of serum testosterone for type 2 diabetes risk assessment in men. BMC Endocrine Disorders, 2016, 16, 26.	0.9	31
128	Longâ€ŧerm followâ€up of women with gestational diabetes mellitus: The South Australian Gestational Diabetes Mellitus Recall Register. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 127-131.	0.4	30
129	Frailty and usage of health care systems: Results from the South Australian Monitoring and Surveillance System (SAMSS). Maturitas, 2017, 104, 36-43.	1.0	30
130	Influence of Gender on Associations of Obstructive Sleep Apnea Symptoms with Chronic Conditions and Quality of Life. International Journal of Environmental Research and Public Health, 2018, 15, 930.	1.2	30
131	Domestic violence in South Australia: a population survey of males and females. Australian and New Zealand Journal of Public Health, 2003, 27, 543-550.	0.8	29
132	Association of fast-food restaurant and fruit and vegetable store densities with cardiovascular mortality in a metropolitan population. European Journal of Epidemiology, 2010, 25, 711-719.	2.5	29
133	A survey of retirement intentions of baby boomers: an overview of health, social and economic determinants. BMC Public Health, 2014, 14, 355.	1.2	29
134	Mental health status of the South Australian population. Australian and New Zealand Journal of Public Health, 2000, 24, 29-34.	0.8	28
135	Hormone replacement therapy: Prevalence, compliance and the â€ [~] healthy women' notion. Climacteric, 1998, 1, 42-49.	1.1	27
136	Is there a difference in health estimates between people with listed and unlisted telephone numbers?. Australian and New Zealand Journal of Public Health, 2005, 29, 448-456.	0.8	27
137	Associations between Resident Perceptions of the Local Residential Environment and Metabolic Syndrome. Journal of Environmental and Public Health, 2012, 2012, 1-11.	0.4	27
138	Sickness absenteeism is associated with sleep problems independent of sleep disorders: results of the 2016 Sleep Health Foundation national survey. Sleep Health, 2017, 3, 357-361.	1.3	27
139	Magnesium Intake and Sleep Disorder Symptoms: Findings from the Jiangsu Nutrition Study of Chinese Adults at Five-Year Follow-Up. Nutrients, 2018, 10, 1354.	1.7	27
140	Sociodemographic and behavioural correlates of social jetlag in Australian adults: results from the 2016 National Sleep Health Foundation Study. Sleep Medicine, 2018, 51, 133-139.	0.8	27
141	Pre-Survey Text Messages (SMS) Improve Participation Rate in an Australian Mobile Telephone Survey: An Experimental Study. PLoS ONE, 2016, 11, e0150231.	1.1	27
142	Specific medical conditions associated with clinically significant depressive symptoms in men. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1303-1312.	1.6	26
143	Monosodium Glutamate Intake, Dietary Patterns and Asthma in Chinese Adults. PLoS ONE, 2012, 7, e51567.	1.1	26
144	Clinical and Biopsychosocial Determinants of Sexual Dysfunction in Middleâ€Aged and Older Australian Men. Journal of Sexual Medicine, 2012, 9, 2093-2103.	0.3	26

#	Article	IF	CITATIONS
145	Public open spaces and walking for recreation: Moderation by attributes of pedestrian environments. Preventive Medicine, 2014, 62, 25-29.	1.6	26
146	The Association of Socio-Demographic Status, Lifestyle Factors and Dietary Patterns with Total Urinary Phthalates in Australian Men. PLoS ONE, 2015, 10, e0122140.	1.1	26
147	Associations between Macronutrient Intake and Obstructive Sleep Apnoea as Well as Self-Reported Sleep Symptoms: Results from a Cohort of Community Dwelling Australian Men. Nutrients, 2016, 8, 207.	1.7	26
148	Chronic Kidney Disease and Sleep Apnea Association of Kidney Disease With Obstructive Sleep Apnea in a Population Study of Men. Sleep, 2017, 40, .	0.6	26
149	Reliability of self-reported behavioural health risk factors in a South Australian telephone survey. Australian and New Zealand Journal of Public Health, 1999, 23, 528-530.	0.8	25
150	Bipolar I and II Disorders in a Random and Representative Australian Population. Australian and New Zealand Journal of Psychiatry, 2005, 39, 726-729.	1.3	25
151	Testosterone therapy to prevent type 2 diabetes mellitus in atâ€risk men (T4DM): Design and implementation of a doubleâ€blind randomized controlled trial. Diabetes, Obesity and Metabolism, 2019, 21, 772-780.	2.2	25
152	Associations of physical and mental health problems with chronic cough in a representative population cohort. Cough, 2009, 5, 10.	2.7	24
153	Nocturia, Other Lower Urinary Tract Symptoms and Sleep Dysfunction in a Community-Dwelling Cohort of Men. Urology, 2016, 97, 219-226.	0.5	24
154	Nutrient patterns and chronic inflammation in a cohort of community dwelling middle-aged men. Clinical Nutrition, 2017, 36, 1040-1047.	2.3	24
155	Comparison of relationships between four common anthropometric measures and incident diabetes. Diabetes Research and Clinical Practice, 2017, 132, 36-44.	1.1	24
156	The association between A Body Shape Index and mortality: Results from an Australian cohort. PLoS ONE, 2017, 12, e0181244.	1.1	24
157	Physical Activity: The impact of incontinence on healthâ€related quality of life in a South Australian population sample. Australian and New Zealand Journal of Public Health, 2004, 28, 173-179.	0.8	23
158	Asthma is associated with cardiovascular disease in a representative population sample. Obesity Research and Clinical Practice, 2008, 2, 91-99.	0.8	23
159	Predictors of podiatry utilisation in Australia: the North West Adelaide Health Study. Journal of Foot and Ankle Research, 2008, 1, 8.	0.7	23
160	Associations between Area-Level Unemployment, Body Mass Index, and Risk Factors for Cardiovascular Disease in an Urban Area. International Journal of Environmental Research and Public Health, 2009, 6, 3082-3096.	1.2	23
161	Exposure to the Chinese famine in early life and the risk of anaemia in adulthood. BMC Public Health, 2013, 13, 904.	1.2	23
162	Validation of continuous clinical indices of cardiometabolic risk in a cohort of Australian adults. BMC Cardiovascular Disorders, 2014, 14, 27.	0.7	23

#	Article	IF	CITATIONS
163	Association of Musculoskeletal Joint Pain With Obstructive Sleep Apnea, Daytime Sleepiness, and Poor Sleep Quality in Men. Arthritis Care and Research, 2017, 69, 742-747.	1.5	23
164	Association between dietary zinc intake and mortality among Chinese adults: findings from 10-year follow-up in the Jiangsu Nutrition Study. European Journal of Nutrition, 2018, 57, 2839-2846.	1.8	23
165	Depression Prevalence: Is it Really Increasing?. Australian and New Zealand Journal of Psychiatry, 2008, 42, 606-616.	1.3	22
166	Understanding the Evolution of Multimorbidity: Evidences from the North West Adelaide Health Longitudinal Study (NWAHS). PLoS ONE, 2014, 9, e96291.	1.1	22
167	Residential proximity to urban centres, local-area walkability and change in waist circumference among Australian adults. Preventive Medicine, 2016, 93, 39-45.	1.6	22
168	The burden of cancer attributable to modifiable risk factors: the Australian cancer-PAF cohort consortium. BMJ Open, 2017, 7, e016178.	0.8	22
169	A comparison of principal component analysis, partial least-squares and reduced-rank regressions in the identification of dietary patterns associated with bone mass in ageing Australians. European Journal of Nutrition, 2018, 57, 1969-1983.	1.8	22
170	Associations of childhood, maternal and household dietary patterns with childhood stunting in Ethiopia: proposing an alternative and plausible dietary analysis method to dietary diversity scores. Nutrition Journal, 2018, 17, 14.	1.5	22
171	Depression and remoteness from health services in South Australia. Australian Journal of Rural Health, 2007, 15, 201-210.	0.7	21
172	Our perception of weight: Socioeconomic and sociocultural explanations. Obesity Research and Clinical Practice, 2008, 2, 125-131.	0.8	21
173	Monitoring Inequities in Self-Rated Health Over the Life Course in Population Surveillance Systems. American Journal of Public Health, 2009, 99, 680-689.	1.5	21
174	Dinner fat intake and sleep duration and self-reported sleep parameters over five years: Findings from the Jiangsu Nutrition Study of Chinese adults. Nutrition, 2016, 32, 970-974.	1.1	21
175	Association of impaired fasting glucose, diabetes and dietary patterns with mortality: a 10-year follow-up cohort in Eastern China. Acta Diabetologica, 2016, 53, 799-806.	1.2	21
176	Cross-sectional and longitudinal determinants of serum sex hormone binding globulin (SHBG) in a cohort of community-dwelling men. PLoS ONE, 2018, 13, e0200078.	1.1	21
177	Bipolar disorders in Australia. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 105-109.	1.6	20
178	Environments and Cardiometabolic Diseases in Aboriginal Populations. Heart Lung and Circulation, 2010, 19, 306-315.	0.2	20
179	The use of a surveillance system to measure changes in mental health in Australian adults during the global financial crisis. International Journal of Public Health, 2011, 56, 367-372.	1.0	20
180	A Population Study of 5 to 15ÂYear Olds: Full Time Maternal Employment not Associated with High BMI. The Importance of Screen-Based Activity, Reading for Pleasure and Sleep Duration in Children's BMI. Maternal and Child Health Journal, 2012, 16, 587-599.	0.7	20

#	Article	IF	CITATIONS
181	Area-level socioeconomic characteristics and incidence of metabolic syndrome: a prospective cohort study. BMC Public Health, 2013, 13, 681.	1.2	20
182	Tea consumption is inversely related to 5-year blood pressure change among adults in Jiangsu, China: a cross-sectional study. Nutrition Journal, 2014, 13, 98.	1.5	20
183	Health status of hormone replacement therapy users and non-users as determined by the SF-36 quality-of-life dimension. Climacteric, 1998, 1, 50-54.	1.1	19
184	Have Mental Health Education Programs Influenced the Mental Health Literacy of Those with Major Depression and Suicidal Ideation? A Comparison between 1998 and 2008 in South Australia. Suicide and Life-Threatening Behavior, 2012, 42, 525-540.	0.9	19
185	Trends in health-related quality of life and health service use associated with body mass index and comorbid major depression in South Australia, 1998–2008. Quality of Life Research, 2012, 21, 1695-1704.	1.5	19
186	Monosodium glutamate intake increases hemoglobin level over 5Âyears among Chinese adults. Amino Acids, 2012, 43, 1389-1397.	1.2	19
187	Quantification and examination of depressionâ€related mental health literacy. Journal of Evaluation in Clinical Practice, 2009, 15, 650-653.	0.9	18
188	Measuring Physical Inactivity: Do Current Measures Provide an Accurate View of "Sedentary―Video Game Time?. Journal of Obesity, 2014, 2014, 1-5.	1.1	18
189	Soft drink consumption and multimorbidity among adults. Clinical Nutrition ESPEN, 2015, 10, e71-e76.	0.5	18
190	Predictors of foot pain in the community: the North West Adelaide health study. Journal of Foot and Ankle Research, 2016, 9, 23.	0.7	18
191	Hb level, iron intake and mortality in Chinese adults: a 10-year follow-up study. British Journal of Nutrition, 2017, 117, 572-581.	1.2	18
192	Demographic indicators of trust in federal, state and local government: implications for Australian health Review, 2013, 37, 11.	0.5	18
193	Severe obesity: Investigating the socio-demographics within the extremes of body mass index. Obesity Research and Clinical Practice, 2008, 2, 51-59.	0.8	17
194	Gender differences in asthma prevalence: Variations with socioeconomic disadvantage. Respirology, 2010, 15, 107-114.	1.3	17
195	Fruit and vegetable consumption – the influence of aspects associated with trust in food and safety and quality of food. Public Health Nutrition, 2012, 15, 208-217.	1.1	17
196	Trends in health-related quality of life and health service use associated with comorbid diabetes and major depression in South Australia, 1998–2008. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 871-877.	1.6	17
197	Bias of health estimates obtained from chronic disease and risk factor surveillance systems using telephone population surveys in Australia: results from a representative face-to-face survey in Australia from Australia from 2010 to 2013. BMC Medical Research Methodology, 2016, 16, 44.	1.4	17
198	Soy Isoflavone Intake and Sleep Parameters over 5 Years among Chinese Adults: Longitudinal Analysis from the Jiangsu Nutrition Study. Journal of the Academy of Nutrition and Dietetics, 2017, 117, 536-544.e2.	0.4	17

#	Article	IF	CITATIONS
199	SSRI antidepressant use potentiates weight gain in the context of unhealthy lifestyles: results from a 4-year Australian follow-up study. BMJ Open, 2017, 7, e016224.	0.8	17
200	Prospective Associations of Dietary and Nutrient Patterns with Fracture Risk: A 20-Year Follow-Up Study. Nutrients, 2017, 9, 1198.	1.7	17
201	A STATEMENT CONCERNING POSTNATAL DEPRESSION Australian and New Zealand Journal of Obstetrics and Gynaecology, 1996, 36, 313-313.	0.4	16
202	Postmenopausal hormone therapy: Who now takes it and do they differ from non-users?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 128-135.	0.4	16
203	Have Education and Publicity about Depression Made a Difference? Comparison of Prevalence, Service use and Excess Costs in South Australia: 1998 and 2004. Australian and New Zealand Journal of Psychiatry, 2007, 41, 38-53.	1.3	16
204	Population attributable risk (PAR) of overweight and obesity on chronic diseases: South Australian representative, cross-sectional data, 2004–2006. Obesity Research and Clinical Practice, 2009, 3, 159-168.	0.8	16
205	The association of obstructive sleep apnea (OSA) and nocturnal hypoxemia with the development of abnormal HbA1c in a population cohort of men without diabetes. Diabetes Research and Clinical Practice, 2016, 114, 151-159.	1.1	16
206	Hormone replacement therapies in women at risk of cardiovascular disease and osteoporosis in South Australia in 1997. Medical Journal of Australia, 1999, 170, 524-527.	0.8	15
207	SELF-REPORTED PATTERNS OF HEALTH SERVICES UTILISATION: AN URBAN-RURAL COMPARISON IN SOUTH AUSTRALIA. Australian Journal of Rural Health, 2003, 11, 81-88.	0.7	15
208	"I know I have arthritis but I don't know what type". Understanding and knowledge of this chronic condition. BMC Musculoskeletal Disorders, 2010, 11, 174.	0.8	15
209	Age and gender differences in disabling foot pain using different definitions of the Manchester Foot Pain and Disability Index. BMC Musculoskeletal Disorders, 2011, 12, 243.	0.8	15
210	Unpaid Informal Caregivers in South Australia: Population Characteristics, Prevalence and Age-Period-Cohort Effects 1994–2014. PLoS ONE, 2016, 11, e0161994.	1.1	15
211	Meal-specific food patterns and the incidence of hyperglycemia in a Chinese adult population. British Journal of Nutrition, 2017, 118, 53-59.	1.2	15
212	Context and culture associated with alcohol use amongst youth in major urban cities: A cross-country population based survey. PLoS ONE, 2017, 12, e0187812.	1.1	15
213	Differences in risk factors and chronic conditions between informal (family) carers and non-carers using a population-based cross-sectional survey in South Australia. BMJ Open, 2018, 8, e020173.	0.8	15
214	Diabetes complications and risk factors in an Australian population. How well are they managed?. International Journal of Epidemiology, 1998, 27, 853-859.	0.9	14
215	Depression and obesity in adults with asthma: multiple comorbidities and management issues. Medical Journal of Australia, 2010, 192, 381-383.	0.8	14
216	Changes in the prevalence of bipolar disorders between 1998 and 2008 in an Australian population. Bipolar Disorders, 2011, 13, 182-188.	1.1	14

#	Article	lF	CITATIONS
217	Food consumption habits in two states of Australia, as measured by a Food Frequency Questionnaire. BMC Research Notes, 2011, 4, 507.	0.6	14
218	Shoulder Pain in the Community: An Examination of Associative Factors Using a Longitudinal Cohort Study. Arthritis Care and Research, 2013, 65, 2000-2007.	1.5	14
219	Are Baby Boomers Healthier than Generation X? A Profile of Australia's Working Generations Using National Health Survey Data. PLoS ONE, 2014, 9, e93087.	1.1	14
220	Development of an Australian cardiovascular disease mortality risk score using multiple imputation and recalibration from national statistics. BMC Cardiovascular Disorders, 2017, 17, 17.	0.7	14
221	Does Physical Activity Mediate the Associations Between Local-Area Descriptive Norms, Built Environment Walkability, and Glycosylated Hemoglobin?. International Journal of Environmental Research and Public Health, 2017, 14, 953.	1.2	14
222	Are Perceived and Objective Distances to Fresh Food and Physical Activity Resources Associated with Cardiometabolic Risk?. International Journal of Environmental Research and Public Health, 2018, 15, 224.	1.2	14
223	The preventable burden of breast cancers for premenopausal and postmenopausal women in Australia: A pooled cohort study. International Journal of Cancer, 2019, 145, 2383-2394.	2.3	14
224	Trends of mortality attributable to child and maternal undernutrition, overweight/obesity and dietary risk factors of non-communicable diseases in sub-Saharan Africa, 1990–2015: findings from the Global Burden of Disease Study 2015. Public Health Nutrition, 2019, 22, 827-840.	1.1	14
225	The Second Computer Assisted Telephone Interview (CATI) Forum: The state of play of CATI survey methods in Australia. Australian and New Zealand Journal of Public Health, 2001, 25, 272-274.	0.8	13
226	Chronic disease prevalence and associations in a cohort of Australian men: The Florey Adelaide Male Ageing Study (FAMAS). BMC Public Health, 2008, 8, 261.	1.2	13
227	Selfâ€reported adverse events in health care that cause harm: a populationâ€based survey. Medical Journal of Australia, 2009, 190, 484-488.	0.8	13
228	Testosterone and modifiable risk factors associated with diabetes in men. Maturitas, 2011, 68, 279-285.	1.0	13
229	A comparison of Australian rural and metropolitan cardiovascular risk and mortality: the Greater Green Triangle and North West Adelaide population surveys. BMJ Open, 2013, 3, e003203.	0.8	13
230	Making errors at work due to sleepiness or sleep problems is not confined to non-standard work hours: results of the 2016 Sleep Health Foundation national survey. Chronobiology International, 2019, 36, 758-769.	0.9	13
231	Associations between area socioeconomic status, individual mental health, physical activity, diet and change in cardiometabolic risk amongst a cohort of Australian adults: A longitudinal path analysis. PLoS ONE, 2020, 15, e0233793.	1.1	13
232	Physical Inactivity and Incidence of Obesity among South Australian Adults. PLoS ONE, 2014, 9, e112693.	1.1	13
233	The Social Determinants of Food Purchasing Practices: Who Chooses Price-before-Health, Taste-before-Price or Organic Foods in Australia?. Food and Nutrition Sciences (Print), 2012, 03, 461-470.	0.2	13
234	Prevalence of influenza immunisation in Australia and suggestions for future targeting of campaigns. International Journal of Public Health, 2002, 47, 91-99.	2.7	12

#	Article	IF	CITATIONS
235	Missing data on retrospective recall of early-life socio-economic position in surveillance systems: An additional disadvantage?. Public Health, 2008, 122, 1152-1166.	1.4	12
236	Geographic Clustering of Cardiometabolic Risk Factors in Metropolitan Centres in France and Australia. International Journal of Environmental Research and Public Health, 2016, 13, 519.	1.2	12
237	Association between dietary lead intake and 10-year mortality among Chinese adults. Environmental Science and Pollution Research, 2017, 24, 12273-12280.	2.7	12
238	Erectile dysfunction is independently associated with apnea-hypopnea index and oxygen desaturation index in elderly, but not younger, community-dwelling men. Sleep Health, 2017, 3, 250-256.	1.3	12
239	Local descriptive body weight and dietary norms, food availability, and 10-year change in glycosylated haemoglobin in an Australian population-based biomedical cohort. BMC Public Health, 2017, 17, 149.	1.2	12
240	Gender-specific associations between perceived and objective neighbourhood crime and metabolic syndrome. PLoS ONE, 2018, 13, e0201336.	1.1	12
241	Assessing patient satisfaction: implications for South Australian public hospitals. Australian Health Review, 2005, 29, 439.	0.5	11
242	The use of fish oil in the community: results of a population-based study. Rheumatology, 2009, 48, 441-442.	0.9	11
243	Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight. Nutrition, 2013, 29, 508-513.	1.1	11
244	Culturally appropriate methodology in obtaining a representative sample of South Australian Aboriginal adults for a cross-sectional population health study: challenges and resolutions. BMC Research Notes, 2015, 8, 200.	0.6	11
245	Local descriptive norms for overweight/obesity and physical inactivity, features of the built environment, and 10-year change in glycosylated haemoglobin in an Australian population-based biomedical cohort. Social Science and Medicine, 2016, 166, 233-243.	1.8	11
246	Association between nutrient patterns and bone mineral density among ageing adults. Clinical Nutrition ESPEN, 2017, 22, 97-106.	0.5	11
247	Policy, Research and Residents' Perspectives on Built Environments Implicated in Heart Disease: A Concept Mapping Approach. International Journal of Environmental Research and Public Health, 2017, 14, 170.	1.2	11
248	Methodological issues associated with collecting sensitive information over the telephone - experience from an Australian non-suicidal self-injury (NSSI) prevalence study. BMC Medical Research Methodology, 2011, 11, 20.	1.4	10
249	Prevalence and associations of hand pain in the community: results from a population-based study. Scandinavian Journal of Rheumatology, 2011, 40, 145-149.	0.6	10
250	Monosodium glutamate intake is inversely related to the risk of hyperglycemia. Clinical Nutrition, 2014, 33, 823-828.	2.3	10
251	Influencing Cancer Screening Participation Rates—Providing a Combined Cancer Screening Program (a) Tj ETQ	q1 1 0.784 1.3	4314 rgBT /O
252	Increasing gaps in health inequalities related to non-communicable diseases in South Australia; implications towards behavioural risk factor surveillance systems to provide evidence for action. BMC Public Health, 2019, 19, 37.	1.2	10

#	Article	lF	CITATIONS
253	Concurrent assessment of urban environment and cardiometabolic risk over 10Âyears in a middleâ€aged populationâ€based cohort. Geographical Research, 2019, 57, 98-110.	0.9	10
254	Contributions of Multiple Built Environment Features to 10-Year Change in Body Mass Index and Waist Circumference in a South Australian Middle-Aged Cohort. International Journal of Environmental Research and Public Health, 2020, 17, 870.	1.2	10
255	Dietary patterns and sleep parameters in a cohort of community dwelling Australian men. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 1158-1169.	0.3	10
256	Non-response to a life course socioeconomic position indicator in surveillance: comparison of telephone and face-to-face modes. BMC Medical Research Methodology, 2008, 8, 54.	1.4	9
257	Sex differences in asthma morbidity associated with obesity in a representative population sample. Journal of Allergy and Clinical Immunology, 2008, 121, 1285-1287.e1.	1.5	9
258	Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. Journal of Clinical Epidemiology, 2013, 66, 461-464.	2.4	9
259	Parental Midlife Body Shape and Association with Multiple Adult Offspring Obesity Measures: North West Adelaide Health Study. PLoS ONE, 2015, 10, e0137534.	1.1	9
260	The Use of a Chronic Disease and Risk Factor Surveillance System to Determine the Age, Period and Cohort Effects on the Prevalence of Obesity and Diabetes in South Australian Adults - 2003–2013. PLoS ONE, 2015, 10, e0125233.	1.1	9
261	The use of self-report questions to examine the prevalence of musculoskeletal problems: a test-retest study. BMC Musculoskeletal Disorders, 2016, 17, 100.	0.8	9
262	Population levels of wellbeing and the association with social capital. BMC Psychology, 2017, 5, 23.	0.9	9
263	The Future Colorectal Cancer Burden Attributable to Modifiable Behaviors: A Pooled Cohort Study. JNCI Cancer Spectrum, 2018, 2, pky033.	1.4	9
264	The future burden of lung cancer attributable to current modifiable behaviours: a pooled study of seven Australian cohorts. International Journal of Epidemiology, 2018, 47, 1772-1783.	0.9	9
265	Are baby boomers booming too much?. Obesity Research and Clinical Practice, 2008, 2, 203-214.	0.8	8
266	Area-Level Socioeconomic Characteristics, Prevalence and Trajectories of Cardiometabolic Risk. International Journal of Environmental Research and Public Health, 2014, 11, 830-848.	1.2	8
267	Elucidating the Biological Mechanisms Linking Depressive Symptoms With Type 2 Diabetes in Men. Psychosomatic Medicine, 2016, 78, 221-232.	1.3	8
268	Associations between supermarket availability and body size in Australia: a cross-sectional observational study comparing state and territory capital cities. BMC Public Health, 2021, 21, 407.	1.2	8
269	Prescription medicines, over-the-counter medicines and complementary and alternative medicines use: a comparison between baby boomers and older South Australians. AIMS Public Health, 2019, 6, 380-395.	1.1	8
270	Trends in influenza immunisation amongst an elderly Australian community. Vaccine, 2007, 25, 5428-5432.	1.7	7

#	Article	IF	CITATIONS
271	The use of chronic disease risk factor surveillance systems for evidence-based decision-making: physical activity and nutrition as examples. International Journal of Public Health, 2010, 55, 243-249.	1.0	7
272	Oral complementary medicine and alternative practitioner use varies across chronic conditions and attitudes to risk. Clinical Epidemiology, 2010, 2, 251.	1.5	7
273	Relationship of social factors including trust, control over life decisions, problems with transport and safety, to psychological distress in the community. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 465-473.	1.6	7
274	Learning from an epidemiological, populationâ€based study on prescribed medicine use in adults. Pharmacoepidemiology and Drug Safety, 2013, 22, 271-277.	0.9	7
275	Biomedical health profiles of unpaid family carers in an urban population in South Australia. PLoS ONE, 2019, 14, e0208434.	1.1	7
276	World Alliance for Risk Factor Surveillance White Paper on Surveillance and Health Promotion. AIMS Public Health, 2015, 2, 10-26.	1.1	7
277	Investigating Individual- and Area-Level Socioeconomic Gradients of Pulse Pressure among Normotensive and Hypertensive Participants. International Journal of Environmental Research and Public Health, 2013, 10, 571-589.	1.2	6
278	Weight Gain and Lifestyle Risk Factors for Developing Metabolic Syndrome. Circulation Journal, 2014, 78, 1066-1068.	0.7	6
279	The burden of pancreatic cancer in Australia attributable to smoking. Medical Journal of Australia, 2019, 210, 213-220.	0.8	6
280	Medicare-related service use and costs among people with diagnosed and undiagnosed diabetes and respiratory conditions. Australian Health Review, 2009, 33, 107.	0.5	5
281	Population-attributable risk of childhood sexual abuse for symptoms of depression and suicidal ideation in adulthood. International Journal of Psychiatry in Clinical Practice, 2009, 13, 285-291.	1.2	5
282	Osteoporosis in the community. Bone and Joint Research, 2012, 1, 93-98.	1.3	5
283	Demographic Trends in Alcohol Use: The Value of a Surveillance System. American Journal of Health Behavior, 2013, 37, 641-653.	0.6	5
284	Riboflavin Intake and 5-Year Blood Pressure Change in Chinese Adults: Interaction with Hypertensive Medication. Food and Nutrition Bulletin, 2014, 35, 33-42.	0.5	5
285	Feeling angry about current health status: using a population survey to determine the association with demographic, health and social factors. BMC Public Health, 2016, 16, 588.	1.2	5
286	Changes in wine consumption are influenced most by health: results from a population survey of South Australians in 2013. International Journal of Wine Research, 0, Volume 9, 13-22.	0.5	5
287	Associations between local descriptive norms for overweight/obesity and insufficient fruit intake, individual-level diet, and 10-year change in body mass index and glycosylated haemoglobin in an Australian cohort. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 44.	2.0	5
288	Health and welfare profile of Australian baby boomers who live in rented accommodation – implications for the future. Ageing and Society, 2019, 39, 685-702.	1.2	5

#	Article	IF	CITATIONS
289	Are changes in depressive symptoms, general health and residential area socio-economic status associated with trajectories of waist circumference and body mass index?. PLoS ONE, 2020, 15, e0227029.	1.1	5
290	Residential location, commute distance, and body size: Cross-sectional observational study of state and territory capital cities in Australia. Journal of Transport and Health, 2021, 22, 101122.	1.1	5
291	A population perspective of osteoporosis. How common? What impact? How modifiable?. Health Promotion Journal of Australia, 2003, 14, 61-65.	0.6	5
292	Prevalence of influenza vaccination in South Australian aged care homes. Australian and New Zealand Journal of Public Health, 2005, 29, 38-43.	0.8	4
293	Monosodium glutamate is not associated with obesity or a greater prevalence of weight gain over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults – response by Shi et al British Journal of Nutrition, 2010, 104, 1730-1730.	1.2	4
294	Achievement of management targets associated with incident and long-term diagnosed diabetes among a representative population sample. Diabetes Research and Clinical Practice, 2010, 88, 322-327.	1.1	4
295	â€~lt's our lot': how resilience influences the experience of depression in women with urinary incontinence. Health Sociology Review, 2015, 24, 94-108.	1.7	4
296	Identification of Clusters of Foot Pain Location in a Community Sample. Arthritis Care and Research, 2017, 69, 1903-1908.	1.5	4
297	Correlates of Discordance between Perceived and Objective Distances to Local Fruit and Vegetable Retailers. International Journal of Environmental Research and Public Health, 2019, 16, 1262.	1.2	4
298	Self reported overall health status: Implications for intervention strategies. Australasian Medical Journal, 2008, , 44-57.	0.1	4
299	Association between rice intake and all-cause mortality among Chinese adults: findings from the Jiangsu Nutrition Study. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 1152-1157.	0.3	4
300	The biomedically assessed cumulative burden of chronic disease risk factors on health-related quality of life in an urban population. Health Promotion Journal of Australia, 2004, 15, 55-62.	0.6	3
301	Proximal correlates of metabolic phenotypes during â€ [~] at-risk' and â€ [~] case' stages of the metabolic disea continuum. Nutrition and Diabetes, 2012, 2, e24-e24.	se 1.5	3
302	Abdominal adiposity and obstructive airway disease: testing insulin resistance and sleep disordered breathing mechanisms. BMC Pulmonary Medicine, 2012, 12, 31.	0.8	3
303	Empirically Derived Dietary Patterns and Hypertension. Current Nutrition Reports, 2012, 1, 73-86.	2.1	3
304	A survey to assist in targeting the adults who undertake risky behaviours, know their health behaviours are not optimal and who acknowledge being worried about their health. BMC Public Health, 2013, 13, 120.	1.2	3
305	The Importance Placed on the Monitoring of Food Safety and Quality by Australian Consumers. Laws, 2013, 2, 99-114.	0.5	3
306	The importance of food issues in society: Results from a national survey in <scp>A</scp> ustralia. Nutrition and Dietetics, 2014, 71, 108-116.	0.9	3

#	Article	IF	CITATIONS
307	Effect of social mobility in family financial situation and housing tenure on mental health conditions among South Australian adults: results from a population health surveillance system, 2009 to 2011. BMC Public Health, 2015, 15, 675.	1.2	3
308	Understanding baby boomer workers' wellâ€being in <scp>A</scp> ustralia. Australasian Journal on Ageing, 2016, 35, E17-21.	0.4	3
309	Comparison of Health and Risk Factors of Older, Working-age Australians, Italians and Italian-born Migrants to Australia, with Data from an Italian (PASSI), and an Australian (SAMSS) Risk Factor Surveillance System. Journal of Immigrant and Minority Health, 2018, 20, 1190-1196.	0.8	3
310	Cadmium intake and chronic kidney disease: Response to Kawada T. Clinical Nutrition, 2018, 37, 1774.	2.3	3
311	Prevalence and healthcare usage of knee pain in South Australia: a populationâ€based study. Internal Medicine Journal, 2019, 49, 1105-1110.	0.5	3
312	Measuring social capital in a known disadvantaged urban communityhealth policy implications. Australia and New Zealand Health Policy, 2006, 3, 2.	2.2	2
313	Assessing Heavy Episodic Drinking: A Random Survey of 18 to 34-Year-Olds in Four Cities in Four Different Continents. International Journal of Environmental Research and Public Health, 2019, 16, 706.	1.2	2
314	Prioritizing Built Environmental Factors to Tackle Chronic and Infectious Diseases in Remote Northern Territory (NT) Communities of Australia: A Concept Mapping Study. International Journal of Environmental Research and Public Health, 2021, 18, 5178.	1.2	2
315	Associations between breast cancer screening participation and residential area sociodemographic features, geographic accessibility, and features of screening venue location in Greater Sydney, Australia. Preventive Medicine, 2021, 153, 106774.	1.6	2
316	Clusters of alcohol abstainers and drinkers incorporating motives against drinking: a random survey of 18 to 30 year olds in four cities in four different continents. AIMS Public Health, 2018, 6, 15-33.	1.1	2
317	Food supply and the obesity scourge: Is there a relationship?. Health, 2012, 04, 1457-1463.	0.1	2
318	Does cost affect access to nonâ€prescription pharmaceuticals?. Australian and New Zealand Journal of Public Health, 2001, 25, 572-573.	0.8	1
319	Beware the pitfalls of ill-placed questions – revisiting questionnaire ordering. International Journal of Public Health, 2006, 51, 43-44.	2.7	1
320	Using risk factor surveillance as a basis for mixed-methodology research: an example from Australia using food intake and anthropometric measures. International Journal of Public Health, 2010, 55, 655-660.	1.0	1
321	Is alcohol consumption in Australia increasing or decreasing?. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1199-1200.	1.3	1
322	Evaluation of data accuracies within a comprehensive geospatial-health data surveillance platform: SOMAARTH Demographic Development and Environmental Surveillance Site, Palwal, Haryana, India. Global Health, Epidemiology and Genomics, 2018, 3, e19.	0.2	1
323	Do trial-and-error practices and the use of the internet influence how medicines are used?. Australian Journal of Primary Health, 2014, 20, 228.	0.4	1
324	Parent-reported Mental Health Problems and Mental Health Services Use in South Australian School-aged Children. AIMS Public Health, 2016, 3, 750-768.	1.1	1

#	Article	IF	CITATIONS
325	The Relationship between Alcohol Consumption and other Risk Factors Assessed Using An Ongoing Population-based Surveillance System. AIMS Public Health, 2016, 3, 985-1002.	1.1	1
326	Hormone replacement therapies in women at risk of cardiovascular disease and osteoporosis in South Australia in 1997. Medical Journal of Australia, 1999, 171, 275-275.	0.8	0
327	Re. Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight: Emerging opportunities for research on monosodium glutamate intake and health at a population level. Nutrition, 2013, 29, 1276-1277.	1.1	Ο
328	Rice Intake, Weight Change and Metabolic Syndrome. , 2014, , 323-331.		0
329	Elevated transaminase levels among overweight adolescents in eastern China. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, e593-e599.	0.7	0
330	Cholesterol-lowering therapy and the Australian Pharmaceutical Benefits Scheme: a population study. Australian Health Review, 2009, 33, 325.	0.5	0