

Alex Antonio Florindo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4516033/publications.pdf>

Version: 2024-02-01

75

papers

2,121

citations

218677

26

h-index

265206

42

g-index

93

all docs

93

docs citations

93

times ranked

2614

citing authors

#	ARTICLE	IF	CITATIONS
1	Physical Activity Guidelines for the Brazilian Population: Recommendations Report. <i>Journal of Physical Activity and Health</i> , 2022, 19, 374-381.	2.0	12
2	Use of an Elevated Avenue for Leisure-Time Physical Activity by Adults from Downtown São Paulo, Brazil. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5581.	2.6	2
3	Analysis of the degree of implementation of Health Academy Program in a Brazilian midsize town. <i>Cadernos De Saude Publica</i> , 2021, 37, e00075020.	1.0	1
4	Changes in total physical activity, leisure and commuting in the largest city in Latin America, 2003-2015. <i>Revista Brasileira De Epidemiologia</i> , 2021, 24, e210030.	0.8	4
5	Multicomponent physical activity program to prevent body changes and metabolic disturbances associated with antiretroviral therapy and improve quality of life of people living with HIV: a pragmatic trial. <i>Clinics</i> , 2021, 76, e2457.	1.5	1
6	Study protocol: health survey of São Paulo: ISA-Physical Activity and Environment. <i>BMC Public Health</i> , 2021, 21, 283.	2.9	5
7	Mix of destinations and sedentary behavior among Brazilian adults: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 347.	2.9	2
8	Incorporating physical activity in the comprehensive care of people living with HIV starting antiretroviral therapy: Insights from a specialized care setting in São Paulo, Brazil. <i>PLoS ONE</i> , 2021, 16, e0254168.	2.5	1
9	Mediation role of residential density on the association between perceived environmental factors and active commuting to school in Brazilian adolescents. <i>Cadernos De Saude Publica</i> , 2021, 37, e00067620.	1.0	2
10	Associated factors with physical activity counseling among Brazilian Family Health Strategy workers. <i>Ciencia E Saude Coletiva</i> , 2021, 26, 369-378.	0.5	6
11	Effects of community health worker-based interventions on physical activity levels in children: a systematic review. <i>Revista Paulista De Pediatria</i> , 2021, 40, e2020232.	1.0	0
12	Latin American interventions in children and adolescents' sedentary behavior: a systematic review. <i>Revista De Saude Publica</i> , 2020, 54, 59.	1.7	8
13	Is the local food environment associated with excess body weight in adolescents in São Paulo, Brazil?. <i>Cadernos De Saude Publica</i> , 2020, 36, e00048619.	1.0	8
14	SYSTEMATIC REVIEW OF PHYSICAL ACTIVITY AND SEDENTARY BEHAVIOR INDICATORS IN SOUTH-AMERICAN PRESCHOOL CHILDREN. <i>Revista Paulista De Pediatria</i> , 2020, 38, e2018112.	1.0	13
15	Walking for transportation and built environment in São Paulo city, Brazil. <i>Journal of Transport and Health</i> , 2019, 15, 100611.	2.2	15
16	Walkability, Overweight, and Obesity in Adults: A Systematic Review of Observational Studies. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3135.	2.6	26
17	Perceived neighborhood environmental characteristics and different types of physical activity among Brazilian adolescents. <i>Journal of Sports Sciences</i> , 2018, 36, 1068-1075.	2.0	13
18	Physical activity promotion by health practitioners: a distance-learning training component to improve knowledge and counseling. <i>Primary Health Care Research and Development</i> , 2018, 19, 140-150.	1.2	5

#	ARTICLE	IF	CITATIONS
19	Access to Street Markets and Consumption of Fruits and Vegetables by Adolescents Living in São Paulo, Brazil. International Journal of Environmental Research and Public Health, 2018, 15, 517.	2.6	22
20	Cycling for Transportation in São Paulo City: Associations with Bike Paths, Train and Subway Stations. International Journal of Environmental Research and Public Health, 2018, 15, 562.	2.6	28
21	Public Open Spaces and Leisure-Time Walking in Brazilian Adults. International Journal of Environmental Research and Public Health, 2017, 14, 553.	2.6	49
22	Evaluating the impact of a walking program in a disadvantaged area: using the RE-AIM framework by mixed methods. BMC Public Health, 2017, 17, 709.	2.9	14
23	Assessment of the effectiveness of physical activity interventions in the Brazilian Unified Health System. Revista De Saude Publica, 2017, 51, 56.	1.7	9
24	Interventions for Physical Activity Promotion: Where is Brazil?. Revista Brasileira De Atividade Física E Saúde, 2017, 22, 213-216.	0.1	1
25	Description of health promotion actions in Brazilian cities that received funds to develop "Academia da Saúde" program. Revista Brasileira De Cineantropometria E Desempenho Humano, 2016, 18, 483.	0.5	7
26	Promoção da atividade física e da alimentação saudável e a saúde da família em municípios com academia da saúde. Revista Brasileira De Educação Física E Esporte: RBEFE, 2016, 30, 913-924.	0.1	9
27	Sedentary behavior in Brazilian children and adolescents: a systematic review. Revista De Saude Publica, 2016, 50, 9.	1.7	61
28	Effects of a new walking and cycling route on leisure-time physical activity of Brazilian adults: A longitudinal quasi-experiment. Health and Place, 2016, 39, 18-25.	3.3	27
29	Neighborhood and family perceived environments associated with children's physical activity and body mass index. Preventive Medicine, 2016, 82, 35-41.	3.4	24
30	Physicians', nurses' and community health workers' knowledge about physical activity in Brazil: A cross-sectional study. Preventive Medicine Reports, 2015, 2, 467-472.	1.8	26
31	Prevalence of headache and orofacial pain in adults and elders in a Brazilian community: an epidemiological study. Gerodontologia, 2015, 32, 123-131.	2.0	28
32	Association of knowledge, preventive counseling and personal health behaviors on physical activity and consumption of fruits or vegetables in community health workers. BMC Public Health, 2015, 15, 344.	2.9	28
33	Systematic review of physical activity promotion by community health workers. Preventive Medicine, 2015, 81, 114-121.	3.4	27
34	Prevalence of health promotion programs in primary health care units in Brazil. Revista De Saude Publica, 2014, 48, 837-844.	1.7	29
35	Reliability and validity of a physical activity social support assessment scale in adolescents - ASAFA Scale. Revista Brasileira De Epidemiologia, 2014, 17, 355-370.	0.8	7
36	Characteristics of physical activity programs in the Brazilian primary health care system. Cadernos De Saude Publica, 2014, 30, 2155-2168.	1.0	31

#	ARTICLE	IF	CITATIONS
37	Perceived environmental characteristics and psychosocial factors associated with physical activity levels in adolescents from Northeast Brazil: structural equation modelling analysis. <i>Journal of Sports Sciences</i> , 2014, 32, 963-973.	2.0	16
38	Physical Activity Promotion in Primary Health Care in Brazil: A Counseling Model Applied to Community Health Workers. <i>Journal of Physical Activity and Health</i> , 2014, 11, 1531-1539.	2.0	14
39	Validação do recordatário de 24 horas para avaliação da atividade física em idosos.. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2014, 16, .	0.5	0
40	Associação entre prática de atividade física no tempo de lazer e medicação permanente em adultos de uma região de baixo nível socioeconômico. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2014, 16, 371.	0.5	1
41	O ano de 2014 foi vitorioso para os pesquisadores e para a Revista Brasileira de Atividade Física e Saúde. <i>Revista Brasileira De Atividade Física E Saúde</i> , 2014, 19, .	0.1	0
42	Physical activity counseling in primary health care in Brazil: a national study on prevalence and associated factors. <i>BMC Public Health</i> , 2013, 13, 794.	2.9	45
43	Physical Activity and Its Relationship With Perceived Environment Among Adults Living in a Region of Low Socioeconomic Level. <i>Journal of Physical Activity and Health</i> , 2013, 10, 563-571.	2.0	21
44	Factors Associated With Physical Inactivity in Transportation in Brazilian Adults Living in a Low Socioeconomic Area. <i>Journal of Physical Activity and Health</i> , 2013, 10, 856-862.	2.0	11
45	Epidemiology of recreational football in Brazil: prevalence and association with risk factors for chronic diseases and self-rated health in adults. <i>Motriz Revista De Educacao Fisica</i> , 2013, 19, 224-230.	0.2	2
46	Redes de relações sociais dos idosos residentes em Ermelino Matarazzo, São Paulo: um estudo epidemiológico. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2013, 16, 49-59.	0.3	5
47	Escore de ambiente construído relacionado com a prática de atividade física no lazer: aplicação numa região de baixo nível socioeconômico. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2013, 15, .	0.5	4
48	Validação de uma escala de percepção do ambiente para a prática de atividade física em adultos de uma região de baixo nível socioeconômico. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2012, 14, .	0.5	14
49	PRÁTICA DE ATIVIDADE FÍSICA EM QUATRO DOMÍNIOS EM IDOSOS COM HIPERTENSÃO ARTERIAL REFERIDA NO MUNICÍPIO DE SÃO PAULO: ESTUDO DE BASE POPULACIONAL. <i>Revista Brasileira De Atividade Física E Saúde</i> , 2012, 17, 7.	0.1	3
50	REVISTA BRASILEIRA DE ATIVIDADE FÍSICA & SAÚDE EM 2012: NOVA GESTÃO E NOVOS OBJETIVOS. <i>Revista Brasileira De Atividade Física E Saúde</i> , 2012, 17, 1.	0.1	0
51	Fluência verbal e variáveis sociodemográficas no processo de envelhecimento: um estudo epidemiológico. <i>Psicologia: Reflexão E Crítica</i> , 2011, 24, 739-746.	0.9	15
52	Percepção do ambiente e prática de atividade física em adultos residentes em região de baixo nível socioeconômico. <i>Revista De Saude Publica</i> , 2011, 45, 302-310.	1.7	53
53	Patrocinio de programas de actividad física por parte de la industria de bebidas azucaradas: ¿salud pública o relaciones públicas?. <i>Revista De Saude Publica</i> , 2011, 45, 423-427.	1.7	20
54	Enrollment in Physical Education Is Associated With Health-Related Behavior Among High School Students. <i>Journal of School Health</i> , 2010, 80, 126-133.	1.6	55

#	ARTICLE	IF	CITATIONS
55	Ambiente construÃ³o e atividade fÃsica: uma breve revisÃ£o dos mÃ©todos de avaliaÃ§Ã£o. Revista Brasileira De Cineantropometria E Desempenho Humano, 2010, , 387-394.	0.5	27
56	Consumo abusivo e dependÃªncia de Ã¡lcool em populaÃ§Ã£o adulta no Estado de SÃ£o Paulo, Brasil. Revista Brasileira De Epidemiologia, 2010, 13, 314-325.	0.8	26
57	PercepÃ§Ã£o do ambiente e prÃªtica de atividade fÃsica no lazer entre idosos. Revista De Saude Publica, 2009, 43, 972-980.	1.7	81
58	Association Between Physical Activity in Parks and Perceived Environment: A Study With Adolescents. Journal of Physical Activity and Health, 2009, 6, 503-509.	2.0	44
59	Effectiveness of a School-Based Intervention on Physical Activity for High School Students in Brazil: The Saude na Boa Project. Journal of Physical Activity and Health, 2009, 6, 163-169.	2.0	48
60	Epidemiology of Leisure, Transportation, Occupational, and Household Physical Activity: Prevalence and Associated Factors. Journal of Physical Activity and Health, 2009, 6, 625-632.	2.0	116
61	Methods and Participant Characteristics of a Randomized Intervention to Promote Physical Activity and Healthy Eating Among Brazilian High School Students: The Saude na Boa Project. Journal of Physical Activity and Health, 2009, 6, 153-162.	2.0	32
62	PrÃªtica de atividades fÃsicas e fatores associados em adultos, Brasil, 2006. Revista De Saude Publica, 2009, 43, 65-73.	1.7	82
63	Leisure time physical activity prevents accumulation of central fat in HIV/AIDS subjects on highly active antiretroviral therapy. International Journal of STD and AIDS, 2007, 18, 692-696.	1.1	35
64	Validity and reliability of the Baecke questionnaire for the evaluation of habitual physical activity among people living with HIV/AIDS. Cadernos De Saude Publica, 2006, 22, 535-541.	1.0	46
65	Central obesity and dietary intake in HIV/AIDS patients. Revista De Saude Publica, 2006, 40, 634-640.	1.7	33
66	Dietary intake of Brazilian black and white men and its relationship to the bone mineral density of the femoral neck. Sao Paulo Medical Journal, 2006, 124, 267-270.	0.9	16
67	PrevalÃªncia de sobrepeso e obesidade abdominal em indivÃºuos portadores de HIV/AIDS, em uso de terapia anti-retroviral de alta potÃªncia. Revista Brasileira De Epidemiologia, 2004, 7, 65-72.	0.8	37
68	Validation and reliability of the Baecke questionnaire for the evaluation of habitual physical activity in adult men. Revista Brasileira De Medicina Do Esporte, 2003, 9, 129-135.	0.2	141
69	Past and Present Habitual Physical Activity and Its Relationship With Bone Mineral Density in Men Aged 50 Years and Older in Brazil. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2002, 57, M654-M657.	3.6	17
70	Fatores associados Ã prÃªtica de exercÃ©cios fÃsicos em homens voluntÃ¡rios adultos e idosos residentes na Grande SÃ£o Paulo, Brasil. Revista Brasileira De Epidemiologia, 2001, 4, 105-113.	0.8	9
71	Risk Factors for Proximal Femur Osteoporosis in Men Aged 50 Years or Older. Osteoporosis International, 2001, 12, 942-949.	3.1	55
72	Atividade fÃsica para pessoas com deficiÃªncia: Guia de Atividade FÃsica para a PopulaÃ§Ã£o Brasileira. Revista Brasileira De Atividade FÃsica E SaÃºde, 0, 26, 1-11.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Sedentary behavior and body composition in children of low-and mid-income countries: a review. Revista Brasileira De Atividade Física E Saúde, 0, 23, 1-11.	0.1	3
74	Barriers to leisure-time physical activity in adults living in a low socioeconomic area of the Brazilian Southeast. Revista Brasileira De Atividade Física E Saúde, 0, 23, 1-9.	0.1	1
75	Program EducAtivo: physical activity as a health education strategy. Revista Brasileira De Atividade Física E Saúde, 0, 23, 1-6.	0.1	0