

Mina Hur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4516481/publications.pdf>

Version: 2024-02-01

143
papers

2,156
citations

257357

24
h-index

315616

38
g-index

148
all docs

148
docs citations

148
times ranked

3305
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Performance of Two Automated Immunoassays, EliA CTD Screen and QUANTA Flash CTD Screen Plus, for Antinuclear Antibody Screening. <i>Annals of Laboratory Medicine</i> , 2022, 42, 63-70.	1.2	3
2	Quantum Leap and Future Contribution of <i>Annals of Laboratory Medicine</i> . <i>Annals of Laboratory Medicine</i> , 2022, 42, 1-2.	1.2	0
3	Comparison of Non-Invasive Clinical Algorithms for Liver Fibrosis in Patients With Chronic Hepatitis B to Reduce the Need for Liver Biopsy: Application of Enhanced Liver Fibrosis and Mac-2 Binding Protein Glycosylation Isomer. <i>Annals of Laboratory Medicine</i> , 2022, 42, 249-257.	1.2	3
4	Back to the Basics of Liquid Chromatography-Mass Spectrometry. <i>Annals of Laboratory Medicine</i> , 2022, 42, 119-120.	1.2	3
5	Biomarker Rule-in or Rule-out in Patients With Acute Diseases for Validation of Acute Kidney Injury in the Emergency Department (BRAVA): A Multicenter Study Evaluating Urinary TIMP-2/IGFBP7. <i>Annals of Laboratory Medicine</i> , 2022, 42, 178-187.	1.2	12
6	Questionnaire Survey on Current Red Blood Cell Transport and Storage in Korea for Reducing Wastage. <i>Annals of Laboratory Medicine</i> , 2022, 42, 342-351.	1.2	0
7	A variant allele with c.<sc>467C</sc>>T and c.<sc>784G</sc>>A is not a novel allele but <i><sc>ABO</sc>* <sc>AW10</sc></i>. <i>Transfusion</i> , 2022, 62, 918-920.	0.8	1
8	Novel Usefulness of Krebs von den Lungen 6 (KL-6) with Hemoglobin and Lactate Dehydrogenase for Assessing Bone Marrow Fibrosis. <i>Diagnostics</i> , 2022, 12, 628.	1.3	1
9	Sex-Specific U-Shaped Relationships Between High-Density Lipoprotein Cholesterol Levels and 10-year Major Adverse Cardiovascular Events: A Nationwide Cohort Study of 5.7 Million South Koreans. <i>Annals of Laboratory Medicine</i> , 2022, 42, 415-427.	1.2	7
10	Digital Morphology Analyzer Sysmex DI-60 vs. Manual Counting for White Blood Cell Differentials in Leukopenic Samples: A Comparative Assessment of Risk and Turnaround Time. <i>Annals of Laboratory Medicine</i> , 2022, 42, 398-405.	1.2	8
11	Prognostic Utility of Procalcitonin, Presepsin, and the VACO Index for Predicting 30-day Mortality in Hospitalized COVID-19 Patients. <i>Annals of Laboratory Medicine</i> , 2022, 42, 406-414.	1.2	19
12	Performance of Platelet Counting in Thrombocytopenic Samples: Comparison between Mindray BC-6800Plus and Sysmex XN-9000. <i>Diagnostics</i> , 2022, 12, 68.	1.3	3
13	Effectiveness of Plasma and Urine Neutrophil Gelatinase-Associated Lipocalin for Predicting Acute Kidney Injury in High-Risk Patients. <i>Annals of Laboratory Medicine</i> , 2021, 41, 60-67.	1.2	8
14	Performance of digital morphology analyzer Vision Pro on white blood cell differentials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1099-1106.	1.4	10
15	Performance evaluation of coaguheck pro II in comparison with coaguheck XS plus and staâ€r Max using a staâ€r neoplastine CI plus. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1191-1197.	0.7	4
16	Hepcidin-25 as a Novel Kidney Biomarker for Cardiac Surgery-Associated Acute Kidney Injury. <i>Annals of Laboratory Medicine</i> , 2021, 41, 355-356.	1.2	2
17	Comparison between tube test and automated column agglutination technology on VISION Max for antiâ€A/B isoagglutinin titres: A multidimensional analysis. <i>Vox Sanguinis</i> , 2021, , .	0.7	1
18	Timeâ€“temperature indicators versus temperature indicators for transfusion practice: Application in the real hospital setting. <i>Vox Sanguinis</i> , 2021, , .	0.7	5

#	ARTICLE	IF	CITATIONS
19	Basophilia is one of the morphologic clues for diagnosis of chronic myeloid leukemia with variant manifestations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 339-342.	0.6	0
20	Response of Clinical Laboratories to the Ongoing COVID-19 Pandemic. <i>Annals of Laboratory Medicine</i> , 2021, 41, 519-520.	1.2	5
21	How Reproducible Is the Data from Sysmex DI-60 in Leukopenic Samples?. <i>Diagnostics</i> , 2021, 11, 2173.	1.3	10
22	Performance Evaluation of the QXDx <i>i>BCR-ABL</i> %IS Droplet Digital PCR Assay. <i>Annals of Laboratory Medicine</i>, 2020, 40, 72-75.</i>	1.2	32
23	A case of reactive erythrocytosis with CD34/CD61 dual positive megakaryocytes. <i>International Journal of Laboratory Hematology</i> , 2020, 42, e17-e19.	0.7	2
24	Hepcidin and Neutrophil Gelatinase-Associated Lipocalin as a Biomarker for Acute Kidney Injury Linked Iron Metabolism. <i>Annals of Laboratory Medicine</i> , 2020, 40, 97-98.	1.2	3
25	Neutrophil Gelatinase-Associated Lipocalin Measured on Clinical Laboratory Platforms for the Prediction of Acute Kidney Injury and the Associated Need for Dialysis Therapy: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2020, 76, 826-841.e1.	2.1	80
26	Rebuttal of a paper submitted by Hansâ€‹nge Bengtsson. <i>International Journal of Laboratory Hematology</i> , 2020, 42, e216-e217.	0.7	6
27	Artificial Intelligence based Models for Screening of Hematologic Malignancies using Cell Population Data. <i>Scientific Reports</i> , 2020, 10, 4583.	1.6	20
28	Reference intervals for clinically reportable platelet parameters on the Mindray BC-6800Plus hematology analyzer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, e213-e215.	1.4	2
29	HDL Subclass Analysis in Predicting Metabolic Syndrome in Koreans With High HDL Cholesterol Levels. <i>Annals of Laboratory Medicine</i> , 2020, 40, 297-305.	1.2	8
30	Automation of Harboe method for the measurement of plasma free hemoglobin. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23242.	0.9	7
31	COVID-19 Testing in South Korea: Current Status and the Need for Faster Diagnostics. <i>Annals of Laboratory Medicine</i> , 2020, 40, 349-350.	1.2	40
32	Serial Assays of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold-Plus in Subjects Exposed to Patients with Active Tuberculosis. <i>Annals of Laboratory Medicine</i> , 2020, 40, 428-430.	1.2	4
33	Proenkephalin predicts organ failures, renal replacement therapy, and mortality in sepsis. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
34	Proenkephalin Predicts Organ Failure, Renal Replacement Therapy, and Mortality in Patients With Sepsis. <i>Annals of Laboratory Medicine</i> , 2020, 40, 466-473.	1.2	7
35	Comparison between presepsin and procalcitonin in early diagnosis of neonatal sepsis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3903-3908.	0.7	22
36	Utility of temperatureâ€‹sensitive indicators for temperature monitoring of redâ€‹bloodâ€‹cell units. <i>Vox Sanguinis</i> , 2019, 114, 487-494.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Do we still need morphologic evaluation in new era of advanced minimal residual disease analyses?. International Journal of Laboratory Hematology, 2019, 41, e145-e147.	0.7	0
38	Digital morphology analyzers in hematology: ICSH review and recommendations. International Journal of Laboratory Hematology, 2019, 41, 437-447.	0.7	95
39	Circulating Biologically Active Adrenomedullin Predicts Organ Failure and Mortality in Sepsis. Annals of Laboratory Medicine, 2019, 39, 454-463.	1.2	31
40	Evaluation of the MULTISURE HIV Rapid Test in a Korean population with low human immunodeficiency virus prevalence. Clinical Chemistry and Laboratory Medicine, 2019, 57, e189-e191.	1.4	0
41	Expanded Impacts of Platelet Functions: Beyond Hemostasis and Thrombosis. Annals of Laboratory Medicine, 2019, 39, 343-344.	1.2	6
42	First Case in Korea of Group B Streptococcus With Reduced Penicillin Susceptibility Harboring Amino Acid Substitutions in Penicillin-Binding Protein 2X. Annals of Laboratory Medicine, 2019, 39, 414-416.	1.2	17
43	Benefits of VISION Max automated cross-matching in comparison with manual cross-matching: A multidimensional analysis. PLoS ONE, 2019, 14, e0226477.	1.1	3
44	Strategy for performing treponemal tests in reverse-sequence algorithms of syphilis diagnosis. Clinical Biochemistry, 2019, 63, 121-125.	0.8	4
45	Advances in Automated Urinalysis Systems, Flow Cytometry and Digitized Microscopy. Annals of Laboratory Medicine, 2019, 39, 1-2.	1.2	5
46	Acceptability of Virtual Reality among Older People. , 2019, , .		1
47	Performance evaluation of cobas HBV real-time PCR assay on Roche cobas 4800 System in comparison with COBAS AmpliPrep/COBAS TaqMan HBV Test. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1133-1139.	1.4	10
48	Evaluation of the LIA-ANA-Profile-17S for the detection of autoantibodies to nuclear antigens. Clinical Biochemistry, 2018, 55, 75-79.	0.8	6
49	Toxin positivity and tcdB gene load in broad-spectrum Clostridium difficile infection. Infection, 2018, 46, 113-117.	2.3	17
50	Three types of preS1 start codon deletion variants in the natural course of chronic hepatitis B infection. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1370-1378.	1.4	4
51	Usefulness of Enhanced Liver Fibrosis, Glycosylation Isomer of Mac-2 Binding Protein, Galectin-3, and Soluble Suppression of Tumorigenicity 2 for Assessing Liver Fibrosis in Chronic Liver Diseases. Annals of Laboratory Medicine, 2018, 38, 331-337.	1.2	20
52	Characteristics of Helicobacter pylori-seropositive subjects according to the stool antigen test findings: a prospective study. Korean Journal of Internal Medicine, 2018, 33, 893-901.	0.7	6
53	Mac-2 Binding Protein Glycosylation Isomer: Emerging Non-Invasive Serum Marker for Liver Fibrosis. Annals of Laboratory Medicine, 2018, 38, 289-290.	1.2	4
54	Detection of Plasmodium falciparum using automated digital cell morphology analyzer Sysmex DI-60. Clinical Chemistry and Laboratory Medicine, 2018, 56, e284-e287.	1.4	6

#	ARTICLE	IF	CITATIONS
55	Biomarkers in Emergency Medicine. <i>Disease Markers</i> , 2018, 2018, 1-1.	0.6	0
56	Comparison of three staining methods in the automated digital cell imaging analyzer Sysmex DI-60. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, e280-e283.	1.4	11
57	Neutrophil Gelatinase-Associated Lipocalin as a Promising Novel Biomarker for Early Detection of Kidney Injury. <i>Annals of Laboratory Medicine</i> , 2018, 38, 393-394.	1.2	2
58	Comparison of second- and third-generation immunoassays for detection of anti-cyclic citrullinated peptide antibodies. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 477-482.	0.6	7
59	Prognostic Role of High-sensitivity Cardiac Troponin I and Soluble Suppression of Tumorigenicity-2 in Surgical Intensive Care Unit Patients Undergoing Non-cardiac Surgery. <i>Annals of Laboratory Medicine</i> , 2018, 38, 204-211.	1.2	9
60	Prognostic value of presepsin in adult patients with sepsis: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0191486.	1.1	71
61	Multi-marker approach using procalcitonin, presepsin, galectin-3, and soluble suppression of tumorigenicity 2 for the prediction of mortality in sepsis. <i>Annals of Intensive Care</i> , 2017, 7, 27.	2.2	91
62	Performance of automated digital cell imaging analyzer Sysmex DI-60. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 56, 94-102.	1.4	33
63	Performance of the artus C. difficile QS-RGQ Kit for the detection of toxigenic <i>Clostridium difficile</i> . <i>Clinical Biochemistry</i> , 2017, 50, 84-87.	0.8	4
64	Clinical Utility of Measurement of Vitamin D-Binding Protein and Calculation of Bioavailable Vitamin D in Assessment of Vitamin D Status. <i>Annals of Laboratory Medicine</i> , 2017, 37, 34-38.	1.2	37
65	Comparison Between Soluble ST2 and High-Sensitivity Troponin I in Predicting Short-Term Mortality for Patients Presenting to the Emergency Department With Chest Pain. <i>Annals of Laboratory Medicine</i> , 2017, 37, 137-146.	1.2	20
66	Proenkephalin, Neutrophil Gelatinase-Associated Lipocalin, and Estimated Glomerular Filtration Rates in Patients With Sepsis. <i>Annals of Laboratory Medicine</i> , 2017, 37, 388-397.	1.2	50
67	Automated Nucleic Acid Extraction Systems for Detecting Cytomegalovirus and Epstein-Barr Virus Using Real-Time PCR: A Comparison Study Between the QIA Symphony RGQ and QIAcube Systems. <i>Annals of Laboratory Medicine</i> , 2017, 37, 129-136.	1.2	4
68	Editorial: Application of Mesenchymal Stem Cells and Their Secretory Factors for Hair Regeneration. <i>Current Stem Cell Research and Therapy</i> , 2017, 12, 523.	0.6	0
69	Soluble Suppression of Tumorigenicity 2 and Echocardiography in Sepsis. <i>Annals of Laboratory Medicine</i> , 2016, 36, 590-594.	1.2	5
70	Comparing Results of Five Glomerular Filtration Rate-Estimating Equations in the Korean General Population: MDRD Study, Revised Lund-MalmÅr, and Three CKD-EPI Equations. <i>Annals of Laboratory Medicine</i> , 2016, 36, 521-528.	1.2	22
71	First Case of Human Brucellosis Caused by <i>Brucella melitensis</i> in Korea. <i>Annals of Laboratory Medicine</i> , 2016, 36, 390-392.	1.2	1
72	Laboratory Medicine 2016. <i>BioMed Research International</i> , 2016, 2016, 1-2.	0.9	0

#	ARTICLE	IF	CITATIONS
73	Distribution of soluble suppression of tumorigenicity 2 (sST2), N-terminal pro-brain natriuretic peptide (NT-proBNP), high sensitive troponin I and high-sensitive troponin T in umbilical cord blood. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1793-1798.	1.4	0
74	Determination of high-sensitivity cardiac troponin I 99th percentile upper reference limits in a healthy Korean population. <i>Clinical Biochemistry</i> , 2016, 49, 756-761.	0.8	24
75	Quantification of Transfusion Recipients at Risk of Receiving Hepatitis B Virus-Contaminated Blood Components: A Korean Study. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2016, 32, 312-319.	0.3	0
76	Comparison of Diagnostic Algorithms for Detecting Toxigenic <i>Clostridium difficile</i> in Routine Practice at a Tertiary Referral Hospital in Korea. <i>PLoS ONE</i> , 2016, 11, e0161139.	1.1	18
77	Presence of Additional Cytogenetic Abnormality of t(1;15) at Diagnosis of Chronic Myelogenous Leukemia-Chronic Phase. <i>Annals of Clinical and Laboratory Science</i> , 2016, 46, 308-11.	0.2	2
78	First Case of Biphenotypic/bilineal (B/myeloid, B/monocytic) Mixed Phenotype Acute Leukemia with t(9;22)(q34;q11.2);BCR-ABL1. <i>Annals of Clinical and Laboratory Science</i> , 2016, 46, 435-8.	0.2	2
79	Comparison of white blood cell counts by WNR, WDF, and WPC channels in Sysmex XN hematology analyzer. <i>International Journal of Laboratory Hematology</i> , 2015, 37, 869-875.	0.7	17
80	Establishment of Trimester-Specific Reference Intervals for Thyroid Hormones in Korean Pregnant Women. <i>Annals of Laboratory Medicine</i> , 2015, 35, 198-204.	1.2	52
81	Soluble ST2 Has a Prognostic Role in Patients With Suspected Sepsis. <i>Annals of Laboratory Medicine</i> , 2015, 35, 570-577.	1.2	35
82	The Difference of Lymphocyte Subsets Including Regulatory T-Cells in Umbilical Cord Blood between AGA Neonates and SGA Neonates. <i>Yonsei Medical Journal</i> , 2015, 56, 798.	0.9	1
83	Evaluation of the Bio-Rad Geenius HIV 1/2 Confirmation Assay as an Alternative to Western Blot in the Korean Population: A Multi-Center Study. <i>PLoS ONE</i> , 2015, 10, e0139169.	1.1	18
84	Serum Cystatin C for the Diagnosis of Acute Kidney Injury in Patients Admitted in the Emergency Department. <i>Disease Markers</i> , 2015, 2015, 1-7.	0.6	18
85	Optimal cut-off concentration for a faecal immunochemical test for haemoglobin by Hemo Tech NS-Plus C15 system for the colorectal cancer screening. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, e69-71.	1.4	4
86	Vitamin D status and thyroid autoimmunity in Korean pregnant women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 2210-2213.	0.7	2
87	Reference interval for immature platelet fraction on Sysmex XN hematology analyzer: a comparison study with Sysmex XE-2100. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1091-7.	1.4	30
88	Soluble ST2 and troponin I combination: Useful biomarker for predicting development of stress cardiomyopathy in patients admitted to the medical intensive care unit. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 282-288.	0.8	18
89	Validation of western <i>Helicobacter pylori</i> IgG antibody assays in Korean adults. <i>Journal of Medical Microbiology</i> , 2015, 64, 513-518.	0.7	31
90	Abrupt thrombocytopenia with sustained trilineage engraftment in a stem cell transplant recipient. <i>International Journal of Laboratory Hematology</i> , 2015, 37, e106-e108.	0.7	1

#	ARTICLE	IF	CITATIONS
91	Response to letter to the editor "High prevalence of Takotsubo syndrome in patients admitted to the Medical Intensive Care Unit with non-cardiac illnesses" by John E. Madias, MD. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 545-546.	0.8	0
92	Comparison of Three Molecular Assays for the Detection of Rifampin Resistance in <i>Mycobacterium tuberculosis</i> . <i>Journal of Clinical Laboratory Analysis</i> , 2015, 29, 142-145.	0.9	4
93	Usefulness of plasma neutrophil gelatinase-associated lipocalin as an early marker of acute kidney injury after cardiopulmonary bypass in Korean cardiac patients: A prospective observational study. <i>Clinical Biochemistry</i> , 2015, 48, 44-49.	0.8	11
94	A Rare Case of Waldenström Macroglobulinemia/Lymphoplasmacytic Lymphoma with Light Chain Discrepancy between B Lymphocyte Population and Serum Paraprotein. <i>Annals of Clinical and Laboratory Science</i> , 2015, 45, 593-7.	0.2	1
95	Laboratory Medicine 2014. <i>BioMed Research International</i> , 2014, 2014, 1-2.	0.9	0
96	Comparison of two multiplex qPCR assays for the detection of respiratory viral infections. <i>Clinical Respiratory Journal</i> , 2014, 8, 391-396.	0.6	11
97	Antimicrobial susceptibility profiles of <i>Staphylococcus aureus</i> isolates classified according to their origin in a tertiary hospital in Korea. <i>American Journal of Infection Control</i> , 2014, 42, 1340-1342.	1.1	8
98	Performance evaluation of Sysmex XN hematology analyzer in umbilical cord blood: a comparison study with Sysmex XE-2100. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1771-9.	1.4	18
99	Neutrophil Gelatinase-Associated Lipocalin: Ready for Routine Clinical Use? An International Perspective. <i>Blood Purification</i> , 2014, 37, 271-285.	0.9	78
100	Diagnostic and prognostic utilities of multimarkers approach using procalcitonin, B-type natriuretic peptide, and neutrophil gelatinase-associated lipocalin in critically ill patients with suspected sepsis. <i>BMC Infectious Diseases</i> , 2014, 14, 224.	1.3	45
101	Analysis of community- and hospital-acquired bacteraemia during a recent 5-year period. <i>Journal of Medical Microbiology</i> , 2014, 63, 421-426.	0.7	12
102	Analytical performance evaluation of the scanning capillary tube viscometer for measurement of whole blood viscosity. <i>Clinical Biochemistry</i> , 2013, 46, 139-142.	0.8	47
103	The role of failure modes and effects analysis in showing the benefits of automation in the blood bank. <i>Transfusion</i> , 2013, 53, 1077-1082.	0.8	16
104	Assessment of apoB dyslipoproteinemia in Korean population. <i>Clinical Biochemistry</i> , 2013, 46, 1041-1046.	0.8	1
105	Risk factors of fecal carriage with extended-spectrum β -lactamase-producing Enterobacteriaceae in hospitalized patients. <i>American Journal of Infection Control</i> , 2013, 41, 1241-1243.	1.1	8
106	Plasma neutrophil gelatinase-associated lipocalin as a biomarker for acute kidney injury in critically ill patients with suspected sepsis. <i>Clinical Biochemistry</i> , 2013, 46, 1414-1418.	0.8	46
107	Comparison of International Normalized Ratio Measurement between CoaguChek XS Plus and STA-R Coagulation Analyzers. <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	18
108	Establishment of reference interval for immature platelet fraction. <i>International Journal of Laboratory Hematology</i> , 2013, 35, 528-533.	0.7	30

#	ARTICLE	IF	CITATIONS
109	Evaluation of ABX Pentra DX 120 and Sysmex XE-2100 in umbilical cord blood. <i>International Journal of Laboratory Hematology</i> , 2013, 35, 658-665.	0.7	2
110	Variation in the Numbers of Red Blood Cell Units Transfused at Different Medical Institution Types from 2006 to 2010 in Korea. <i>Annals of Laboratory Medicine</i> , 2013, 33, 331-342.	1.2	6
111	Internuclear bridging. <i>Blood Research</i> , 2013, 48, 74.	0.5	0
112	Discrepant Results for BRAF V600E Mutation Among Different Specimens in a Case of Hairy Cell Leukemia. <i>Annals of Laboratory Medicine</i> , 2013, 33, 300-303.	1.2	0
113	Laboratory Medicine. <i>BioMed Research International</i> , 2013, 2013, 1-2.	0.9	0
114	Unusually Elevated Serum Insulin Level in a Diabetic Patient during Recombinant Insulin Therapy. <i>Laboratory Medicine Online</i> , 2013, 3, 56.	0.0	1
115	Comparison of four current 25-hydroxyvitamin D assays. <i>Clinical Biochemistry</i> , 2012, 45, 326-330.	0.8	70
116	Performances of four fourth-generation human immunodeficiency virus-1 screening assays. <i>Journal of Medical Virology</i> , 2012, 84, 1884-1888.	2.5	24
117	Therapy-related acute leukemia with mixed phenotype and t(9;22)(q32;q11.2): a case report and review of the literature. <i>Human Pathology</i> , 2012, 43, 605-609.	1.1	7
118	Distribution of CD4 ⁺ CD25 ^{high} FoxP3 ⁺ regulatory T-cells in umbilical cord blood. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2058-2061.	0.7	13
119	Genetic modification of human adipose-derived stem cells for promoting wound healing. <i>Journal of Dermatological Science</i> , 2012, 66, 98-107.	1.0	44
120	Comparison of two leukocyte reduction filters for whole blood derived platelets. <i>Transfusion and Apheresis Science</i> , 2012, 47, 21-25.	0.5	7
121	Pre- and Post-transfusion Testing for Hepatitis B Virus Surface Antigen and Antibody in Blood Recipients: A Single-Institution Experience in an Area of High Endemicity. <i>Annals of Laboratory Medicine</i> , 2012, 32, 73-78.	1.2	4
122	Circulating Vitamin D and Colorectal Adenoma in Asymptomatic Average-Risk Individuals Who Underwent First Screening Colonoscopy: A Case-Control Study. <i>Digestive Diseases and Sciences</i> , 2012, 57, 753-763.	1.1	23
123	CD4 ⁺ CD25 ^{high} FoxP3 ⁺ Regulatory T-cells in Hematologic Diseases. <i>Annals of Laboratory Medicine</i> , 2011, 31, 231-237.	1.2	22
124	<i>Streptococcus suis</i> Causes Septic Arthritis and Bacteremia: Phenotypic Characterization and Molecular Confirmation. <i>Annals of Laboratory Medicine</i> , 2011, 31, 115-117.	1.2	13
125	Detection of tuberculosis using artus [®] <i>M. tuberculosis</i> PCR Kit and COBAS [®] AMPLICOR [®] , <i>Mycobacterium tuberculosis</i> Test. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 795-798.	0.6	12
126	Optimization of laboratory workflow in clinical hematology laboratory with reduced manual slide review: comparison between Sysmex XE-2100 and ABX Pentra DX120. <i>International Journal of Laboratory Hematology</i> , 2011, 33, 434-440.	0.7	19

#	ARTICLE	IF	CITATIONS
127	Reference interval and determinants of the serum homocysteine level in a Korean population. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 317-323.	0.9	20
128	Latent tuberculosis infection screening for laboratory personnel using interferon- γ release assay and tuberculin skin test in Korea: an intermediate incidence setting. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 382-388.	0.9	11
129	The Effects of Anti-insulin Antibodies and Cross-reactivity with Human Recombinant Insulin Analogues in the E170 Insulin Immunometric Assay. <i>Annals of Laboratory Medicine</i> , 2011, 31, 22-29.	1.2	13
130	Acute Myeloid Leukemia with a <i>RUNX1-RUNX1T1</i> t(1;21;8)(q21;q22;q22) Novel Variant: A Case Report and Review of the Literature. <i>Acta Haematologica</i> , 2011, 125, 237-241.	0.7	6
131	Evaluation of Rapid Antigen Test for the Detection of Norovirus Infection: Comparison with ELISA and Real Time Quantitative Reverse Transcription PCR Assays. <i>Laboratory Medicine Online</i> , 2011, 1, 184.	0.0	4
132	Multiple Unrelated Chromosomal Abnormalities in Host Cells After Cord Blood Transplantation. <i>Journal of Pediatric Hematology/Oncology</i> , 2010, 32, 332-335.	0.3	0
133	A Case of Therapy-related ALL with <i>MLL</i> Gene Rearrangement Following Treatment of Breast Cancer. <i>Annals of Laboratory Medicine</i> , 2010, 30, 255-259.	1.2	3
134	Determination of Carbohydrate-deficient Transferrin Levels by Using Capillary Electrophoresis in a Korean Population. <i>Annals of Laboratory Medicine</i> , 2010, 30, 477-484.	1.2	6
135	Laboratory characteristics of recent hepatitis A in Korea: Ongoing epidemiological shift. <i>World Journal of Gastroenterology</i> , 2010, 16, 1115.	1.4	23
136	Third-Generation Ceramic-on-Ceramic Bearing Surfaces in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 1231-1235.	1.5	33
137	Cleft Palate in a Rare Case of Variant Klinefelter Syndrome with 48,XXY/46,XY Mosaicism. <i>Cleft Palate-Craniofacial Journal</i> , 2009, 46, 555-557.	0.5	4
138	Genetic Background of Nontraumatic Osteonecrosis of the Femoral Head in the Korean Population. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1041-1046.	0.7	58
139	Revision Total Hip Arthroplasty for Pelvic Osteolysis With Well-Fixed Cementless Cup. <i>Journal of Arthroplasty</i> , 2007, 22, 987-992.	1.5	16
140	Comparison of VERSANT Hepatitis B Virus DNA 3.0 Assay with Digene Hybrid Capture II Hepatitis B Virus DNA Test in Relation to Clinical Status of Hepatitis B Virus. <i>Annals of Laboratory Medicine</i> , 2007, 27, 451-457.	1.2	0
141	Two Mutations of the C7 Gene, c.1424G > A and c.281-1G > T, in Two Korean Families. <i>Journal of Clinical Immunology</i> , 2006, 26, 186-191.	2.0	7
142	Revision Total Hip Arthroplasty in Hip Joints With Metallosis. <i>Journal of Arthroplasty</i> , 2005, 20, 568-573.	1.5	70
143	Four cases of therapy-related leukemia. <i>Journal of Korean Medical Science</i> , 1999, 14, 327.	1.1	2