

Cuneyt Evren

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4517132/cuneyt-evren-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119 papers	1,997 citations	25 h-index	38 g-index
142 ext. papers	2,304 ext. citations	4 avg, IF	5.1 L-index

#	Paper	IF	Citations
119	Stigma and Gaming Disorder: Should we take a 'glass half full' or 'glass half empty' perspective?. <i>Addiction</i> , 2022 ,	4.6	0
118	Measuring dysfunctional grief due to a COVID-19 loss: A Turkish validation study of the Pandemic Grief Scale. <i>Death Studies</i> , 2021 , 1-9	3.9	6
117	The Mediating Effects of Self-Esteem and Harm Avoidance on the Association between Social Anxiety Symptoms and Adult Attention Deficit Hyperactivity Disorder Symptom Severity in Turkish Inpatients with Alcohol Use Disorder. <i>Iranian Journal of Psychiatry</i> , 2021 , 16, 281-289	1.9	
116	Measuring anxiety related to COVID-19: A Turkish validation study of the Coronavirus Anxiety Scale. <i>Death Studies</i> , 2020 , 1-7	3.9	85
115	Relationship between Internet Gaming Disorder Symptoms with Attention Deficit Hyperactivity Disorder and Alexithymia Symptoms among University Students. <i>Addicta the Turkish Journal on Addictions</i> , 2020 , 7, 1-9	1.9	2
114	Psychometric Validation of the Turkish Motives for Online Gaming Questionnaire (MOGQ) Across University Students and Video Game Players. <i>Addicta the Turkish Journal on Addictions</i> , 2020 , 7, 81-89	1.9	2
113	Impact of At Least 2 Years of Synthetic Cannabinoid Use on Cognitive and Psychomotor Functions Among Treatment-Seeking Male Outpatients. <i>Cannabis and Cannabinoid Research</i> , 2020 , 5, 164-171	4.6	3
112	Relationships of Internet addiction and Internet gaming disorder symptom severities with probable attention deficit/hyperactivity disorder, aggression and negative affect among university students. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 413-421	3.1	12
111	Emotion dysregulation and internalizing symptoms affect relationships between ADHD symptoms and borderline personality features among male patients with substance use disorders. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 696-706	1.2	2
110	Neuroticism and introversion mediates the relationship between probable ADHD and symptoms of Internet gaming disorder: results of an online survey. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 90-96	1.2	10
109	Severity of dissociative experiences and emotion dysregulation mediate the relationship between childhood trauma and Internet addiction symptom severity among young adults 2019 ,		3
108	The relationship of internet addiction symptom severity with posttraumatic stress disorder symptoms and impulsivity among Turkish university students. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 83-89	1.2	3
107	The impact of depression, anxiety, neuroticism, and severity of Internet addiction symptoms on the relationship between probable ADHD and severity of insomnia among young adults. <i>Psychiatry Research</i> , 2019 , 271, 726-731	9.9	15
106	Sexual Dysfunctions are Predicted by Childhood Sexual Abuse in Women with Opioid Use Disorder. <i>Substance Use and Misuse</i> , 2018 , 53, 2184-2189	2.2	4
105	Evaluation of cognitive functions in individuals with synthetic cannabinoid use disorder and comparison to individuals with cannabis use disorder. <i>Psychiatry Research</i> , 2018 , 262, 46-54	9.9	15
104	Relationship of probable ADHD with novelty seeking, severity of psychopathology and borderline personality disorder in a sample of patients with opioid use disorder. <i>Journal of Theoretical Social Psychology</i> , 2018 , 28, 48-55	1.2	1
103	Relationship of Probable Attention Deficit Hyperactivity Disorder with Severity of Psychopathology and Impulsivity in a Sample of Male Patients with Opioid Use Disorder. <i>Psychiatry Investigation</i> , 2018 , 15, 164-171	3.1	7

102	Update on methamphetamine: an old problem that we have recently encountered 2018 , 31, 1-10		6
101	Comorbidity of attention deficit-hyperactivity disorder and substance use disorder 2018 , 115-124		3
100	Relationship of PTSD With impulsivity Dimensions While Controlling the Effect of Anxiety and Depression in a Sample of Inpatients With Alcohol Use Disorder. <i>Journal of Dual Diagnosis</i> , 2018 , 14, 40-49	2.4	8
99	Severity of Internet gaming disorder symptoms might be related with the body mass index. <i>Journal of Theoretical Social Psychology</i> , 2018 , 28, 446-447	1.2	1
98	Relationship of internet addiction severity with probable ADHD and difficulties in emotion regulation among young adults. <i>Psychiatry Research</i> , 2018 , 269, 494-500	9.9	29
97	Psychometric validation of the Turkish nine-item Internet Gaming Disorder Scale-Short Form (IGDS9-SF). <i>Psychiatry Research</i> , 2018 , 265, 349-354	9.9	44
96	Psychometric Properties of the Turkish Versions of the Cannabis Use Problems Identification Test (CUPIT) and the Adult Cannabis Problems Questionnaire (CPQ). <i>Journal of Psychoactive Drugs</i> , 2017 , 49, 83-89	3.6	
95	The relationship of social anxiety disorder symptoms with probable attention deficit hyperactivity disorder in Turkish university students; impact of negative affect and personality traits of neuroticism and extraversion. <i>Psychiatry Research</i> , 2017 , 254, 158-163	9.9	11
94	Relationship of self-mutilative behaviour with history of childhood trauma and adult ADHD symptoms in a sample of inpatients with alcohol use disorder. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 231-238	3.1	1
93	Could childhood trauma types predict the relapse in alcohol use disorder?. <i>Asian Journal of Psychiatry</i> , 2017 , 25, 253	6.7	6
92	Psychometric properties of the Turkish version of Drug Use Disorders Identification Test-Extended (Turkish DUDIT-E) in substance-dependent adults under probation. <i>Journal of Theoretical Social Psychology</i> , 2017 , 27, 70-75	1.2	2
91	Serum NUCB2/nesfatin-1 levels in different stages of alcohol dependence: Is there a relationship with craving?. <i>Indian Journal of Psychiatry</i> , 2017 , 59, 94-99	2.2	2
90	Impulsivity and opioid use disorder 2017 , 75-78		3
89	A call to action for the prevention of hepatitis C infection among intravenous drug users in Turkey 2017 , 271-277		3
88	The psychometric properties of the Turkish version of the Internet Gaming Disorder Scale 2017 , 316-324		6
87	Psychometric properties of the 20-Item Toronto Alexithymia Scale in a Turkish adolescent sample. <i>Anadolu Psikiyatri Dergisi</i> , 2017 , 1	0.9	4
86	Partial mediator role of physical abuse on the relationship between attention-deficit/hyperactivity disorder symptoms and severity of dissociative experiences in a sample of inpatients with alcohol use disorder. <i>Indian Journal of Psychiatry</i> , 2017 , 59, 306-312	2.2	2
85	Erkek Alkol Kullanıcı Bozukluğu Hastalarında Patolojik Narsisizmin Erken Dönem Uyumsuz Emlar Gelişimi Üzerindeki Etkisi. <i>Current Approaches in Psychiatry</i> , 2017 , 9, 63-63	0.3	1

84 Personality Dimensions, Impulsivity, and Heroin **2016**, 974-982

83	The Changes of the Cognitive and Psychomotor Functions in the Chronic Cannabis Users after a Month of Remission. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 109-118	3.3	3
82	Psychometric Properties of the Turkish PTSD-Short Scale in a Sample of Undergraduate Students. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 294-302	3.3	9
81	Clinical Characteristics of Euthymic Bipolar Disorder Patients Comorbid with Alcohol and Drug Use Disorders and Psychometric Properties of the Assessment Tools. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 48-57	3.3	1
80	Psychometric properties of the Turkish version of the Adult ADHD Self-Report Scale (ASRS-v1.1) in a sample of Inpatients with alcohol use disorder 2016 , 109-119		5
79	Capgras syndrome after use of synthetic cannabinoids: an adolescent case 2016 , 374-378		6
78	Relationship of attention-deficit/hyperactivity disorder symptom severity with severity of alcohol-related problems in a sample of inpatients with alcohol use disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 1661-7	3.1	6
77	Mediating role of childhood emotional abuse on the relationship between severity of ADHD and PTSD symptoms in a sample of male inpatients with alcohol use disorder. <i>Psychiatry Research</i> , 2016 , 239, 320-4	9.9	11
76	Energy-drink consumption and its relationship with substance use and sensation seeking among 10th grade students in Istanbul. <i>Asian Journal of Psychiatry</i> , 2015 , 15, 44-50	6.7	20
75	Effects of lifetime tobacco, alcohol and drug use on psychological and behavioral problems among 10th grade students in Istanbul. <i>International Journal of Adolescent Medicine and Health</i> , 2015 , 27, 405-13	1.1	7
74	Sociodemographic characteristics and drug abuse patterns of adolescents admitted for substance use disorder treatment in Istanbul. <i>American Journal of Drug and Alcohol Abuse</i> , 2015 , 41, 212-9	3.7	14
73	The impact of childhood traumas, depressive and anxiety symptoms on the relationship between borderline personality features and symptoms of adult attention deficit hyperactivity disorder in Turkish university students. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 42-7	2.3	11
72	Intravenous Abuse of Tropicamide in Opioid Use Disorder: Presentation of 2 Cases. <i>Substance Abuse</i> , 2015 , 36, 170-3	3.8	8
71	Relationship Between Alexithymia and Aggression in a Sample of Men with Substance Dependence. <i>Journal of Microbiology and Biotechnology</i> , 2015 , 25, 233-242	3.3	8
70	The impact of sensation seeking on the relationship between attention deficit/hyperactivity symptoms and severity of Internet addiction risk. <i>Psychiatry Research</i> , 2015 , 228, 156-61	9.9	35
69	Differences between genders according to psychological and behavioral variables among 10th grade students in Istanbul. <i>Anadolu Psikiyatri Dergisi</i> , 2015 , 16, 77	0.9	3
68	The relationship of Internet addiction severity with Attention Deficit Hyperactivity Disorder symptoms in Turkish University students; impact of personality traits, depression and anxiety. <i>Comprehensive Psychiatry</i> , 2014 , 55, 497-503	7.3	71
67	Psychometric properties of the Turkish versions of the Drug Use Disorders Identification Test (DUDIT) and the Drug Abuse Screening Test (DAST-10) in the prison setting. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 140-6	3.6	14

66	The severity of attention deficit hyperactivity symptoms and its relationship with lifetime substance use and psychological variables among 10th grade students in Istanbul. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1665-70	7.3	12
65	Tobacco use among 10th grade students in Istanbul and related variables. <i>Asian Journal of Psychiatry</i> , 2014 , 8, 69-75	6.7	10
64	The severity of Internet addiction risk and its relationship with the severity of borderline personality features, childhood traumas, dissociative experiences, depression and anxiety symptoms among Turkish university students. <i>Psychiatry Research</i> , 2014 , 219, 577-82	9.9	70
63	Prevalence of Lifetime Tobacco, Alcohol and Drug Use Among 10th Grade Students in Istanbul. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 201-210	3.3	11
62	Remission and Relapse in Alcohol and Substance Addiction. <i>Current Approaches in Psychiatry</i> , 2014 , 6, 1	0.3	2
61	Clinical characteristics and laboratory test results of patients admitted to outpatient clinic for synthetic cannabinoid usage 2014 , 328-334		12
60	Predictors of Outcome During a 6-Month Follow-Up Among Heroin Dependent Patients Receiving Buprenorphine/Naloxone Maintenance Treatment. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 311-322	3.3	13
59	Severity of Impulsivity and Aggression at a 12-Month Follow-Up Among Male Heroin Dependent Patients. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 158-167	3.3	9
58	Non-suicidal self-harm behavior within the previous year among 10th-grade adolescents in Istanbul and related variables. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 481-7	2.3	5
57	Psychometric Properties of the Drug Use Disorders Identification Test (DUDIT) in Heroin Dependent Adults and Adolescents with Drug Use Disorder. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 39-46	3.3	9
56	Relationships of personality dimensions with impulsivity in alcohol-dependent inpatient men. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 316-22	2.3	10
55	Relationships of personality dimensions with impulsivity in heroin dependent inpatient men. <i>Anadolu Psikiyatri Dergisi</i> , 2014 , 15, 9	0.9	2
54	High risk of Internet addiction and its relationship with lifetime substance use, psychological and behavioral problems among 10(th) grade adolescents. <i>Psychiatria Danubina</i> , 2014 , 26, 330-9	1.8	25
53	Relationship of Internet addiction with impulsivity and severity of psychopathology among Turkish university students. <i>Psychiatry Research</i> , 2013 , 210, 1086-91	9.9	47
52	The mediator roles of trait anxiety, hostility, and impulsivity in the association between childhood trauma and dissociation in male substance-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2013 , 54, 158-66	7.3	25
51	Alexithymia and personality in relation to social anxiety among university students. <i>Psychiatry Research</i> , 2013 , 209, 167-72	9.9	26
50	Relationship of internet addiction severity with depression, anxiety, and alexithymia, temperament and character in university students. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2013 , 16, 272-8	4.4	123
49	Pharmacotherapy Options in Comorbid Bipolar Disorder and Alcohol-Substance Use Disorders. <i>Journal of Microbiology and Biotechnology</i> , 2013 , 23, 378-389	3.3	

48	Aggression and Impulsivity in Different Groups of Alcohol and Heroin Dependent Inpatient Men. <i>Journal of Microbiology and Biotechnology</i> , 2013 , 23, 335-344	3-3	11
47	Psychometric properties of the Drug Abuse Screening Test (DAST-10) in heroin dependent adults and adolescents with drug use disorder 2013 , 351-359		12
46	Personality dimensions and defense styles that are related with relapse during 12 month follow-up in male alcohol dependents 2013 , 248-257		3
45	Relationship of self-mutilative behaviours with severity of borderline personality, childhood trauma and impulsivity in male substance-dependent inpatients. <i>Psychiatry Research</i> , 2012 , 200, 20-5	9-9	18
44	Relationship of defense styles with history of childhood trauma and personality in heroin dependent inpatients. <i>Psychiatry Research</i> , 2012 , 200, 728-33	9-9	10
43	Self-mutilative behaviors in male substance-dependent inpatients and relationship with anger and aggression: mediator effect of childhood trauma. <i>Comprehensive Psychiatry</i> , 2012 , 53, 252-8	7-3	14
42	Relationship of alexithymia and dissociation with severity of borderline personality features in male substance-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2012 , 53, 854-9	7-3	28
41	Relationship between defense styles, alexithymia, and personality in alcohol-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2012 , 53, 860-7	7-3	22
40	Relationship of relapse with impulsivity, novelty seeking and craving in male alcohol-dependent inpatients. <i>Drug and Alcohol Review</i> , 2012 , 31, 81-90	3-2	91
39	Effect of Lateralization on Motor and Mental Speed in Bipolar Disorder. <i>Journal of Microbiology and Biotechnology</i> , 2012 , 22, 297-306	3-3	4
38	Yatarak Tedavi Gelen Alkol Bağımlılarda Kendini Yaralama Davranış ve Özgün Girişimi Üzerine İlişkili Savunma Biçimleri / Defense Styles That Are Related With History Of Self-Mutilation And Suicide Attempt In Alcohol Dependent Inpatients 2012 ,		2
37	Lifetime PTSD and quality of life among alcohol-dependent men: impact of childhood emotional abuse and dissociation. <i>Psychiatry Research</i> , 2011 , 186, 85-90	9-9	54
36	Self-mutilative behaviours in male alcohol-dependent inpatients and relationship with posttraumatic stress disorder. <i>Psychiatry Research</i> , 2011 , 186, 91-6	9-9	15
35	History of suicide attempt in male substance-dependent inpatients and relationship to borderline personality features, anger, hostility and aggression. <i>Psychiatry Research</i> , 2011 , 190, 126-31	9-9	20
34	Validation study of the Turkish version of the obsessive-compulsive drinking scale in male alcohol dependent inpatients / Obsesif-kompulsif içme ölçeğinin Türkiye'deki klinikte yatarak tedavi gören erkek alkol bağımlılarda geçerlilik ve güvenirlik araştırması 2011 , 1-12		1
33	Beden dismorfik bozukluğu ve madde bağımlılığı: Bir olgu sunumu 2011 , 75-79		1
32	Childhood trauma and psychopathology among alcohol-dependent men: no interaction with temperament and character. <i>Psychopathology</i> , 2011 , 44, 34-9	3-4	6
31	The validity and reliability of the Turkish version of the Buss-Perry Aggression Questionnaire in male substance dependent inpatients / Buss-Perry Agresyon Ölçeği'nin Türkçe versiyonunun yatarak tedavi gören erkek alkol/madde bağımlılarda geçerliliği ve güvenirliği 2011 , 283-295		12

30	Relationship of alexithymia and temperament and character dimensions with lifetime post-traumatic stress disorder in male alcohol-dependent inpatients. <i>Psychiatry and Clinical Neurosciences</i> , 2010 , 64, 111-9	6.2	32
29	Clinical Factors Associated with Relapse in Male Alcohol Dependents During Six-Month Follow-up. <i>Journal of Microbiology and Biotechnology</i> , 2010 , 20, 14-22	3.3	11
28	Interaction of life quality with alexithymia, temperament and character in male alcohol-dependent inpatients. <i>Drug and Alcohol Review</i> , 2010 , 29, 177-83	3.2	11
27	History of trauma and relationship with alexithymia, temperament and character dimensions in male alcohol dependent inpatients 2010 , 1-12		4
26	Childhood abuse and neglect as a risk factor for alexithymia in adult male substance dependent inpatients. <i>Journal of Psychoactive Drugs</i> , 2009 , 41, 85-92	3.6	48
25	Alexithymia and personality dimensions in relation to depression and anxiety in male alcohol-dependent inpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009 , 13, 3-10	2.4	9
24	Social anxiety and dissociation among male patients with alcohol dependency. <i>Psychiatry Research</i> , 2009 , 165, 273-80	9.9	12
23	Personality dimensions in male patients with early-onset alcohol dependence who seek treatment. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2009 , 46, 204-6		3
22	Dissociation and alexithymia among men with alcoholism. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 40-7	6.2	42
21	Alexithymia and temperament and character model of personality in alcohol-dependent Turkish men. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 371-8	6.2	24
20	Childhood emotional abuse, dissociation, and suicidality among patients with drug dependency in Turkey. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 540-7	6.2	39
19	Self-mutilation among male patients with alcohol dependency: the role of dissociation. <i>Comprehensive Psychiatry</i> , 2008 , 49, 489-95	7.3	27
18	Temperament, character, and dissociation among detoxified male inpatients with alcohol dependency. <i>Journal of Clinical Psychology</i> , 2008 , 64, 717-27	2.8	15
17	Relationship Between Alexithymia and Social Anxiety in Female Outpatients with Dermatological Disorder Presenting for Psychiatric Consultation. <i>Journal of Clinical Psychology in Medical Settings</i> , 2007 , 14, 258-265	2	6
16	Dissociative disorders among alcohol-dependent inpatients. <i>Psychiatry Research</i> , 2007 , 152, 233-41	9.9	27
15	Temperament and character model of personality profile of alcohol- and drug-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2007 , 48, 283-8	7.3	44
14	Clinical correlates of dissociative tendencies in male soldiers with conversion disorder. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2007 , 44, 33-9		5
13	Clinical correlates of self-mutilation in Turkish male substance-dependent inpatients. <i>Psychopathology</i> , 2006 , 39, 248-54	3.4	21

12	The relationship of suicide attempt history with childhood abuse and neglect, alexithymia and temperament and character dimensions of personality in substance dependents. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 263-9	2.3	32
11	Axis I psychiatric comorbidity among adult inhalant dependents seeking treatment. <i>Journal of Psychoactive Drugs</i> , 2006 , 38, 57-64	3.6	12
10	Clinical correlates of childhood abuse and neglect in substance dependents. <i>Addictive Behaviors</i> , 2006 , 31, 475-85	4.2	45
9	Substance abuse amplifies the risk for violence in schizophrenia spectrum disorder. <i>Addictive Behaviors</i> , 2006 , 31, 1797-805	4.2	33
8	An open clinical trial of venlafaxine in the treatment of pain, depressive and anxiety symptoms in fibromyalgia. <i>The Pain Clinic</i> , 2006 , 18, 167-173		8
7	Lifetime posttraumatic stress disorder in Turkish alcohol-dependent inpatients: relationship with depression, anxiety and erectile dysfunction. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 77-84	6.2	15
6	Clinical correlates of alexithymia in patients with fibromyalgia. <i>The Pain Clinic</i> , 2006 , 18, 1-9		11
5	Antisocial personality disorder in Turkish substance dependent patients and its relationship with anxiety, depression and a history of childhood abuse. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2006 , 43, 40-6		9
4	A case of pheniramine dependence. <i>Substance Abuse</i> , 2005 , 26, 45-7	3.8	5
3	Self-mutilation in substance-dependent patients and relationship with childhood abuse and neglect, alexithymia and temperament and character dimensions of personality. <i>Drug and Alcohol Dependence</i> , 2005 , 80, 15-22	4.9	85
2	Dissociative disorders among inpatients with drug or alcohol dependency. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1247-53	4.6	69
1	Characteristics of schizophrenic patients with a history of suicide attempt. <i>International Journal of Psychiatry in Clinical Practice</i> , 2004 , 8, 227-34	2.4	12