

# Manuela Tutolo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4518470/publications.pdf>

Version: 2024-02-01

41  
papers

1,468  
citations

430754

18  
h-index

330025

37  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1938  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term Functional Outcomes and Patient Satisfaction After AdVance and AdVanceXP Male Sling Surgery. <i>European Urology Focus</i> , 2022, 8, 1408-1414.	1.6	4
2	The key role of levator ani thickness for early urinary continence recovery in patients undergoing robotâ€ assisted radical prostatectomy: A multiâ€ institutional study. <i>Neurourology and Urodynamics</i> , 2022, 41, 1563-1572.	0.8	1
3	A novel tool to predict functional outcomes after robotâ€ assisted radical prostatectomy and the value of additional surgery for incontinence. <i>BJU International</i> , 2021, 127, 575-584.	1.3	13
4	Can We Rely Solely on the International Prostate Symptoms Score to Investigate Storage Symptoms in Men with Lower Urinary Tract Symptoms Associated with Benign Prostatic Enlargement? Findings from a Cross-sectional Study. <i>European Urology Focus</i> , 2021, , .	1.6	0
5	Current Management of Post-radical Prostatectomy Urinary Incontinence. <i>Frontiers in Surgery</i> , 2021, 8, 647656.	0.6	29
6	Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>European Urology</i> , 2021, 79, 492-504.	0.9	20
7	Reply to Satoshi Funada, Takashi Yoshioka, and Yan Luoâ€™s Letter to the Editor re: Cosimo De Nunzio, Benjamin Brucker, Thomas Bschleipfer, et al. Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>Eur Urol</i> 2021;79:492â€ 504. <i>European Urology</i> , 2021, 79, e147-e148.	0.9	1
8	Re: Paul Abrams, Lynda D. Constable, David Cooper, et al. Outcomes of a Noninferiority Randomised Controlled Trial of Surgery for Men with Urodynamic Stress Incontinence After Prostate Surgery (MASTER). <i>Eur Urol</i> 2021;79:812â€ 23. <i>European Urology</i> , 2021, 80, e59-e60.	0.9	3
9	Anatomical predictors of longâ€ term urinary incontinence after robotâ€ assisted laparoscopic prostatectomy: A systematic review. <i>Neurourology and Urodynamics</i> , 2021, 40, 2053-2054.	0.8	0
10	How to Prevent and Manage Post-Prostatectomy Incontinence: A Review. <i>World Journal of Men's Health</i> , 2021, 39, 581.	1.7	18
11	Re: Kathrin Meisterhofer, Sereina Herzog, Karin A. Strini, Luca Sebastianelli, Ricarda Bauer, Orietta Dalpiaz. Male Slings for Postprostatectomy Incontinence: A Systematic Review and Meta-analysis. <i>Eur Urol Focus</i> 2020;6:575â€ 92. <i>European Urology Focus</i> , 2020, 7, 1205-1206.	1.6	0
12	Detrusor Underactivity and Underactive Bladder in Women: What Is New?. <i>Current Bladder Dysfunction Reports</i> , 2019, 14, 350-356.	0.2	1
13	Efficacy and safety of artificial urinary sphincter (AUS): Results of a large multiâ€ institutional cohort of patients with midâ€ term followâ€ up. <i>Neurourology and Urodynamics</i> , 2019, 38, 710-718.	0.8	52
14	Efficacy and Safety of Sacral and Percutaneous Tibial Neuromodulation in Non-neurogenic Lower Urinary Tract Dysfunction and Chronic Pelvic Pain: A Systematic Review of the Literature. <i>European Urology</i> , 2018, 73, 406-418.	0.9	68
15	What Is New in Neuromodulation for Overactive Bladder?. <i>European Urology Focus</i> , 2018, 4, 49-53.	1.6	21
16	A minimum of 1â€ year followâ€ up for MiniArc single incision slings compared to Monarc transobturator slings: An analysis to evaluate durability of continence and mediumâ€ term outcomes. <i>Neurourology and Urodynamics</i> , 2017, 36, 803-807.	0.8	9
17	Are patients willing to trade cure rate against less pain? Patientsâ€™ preferences for single incision midurethral sling or transobturator standard midurethral sling. <i>Neurourology and Urodynamics</i> , 2017, 36, 1187-1193.	0.8	8
18	Magnetic Resonance Imaging for Membranous Urethral Length Assessment Prior to Radical Prostatectomy: Can it Really Improve Prostate Cancer Management?. <i>European Urology</i> , 2017, 71, 379-380.	0.9	6

#	ARTICLE	IF	CITATIONS
19	What is the Best Treatment Option for Coexisting Pelvic Floor Dysfunctions?. <i>European Urology Focus</i> , 2017, 3, 532-534.	1.6	1
20	Comparison of Functional Outcome after Extended versus Super-Extended Pelvic Lymph Node Dissection during Radical Prostatectomy in High-Risk Localized Prostate Cancer. <i>Frontiers in Oncology</i> , 2017, 7, 280.	1.3	9
21	A prospective randomized controlled multicentre trial comparing intravesical DMSO and chondroitin sulphate 2% for painful bladder syndrome/interstitial cystitis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 134-141.	0.7	22
22	The role of botulinum toxin A in treating neurogenic bladder. <i>Translational Andrology and Urology</i> , 2016, 5, 63-71.	0.6	22
23	Single incision slings: Are they ready for real life?. <i>World Journal of Obstetrics and Gynecology</i> , 2016, 5, 197.	0.5	1
24	Nerve-sparing approach during radical prostatectomy is strongly associated with the rate of postoperative urinary continence recovery. <i>BJU International</i> , 2013, 111, 717-722.	1.3	108
25	Assessing the most accurate formula to predict the risk of lymph node metastases from prostate cancer in contemporary patients treated with radical prostatectomy and extended pelvic lymph node dissection. <i>Radiotherapy and Oncology</i> , 2013, 109, 211-216.	0.3	18
26	Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1497-1503.	0.8	13
27	A novel tool to assess the risk of urinary incontinence after nerve-sparing radical prostatectomy. <i>BJU International</i> , 2013, 111, 905-913.	1.3	16
28	Spatial distribution of positive cores improves the selection of patients with low-risk prostate cancer as candidates for active surveillance. <i>BJU International</i> , 2013, 112, E234-42.	1.3	1
29	Optimizing postoperative sexual function after radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2012, 4, 347-365.	0.9	12
30	Lymphatic spread of nodal metastases in high-risk prostate cancer: The ascending pathway from the pelvis to the retroperitoneum. <i>Prostate</i> , 2012, 72, 186-192.	1.2	79
31	Assessing the risk of lymph node invasion in patients with intermediate risk prostate cancer treated with extended pelvic lymph node dissection. A novel prediction tool. <i>Prostate</i> , 2012, 72, 499-506.	1.2	14
32	There is no way to identify patients who will harbor small volume, unilateral prostate cancer at final pathology. Implications for focal therapies. <i>Prostate</i> , 2012, 72, 925-930.	1.2	12
33	Performance Characteristics of Computed Tomography in Detecting Lymph Node Metastases in Contemporary Patients with Prostate Cancer Treated with Extended Pelvic Lymph Node Dissection. <i>European Urology</i> , 2012, 61, 1132-1138.	0.9	120
34	Prediction of Functional Outcomes After Nerve-Sparing Radical Prostatectomy: Results of Conditional Survival Analyses. <i>European Urology</i> , 2012, 62, 42-52.	0.9	75
35	Choosing the Best Candidates for Penile Rehabilitation After Bilateral Nerve-Sparing Radical Prostatectomy. <i>Journal of Sexual Medicine</i> , 2012, 9, 608-617.	0.3	35
36	Erectile Function Outcome after Bilateral Nerve Sparing Radical Prostatectomy: Which Patients May Be Left Untreated?. <i>Journal of Sexual Medicine</i> , 2012, 9, 903-908.	0.3	31

#	ARTICLE	IF	CITATIONS
37	What Is the Definition of a Satisfactory Erectile Function After Bilateral Nerve Sparing Radical Prostatectomy?. <i>Journal of Sexual Medicine</i> , 2011, 8, 1210-1217.	0.3	38
38	Combination of Adjuvant Hormonal and Radiation Therapy Significantly Prolongs Survival of Patients With pT2â€“4 pN+ Prostate Cancer: Results of a Matched Analysis. <i>European Urology</i> , 2011, 59, 832-840.	0.9	180
39	Pelvic/Retroperitoneal Salvage Lymph Node Dissection for Patients Treated With Radical Prostatectomy With Biochemical Recurrence and Nodal Recurrence Detected by [11C]Choline Positron Emission Tomography/Computed Tomography. <i>European Urology</i> , 2011, 60, 935-943.	0.9	209
40	Predicting Erectile Function Recovery after Bilateral Nerve Sparing Radical Prostatectomy: A Proposal of a Novel Preoperative Risk Stratification. <i>Journal of Sexual Medicine</i> , 2010, 7, 2521-2531.	0.3	102
41	Benign Prostatic Hyperplasia and Its Aetiologies. <i>European Urology Supplements</i> , 2009, 8, 865-871.	0.1	96