Robert J Stewart

List of Publications by Citations

617 papers	**20,376** citations
69 h-index	**117** g-index
661 ext. papers	**24,426** ext. citations
5.2 avg, IF	**6.97** L-index

#	Paper	IF	Citations
617	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. *Alzheimer's and Dementia*, **2014**, 10, 844-52	1.2	1219
616	Alzheimer's disease and vascular dementia in developing countries: prevalence, management, and risk factors. *Lancet Neurology, The*, **2008**, 7, 812-26	24.1	757
615	Resilience and mental health. *Clinical Psychology Review*, **2010**, 30, 479-95	10.8	571
614	Type 2 diabetes mellitus, cognitive impairment and dementia. *Diabetic Medicine*, **1999**, 16, 93-112	3.5	443
613	Life expectancy at birth for people with serious mental illness and other major disorders from a secondary mental health care case register in London. *PLoS ONE*, **2011**, 6, e19590	3.7	416
612	A 32-year prospective study of change in body weight and incident dementia: the Honolulu-Asia Aging Study. *Archives of Neurology*, **2005**, 62, 55-60		391
611	The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. *BMC Psychiatry*, **2009**, 9, 51	4.2	291
610	Cohort profile of the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register: current status and recent enhancement of an Electronic Mental Health Record-derived data resource. *BMJ Open*, **2016**, 6, e008721	3	262
609	The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: a preliminary randomized double-blind placebo-controlled study. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, **2008**, 32, 1538-44	5.5	254
608	The protocols for the 10/66 dementia research group population-based research programme. *BMC Public Health*, **2007**, 7, 165	4.1	245
607	Interactions between life stressors and susceptibility genes (5-HTTLPR and BDNF) on depression in Korean elders. *Biological Psychiatry*, **2007**, 62, 423-8	7.9	227
606	Anxiety, depression, and cause-specific mortality: the HUNT study. *Psychosomatic Medicine*, **2007**, 69, 323-31	3.7	204
605	Levels of anxiety and depression as predictors of mortality: the HUNT study. *British Journal of Psychiatry*, **2009**, 195, 118-25	5.4	200
604	Prevalence of depressive symptoms and syndromes in later life in ten European countries: the SHARE study. *British Journal of Psychiatry*, **2007**, 191, 393-401	5.4	179
603	Association of SLC6A4 methylation with early adversity, characteristics and outcomes in depression. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, **2013**, 44, 23-8	5.5	174
602	Insomnia comorbidity and impact and hypnotic use by age group in a national survey population aged 16 to 74 years. *Sleep*, **2006**, 29, 1391-7	1.1	168
601	All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: a cohort study. *BMC Psychiatry*, **2010**, 10, 77	4.2	159

600	Change in blood pressure and incident dementia: a 32-year prospective study. *Hypertension*, **2009**, 54, 233-40	8.5	153
599	Predictive value of folate, vitamin B12 and homocysteine levels in late-life depression. *British Journal of Psychiatry*, **2008**, 192, 268-74	5.4	147
598	Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006. *BMJ, The*, **2011**, 343, d5422	5.9	146
597	Smoking in relation to anxiety and depression: evidence from a large population survey: the HUNT study. *European Psychiatry*, **2008**, 23, 77-84	6	145
596	Twenty-six-year change in total cholesterol levels and incident dementia: the Honolulu-Asia Aging Study. *Archives of Neurology*, **2007**, 64, 103-7		138
595	Public health significance of mixed anxiety and depression: beyond current classification. *British Journal of Psychiatry*, **2008**, 192, 171-7	5.4	135
594	Life expectancy at birth and all-cause mortality among people with personality disorder. *Journal of Psychosomatic Research*, **2012**, 73, 104-7	4.1	132
593	Neuropathological correlates of late-life depression in older people. *British Journal of Psychiatry*, **2011**, 198, 109-14	5.4	129
592	Longitudinal neuroimaging correlates of subjective memory impairment: 4-year prospective community study. *British Journal of Psychiatry*, **2011**, 198, 199-205	5.4	121
591	Development and evaluation of a de-identification procedure for a case register sourced from mental health electronic records. *BMC Medical Informatics and Decision Making*, **2013**, 13, 71	3.6	119
590	Diabetes, common mental disorders, and disability: findings from the UK National Psychiatric Morbidity Survey. *Psychosomatic Medicine*, **2007**, 69, 543-50	3.7	119
589	Prevalence, distribution, and impact of mild cognitive impairment in Latin America, China, and India: a 10/66 population-based study. *PLoS Medicine*, **2012**, 9, e1001170	11.6	108
588	A systematic review of resilience and mental health outcomes of conflict-driven adult forced migrants. *Conflict and Health*, **2014**, 8, 13	4	107
587	Increased prevalence of insomnia and changes in hypnotics use in England over 15 years: analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. *Sleep*, **2012**, 35, 377-84	1.1	106
586	Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. *International Journal of Methods in Psychiatric Research*, **2008**, 17, 12-29	4.3	103
585	Replicable and Coupled Changes in Innate and Adaptive Immune Gene Expression in Two Case-Control Studies of Blood Microarrays in Major Depressive Disorder. *Biological Psychiatry*, **2018**, 83, 70-80	7.9	102
584	Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. *Age and Ageing*, **2013**, 42, 338-45	3	102
583	Natural language processing to extract symptoms of severe mental illness from clinical text: the Clinical Record Interactive Search Comprehensive Data Extraction (CRIS-CODE) project. *BMJ Open*, **2017**, 7, e012012	3	100

582   Subjective cognitive impairment. *Current Opinion in Psychiatry*, **2012**, 25, 445-50   4.9   99

581   Dental health, nutritional status and recent-onset dementia in a Korean community population. *International Journal of Geriatric Psychiatry*, **2007**, 22, 850-5   3.9   96

580   Association between magnesium intake and depression and anxiety in community-dwelling adults: the Hordaland Health Study. *Australian and New Zealand Journal of Psychiatry*, **2009**, 43, 45-52   2.6   95

579   Neuroimaging correlates of subjective memory deficits in a community population. *Neurology*, **2008**, 70, 1601-7   6.5   95

578   Post stroke depression and risk of stroke recurrence and mortality: A systematic review and meta-analysis. *Ageing Research Reviews*, **2019**, 50, 102-109   12   93

577   Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. *European Child and Adolescent Psychiatry*, **2013**, 22, 309-18   5.5   93

576   Effect of Escitalopram vs Placebo Treatment for Depression on Long-term Cardiac Outcomes in Patients With Acute Coronary Syndrome: A Randomized Clinical Trial. *JAMA - Journal of the American Medical Association*, **2018**, 320, 350-358   27.4   91

575   Association of adverse childhood environment and 5-HTTLPR Genotype with late-life depression. *Journal of Clinical Psychiatry*, **2009**, 70, 1281-8   4.6   91

574   Personality disorder and cardiovascular disease: results from a national household survey. *Journal of Clinical Psychiatry*, **2007**, 68, 69-74   4.6   90

573   Insomnia, depression, and physical disorders in late life: a 2-year longitudinal community study in Koreans. *Sleep*, **2009**, 32, 1221-8   1.1   89

572   Outcome of major depression in Ethiopia: population-based study. *British Journal of Psychiatry*, **2006**, 189, 241-6   5.4   87

571   The effect of clozapine on premature mortality: an assessment of clinical monitoring and other potential confounders. *Schizophrenia Bulletin*, **2015**, 41, 644-55   1.3   86

570   The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. *BMC Public Health*, **2008**, 8, 219   4.1   84

569   Physical health, depression and cognitive function as correlates of disability in an older Korean population. *International Journal of Geriatric Psychiatry*, **2005**, 20, 160-7   3.9   84

568   A cohort study on mental disorders, stage of cancer at diagnosis and subsequent survival. *BMJ Open*, **2014**, 4, e004295   3   83

567   Oral health and cognitive function in the Third National Health and Nutrition Examination Survey (NHANES III). *Psychosomatic Medicine*, **2008**, 70, 936-41   3.7   83

566   Delirium post-stroke. *Age and Ageing*, **2007**, 36, 613-8   3   82

565   Relationship between vitamin D levels and depressive symptoms in older residents from a national survey population. *Psychosomatic Medicine*, **2010**, 72, 608-12   3.7   81

564	A cross-sectional study of antenatal depression and associated factors in Malawi. *Archives of Women*s* Mental Health*, **2014**, 17, 145-54	5	79
563	F55. CLINICAL OUTCOMES ASSOCIATED WITH ILLICIT SUBSTANCE USE IN FIRST EPISODE PSYCHOSIS (FEP): A TEXT MINING STUDY OF ELECTRONIC HEALTH RECORDS. *Schizophrenia Bulletin*, **2019**, 45, S276-S276	1.3	78
562	T131. THE EFFECT OF PALIPERIDONE PALMITATE (PP) MAINTENANCE ON HEALTH CARE PROFESSIONAL USE IN SECONDARY MENTAL HEALTH CARE: MIRROR IMAGE COHORT STUDY. *Schizophrenia Bulletin*, **2019**, 45, S254-S254	1.3	78
561	T109. TRAVERSING THE TRANSDIAGNOSTIC GAP BETWEEN DEPRESSION, MANIA AND PSYCHOSIS WITH NATURAL LANGUAGE PROCESSING. *Schizophrenia Bulletin*, **2020**, 46, S272-S273	1.3	78
560	T127. GENDER DIFFERENCES IN CLINICAL PRESENTATION AND ILLICIT SUBSTANCE USE DURING FIRST EPISODE PSYCHOSIS: AN ELECTRONIC CASE REGISTER NATURAL LANGUAGE PROCESSING ANALYSIS. *Schizophrenia Bulletin*, **2020**, 46, S278-S279	1.3	78
559	PS160. Predictive value of homocysteine for depression after acute coronary syndrome: Finding from the K-DEPACS study. *International Journal of Neuropsychopharmacology*, **2016**, 19, 58-58	5.8	78
558	Association of cannabis use with hospital admission and antipsychotic treatment failure in first episode psychosis: an observational study. *BMJ Open*, **2016**, 6, e009888	3	78
557	O1.2 PERIPHERAL INFLAMMATORY MARKERS ARE PREDICTIVE OF CLINICAL CHARACTERISTICS AND OUTCOME IN PSYCHOSIS. *Schizophrenia Bulletin*, **2018**, 44, S72-S72	1.3	78
556	S221. QUANTITATIVE SYSTEMS PHARMACOLOGY AS AN ALTERNATIVE TO CHLORPROMAZINE EQUIVALENTS: PREDICTIVE VALIDATION FROM A CRIS DATABASE EXPERIMENT. *Schizophrenia Bulletin*, **2018**, 44, S411-S412	1.3	78
555	O4.5. INVESTIGATING GENETIC PROFILES ASSOCIATED WITH *REAL WORLD* CLINICAL OUTCOMES IN PSYCHOSIS: A RETROSPECTIVE COHORT STUDY. *Schizophrenia Bulletin*, **2018**, 44, S84-S85	1.3	78
554	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. *BMC Public Health*, **2011**, 11, 861	4.1	73
553	Late-life depression and mortality: influence of gender and antidepressant use. *British Journal of Psychiatry*, **2008**, 192, 12-8	5.4	73
552	In vivo magnetic resonance imaging of experimental thrombosis in a rabbit model. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **2001**, 21, 1556-60	9.4	73
551	Mood instability is a common feature of mental health disorders and is associated with poor clinical outcomes. *BMJ Open*, **2015**, 5, e007504	3	72
550	Asthma and suicide mortality in young people: a 12-year follow-up study. *American Journal of Psychiatry*, **2010**, 167, 1092-9	11.9	72
549	Vascular risk factors and incident late-life depression in a Korean population. *British Journal of Psychiatry*, **2006**, 189, 26-30	5.4	69
548	Associations of BDNF genotype and promoter methylation with acute and long-term stroke outcomes in an East Asian cohort. *PLoS ONE*, **2012**, 7, e51280	3.7	67
547	Using clinical Natural Language Processing for health outcomes research: Overview and actionable suggestions for future advances. *Journal of Biomedical Informatics*, **2018**, 88, 11-19	10.2	66

546	Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. *BMC Neurology*, **2009**, 9, 48	3.1	65
545	A longitudinal study of BDNF promoter methylation and genotype with poststroke depression. *Journal of Affective Disorders*, **2013**, 149, 93-9	6.6	64
544	Avoidable mortality in people with schizophrenia or bipolar disorder in England. *Acta Psychiatrica Scandinavica*, **2013**, 127, 195-201	6.5	64
543	Dental health and cognitive impairment in an English national survey population. *Journal of the American Geriatrics Society*, **2007**, 55, 1410-4	5.6	64
542	Adverse oral health and cognitive decline: the health, aging and body composition study. *Journal of the American Geriatrics Society*, **2013**, 61, 177-84	5.6	63
541	Social activity and improvement in depressive symptoms in older people: a prospective community cohort study. *American Journal of Geriatric Psychiatry*, **2009**, 17, 688-96	6.5	63
540	Bias in psychiatric case-control studies: literature survey. *British Journal of Psychiatry*, **2007**, 190, 204-9	5.4	63
539	Genetic predisposition to increased blood cholesterol and triglyceride lipid levels and risk of Alzheimer disease: a Mendelian randomization analysis. *PLoS Medicine*, **2014**, 11, e1001713	11.6	62
538	A comparison of insomnia and depression as predictors of disability pension: the HUNT Study. *Sleep* , **2008**, 31, 875-80	1.1	62
537	Limb length and dementia in an older Korean population. *Journal of Neurology, Neurosurgery and Psychiatry*, **2003**, 74, 427-32	5.5	61
536	A Systematic Review and Meta-Analysis of the Effectiveness of Acetylcholinesterase Inhibitors and Memantine in Treating the Cognitive Symptoms of Dementia. *Dementia and Geriatric Cognitive Disorders*, **2018**, 45, 131-151	2.6	60
535	Adverse childhood environment and late-life cognitive functioning. *International Journal of Geriatric Psychiatry*, **2011**, 26, 503-10	3.9	60
534	Gender and genotype modulation of the association between lipid levels and depressive symptomatology in community-dwelling elderly (the ESPRIT study). *Biological Psychiatry*, **2010**, 68, 125-32	7.9	60
533	Changes in folate, vitamin B12 and homocysteine associated with incident dementia. *Journal of Neurology, Neurosurgery and Psychiatry*, **2008**, 79, 864-8	5.5	60
532	Stroke, vascular risk factors and depression: Cross-sectional study in a UK Caribbean-born population. *British Journal of Psychiatry*, **2001**, 178, 23-8	5.4	60
531	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. *Age and Ageing*, **2014**, 43, 562-7	3	57
530	The course of delirium in acute stroke. *Age and Ageing*, **2009**, 38, 385-9	3	56
529	Ethnicity and excess mortality in severe mental illness: a cohort study. *Lancet Psychiatry,the*, **2017**, 4, 389-399	23.3	55

528	Negative symptoms in schizophrenia: a study in a large clinical sample of patients using a novel automated method. *BMJ Open*, **2015**, 5, e007619	3	55
527	Unawareness of memory impairment in dementia: a population-based study. *International Psychogeriatrics*, **2012**, 24, 931-9	3.4	55
526	Evaluation of smoking status identification using electronic health records and open-text information in a large mental health case register. *PLoS ONE*, **2013**, 8, e74262	3.7	55
525	Identifying Suicide Ideation and Suicidal Attempts in a Psychiatric Clinical Research Database using Natural Language Processing. *Scientific Reports*, **2018**, 8, 7426	4.9	54
524	Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. *Drug and Alcohol Dependence*, **2011**, 118, 56-61	4.9	53
523	BDNF genotype potentially modifying the association between incident stroke and depression. *Neurobiology of Aging*, **2008**, 29, 789-92	5.6	53
522	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. *Alzheimer's and Dementia*, **2018**, 14, 933-943	1.2	52
521	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: the P-MaMiE population-based cohort study. *Journal of Affective Disorders*, **2012**, 136, 340-9	6.6	52
520	Forced migration and mental health: prolonged internal displacement, return migration and resilience. *International Health*, **2013**, 5, 19-23	2.4	52
519	Subjective memory impairment, cognitive function and depression--a community study in older Koreans. *Dementia and Geriatric Cognitive Disorders*, **2003**, 15, 218-25	2.6	52
518	The provision of care for residents dying in U.K. nursing care homes. *Age and Ageing*, **2014**, 43, 375-9	3	51
517	Mortality and suicide after self-harm: community cohort study in Taiwan. *British Journal of Psychiatry*, **2011**, 198, 31-6	5.4	51
516	Social support and antenatal depression in extended and nuclear family environments in Turkey: a cross-sectional survey. *BMC Psychiatry*, **2011**, 11, 48	4.2	51
515	Prevalence and correlates of late-life depression compared between urban and rural populations in Korea. *International Journal of Geriatric Psychiatry*, **2002**, 17, 409-15	3.9	51
514	Factors associated with response to acetylcholinesterase inhibition in dementia: a cohort study from a secondary mental health care case register in london. *PLoS ONE*, **2014**, 9, e109484	3.7	51
513	Escitalopram treatment for depressive disorder following acute coronary syndrome: a 24-week double-blind, placebo-controlled trial. *Journal of Clinical Psychiatry*, **2015**, 76, 62-8	4.6	51
512	Serotonergic and BDNF genes and risk of depression after stroke. *Journal of Affective Disorders*, **2012**, 136, 833-40	6.6	50
511	The epidemiology of chronic fatigue, physical illness, and symptoms of common mental disorders: a cross-sectional survey from the second British National Survey of Psychiatric Morbidity. *Journal of Psychosomatic Research*, **2008**, 64, 357-62	4.1	50

510	The spectrum of suicidal ideation in Great Britain: comparisons across a 16-74 years age range. *Psychological Medicine*, **2007**, 37, 795-805	6.9	50
509	Vascular disease/risk and late-life depression in a Korean community population. *British Journal of Psychiatry*, **2004**, 185, 102-7	5.4	50
508	Exploring the ethnic density effect: a qualitative study of a London electoral ward. *International Journal of Social Psychiatry*, **2006**, 52, 376-91	8.5	49
507	Vascular risk and cognitive impairment in an older, British, African-Caribbean population. *Journal of the American Geriatrics Society*, **2001**, 49, 263-9	5.6	49
506	A longitudinal study of SLC6A4 DNA promoter methylation and poststroke depression. *Journal of Psychiatric Research*, **2013**, 47, 1222-7	5.2	48
505	Lifetime urban/rural residence, social support and late-life depression in Korea. *International Journal of Geriatric Psychiatry*, **2004**, 19, 843-51	3.9	48
504	Relationship between depressive symptoms, anemia, and iron status in older residents from a national survey population. *Psychosomatic Medicine*, **2012**, 74, 208-13	3.7	47
503	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: a cluster randomised controlled trial. *Palliative Medicine*, **2014**, 28, 1099-109	5.5	46
502	Prevalences of illicit drug use in people aged 50 years and over from two surveys. *Age and Ageing*, **2012**, 41, 553-6	3	46
501	Prolonged internal displacement and common mental disorders in Sri Lanka: the COMRAID study. *PLoS ONE*, **2013**, 8, e64742	3.7	46
500	Dementia severity and weight loss: a comparison across eight cohorts. The 10/66 study. *Alzheimer's and Dementia*, **2013**, 9, 649-56	1.2	45
499	Do antidepressants increase the risk of mania and bipolar disorder in people with depression? A retrospective electronic case register cohort study. *BMJ Open*, **2015**, 5, e008341	3	45
498	Age variation in life events and their relationship with common mental disorders in a national survey population. *Social Psychiatry and Psychiatric Epidemiology*, **2007**, 42, 611-6	4.5	45
497	Contributions of specific causes of death to lost life expectancy in severe mental illness. *European Psychiatry*, **2017**, 43, 109-115	6	44
496	'Big data' in mental health research: current status and emerging possibilities. *Social Psychiatry and Psychiatric Epidemiology*, **2016**, 51, 1055-72	4.5	44
495	Reporting of clinically diagnosed dementia on death certificates: retrospective cohort study. *Age and Ageing*, **2016**, 45, 668-73	3	43
494	The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. *Social Psychiatry and Psychiatric Epidemiology*, **2009**, 44, 608-13	4.5	43
493	Angiotensin receptor blockade with candesartan attenuates atherosclerosis, plaque disruption, and macrophage accumulation within the plaque in a rabbit model. *Circulation*, **2004**, 110, 2060-5	16.7	43

492	Increased first-contact rates for very-late-onset schizophrenia-like psychosis in African- and Caribbean-born elders. *British Journal of Psychiatry*, **2001**, 179, 172-4	5.4	43
491	SemEHR: A general-purpose semantic search system to surface semantic data from clinical notes for tailored care, trial recruitment, and clinical research. *Journal of the American Medical Informatics Association: JAMIA*, **2018**, 25, 530-537	8.6	42
490	Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. *PLoS ONE*, **2015**, 10, e0126530	3.7	42
489	Identification of Adverse Drug Events from Free Text Electronic Patient Records and Information in a Large Mental Health Case Register. *PLoS ONE*, **2015**, 10, e0134208	3.7	42
488	Participation in productive activities and depression among older Europeans: survey of Health, Ageing and Retirement in Europe (SHARE). *International Journal of Geriatric Psychiatry*, **2013**, 28, 1157-65	3.9	42
487	Intensive versus Guideline Blood Pressure and Lipid Lowering in Patients with Previous Stroke: Main Results from the Pilot 'Prevention of Decline in Cognition after Stroke Trial' (PODCAST) Randomised Controlled Trial. *PLoS ONE*, **2017**, 12, e0164608	3.7	41
486	CogStack - experiences of deploying integrated information retrieval and extraction services in a large National Health Service Foundation Trust hospital. *BMC Medical Informatics and Decision Making*, **2018**, 18, 47	3.6	41
485	OPCRIT+: an electronic system for psychiatric diagnosis and data collection in clinical and research settings. *British Journal of Psychiatry*, **2011**, 199, 151-5	5.4	41
484	The treatment of Common Mental Disorders across age groups: results from the 2007 Adult Psychiatric Morbidity Survey. *Journal of Affective Disorders*, **2010**, 127, 96-101	6.6	41
483	Polypharmacy in people with dementia: Associations with adverse health outcomes. *Experimental Gerontology*, **2018**, 106, 240-245	4.5	40
482	Subjective memory impairment in older adults: aetiology, salience and help seeking. *International Journal of Geriatric Psychiatry*, **2012**, 27, 612-20	3.9	40
481	Associations of cytokine gene polymorphisms with post-stroke depression. *World Journal of Biological Psychiatry*, **2012**, 13, 579-87	3.8	40
480	Markers of inflammation and cognitive decline in an African-Caribbean population. *International Journal of Geriatric Psychiatry*, **2007**, 22, 966-73	3.9	40
479	Functional status and all-cause mortality in serious mental illness. *PLoS ONE*, **2012**, 7, e44613	3.7	40
478	Determinants of suicidal ideation in patients with breast cancer. *Psycho-Oncology*, **2013**, 22, 2848-56	3.9	39
477	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambuí Cohort Study, Brazil. *Journal of Sleep Research*, **2011**, 20, 303-10	5.8	39
476	Improvement within 2 weeks and later treatment outcomes in patients with depressive disorders: the CRESCEND study. *Journal of Affective Disorders*, **2011**, 129, 183-90	6.6	39
475	Worry content across the lifespan: an analysis of 16- to 74-year-old participants in the British National Survey of Psychiatric Morbidity 2000. *Psychological Medicine*, **2006**, 36, 1625-33	6.9	39

474	Associations between oral health and risk of dementia in a 37-year follow-up study: the prospective population study of women in Gothenburg. *Journal of the American Geriatrics Society*, **2015**, 63, 100-5	5.6	38
473	Diagnostic procedures, revascularization, and inpatient mortality after acute myocardial infarction in patients with schizophrenia and bipolar disorder. *Psychosomatic Medicine*, **2013**, 75, 52-9	3.7	38
472	Cognitive function in UK community-dwelling African Caribbean elders: normative data for a test battery. *International Journal of Geriatric Psychiatry*, **2001**, 16, 518-27	3.9	38
471	Pesticide exposure and suicidal ideation in rural communities in Zhejiang province, China. *Bulletin of the World Health Organization*, **2009**, 87, 745-53	8.2	38
470	Predictors of care home and hospital admissions and their costs for older people with Alzheimer's disease: findings from a large London case register. *BMJ Open*, **2016**, 6, e013591	3	38
469	Services for people at high risk improve outcomes in patients with first episode psychosis. *Acta Psychiatrica Scandinavica*, **2016**, 133, 76-85	6.5	38
468	Double trouble: Psychiatric comorbidity and opioid addiction-all-cause and cause-specific mortality. *Drug and Alcohol Dependence*, **2015**, 148, 85-92	4.9	37
467	Associations between head circumference, leg length and dementia in a Korean population. *International Journal of Geriatric Psychiatry*, **2008**, 23, 41-8	3.9	37
466	Plasma homocysteine and cognitive impairment in an older British African-Caribbean population. *Journal of the American Geriatrics Society*, **2002**, 50, 1227-32	5.6	37
465	Assessment of association between mitochondrial aldehyde dehydrogenase polymorphism and Alzheimer's disease in an older Korean population. *Neurobiology of Aging*, **2004**, 25, 295-301	5.6	37
464	An approach to linking education, social care and electronic health records for children and young people in South London: a linkage study of child and adolescent mental health service data. *BMJ Open*, **2019**, 9, e024355	3	36
463	Retrospective chart review on exposure to psychotropic medications associated with neuroleptic malignant syndrome. *Acta Psychiatrica Scandinavica*, **2014**, 130, 52-60	6.5	36
462	The characteristics and health needs of pregnant women with schizophrenia compared with bipolar disorder and affective psychoses. *BMC Psychiatry*, **2015**, 15, 88	4.2	36
461	Education and the association between vascular risk factors and cognitive function: a cross-sectional study in older Koreans with cognitive impairment. *International Psychogeriatrics*, **2003**, 15, 27-36	3.4	35
460	Cervical and breast cancer screening uptake among women with serious mental illness: a data linkage study. *BMC Cancer*, **2016**, 16, 819	4.8	35
459	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. *Journal of the American Medical Directors Association*, **2018**, 19, 607-612	5.9	34
458	Predictors of natural and unnatural mortality among patients with personality disorder: evidence from a large UK case register. *PLoS ONE*, **2014**, 9, e100979	3.7	34
457	Data science for mental health: a UK perspective on a global challenge. *Lancet Psychiatry,the*, **2016**, 3, 993-998	23.3	34

456	Extracting antipsychotic polypharmacy data from electronic health records: developing and evaluating a novel process. *BMC Psychiatry*, **2015**, 15, 166	4.2	33
455	The effectiveness of community day-long CBT-I workshops for participants with insomnia symptoms: a randomised controlled trial. *Journal of Sleep Research*, **2012**, 21, 270-80	5.8	33
454	Anxiety and depression symptoms in arterial hypertension: the influence of antihypertensive treatment. the HUNT study, Norway. *European Journal of Epidemiology*, **2012**, 27, 63-72	12.1	33
453	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. *Psychological Medicine*, **2014**, 44, 1977-87	6.9	33
452	Age, vascular risk, and cognitive decline in an older, British, African-Caribbean population. *Journal of the American Geriatrics Society*, **2003**, 51, 1547-53	5.6	33
451	Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. *Alzheimer's and Dementia*, **2018**, 14, 130-139	1.2	33
450	Knowledge graph prediction of unknown adverse drug reactions and validation in electronic health records. *Scientific Reports*, **2017**, 7, 16416	4.9	32
449	Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. *British Journal of General Practice*, **2016**, 66, e374-81	1.6	32
448	Impairment, disability, social support and depression among older parents in rural Thailand. *Psychological Medicine*, **2010**, 40, 1711-21	6.9	32
447	Incidence and persistence of sleep complaints in a community older population. *International Journal of Geriatric Psychiatry*, **2010**, 25, 37-45	3.9	32
446	Leg length, cognitive impairment and cognitive decline in an African-Caribbean population. *International Journal of Geriatric Psychiatry*, **2006**, 21, 266-72	3.9	32
445	A prospective study of changes in subjective memory complaints and onset of dementia in South Korea. *American Journal of Geriatric Psychiatry*, **2006**, 14, 949-56	6.5	32
444	Diagnosing dementia in a developing nation: an evaluation of the GMS-AGECAT algorithm in an older Korean population. *International Journal of Geriatric Psychiatry*, **2003**, 18, 331-6	3.9	32
443	The validity of the Parental Bonding Instrument as a measure of maternal bonding among young Pakistani women. *Social Psychiatry and Psychiatric Epidemiology*, **2005**, 40, 276-82	4.5	32
442	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. *Ageing Research Reviews*, **2019**, 50, 72-80	12	32
441	Predictors of emergency department attendance by people with dementia in their last year of life: Retrospective cohort study using linked clinical and administrative data. *Alzheimer's and Dementia*, **2018**, 14, 20-27	1.2	31
440	Anxiety and mortality risk in community-dwelling elderly people. *British Journal of Psychiatry*, **2013**, 203, 303-9	5.4	31
439	A community-based study of case fatality proportion among those who carry out suicide acts. *Social Psychiatry and Psychiatric Epidemiology*, **2009**, 44, 1005-11	4.5	31

438	Does social activity influence the accuracy of subjective memory deficit? Findings from a British community survey. *Journal of the American Geriatrics Society*, **2006**, 54, 1108-13	5.6	31
437	The distribution of Mini-Mental State Examination scores in an older UK African-Caribbean population compared to MRC CFA study norms. *International Journal of Geriatric Psychiatry*, **2002**, 17, 745-51	3.9	31
436	Anxiety symptoms and disorder predict activity limitations in the elderly. *Journal of Affective Disorders*, **2012**, 141, 276-85	6.6	30
435	A one year longitudinal study of cytokine genes and depression in breast cancer. *Journal of Affective Disorders*, **2013**, 148, 57-65	6.6	30
434	White matter hyperintensities and functional outcomes at 2 weeks and 1 year after stroke. *Cerebrovascular Diseases*, **2013**, 35, 138-45	3.2	30
433	Role of BDNF val66met polymorphism on the association between physical activity and incident dementia. *Neurobiology of Aging*, **2011**, 32, 551.e5-12	5.6	30
432	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. *International Journal of Geriatric Psychiatry*, **2011**, 26, 608-14	3.9	30
431	Moroccan national study on prevalence of mental disorders: a community-based epidemiological study. *Acta Psychiatrica Scandinavica*, **2010**, 121, 71-4	6.5	30
430	Vascular dementia: a diagnosis running out of time. *British Journal of Psychiatry*, **2002**, 180, 152-6	5.4	30
429	Real World Implementation of a Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk of Psychosis in Clinical Routine: Study Protocol. *Frontiers in Psychiatry*, **2019**, 10, 109	5	29
428	Hospitalization in people with dementia with Lewy bodies: Frequency, duration, and cost implications. *Alzheimerʃs and Dementia: Diagnosis, Assessment and Disease Monitoring*, **2018**, 10, 143-152	5.2	29
427	Associations of acetylcholinesterase inhibitor treatment with reduced mortality in Alzheimer's disease: a retrospective survival analysis. *Age and Ageing*, **2018**, 47, 88-94	3	29
426	Associations between risk of mortality and atypical antipsychotic use in vascular dementia: a clinical cohort study. *International Journal of Geriatric Psychiatry*, **2014**, 29, 1249-54	3.9	29
425	Association of asthma and anxiety: A nationwide population-based study in Taiwan. *Journal of Affective Disorders*, **2016**, 189, 98-105	6.6	28
424	Psychiatric comorbidity as a risk factor for mortality in people with anorexia nervosa. *European Archives of Psychiatry and Clinical Neuroscience*, **2019**, 269, 351-359	5.1	28
423	Subjective memory impairment, objective cognitive functioning and social activity in French older people: findings from the Three Cities study. *Geriatrics and Gerontology International*, **2013**, 13, 139-45	2.9	28
422	Comparative validity of depression assessment scales for screening poststroke depression. *Journal of Affective Disorders*, **2013**, 147, 186-91	6.6	28
421	Importance of thinking locally for mental health: data from cross-sectional surveys representing South East London and England. *PLoS ONE*, **2012**, 7, e48012	3.7	28

420	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. *British Journal of Psychiatry*, **2010**, 196, 31-5	5.4	28
419	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. *Diabetic Medicine*, **2017**, 34, 916-924	3.5	27
418	Developing a new model for patient recruitment in mental health services: a cohort study using Electronic Health Records. *BMJ Open*, **2014**, 4, e005654	3	27
417	Suicidal ideation in elderly Korean population: a two-year longitudinal study. *International Psychogeriatrics*, **2014**, 26, 59-67	3.4	27
416	Help-seeking response to subjective memory complaints in older adults: toward a conceptual model. *Gerontologist, The*, **2013**, 53, 462-73	5	27
415	Relationship between a history of a suicide attempt and treatment outcomes in patients with depression. *Journal of Clinical Psychopharmacology*, **2011**, 31, 449-56	1.7	27
414	The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. *General Hospital Psychiatry*, **2011**, 33, 37-44	5.6	27
413	An investigation of associations between alcohol use disorder and polymorphisms on ALDH2, BDNF, 5-HTTLPR, and MTHFR genes in older Korean men. *International Journal of Geriatric Psychiatry*, **2010**, 25, 441-8	3.9	27
412	Trajectories of dementia-related cognitive decline in a large mental health records derived patient cohort. *PLoS ONE*, **2017**, 12, e0178562	3.7	26
411	Social support and the incidence and persistence of depression between antenatal and postnatal examinations in Turkey: a cohort study. *BMJ Open*, **2015**, 5, e006456	3	26
410	Midlife hypertensive status and cognitive function 20 years later: the Southall and Brent revisited study. *Journal of the American Geriatrics Society*, **2013**, 61, 1489-98	5.6	26
409	Predictors of 12-week remission in a nationwide cohort of people with depressive disorders: the CRESCEND study. *Human Psychopharmacology*, **2011**, 26, 41-50	2.3	26
408	5-HTTLPR genotype, stressful life events and late-life depression: no evidence of interaction in a French population. *Neurobiology of Aging*, **2010**, 31, 886-7	5.6	26
407	Associations between n-3 PUFA concentrations and cognitive function after recovery from late-life depression. *American Journal of Clinical Nutrition*, **2012**, 95, 420-7	7	26
406	Clinical risk assessment rating and all-cause mortality in secondary mental healthcare: the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) Case Register. *Psychological Medicine*, **2012**, 42, 1581-90	6.9	26
405	Clinical predictors of antipsychotic use in children and adolescents with autism spectrum disorders: a historical open cohort study using electronic health records. *European Child and Adolescent Psychiatry*, **2016**, 25, 649-58	5.5	25
404	Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. *Lancet Psychiatry,the*, **2017**, 4, 49-56	23.3	25
403	Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. *Annals of the Rheumatic Diseases*, **2019**, 78, 688-695	2.4	25

402	Personality disorder and self-rated health: a population-based cross-sectional survey. *Journal of Personality Disorders*, **2014**, 28, 319-33	2.6	25
401	Depressive symptoms are doubled in older British South Asian and Black Caribbean people compared with Europeans: associations with excess co-morbidity and socioeconomic disadvantage. *Psychological Medicine*, **2015**, 45, 1861-71	6.9	24
400	A prospective study of statin use and poststroke depression. *Journal of Clinical Psychopharmacology*, **2014**, 34, 72-9	1.7	24
399	Gender differences in 12-week antidepressant treatment outcomes for a naturalistic secondary care cohort: the CRESCEND study. *Psychiatry Research*, **2011**, 189, 82-90	9.9	24
398	Dimensions underlying the mini-mental state examination in a sample with low-education levels: the Bambuí health and aging study. *American Journal of Geriatric Psychiatry*, **2009**, 17, 863-72	6.5	24
397	Modification by two genes of associations between general somatic health and incident depressive syndrome in older people. *Psychosomatic Medicine*, **2009**, 71, 286-91	3.7	24
396	Methylenetetrahydrofolate reductase gene and risk of Alzheimer's disease in Koreans. *International Journal of Geriatric Psychiatry*, **2008**, 23, 454-9	3.9	24
395	Correlates of caregiver burden for Korean elders according to cognitive and functional status. *International Journal of Geriatric Psychiatry*, **2006**, 21, 853-61	3.9	24
394	TextHunter--A User Friendly Tool for Extracting Generic Concepts from Free Text in Clinical Research **2014**, 2014, 729-38	0.7	24
393	Associations of centrally acting ACE inhibitors with cognitive decline and survival in Alzheimer's disease. *BJPsych Open*, **2017**, 3, 158-164	5	23
392	Cholesterol and serotonin transporter polymorphism interactions in late-life depression. *Neurobiology of Aging*, **2011**, 32, 336-43	5.6	23
391	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. *European Journal of Epidemiology*, **2019**, 34, 567-577	12.1	22
390	Midlife mental distress and risk for dementia up to 27 years later: the Nord-Trøndelag Health Study (HUNT) in linkage with a dementia registry in Norway. *BMC Geriatrics*, **2015**, 15, 23	4.1	22
389	Acute general hospital admissions in people with serious mental illness. *Psychological Medicine*, **2018**, 48, 2676-2683	6.9	22
388	Associations of polyunsaturated fatty acids with residual depression or anxiety in older people with major depression. *Journal of Affective Disorders*, **2012**, 136, 918-25	6.6	22
387	Synergistic associations of depression and apolipoprotein E genotype with incidence of dementia. *International Journal of Geriatric Psychiatry*, **2011**, 26, 893-8	3.9	22
386	Thyroid stimulating hormone, cognitive impairment and depression in an older korean population. *Psychiatry Investigation*, **2010**, 7, 264-9	3.1	22
385	How data science can advance mental health research. *Nature Human Behaviour*, **2019**, 3, 24-32	12.8	22

384	The association between subjective memory complaint and objective cognitive function in older people with previous major depression. *PLoS ONE*, **2017**, 12, e0173027	3.7	21
383	Changes in pro-inflammatory cytokine levels and late-life depression: A two year population based longitudinal study. *Psychoneuroendocrinology*, **2018**, 90, 85-91	5	21
382	Is infertility really associated with higher levels of mental distress in the female population? Results from the North-Trøndelag Health Study and the Medical Birth Registry of Norway. *Journal of Psychosomatic Obstetrics and Gynaecology*, **2015**, 36, 38-45	3.6	21
381	Mild cognitive impairment--the continuing challenge of its "real-world" detection and diagnosis. *Archives of Medical Research*, **2012**, 43, 609-14	6.6	21
380	Serotonergic and BDNF genes associated with depression 1 week and 1 year after mastectomy for breast cancer. *Psychosomatic Medicine*, **2012**, 74, 8-15	3.7	21
379	Influences of personality traits on quality of life after stroke. *European Neurology*, **2013**, 69, 185-92	2.1	21
378	Service contact and psychopathology in very-late-onset schizophrenia-like psychosis: the effects of gender and ethnicity. *International Journal of Geriatric Psychiatry*, **2002**, 17, 473-9	3.9	21
377	Apolipoprotein E genotype, vascular risk and early cognitive impairment in an African Caribbean population. *Dementia and Geriatric Cognitive Disorders*, **2001**, 12, 251-6	2.6	21
376	BDNF methylation and depressive disorder in acute coronary syndrome: The K-DEPACS and EsDEPACS studies. *Psychoneuroendocrinology*, **2015**, 62, 159-65	5	20
375	Longitudinal associations between serum cholesterol levels and suicidal ideation in an older Korean population. *Journal of Affective Disorders*, **2014**, 152-154, 517-21	6.6	20
374	Associations of Neuropsychiatric Symptoms and Antidepressant Prescription with Survival in Alzheimer's Disease. *Journal of the American Medical Directors Association*, **2017**, 18, 1076-1081	5.9	20
373	Big data and data repurposing - using existing data to answer new questions in vascular dementia research. *BMC Neurology*, **2017**, 17, 72	3.1	20
372	The evaluation of delirium post-stroke. *International Journal of Geriatric Psychiatry*, **2009**, 24, 1251-6	3.9	20
371	Personality disorders, common mental disorders and receipt of disability benefits: evidence from the British National Survey of Psychiatric Morbidity. *Psychological Medicine*, **2012**, 42, 2631-40	6.9	20
370	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. *PLoS ONE*, **2015**, 10, e0134763	3.7	20
369	Mental health consequences of urban air pollution: prospective population-based longitudinal survey. *Social Psychiatry and Psychiatric Epidemiology*, **2021**, 56, 1587-1599	4.5	20
368	Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. *BMJ Open*, **2017**, 7, e015297	3	19
367	Ethnic differences in cognition and age in people diagnosed with dementia: A study of electronic health records in two large mental healthcare providers. *International Journal of Geriatric Psychiatry*, **2019**, 34, 504-510	3.9	19

366	ADEPt, a semantically-enriched pipeline for extracting adverse drug events from free-text electronic health records. *PLoS ONE*, **2017**, 12, e0187121	3.7	19
365	Antipsychotic polypharmacy prescribing and risk of hospital readmission. *Psychopharmacology*, **2018**, 235, 281-289	4.7	19
364	Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. *JAMA Network Open*, **2019**, 2, e198714	10.4	19
363	Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the Bambuí Cohort Study of Aging. *Cadernos De Saude Publica*, **2011**, 27 Suppl 3, S345-50	3.2	19
362	Migrant status, age, gender and social isolation in very late-onset schizophrenia-like psychosis. *International Journal of Geriatric Psychiatry*, **2005**, 20, 1046-51	3.9	19
361	Mitochondrial aldehyde dehydrogenase polymorphism is not associated with incidence of Alzheimer's disease. *International Journal of Geriatric Psychiatry*, **2005**, 20, 1075-80	3.9	19
360	Mini-mental state examination as a predictor of mortality among older people referred to secondary mental healthcare. *PLoS ONE*, **2014**, 9, e105312	3.7	19
359	Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. *Schizophrenia Research*, **2021**, 227, 52-60	3.6	19
358	Systematic Review and Meta-analysis: The Association Between Child and Adolescent Depression and Later Educational Attainment. *Journal of the American Academy of Child and Adolescent Psychiatry*, **2021**, 60, 105-118	7.2	19
357	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. *Schizophrenia Research*, **2018**, 201, 70-78	3.6	19
356	Cannabis use and treatment resistance in first episode psychosis: a natural language processing study. *Lancet, The*, **2015**, 385 Suppl 1, S79	40	18
355	The Camden & Islington Research Database: Using electronic mental health records for research. *PLoS ONE*, **2018**, 13, e0190703	3.7	18
354	Physical health and incident late-life depression: modification by cytokine genes. *Neurobiology of Aging*, **2013**, 34, 356.e1-9	5.6	18
353	What proportion of patients with psychosis is willing to take part in research? A mental health electronic case register analysis. *BMJ Open*, **2017**, 7, e013113	3	18
352	Mental disorders and mortality: so many publications, so little change. *Acta Psychiatrica Scandinavica*, **2015**, 132, 410-1	6.5	18
351	Dynamics of resilience in forced migration: a 1-year follow-up study of longitudinal associations with mental health in a conflict-affected, ethnic Muslim population. *BMJ Open*, **2015**, 5, e006000	3	18
350	Using data linkage to electronic patient records to assess the validity of selected mental health diagnoses in English Hospital Episode Statistics (HES). *PLoS ONE*, **2018**, 13, e0195002	3.7	18
349	The prevalence and correlates of self-harm in pregnant women with psychotic disorder and bipolar disorder. *Archives of Womenfs Mental Health*, **2016**, 19, 909-15	5	18

348	Predictors of long-term (6months) antipsychotic polypharmacy prescribing in secondary mental healthcare. *Schizophrenia Research*, **2016**, 174, 106-112	3.6	18
347	Clinical outcomes and mortality associated with weekend admission to psychiatric hospital. *British Journal of Psychiatry*, **2016**, 209, 29-34	5.4	18
346	Factors associated with cognitive impairment in patients with newly diagnosed type 2 diabetes: a cross-sectional study. *Aging and Mental Health*, **2016**, 20, 840-7	3.5	17
345	Predictors of mortality for people aged over 65 years receiving mental health care for delirium in a South London Mental Health Trust, UK: a retrospective survival analysis. *International Journal of Geriatric Psychiatry*, **2015**, 30, 639-46	3.9	17
344	Depressed mood and blood pressure: the moderating effect of situation-specific arousal levels. *International Journal of Psychophysiology*, **2012**, 85, 212-23	2.9	17
343	Associations between symptoms and all-cause mortality in individuals with serious mental illness. *Journal of Psychosomatic Research*, **2012**, 72, 114-9	4.1	17
342	Caregiver Burden and Quality of Life of Older Persons With Stroke: A Community Hospital Study in South India. *Journal of Applied Gerontology*, **2011**, 30, 643-654	3.3	17
341	Pathways to care and help-seeking experience prior to self-harm: a qualitative study in Taiwan. *The Journal of Nursing Research: JNR*, **2012**, 20, 32-41	2.3	17
340	The effect of ethnicity and gender on first-contact rates for schizophrenia-like psychosis in Bangladeshi, Black and White elders in Tower Hamlets, London. *International Journal of Geriatric Psychiatry*, **2004**, 19, 286-90	3.9	17
339	Alcoholism in older Korean men: prevalence, aetiology, and comorbidity with cognitive impairment and dementia in urban and rural communities. *International Journal of Geriatric Psychiatry*, **2002**, 17, 821-7	3.9	17
338	Risk assessment and suicide by patients with schizophrenia in secondary mental healthcare: a case-control study. *BMJ Open*, **2016**, 6, e011929	3	17
337	Predictors of severe relapse in pregnant women with psychotic or bipolar disorders. *Journal of Psychiatric Research*, **2018**, 104, 100-107	5.2	17
336	Understanding which people with dementia are at risk of inappropriate care and avoidable transitions to hospital near the end-of-life: a retrospective cohort study. *Age and Ageing*, **2019**, 48, 672-679	3	16
335	Association of asthma and bipolar disorder: a nationwide population-based study in Taiwan. *Journal of Affective Disorders*, **2014**, 168, 30-6	6.6	16
334	The impact of co-morbid personality disorder on use of psychiatric services and involuntary hospitalization in people with severe mental illness. *Social Psychiatry and Psychiatric Epidemiology*, **2014**, 49, 1631-40	4.5	16
333	Socioeconomic disadvantage, mental disorders and risk of 12-month suicide ideation and attempt in the National Comorbidity Survey Replication (NCS-R) in US. *Social Psychiatry and Psychiatric Epidemiology*, **2013**, 48, 71-9	4.5	16
332	Suicide and Other-Cause Mortality after Early Exposure to Smoking and Second Hand Smoking: A 12-Year Population-Based Follow-Up Study. *PLoS ONE*, **2015**, 10, e0130044	3.7	16
331	Quality of accommodation and risk of depression in later life: an analysis of prospective data from the Gospel Oak Project. *International Journal of Geriatric Psychiatry*, **2002**, 17, 1091-8	3.9	16

330	ACE genotype and cognitive decline in an African-Caribbean population. *Neurobiology of Aging*, **2004**, 25, 1369-75	5.6	16
329	Vascular risk factors and Alzheimer's disease. *Australian and New Zealand Journal of Psychiatry*, **1999**, 33, 809-13	2.6	16
328	Prevalence and correlates of problematic internet experiences and computer-using time: a two-year longitudinal study in korean school children. *Psychiatry Investigation*, **2014**, 11, 24-31	3.1	16
327	Development of a brief assessment and algorithm for ascertaining dementia in low-income and middle-income countries: the 10/66 short dementia diagnostic schedule. *BMJ Open*, **2016**, 6, e010712	3	16
326	'He left me a message on Facebook': comparing the risk profiles of self-harming patients who leave paper suicide notes with those who leave messages on new media. *BJPsych Open*, **2016**, 2, 217-220	5	16
325	Path analyses of risk factors for linear growth faltering in four prospective cohorts of young children in Ghana, Malawi and Burkina Faso. *BMJ Global Health*, **2019**, 4, e001155	6.6	15
324	Psychiatric comorbidity as a risk factor for the mortality of people with bulimia nervosa. *Social Psychiatry and Psychiatric Epidemiology*, **2019**, 54, 813-821	4.5	15
323	Predictors of depressive disorder following acute coronary syndrome: Results from K-DEPACS and EsDEPACS. *Journal of Affective Disorders*, **2015**, 181, 1-8	6.6	15
322	Short and long-term treatment outcomes of stepwise psychopharmacotherapy based on early clinical decision in patients with depressive disorders. *Journal of Affective Disorders*, **2020**, 274, 315-325	6.6	15
321	Dementia prevalence in a population at high vascular risk: the Trinidad national survey of ageing and cognition. *BMJ Open*, **2018**, 8, e018288	3	15
320	Suicide completion in secondary mental healthcare: a comparison study between schizophrenia spectrum disorders and all other diagnoses. *BMC Psychiatry*, **2014**, 14, 213	4.2	15
319	Mental capacity assessments and discharge decisions. *Age and Ageing*, **2005**, 34, 549-50	3	15
318	Pharmacoepidemiology research: delivering evidence about drug safety and effectiveness in mental health. *Lancet Psychiatry,the*, **2020**, 7, 363-370	23.3	15
317	The Incidence of Recorded Delirium Episodes Before and After Dementia Diagnosis: Differences Between Dementia With Lewy Bodies and Alzheimer's Disease. *Journal of the American Medical Directors Association*, **2019**, 20, 604-609	5.9	15
316	Long-term antipsychotic polypharmacy prescribing in secondary mental health care and the risk of mortality. *Acta Psychiatrica Scandinavica*, **2018**, 138, 123-132	6.5	15
315	Recorded poor insight as a predictor of service use outcomes: cohort study of patients with first-episode psychosis in a large mental healthcare database. *BMJ Open*, **2019**, 9, e028929	3	14
314	Effects of depression co-morbidity and treatment on quality of life in patients with acute coronary syndrome: the Korean depression in ACS (K-DEPACS) and the escitalopram for depression in ACS (EsDEPACS) study. *Psychological Medicine*, **2015**, 45, 1641-52	6.9	14
313	Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study: A Mediation Analysis. *JAMA Psychiatry*, **2020**, 77, 598-606	14.5	14

312	Relapse in the first three months postpartum in women with history of serious mental illness. *Schizophrenia Research*, **2019**, 204, 46-54	3.6	14
311	Associations between IQ and common mental disorders: the 2000 British National Survey of Psychiatric Morbidity. *European Psychiatry*, **2011**, 26, 390-5	6	14
310	Mental health service activity during COVID-19 lockdown: South London and Maudsley data on working age community and home treatment team services and mortality from February to mid-May 2020		14
309	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. *Schizophrenia Research*, **2020**, 216, 408-415	3.6	14
308	Novel psychoactive substances: An investigation of temporal trends in social media and electronic health records. *European Psychiatry*, **2016**, 38, 15-21	6	14
307	Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. *Schizophrenia Bulletin*, **2021**, 47, 405-414	1.3	14
306	Depression, anxiety, and suicidality in patients with prostate cancer: a systematic review and meta-analysis of observational studies. *Prostate Cancer and Prostatic Diseases*, **2021**, 24, 281-289	6.2	14
305	Latent Iron Deficiency as a Marker of Negative Symptoms in Patients with First-Episode Schizophrenia Spectrum Disorder. *Nutrients*, **2018**, 10,	6.7	14
304	The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. *Experimental Gerontology*, **2019**, 120, 62-67	4.5	13
303	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. *Acta Psychiatrica Scandinavica*, **2015**, 131, 213-22	6.5	13
302	Impact of exposure to conflict, tsunami and mental disorders on school absenteeism: findings from a national sample of Sri Lankan children aged 12-17 years. *BMC Public Health*, **2013**, 13, 560	4.1	13
301	Associations between the schizophrenia susceptibility gene ZNF804A and clinical outcomes in psychosis. *Translational Psychiatry*, **2015**, 5, e698	8.6	13
300	Prevention of Decline in Cognition after Stroke Trial (PODCAST): a study protocol for a factorial randomised controlled trial of intensive versus guideline lowering of blood pressure and lipids. *Trials*, **2013**, 14, 401	2.8	13
299	Telephone based Interventions for Psychological Problems in Hospital Isolated Patients with COVID-19. *Clinical Psychopharmacology and Neuroscience*, **2020**, 18, 616-620	3.4	13
298	Predictors of mortality in people with late-life depression: A retrospective cohort study. *Journal of Affective Disorders*, **2020**, 266, 695-701	6.6	13
297	Multi-domain clinical natural language processing with MedCAT: The Medical Concept Annotation Toolkit. *Artificial Intelligence in Medicine*, **2021**, 117, 102083	7.4	13
296	Service and treatment engagement of people with very late-onset schizophrenia-like psychosis. *BJPsych Bulletin*, **2016**, 40, 185-6	1.2	13
295	Risk of readmission in patients with schizophrenia and schizoaffective disorder newly prescribed clozapine. *Journal of Psychopharmacology*, **2019**, 33, 449-458	4.6	13

294	Low cholesterol, cognitive function and Alzheimer s disease in a community population with cognitive impairment. *Journal of Nutrition, Health and Aging*, **2002**, 6, 320-3	5.2	13
293	Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. *Scientific Reports*, **2019**, 9, 14146	4.9	12
292	The Maudsley Biomedical Research Centre (BRC) data linkage service user and carer advisory group: creating and sustaining a successful patient and public involvement group to guide research in a complex area. *Research Involvement and Engagement*, **2019**, 5, 20	4.4	12
291	Suicide attempts requiring hospitalization in patients with eating disorders: A retrospective cohort study. *International Journal of Eating Disorders*, **2020**, 53, 458-465	6.3	12
290	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. *Social Psychiatry and Psychiatric Epidemiology*, **2016**, 51, 627-38	4.5	12
289	Stressful events, stress perception and treatment outcomes in patients with depressive disorders: the CRESCEND study. *Journal of Affective Disorders*, **2011**, 133, 528-36	6.6	12
288	Myocardial infarction risk and antipsychotics use revisited: a meta-analysis of 10 observational studies. *Journal of Psychopharmacology*, **2017**, 31, 1544-1555	4.6	11
287	Changes in mental disorder prevalence among conflict-affected populations: a prospective study in Sri Lanka (COMRAID-R). *BMC Psychiatry*, **2015**, 15, 41	4.2	11
286	Neuropsychological and behavioral disturbance correlates of unawareness of memory impairment in dementia: a population-based study. *Journal of Geriatric Psychiatry and Neurology*, **2015**, 28, 3-11	3.8	11
285	Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. *Clinical Epidemiology*, **2018**, 10, 31-39	5.9	11
284	Response to antidepressants in major depressive disorder with melancholic features: the CRESCEND study. *Journal of Affective Disorders*, **2013**, 144, 42-50	6.6	11
283	Asthma and self-harm: a population-based cohort study in Taiwan. *Journal of Psychosomatic Research*, **2014**, 77, 462-7	4.1	11
282	Subjective memory deficits in people with and without dementia: findings from the 10/66 dementia research group pilot studies in low- and middle-income countries. *Journal of the American Geriatrics Society*, **2009**, 57, 2118-24	5.6	11
281	Mental and personality disorders and abstinence from alcohol: results from a national household survey. *Psychological Medicine*, **2011**, 41, 809-18	6.9	11
280	The association of dementia with upper arm and waist circumference in seven low- and middle-income countries: the 10/66 cross-sectional surveys. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2012**, 67, 897-904	6.4	11
279	Associations between Retinal Markers of Microvascular Disease and Cognitive Impairment in Newly Diagnosed Type 2 Diabetes Mellitus: A Case Control Study. *PLoS ONE*, **2016**, 11, e0147160	3.7	11
278	Explaining oral health inequalities in European welfare state regimes: The role of health behaviours. *Community Dentistry and Oral Epidemiology*, **2019**, 47, 40-48	2.8	11
277	Psychiatric Diagnoses Differ Considerably in Their Associations With Alcohol/Drug-Related Problems Among Adolescents. A Norwegian Population-Based Survey Linked With National Patient Registry Data. *Frontiers in Psychology*, **2019**, 10, 1003	3.4	10

276	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. *Lancet Psychiatry,the*, **2019**, 6, 506-517	23.3	10
275	Implementation of a Real-Time Psychosis Risk Detection and Alerting System Based on Electronic Health Records using CogStack. *Journal of Visualized Experiments*, **2020**,	1.6	10
274	Investigation of negative symptoms in schizophrenia with a machine learning text-mining approach. *Lancet, The*, **2014**, 383, S16	40	10
273	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. *Social Psychiatry and Psychiatric Epidemiology*, **2013**, 48, 1621-7	4.5	10
272	Hospital admissions for respiratory system diseases in adults with intellectual disabilities in Southeast London: a register-based cohort study. *BMJ Open*, **2017**, 7, e014846	3	10
271	Correlates and Escitalopram Treatment Effects on Sleep Disturbance in Patients with Acute Coronary Syndrome: K-DEPACS and EsDEPACS. *Sleep*, **2015**, 38, 1105-11	1.1	10
270	Interactions between a serotonin transporter gene, life events and social support on suicidal ideation in Korean elders. *Journal of Affective Disorders*, **2014**, 160, 14-20	6.6	10
269	Association of delirium post-stroke with early and late mortality. *Age and Ageing*, **2011**, 40, 271-4	3	10
268	Previous stroke but not vascular risk factors are associated with depression in a cognitively impaired older Korean population. *International Journal of Geriatric Psychiatry*, **2002**, 17, 453-8	3.9	10
267	Betel chewing and arecoline affects eotaxin-1, asthma and lung function. *PLoS ONE*, **2014**, 9, e91889	3.7	10
266	Screening for mental disorders in leprosy patients: comparing the internal consistency and screening properties of HADS and GHQ-12. *Leprosy Review*, **2007**, 78, 231-242	0.6	10
265	Educational attainment trajectories among children and adolescents with depression, and the role of sociodemographic characteristics: longitudinal data-linkage study. *British Journal of Psychiatry*, **2021**, 218, 151-157	5.4	10
264	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. *F1000Research*, **2018**, 7, 210	3.6	10
263	Associations Between Left Ventricular Dysfunction and Brain Structure and Function: Findings From the SABRE (Southall and Brent Revisited) Study. *Journal of the American Heart Association*, **2017**, 6,	6	9
262	Effects of depression screening on psychiatric outcomes in patients with acute coronary syndrome: Findings from the K-DEPACS and EsDEPACS studies. *International Journal of Cardiology*, **2015**, 190, 114-21	3.2	9
261	Mitigating mental health consequences during the COVID-19 outbreak: Lessons from China. *Psychiatry and Clinical Neurosciences*, **2020**, 74, 407-408	6.2	9
260	Mental health-related conversations on social media and crisis episodes: a time-series regression analysis. *Scientific Reports*, **2020**, 10, 1342	4.9	9
259	Obsessive and compulsive symptoms in a national sample of older people: prevalence, comorbidity, and associations with cognitive function. *American Journal of Geriatric Psychiatry*, **2013**, 21, 263-71	6.5	9

258	Associations of serotonergic genes with poststroke emotional incontinence. *International Journal of Geriatric Psychiatry*, **2012**, 27, 799-806	3.9	9
257	Dementia and lower blood pressure in Latin America, India, and China: a 10/66 cross-cohort study. *Neurology*, **2013**, 81, 228-35	6.5	9
256	Harnessing clinical psychiatric data with an electronic assessment tool (OPCRIT+): the utility of symptom dimensions. *PLoS ONE*, **2013**, 8, e58790	3.7	9
255	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. *International Psychogeriatrics*, **2011**, 23, 202-13	3.4	9
254	Associations between skeletal growth in childhood and cognitive function in mid-life in a 53-year prospective birth cohort study. *PLoS ONE*, **2015**, 10, e0124163	3.7	9
253	User Perspectives of Mood-Monitoring Apps Available to Young People: Qualitative Content Analysis. *JMIR MHealth and UHealth*, **2020**, 8, e18140	5.5	9
252	Late-life depression in people from ethnic minority backgrounds: Differences in presentation and management. *Journal of Affective Disorders*, **2020**, 264, 340-347	6.6	9
251	Generation and evaluation of artificial mental health records for Natural Language Processing. *Npj Digital Medicine*, **2020**, 3, 69	15.7	9
250	Body image, self-esteem, and sense of masculinity in patients with prostate cancer: a qualitative meta-synthesis. *Journal of Cancer Survivorship*, **2021**, 1	5.1	9
249	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. *PLoS ONE*, **2016**, 11, e0167103	3.7	9
248	Influences of the Big Five personality traits on the treatment response and longitudinal course of depression in patients with acute coronary syndrome: A randomised controlled trial. *Journal of Affective Disorders*, **2016**, 203, 38-45	6.6	9
247	The association between depression and later educational attainment in children and adolescents: a systematic review protocol. *BMJ Open*, **2019**, 9, e031595	3	9
246	Depression and cause-specific mortality in an ethnically diverse cohort from the UK: 8-year prospective study. *Psychological Medicine*, **2019**, 49, 1639-1651	6.9	9
245	Clinical Presentation, Diagnostic Features, and Mortality in Dementia with Lewy Bodies. *Journal of Alzheimerʃs Disease*, **2019**, 67, 995-1005	4.3	8
244	The anticholinergic effect on cognition (AEC) scale-Associations with mortality, hospitalisation and cognitive decline following dementia diagnosis. *International Journal of Geriatric Psychiatry*, **2020**, 35, 1069-1077	3.9	8
243	Benefits and Harms of Statins in People with Dementia: A Systematic Review and Meta-Analysis. *Journal of the American Geriatrics Society*, **2020**, 68, 650-658	5.6	8
242	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. *Journal of the American Medical Directors Association*, **2020**, 21, 1893-1899	5.9	8
241	Inpatient use and area-level socio-environmental factors in people with psychosis. *Social Psychiatry and Psychiatric Epidemiology*, **2018**, 53, 1133-1140	4.5	8

240	Alleles that increase risk for type 2 diabetes mellitus are not associated with increased risk for Alzheimer's disease. *Neurobiology of Aging*, **2014**, 35, 2883.e3-2883.e10	5.6	8
239	The association between social relationships and self-harm: a case-control study in Taiwan. *BMC Psychiatry*, **2013**, 13, 101	4.2	8
238	Snus use and cardiovascular risk factors in the general population: the HUNT3 study. *Addiction*, **2013**, 108, 2019-28	4.6	8
237	Physical comorbidity and 12-week treatment outcomes in Korean patients with depressive disorders: the CRESCEND study. *Journal of Psychosomatic Research*, **2011**, 71, 311-8	4.1	8
236	Insomnia subtypes and their relationship to excessive daytime sleepiness in Brazilian community-dwelling older adults. *Sleep*, **2011**, 34, 1111-7	1.1	8
235	Ascertaining instances of neuroleptic malignant syndrome in a secondary mental healthcare electronic medical records database: the SLAM BRC Case Register. *Therapeutic Advances in Psychopharmacology*, **2012**, 2, 75-83	4.9	8
234	Anxiety disorders in older people. *Reviews in Clinical Gerontology*, **2012**, 22, 204-217		8
233	Are Black Caribbean Patients More Likely to Receive an Incorrect Diagnosis of Very-Late-Onset Schizophrenia-Like Psychosis Than Their White British Counterparts?. *American Journal of Geriatric Psychiatry*, **2003**, 11, 674-677	6.5	8
232	Analysis of diagnoses extracted from electronic health records in a large mental health case register. *PLoS ONE*, **2017**, 12, e0171526	3.7	8
231	Changes in daily mental health service use and mortality at the commencement and lifting of COVID-19 'lockdown' policy in 10 UK sites: a regression discontinuity in time design. *BMJ Open*, **2021**, 11, e049721	3	8
230	Antipsychotic use in dementia: the relationship between neuropsychiatric symptom profiles and adverse outcomes. *European Journal of Epidemiology*, **2021**, 36, 89-101	12.1	8
229	Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. *Lancet Regional Health - Europe, The*, **2021**, 8, 100149		8
228	Depression following Acute Coronary Syndrome: Time-Specific Interactions between Stressful Life Events, Social Support Deficits, and 5-HTTLPR. *Psychotherapy and Psychosomatics*, **2017**, 86, 62-64	9.4	7
227	General hospital admission rates in people diagnosed with personality disorder. *Acta Psychiatrica Scandinavica*, **2019**, 139, 248-255	6.5	7
226	Serotonergic genes and depressive disorder in acute coronary syndrome: The Korean depression in ACS (K-DEPACS) study. *European Neuropsychopharmacology*, **2015**, 25, 882-8	1.2	7
225	A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). *International Journal of Medical Informatics*, **2015**, 84, 675-82	5.3	7
224	Chronic obstructive pulmonary disease and anxiety disorders: a nationwide population-based study in Taiwan. *General Hospital Psychiatry*, **2016**, 42, 1-6	5.6	7
223	Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. *Drug and Alcohol Dependence*, **2016**, 164, 82-88	4.9	7

222	Can risk assessment predict suicide in secondary mental healthcare? Findings from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. *Social Psychiatry and Psychiatric Epidemiology*, **2018**, 53, 1161-1171	4.5	7
221	Impact of the COVID-19 pandemic on remote mental healthcare and prescribing in psychiatry: an electronic health record study. *BMJ Open*, **2021**, 11, e046365	3	7
220	Relationship between antidepressant prescription and breast cancer: a population based study in Taiwan. *Psycho-Oncology*, **2016**, 25, 803-7	3.9	7
219	Interaction between BDNF val66met polymorphism and personality on long-term cardiac outcomes in patients with acute coronary syndrome. *PLoS ONE*, **2019**, 14, e0226802	3.7	7
218	Aspirin in people with dementia, long-term benefits, and harms: a systematic review. *European Journal of Clinical Pharmacology*, **2021**, 77, 943-954	2.8	7
217	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. *PLoS ONE*, **2020**, 15, e0230674	3.7	6
216	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. *Psychological Medicine*, **2021**, 51, 2581-2589	6.9	6
215	Serotonin Transporter Gene Association Between Anxiety and Long-Term Cardiac Outcomes in Acute Coronary Syndromes. *Journal of the American College of Cardiology*, **2018**, 71, 2706-2707	15.1	6
214	The impact of early life factors on cognitive function in old age: The Hordaland Health Study (HUSK). *BMC Psychology*, **2013**, 1, 16	2.8	6
213	Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. *Psychological Medicine*, **2017**, 47, 766-775	6.9	6
212	Weekly lottery sales volume and suicide numbers: a time series analysis on national data from Taiwan. *Social Psychiatry and Psychiatric Epidemiology*, **2012**, 47, 1055-9	4.5	6
211	Male gender influences response to an educational package for delirium prevention among older people: a stratified analysis. *International Journal of Geriatric Psychiatry*, **2006**, 21, 493-7	3.9	6
210	Depressive symptoms and cognitive decline--disentangling the effect of affect. *Journal of Neurology, Neurosurgery and Psychiatry*, **2004**, 75, 5	5.5	6
209	Community treatment orders and associations with readmission rates and duration of psychiatric hospital admission: a controlled electronic case register study. *BMJ Open*, **2020**, 10, e035121	3	6
208	Gender differences in clinical presentation and illicit substance use during first episode psychosis: a natural language processing, electronic case register study. *BMJ Open*, **2021**, 11, e042949	3	6
207	A natural language processing approach for identifying temporal disease onset information from mental healthcare text. *Scientific Reports*, **2021**, 11, 757	4.9	6
206	Predicting parkinsonism side-effects of antipsychotic polypharmacy prescribed in secondary mental healthcare. *Journal of Psychopharmacology*, **2018**, 32, 1191-1196	4.6	6
205	Gender preference and perinatal depression in Turkey: A cohort study. *PLoS ONE*, **2017**, 12, e0174558	3.7	5

204	A randomised controlled trial of calcium channel blockade (CCB) with Amlodipine For the treatment oF subcortical ischaEmic vasCular demenTia (AFFECT): study protocol. *Trials*, **2016**, 17, 324	2.8	5
203	Baseline characteristics, analysis plan and report on feasibility for the Prevention Of Decline in Cognition After Stroke Trial (PODCAST). *Trials*, **2015**, 16, 509	2.8	5
202	Construct validity of the mini mental state examination across time in a sample with low-education levels: 10-year follow-up of the Bambuí Cohort Study of Ageing. *International Journal of Geriatric Psychiatry*, **2014**, 29, 1294-303	3.9	5
201	Neurological signs and late-life depressive symptoms in a community population: the ESPRIT study. *International Journal of Geriatric Psychiatry*, **2010**, 25, 672-8	3.9	5
200	Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. *International Psychogeriatrics*, **2009**, 21, 729-37	3.4	5
199	General health status and vascular disorders as correlates of late-life depressive symptoms in a national survey sample. *International Journal of Geriatric Psychiatry*, **2010**, 25, 483-8	3.9	5
198	Cerebral white matter lesions and subjective cognitive dysfunction: the Rotterdam Scan Study. *Neurology*, **2001**, 57, 2149	6.5	5
197	Mental health legislation and decision making capacity: autonomy in Alzheimer's disease is ignored and neglected. *BMJ, The*, **2006**, 332, 118-9	5.9	5
196	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. *F1000Research*, **2018**, 7, 210	3.6	5
195	The side effect profile of Clozapine in real world data of three large mental health hospitals. *PLoS ONE*, **2020**, 15, e0243437	3.7	5
194	Loneliness in older adult mental health services during the COVID-19 pandemic and before: Associations with disability, functioning and pharmacotherapy. *International Journal of Geriatric Psychiatry*, **2021**, 37,	3.9	5
193	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. *Lancet Regional Health - Europe, The*, **2021**, 11, 100228		5
192	Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. *British Journal of Psychiatry*, **2020**, 1-9	5.4	5
191	Safe prescribing in cognitively vulnerable patients: the use of the anticholinergic effect on cognition (AEC) tool in older adult mental health services. *BJPsych Bulletin*, **2019**, 26-30	1.2	5
190	Methotrexate and relative risk of dementia amongst patients with rheumatoid arthritis: a multi-national multi-database case-control study. *Alzheimer's Research and Therapy*, **2020**, 12, 38	9	5
189	Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. *Addiction*, **2018**, 113, 946-951	4.6	5
188	Longitudinal Associations Between Serum Cytokine Levels and Dementia. *Frontiers in Psychiatry*, **2018**, 9, 606	5	5
187	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. *BMJ Open*, **2018**, 8, e022170	3	5

186	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study.. *British Journal of Psychiatry*, **2021**, 219, 678-685	5.4	5
185	Annotating Temporal Relations to Determine the Onset of Psychosis Symptoms. *Studies in Health Technology and Informatics*, **2019**, 264, 418-422	0.5	5
184	Temporal information extraction from mental health records to identify duration of untreated psychosis. *Journal of Biomedical Semantics*, **2020**, 11, 2	2.2	4
183	Comparisons between different elements of reported burden and common mental disorder in caregivers of ethnically diverse people with dementia in Trinidad. *PLoS ONE*, **2018**, 13, e0201165	3.7	4
182	Impact of Suicidal Ideation on Long-Term Cardiac Outcomes in Patients with Acute Coronary Syndrome: Sex-Specific Differences. *Psychotherapy and Psychosomatics*, **2018**, 87, 311-312	9.4	4
181	Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study. *European Child and Adolescent Psychiatry*, **2019**, 28, 247-255	5.5	4
180	Modifying effects of depression on the association between BDNF methylation and prognosis of acute coronary syndrome. *Brain, Behavior, and Immunity*, **2019**, 81, 422-429	16.6	4
179	Reducing depression in nursing homes: so little, so late. *Lancet, The*, **2013**, 381, 2227-8	40	4
178	Low blood pressure and depression in the elderly. *British Journal of Psychiatry*, **2000**, 177, 181-2	5.4	4
177	Vascular and metabolic risk factor differences prior to dementia diagnosis: a multidatabase case-control study using European electronic health records. *BMJ Open*, **2020**, 10, e038753	3	4
176	Comparative Analysis of Text Classification Approaches in Electronic Health Records **2020**,		4
175	Efficient Reuse of Natural Language Processing Models for Phenotype-Mention Identification in Free-text Electronic Medical Records: A Phenotype Embedding Approach. *JMIR Medical Informatics*, **2019**, 7, e14782	3.6	4
174	Excess mortality in mental health service users during the COVID-19 pandemic described by ethnic group: South London and Maudsley data.		4
173	Comparison of mental health service activity before and shortly after UK social distancing responses to the COVID-19 pandemic: February-March 2020		4
172	DETERMinants of quality of life, care and costs, and consequences of INequalities in people with Dementia and their carers (DETERMIND): A protocol paper. *International Journal of Geriatric Psychiatry*, **2020**, 35, 290-301	3.9	4
171	Sleep problems associated with long-term mortality in acute coronary syndrome: Effects of depression comorbidity and treatment. *General Hospital Psychiatry*, **2020**, 66, 125-132	5.6	4
170	Generating Positive Psychosis Symptom Keywords from Electronic Health Records. *Lecture Notes in Computer Science*, **2019**, 298-303	0.9	3
169	Homocysteine, rather than age of onset, is a better predictor for cognitive function in older adults with bipolar disorder. *International Journal of Geriatric Psychiatry*, **2019**, 34, 1473-1480	3.9	3

168	Clinical factors associated with progression to dementia in people with late-life depression: a cohort study of patients in secondary care. *BMJ Open*, **2020**, 10, e035147	3	3
167	Predicting high-cost care in a mental health setting. *BJPsych Open*, **2020**, 6, e10	5	3
166	Predictors of depression in Korean breast cancer patients: A one-year longitudinal study. *Asia-Pacific Psychiatry*, **2012**, 4, 250-257	3.2	3
165	An investigation of factors identified at birth in relation to anxiety and depression in old age: the Hordaland Health Study (HUSK). *BMC Psychiatry*, **2013**, 13, 136	4.2	3
164	Could reverse causality or selective mortality explain associations between leg length, skull circumference and dementia? A South Indian cohort study. *International Psychogeriatrics*, **2011**, 23, 328-304	3.4	3
163	Cognitive function and common mental disorders in older people with vascular and non-vascular disorders: a national survey. *International Journal of Geriatric Psychiatry*, **2009**, 24, 701-8	3.9	3
162	Ethnicity and impact on the receipt of cognitive-behavioural therapy in people with psychosis or bipolar disorder: an English cohort study. *BMJ Open*, **2020**, 10, e034913	3	3
161	Are Black Caribbean patients more likely to receive an incorrect diagnosis of very-late-onset schizophrenia-like psychosis than their white British counterparts?. *American Journal of Geriatric Psychiatry*, **2003**, 11, 674-7	6.5	3
160	Catatonia: demographic, clinical and laboratory associations.. *Psychological Medicine*, **2021**, 1-11	6.9	3
159	The Development of the Military Service Identification Tool: Identifying Military Veterans in a Clinical Research Database Using Natural Language Processing and Machine Learning. *JMIR Medical Informatics*, **2020**, 8, e15852	3.6	3
158	Clozapine Response in Schizophrenia and Hematological Changes. *Journal of Clinical Psychopharmacology*, **2021**, 41, 19-24	1.7	3
157	T97. REAL WORLD IMPLEMENTATION OF A TRANSDIAGNOSTIC RISK CALCULATOR FOR THE AUTOMATIC DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN CLINICAL ROUTINE. *Schizophrenia Bulletin*, **2020**, 46, S268-S268	1.3	3
156	The association between neighbourhood characteristics and physical victimisation in men and women with mental disorders. *BJPsych Open*, **2020**, 6, e73	5	3
155	Predictive value of homocysteine for depression after acute coronary syndrome. *Oncotarget*, **2016**, 7, 69032-69040	3.3	3
154	Dementia in People from Ethnic Minority Backgrounds: Disability, Functioning, and Pharmacotherapy at the Time of Diagnosis. *Journal of the American Medical Directors Association*, **2021**, 22, 446-452	5.9	3
153	Cognitive Trajectories in Comorbid Dementia With Schizophrenia or Bipolar Disorder: The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. *American Journal of Geriatric Psychiatry*, **2021**, 29, 604-616	6.5	3
152	Factors associated with slow progression of cognitive impairment following first dementia diagnosis. *International Journal of Geriatric Psychiatry*, **2021**, 36, 271-285	3.9	3
151	Functional dyspepsia in depression: A population-based cohort study. *European Journal of Clinical Investigation*, **2021**, 51, e13506	4.6	3

#			
150	Recorded atypical hallucinations in psychotic and affective disorders and associations with non-benzodiazepine hypnotic use: the South London and Maudsley Case Register. *BMJ Open*, **2018**, 8, e025216	3	3
149	Predictors of cerebrovascular event reoccurrence in patients with depression: a retrospective cohort study. *BMJ Open*, **2020**, 10, e031927	3	2
148	New Use for Old Drugs: The Protective Effect of Risperidone on Colorectal Cancer. *Cancers*, **2020**, 12,	6.6	2
147	Synergistic effects of depression and NR3C1 methylation on prognosis of acute coronary syndrome. *Scientific Reports*, **2020**, 10, 5519	4.9	2
146	Prospective associations between recalled parental bonding and perinatal depression: a cohort study in urban and rural Turkey. *Social Psychiatry and Psychiatric Epidemiology*, **2018**, 53, 385-392	4.5	2
145	SemEHR: surfacing semantic data from clinical notes in electronic health records for tailored care, trial recruitment, and clinical research. *Lancet, The*, **2017**, 390, S97	40	2
144	Antipsychotic use and unexpected death: a hospital-based case-control study. *Acta Psychiatrica Scandinavica*, **2015**, 132, 479-88	6.5	2
143	5-HTTLPR genotype, asthma, diabetes and late-life depression in an older French population. *International Journal of Geriatric Psychiatry*, **2015**, 30, 1017-22	3.9	2
142	Statin use is associated with reduced depressive symptoms in Europeans, but increased symptoms in ethnic minorities in the UK: an observational study. *British Journal of Clinical Pharmacology*, **2015**, 80, 172-3	3.8	2
141	P2-37 Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambuí Cohort Study, Brazil. *Journal of Epidemiology and Community Health*, **2011**, 65, A229-A230	5.1	2
140	Temporal orientation in a national community sample of older people. *International Journal of Geriatric Psychiatry*, **2011**, 26, 144-9	3.9	2
139	Hypertension and depression in late life. *British Journal of Psychiatry*, **2006**, 188, 85	5.4	2
138	Surveying older people from minority ethnic groups: an evaluation of a primary care sampling method for UK African-Caribbean elders. *International Journal of Methods in Psychiatric Research*, **2002**, 11, 178-83	4.3	2
137	Fear of cancer recurrence and PSA anxiety in patients with prostate cancer: a systematic review.. *Supportive Care in Cancer*, **2022**,	3.9	2
136	Mental health service activity during COVID-19 lockdown among individuals with Personality Disorders: South London and Maudsley data on services and mortality from January to May 2020		2
135	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. *International Journal of Population Data Science*, **2020**, 5, 1355	1.4	2
134	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. *International Journal of Population Data Science*, **2020**, 5, 1355	1.4	2
133	Using past and current data to estimate potential crisis service use in mental healthcare after the COVID-19 lockdown: South London and Maudsley data		2

132	Causes of death in mental health service users during the first wave of the COVID-19 pandemic: South London and Maudsley data from March to June 2020, compared with 2015-2019		2
131	Impact of the COVID-19 pandemic on remote mental healthcare and prescribing in psychiatry		2
130	Self-harm presentations to Emergency Departments and Place of Safety during the first wave of the UK COVID-19 pandemic: South London and Maudsley data on service use from February to June 2020		2
129	Extent of disease at first cancer presentation and previous anxiety and depressive symptoms: the HUNT study. *British Journal of Psychiatry*, **2020**, 217, 427-433	5.4	2
128	Empowering Better End-of-Life Dementia Care (EMBED-Care): A mixed methods protocol to achieve integrated person-centred care across settings. *International Journal of Geriatric Psychiatry*, **2020**, 35, 820-832	3.9	2
127	Clinician-recalled quoted speech in electronic health records and risk of suicide attempt: a case-crossover study. *BMJ Open*, **2020**, 10, e036186	3	2
126	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. *PLoS Medicine*, **2020**, 17, e1003306	11.6	2
125	Participant Experiences of Attending a Community CBT Workshop for Insomnia: A Qualitative Six-Year Follow-Up. *Behavioral Sleep Medicine*, **2019**, 17, 156-173	4.2	2
124	Impact of depression at early and late phases following acute coronary syndrome on long-term cardiac outcomes. *Journal of Affective Disorders*, **2020**, 260, 592-596	6.6	2
123	The association between dementia severity and hospitalisation profile in a newly assessed clinical cohort: the South London and Maudsley case register. *BMJ Open*, **2020**, 10, e035779	3	2
122	Incidence of Type 2 Diabetes in Patients With Chronic Hepatitis C Receiving Interferon-Based Therapy. *Diabetes Care*, **2020**, 43, e63-e64	14.6	2
121	Motor signs in Alzheimer's disease and vascular dementia: Detection through natural language processing, co-morbid features and relationship to adverse outcomes. *Experimental Gerontology*, **2021**, 146, 111223	4.5	2
120	Long-term cardiac outcomes of depression screening, diagnosis and treatment in patients with acute coronary syndrome: the DEPACS study. *Psychological Medicine*, **2021**, 51, 964-974	6.9	2
119	Genomic African and Native American Ancestry and 15-Year Cognitive Trajectory: Bambui Study, Brazil. *Journal of the American Geriatrics Society*, **2018**, 66, 1956-1962	5.6	2
118	Interactive effects of systemic inflammation and life stressors on treatment response of depressive disorders. *Brain, Behavior, and Immunity*, **2021**, 95, 61-67	16.6	2
117	Associations Between COVID-19 Symptoms and Psychological Distress. *Frontiers in Psychiatry*, **2021**, 12, 721532	5	2
116	[P4-41]: LEVELS OF BLOOD PRESSURE, BODY MASS INDEX AND TOTAL SERUM CHOLESTEROL AT DIFFERENT TIME POINTS PRIOR TO DEMENTIA DIAGNOSIS: A CASE CONTROL STUDY OF OVER 28 MILLION ELECTRONIC HEALTH RECORDS FROM THE EMIF EHR DATA RESOURCE **2017**, 13, P1420-P1421		1
115	Linking electronic dementia care records to national inpatient data in dementia with Lewy bodies: Frequency, duration and cost implications of hospitalization and recording of delirium episodes. *Alzheimer's and Dementia*, **2020**, 16, e039139	1.2	1

114	Predictors of physical activity recording in routine mental healthcare. *Mental Health and Physical Activity*, **2020**, 18, 100329	5	1
113	Scientific theory, the publishing crisis and the wisdom of editors. *Acta Psychiatrica Scandinavica*, **2015**, 132, 427	6.5	1
112	Risk Factors for Sudden Cardiac Death Among Patients with Alcohol Dependence: A Nested Case-Control Study. *Alcoholism: Clinical and Experimental Research*, **2015**, 39, 1797-804	3.7	1
111	Early life factors in relation to cardiovascular risk and cardiovascular disease in old age in Bergen: a Norwegian retrospective cohort study based on the Hordaland Health Study (HUSK). *JRSM Open*, **2014**, 5, 2054270414527935	0.5	1
110	Reply: To PMID 24730985. *Acta Psychiatrica Scandinavica*, **2014**, 130, 407-8	6.5	1
109	Comment: How personal is Alzheimer disease?. *Neurology*, **2014**, 83, 1542	6.5	1
108	Physical activity improves cognitive function in people with memory impairment. *Evidence-Based Mental Health*, **2009**, 12, 57	11.1	1
107	Safeguarding the rights of patients who lack capacity in general hospitals. Do the Bournewood proposals for England and Wales help or hinder?. *Age and Ageing*, **2007**, 36, 120-1	3	1
106	Neuroimaging in dementia and depression. *Current Opinion in Psychiatry*, **2001**, 14, 371-375	4.9	1
105	Mapping multimorbidity in individuals with schizophrenia and bipolar disorders: evidence from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register.. *BMJ Open*, **2022**, 12, e054414	3	1
104	Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006		1
103	Risk of acute pancreatitis among people with severe mental illness. *Journal of Affective Disorders*, **2020**, 263, 722-727	6.6	1
102	'Real time' monitoring of antipsychotic prescribing in patients with dementia: a study using the Clinical Record Interactive Search (CRIS) platform to enhance safer prescribing. *BMJ Open Quality*, **2020**, 9,	1.9	1
101	Impact of matching error on linked mortality outcome in a data linkage of secondary mental health data with Hospital Episode Statistics (HES) and mortality records in South East London: a cross-sectional study. *BMJ Open*, **2020**, 10, e035884	3	1
100	Multisite data linkage projects in mental health research. *Lancet Psychiatry,the*, **2020**, 7, e61	23.3	1
99	Associations between loneliness and acute hospitalisation outcomes among patients receiving mental healthcare in South London: a retrospective cohort study. *Social Psychiatry and Psychiatric Epidemiology*, **2021**, 1	4.5	1
98	Mortality among mental health services for older adults during the COVID-19 pandemic: a retrospective analysis from South London. *International Psychogeriatrics*, **2021**, 33, 527-528	3.4	1
97	Genetic risk of clozapine-induced leukopenia and neutropenia: a genome-wide association study. *Translational Psychiatry*, **2021**, 11, 343	8.6	1

96	Quality indicators for dementia and older people nearing the end of life: A systematic review. *Journal of the American Geriatrics Society*, **2021**, 69, 3650-3660	5.6	1
95	Cognitive Impairments in Schizophrenia: A Study in a Large Clinical Sample Using Natural Language Processing. *Frontiers in Digital Health*, **2021**, 3, 711941	2.3	1
94	Cigarette smoking and schizophrenia: Mendelian randomisation study. *British Journal of Psychiatry*, **2021**, 218, 98-103	5.4	1
93	Hospital admissions for dental disorders in patients with severe mental illness in Southeast London: A register-based cohort study. *European Journal of Oral Sciences*, **2021**, 129, e12752	2.3	1
92	Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndrome-Reply. *JAMA - Journal of the American Medical Association*, **2018**, 320, 2152-2153	27.4	1
91	Health status risk factors and quality of life in 75-84-year-old individuals assessed for dementia using the short 10/66 dementia diagnostic schedule. *PeerJ*, **2021**, 9, e12040	3.1	1
90	Centrally Acting Anticholinergic Drugs Used for Urinary Conditions Associated with Worse Outcomes in Dementia. *Journal of the American Medical Directors Association*, **2021**, 22, 2547-2552	5.9	1
89	Vascular surgery receipt and outcomes for people with serious mental illnesses: Retrospective cohort study using a large mental healthcare database in South London. *Journal of Psychosomatic Research*, **2021**, 147, 110511	4.1	1
88	Inequalities in glycemic management in people living with type 2 diabetes mellitus and severe mental illnesses: cohort study from the UK over 10 years. *BMJ Open Diabetes Research and Care*, **2021**, 9,	4.5	1
87	Life expectancy, mortality risks and cause of death in patients with serious mental illness in South East London: a comparison between 2008⊠2012 and 2013⊠2017. *Psychological Medicine*,1-10	6.9	1
86	Predictors of relapse following a stepwise psychopharmacotherapy regime in patients with depressive disorders. *Journal of Affective Disorders*, **2021**, 293, 109-116	6.6	1
85	Can natural language processing models extract and classify instances of interpersonal violence in mental healthcare electronic records: an applied evaluative study.. *BMJ Open*, **2022**, 12, e052911	3	1
84	Birth without intervention in women with severe mental illness: cohort study.. *BJPsych Open*, **2022**, 8, e50	5	1
83	Suicidal ideation in dementia: associations with neuropsychiatric symptoms and subtype diagnosis.. *International Psychogeriatrics*, **2022**, 1-8	3.4	1
82	Multimorbidity clusters among people with serious mental illness: a representative primary and secondary data linkage cohort study.. *Psychological Medicine*, **2022**, 1-12	6.9	1
81	Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK.. *BMC Medicine*, **2022**, 20, 137	11.4	1
80	Assessing the feasibility of a web-based outcome measurement system in child and adolescent mental health services ⊠myHealthE a randomised controlled feasibility pilot study. *Child and Adolescent Mental Health*,	2.2	1
79	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. *Alzheimer⊠s and Dementia*, **2019**, 15, 313-314	1.2	0

78	SNX29, a new susceptibility gene shared with major mental disorders in Han Chinese population. *World Journal of Biological Psychiatry*, **2021**, 22, 526-534	3.8	0
77	Social phobia in late-life: is it worth a diagnosis?. *Acta Psychiatrica Scandinavica*, **2010**, 122, 1-3	6.5	0
76	Application of cholinesterase inhibitors. *Lancet, The*, **2001**, 358, 73-4	40	0
75	COVID-related hospitalization, intensive care treatment, and all-cause mortality in patients with psychosis and treated with clozapine.. *European Neuropsychopharmacology*, **2022**, 56, 92-99	1.2	0
74	A retrospective analysis of patient flow in mental health services for older adults in South London during the COVID-19 pandemic.. *International Psychogeriatrics*, **2022**, 1-2	3.4	0
73	NICE guidelines and the treatment of Alzheimer's disease: evidence-based medicine may be discriminatory. *British Journal of Psychiatry*, **2001**, 179, 367	5.4	0
72	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. *BMJ Open*, **2021**, 11, e042274	3	0
71	Investigating the Association between Physical Health Comorbidities and Disability in Individuals with Severe Mental Illness. *European Psychiatry*, **2021**, 1-33	6	0
70	Prediction of Suicidality According to Serum Folate Levels in Depressive Patients Receiving Stepwise Pharmacotherapy.. *Frontiers in Psychiatry*, **2021**, 12, 747228	5	0
69	Associations of serum cortisol levels, stress perception, and stressful events with suicidal behaviors in patients with depressive disorders. *Journal of Affective Disorders*, **2022**, 297, 602-609	6.6	0
68	Cohort profile: the eLIXIR Partnership-a maternity-child data linkage for life course research in South London, UK. *BMJ Open*, **2020**, 10, e039583	3	0
67	Temporal and diurnal variation in social media posts to a suicide support forum. *BMC Psychiatry*, **2021**, 21, 259	4.2	0
66	Investigating associations of childhood abuse and serum brain-derived neurotrophic factor levels with suicidal behaviours in patients with depressive disorders.. *British Journal of Psychiatry*, **2021**, 219, 598-605	5.4	0
65	Centrally-acting anticholinergic drugs- associations with mortality, hospitalisation and cognitive decline following dementia diagnosis in people receiving antidepressant and antipsychotic drugs. *Aging and Mental Health*, **2021**, 1-9	3.5	0
64	What gets recorded, counts: dementia recording in primary care compared with a specialist database. *Age and Ageing*, **2021**, 50, 2206-2213	3	0
63	Risk of hospitalised falls and hip fractures in working age adults receiving mental health care. *General Hospital Psychiatry*, **2021**, 72, 81-87	5.6	0
62	Synergistic effects of resilience and serum ghrelin levels on the 12-week pharmacotherapeutic response in patients with depressive disorders. *Journal of Affective Disorders*, **2021**, 295, 1489-1493	6.6	0
61	Real-world experience of assessing antibodies against the N-methyl-D-aspartate receptor (NMDAR-IgG) in psychiatric patients. A retrospective single-centre study. *Brain, Behavior, and Immunity*, **2021**, 98, 330-336	16.6	0

60	An evaluation of symptom domains in the 2 years before pregnancy as predictors of relapse in the perinatal period in women with severe mental illness. *European Psychiatry*, **2021**, 64, e26	6	0
59	A prospective investigation of depression and adverse outcomes in patients undergoing vascular surgical interventions: A retrospective cohort study using a large mental health database in South London. *European Psychiatry*, **2021**, 64, e13	6	0
58	An exploration of wellbeing in men diagnosed with prostate cancer undergoing active surveillance: a qualitative study.. *Supportive Care in Cancer*, **2022**, 1	3.9	0
57	Interaction effect of serum serotonin level and age on the 12-week pharmacotherapeutic response in patients with depressive disorders.. *Scientific Reports*, **2021**, 11, 24226	4.9	0
56	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK **2021**, 11, e042274		0
55	Associations of presenting symptoms and subsequent adverse clinical outcomes in people with unipolar depression: a prospective natural language processing (NLP), transdiagnostic, network analysis of electronic health record (EHR) data.. *BMJ Open*, **2022**, 12, e056541	3	0
54	Association between depressive symptoms and cognitive-behavioural therapy receipt within a psychosis sample: a cross-sectional study.. *BMJ Open*, **2022**, 12, e051873	3	0
53	Multiple serum biomarkers for predicting suicidal behaviours in depressive patients receiving pharmacotherapy.. *Psychological Medicine*, **2022**, 1-10	6.9	0
52	Prospective associations of multimodal serum biomarkers with 12-week and 12-month remission in patients with depressive disorders receiving stepwise psychopharmacotherapy. *Brain, Behavior, and Immunity*, **2022**, 104, 65-73	16.6	0
51	Reply to critical comments on the article 'Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study'. *European Child and Adolescent Psychiatry*, **2019**, 28, 1411-1413	5.5	
50	8 Catatonia: demographic, clinical and laboratory associations in a large dataset. *Journal of Neurology, Neurosurgery and Psychiatry*, **2020**, 91, e3.3-e4	5.5	
49	Ethnicity, mortality, and severe mental illness - Authors' reply. *Lancet Psychiatry,the*, **2017**, 4, 517-518	23.3	
48	[O1⬛3⬛3]: CULTURE- AND EDUCATION-FAIR 10/66 DEMENTIA DIAGNOSTIC ASSESSMENT: VALIDITY OF THE CORE MEASURES IN SUB-SAHARAN AFRICAN POPULATIONS **2017**, 13, P226		
47	PSYCHIATRIC COMORBIDITY AND EXCESS ALL-CAUSE AND CAUSE-SPECIFIC MORTALITY IN OPIOID ADDICTS. *Canadian Journal of Addiction*, **2015**, 6, 36	1.8	
46	Anthropometry of Head Circumference, Limb Length and Dementia **2012**, 2341-2356		
45	Response to Thomas Finucane. *Journal of the American Geriatrics Society*, **2013**, 61, 2060	5.6	
44	Well controls in case-control studies. *Psychological Medicine*, **2012**, 42, 216-7	6.9	
43	Adult Neurology, 2nd edition Editors: J. COREY-BLOOM AND R. B. DAVID Oxford: Blackwell Publishing, 2005, £69.50. Hardback, 435 pp. ISBN: 1 4051 1766 4. *International Psychogeriatrics*, **2006**, 18, 765-766	3.4	

42   A 30-Year Prospective Analysis of Change in Body Weight and Incident Dementia. *Clinical Science*, **2003**, 104, 39P-39P

41   Review: in older people, decline of cognitive function is more likely than improvement, but rate of change is very variable. *Evidence-Based Mental Health*, **2004**, 7, 92   11.1

40   Protocol of a randomised clinical trial to integrate mental health services into primary care for postconflict populations in Northern Sri Lanka (COMGAP-S).. *BMJ Open*, **2022**, 12, e051441   3

39   Childhood Abuse, Social Support, and Long-Term Pharmacological Treatment Outcomes in Patients With Depressive Disorders.. *Frontiers in Psychiatry*, **2022**, 13, 803639   5

38   Patient-centric characterization of multimorbidity trajectories in patients with severe mental illnesses: A temporal bipartite network modeling approach.. *Journal of Biomedical Informatics*, **2022**, 127, 104010   10.2

37   Identifying subtypes of depression in clinician-annotated text: a retrospective cohort study. *Scientific Reports*, **2021**, 11, 22426   4.9

36   Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study.. *Journal of Psychiatric Research*, **2022**, 147, 94-102   5.2

35   El tabaquismo relacionado con la ansiedad y la depresión: evidencias de una encuesta de población: estudio HUNT. *European Psychiatry (Ed Española)*, **2008**, 15, 237-245

34   Social Determinants of Late Life Disorders **2010**, 295-304

33   The Epidemiology of Depression and Anxiety **2010**, 616-623

32   The Role of n-3 Long Chain Polyunsaturated Fatty Acids in Cognitive Function **2011**, 23-38

31   Comparing psychotropic medication prescribing in personality disorder between general mental health and psychological services: retrospective cohort study. *BJPsych Open*, **2021**, 7, e72   5

30   Antidepressant and antipsychotic treatment of Psychotic Major Depression in a British mental healthcare setting. *Journal of Mental Health*, **2021**, 1-7   2.7

29   O2-05-02: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIF-ad EHR Resource **2016**, 12, P232-P234

28   Paid employment and common mental disorders in 50-64-year olds: analysis of three cross-sectional nationally representative survey samples in 1993, 2000 and 2007. *Epidemiology and Psychiatric Sciences*, **2019**, 28, 88-99   5.1

27   The Potential of Research Drawing on Clinical Free Text to Bring Benefits to Patients in the United Kingdom: A Systematic Review of the Literature. *Frontiers in Digital Health*, **2021**, 3, 606599   2.3

26   S1-01-04: EPIDEMIOLOGY IN THE ERA OF BIG DATA: OPPORTUNITIES AND CHALLENGES **2018**, 14, P198-P198

25   Antipsychotic monitoring in dementia: quality of completion of antipsychotic monitoring forms in an older adult mental health service. *BJPsych Bulletin*, 1-7   1.2

24	Predictive values of tumor necrosis factor-α for depression treatment outcomes: effect modification by hazardous alcohol consumption. *Translational Psychiatry*, **2021**, 11, 450	8.6
23	Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. *Journal of Personality Disorders*, **2021**, 35, 657-671	2.6
22	Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. *Journal of Personality Disorders*, **2021**, 35, 657-671	2.6
21	Predictors and outcomes of experienced and anticipated discrimination in patients treated for depression: A 2-year longitudinal study. *Journal of Affective Disorders*, **2021**, 294, 761-768	6.6
20	Mind and Body in Mens Health **2022**, 427-452	
19	Predictors of falls and fractures leading to hospitalisation in 36 101 people with affective disorders: a large representative cohort study.. *BMJ Open*, **2022**, 12, e055070	3
18	Potentially avoidable causes of hospitalisation in people with dementia: contemporaneous associations by stage of dementia in a South London clinical cohort.. *BMJ Open*, **2022**, 12, e055447	3
17	Quoted text in the mental healthcare electronic record: an analysis of the distribution and content of single-word quotations. *BMJ Open*, **2021**, 11, e049249	3
16	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study **2020**, 17, e1003306	
15	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study **2020**, 17, e1003306	
14	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study **2020**, 17, e1003306	
13	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study **2020**, 17, e1003306	
12	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study **2020**, 17, e1003306	
11	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom **2020**, 15, e0230674	
10	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom **2020**, 15, e0230674	
9	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom **2020**, 15, e0230674	
8	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom **2020**, 15, e0230674	
7	The side effect profile of Clozapine in real world data of three large mental health hospitals **2020**, 15, e0243437	

6	The side effect profile of Clozapine in real world data of three large mental health hospitals **2020**, 15, e0243437	
5	The side effect profile of Clozapine in real world data of three large mental health hospitals **2020**, 15, e0243437	
4	The side effect profile of Clozapine in real world data of three large mental health hospitals **2020**, 15, e0243437	
3	Interaction effects of diabetes and brain-derived neurotrophic factor on suicidal ideation in patients with acute coronary syndrome.. *Scientific Reports*, **2022**, 12, 6602	4.9
2	Mental healthcare utilisation by patients before and after receiving paliperidone palmitate treatment: mirror image analyses.. *BMJ Open*, **2022**, 12, e051567	3
1	Associations of Serum Serotonin Levels with 12-week and 12-month Remission in Patients with Depressive Disorders.. *Clinical Psychopharmacology and Neuroscience*, **2022**, 20, 248-258	3.4