

Robert J Stewart

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4519170/robert-j-stewart-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 617 papers | 20,376 citations | 69 h-index | 117 g-index |
| 661 ext. papers | 24,426 ext. citations | 5.2 avg, IF | 6.97 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 617 | COVID-related hospitalization, intensive care treatment, and all-cause mortality in patients with psychosis and treated with clozapine.. <i>European Neuropsychopharmacology</i> , 2022 , 56, 92-99 | 1.2 | 0 |
| 616 | A retrospective analysis of patient flow in mental health services for older adults in South London during the COVID-19 pandemic.. <i>International Psychogeriatrics</i> , 2022 , 1-2 | 3.4 | 0 |
| 615 | Mapping multimorbidity in individuals with schizophrenia and bipolar disorders: evidence from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register.. <i>BMJ Open</i> , 2022 , 12, e054414 | 3 | 1 |
| 614 | Protocol of a randomised clinical trial to integrate mental health services into primary care for postconflict populations in Northern Sri Lanka (COMGAP-S).. <i>BMJ Open</i> , 2022 , 12, e051441 | 3 | |
| 613 | Fear of cancer recurrence and PSA anxiety in patients with prostate cancer: a systematic review.. <i>Supportive Care in Cancer</i> , 2022 , | 3.9 | 2 |
| 612 | Childhood Abuse, Social Support, and Long-Term Pharmacological Treatment Outcomes in Patients With Depressive Disorders.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 803639 | 5 | |
| 611 | Patient-centric characterization of multimorbidity trajectories in patients with severe mental illnesses: A temporal bipartite network modeling approach.. <i>Journal of Biomedical Informatics</i> , 2022 , 127, 104010 | 10.2 | |
| 610 | Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study.. <i>Journal of Psychiatric Research</i> , 2022 , 147, 94-102 | 5.2 | |
| 609 | Associations of serum cortisol levels, stress perception, and stressful events with suicidal behaviors in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2022 , 297, 602-609 | 6.6 | 0 |
| 608 | Mind and Body in Men's Health 2022 , 427-452 | | |
| 607 | Can natural language processing models extract and classify instances of interpersonal violence in mental healthcare electronic records: an applied evaluative study.. <i>BMJ Open</i> , 2022 , 12, e052911 | 3 | 1 |
| 606 | Birth without intervention in women with severe mental illness: cohort study.. <i>BJPsych Open</i> , 2022 , 8, e50 | 5 | 1 |
| 605 | Predictors of falls and fractures leading to hospitalisation in 36 101 people with affective disorders: a large representative cohort study.. <i>BMJ Open</i> , 2022 , 12, e055070 | 3 | |
| 604 | An exploration of wellbeing in men diagnosed with prostate cancer undergoing active surveillance: a qualitative study.. <i>Supportive Care in Cancer</i> , 2022 , 1 | 3.9 | 0 |
| 603 | Suicidal ideation in dementia: associations with neuropsychiatric symptoms and subtype diagnosis.. <i>International Psychogeriatrics</i> , 2022 , 1-8 | 3.4 | 1 |
| 602 | Potentially avoidable causes of hospitalisation in people with dementia: contemporaneous associations by stage of dementia in a South London clinical cohort.. <i>BMJ Open</i> , 2022 , 12, e055447 | 3 | |
| 601 | Interaction effects of diabetes and brain-derived neurotrophic factor on suicidal ideation in patients with acute coronary syndrome.. <i>Scientific Reports</i> , 2022 , 12, 6602 | 4.9 | |

| | | | |
|-----|--|------|---|
| 600 | Mental healthcare utilisation by patients before and after receiving paliperidone palmitate treatment: mirror image analyses.. <i>BMJ Open</i> , 2022 , 12, e051567 | 3 | |
| 599 | Associations of Serum Serotonin Levels with 12-week and 12-month Remission in Patients with Depressive Disorders.. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022 , 20, 248-258 | 3.4 | |
| 598 | Multimorbidity clusters among people with serious mental illness: a representative primary and secondary data linkage cohort study.. <i>Psychological Medicine</i> , 2022 , 1-12 | 6.9 | 1 |
| 597 | Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK.. <i>BMC Medicine</i> , 2022 , 20, 137 | 11.4 | 1 |
| 596 | Associations of presenting symptoms and subsequent adverse clinical outcomes in people with unipolar depression: a prospective natural language processing (NLP), transdiagnostic, network analysis of electronic health record (EHR) data.. <i>BMJ Open</i> , 2022 , 12, e056541 | 3 | 0 |
| 595 | Association between depressive symptoms and cognitive-behavioural therapy receipt within a psychosis sample: a cross-sectional study.. <i>BMJ Open</i> , 2022 , 12, e051873 | 3 | 0 |
| 594 | Multiple serum biomarkers for predicting suicidal behaviours in depressive patients receiving pharmacotherapy.. <i>Psychological Medicine</i> , 2022 , 1-10 | 6.9 | 0 |
| 593 | Prospective associations of multimodal serum biomarkers with 12-week and 12-month remission in patients with depressive disorders receiving stepwise psychopharmacotherapy. <i>Brain, Behavior, and Immunity</i> , 2022 , 104, 65-73 | 16.6 | 0 |
| 592 | SNX29, a new susceptibility gene shared with major mental disorders in Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 526-534 | 3.8 | 0 |
| 591 | How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , 2021 , 51, 2581-2589 | 6.9 | 6 |
| 590 | Catatonia: demographic, clinical and laboratory associations.. <i>Psychological Medicine</i> , 2021 , 1-11 | 6.9 | 3 |
| 589 | Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. <i>BMJ Open</i> , 2021 , 11, e042274 | 3 | 0 |
| 588 | Investigating the Association between Physical Health Comorbidities and Disability in Individuals with Severe Mental Illness. <i>European Psychiatry</i> , 2021 , 1-33 | 6 | 0 |
| 587 | Identifying subtypes of depression in clinician-annotated text: a retrospective cohort study. <i>Scientific Reports</i> , 2021 , 11, 22426 | 4.9 | |
| 586 | Prediction of Suicidality According to Serum Folate Levels in Depressive Patients Receiving Stepwise Pharmacotherapy.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 747228 | 5 | 0 |
| 585 | Loneliness in older adult mental health services during the COVID-19 pandemic and before: Associations with disability, functioning and pharmacotherapy. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 37, | 3.9 | 5 |
| 584 | All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , 2021 , 11, 100228 | | 5 |
| 583 | Clozapine Response in Schizophrenia and Hematological Changes. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 19-24 | 1.7 | 3 |

| | | | |
|-----|--|------|----|
| 582 | Mental health consequences of urban air pollution: prospective population-based longitudinal survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1587-1599 | 4.5 | 20 |
| 581 | Comparing psychotropic medication prescribing in personality disorder between general mental health and psychological services: retrospective cohort study. <i>BJPsych Open</i> , 2021 , 7, e72 | 5 | |
| 580 | Impact of the COVID-19 pandemic on remote mental healthcare and prescribing in psychiatry: an electronic health record study. <i>BMJ Open</i> , 2021 , 11, e046365 | 3 | 7 |
| 579 | Associations between loneliness and acute hospitalisation outcomes among patients receiving mental healthcare in South London: a retrospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1 | 4.5 | 1 |
| 578 | Gender differences in clinical presentation and illicit substance use during first episode psychosis: a natural language processing, electronic case register study. <i>BMJ Open</i> , 2021 , 11, e042949 | 3 | 6 |
| 577 | Mortality among mental health services for older adults during the COVID-19 pandemic: a retrospective analysis from South London. <i>International Psychogeriatrics</i> , 2021 , 33, 527-528 | 3.4 | 1 |
| 576 | Temporal and diurnal variation in social media posts to a suicide support forum. <i>BMC Psychiatry</i> , 2021 , 21, 259 | 4.2 | 0 |
| 575 | Changes in daily mental health service use and mortality at the commencement and lifting of COVID-19 'lockdown' policy in 10 UK sites: a regression discontinuity in time design. <i>BMJ Open</i> , 2021 , 11, e049721 | 3 | 8 |
| 574 | Body image, self-esteem, and sense of masculinity in patients with prostate cancer: a qualitative meta-synthesis. <i>Journal of Cancer Survivorship</i> , 2021 , 1 | 5.1 | 9 |
| 573 | Antidepressant and antipsychotic treatment of Psychotic Major Depression in a British mental healthcare setting. <i>Journal of Mental Health</i> , 2021 , 1-7 | 2.7 | |
| 572 | Genetic risk of clozapine-induced leukopenia and neutropenia: a genome-wide association study. <i>Translational Psychiatry</i> , 2021 , 11, 343 | 8.6 | 1 |
| 571 | Investigating associations of childhood abuse and serum brain-derived neurotrophic factor levels with suicidal behaviours in patients with depressive disorders.. <i>British Journal of Psychiatry</i> , 2021 , 219, 598-605 | 5.4 | 0 |
| 570 | Quality indicators for dementia and older people nearing the end of life: A systematic review. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 3650-3660 | 5.6 | 1 |
| 569 | Multi-domain clinical natural language processing with MedCAT: The Medical Concept Annotation Toolkit. <i>Artificial Intelligence in Medicine</i> , 2021 , 117, 102083 | 7.4 | 13 |
| 568 | Cognitive Impairments in Schizophrenia: A Study in a Large Clinical Sample Using Natural Language Processing. <i>Frontiers in Digital Health</i> , 2021 , 3, 711941 | 2.3 | 1 |
| 567 | Antipsychotic use in dementia: the relationship between neuropsychiatric symptom profiles and adverse outcomes. <i>European Journal of Epidemiology</i> , 2021 , 36, 89-101 | 12.1 | 8 |
| 566 | Cigarette smoking and schizophrenia: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021 , 218, 98-103 | 5.4 | 1 |
| 565 | Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 52-60 | 3.6 | 19 |

| | | | |
|-----|---|------|----|
| 564 | Dementia in People from Ethnic Minority Backgrounds: Disability, Functioning, and Pharmacotherapy at the Time of Diagnosis. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 446-452 | 5.9 | 3 |
| 563 | Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. <i>Schizophrenia Bulletin</i> , 2021 , 47, 405-414 | 1.3 | 14 |
| 562 | Depression, anxiety, and suicidality in patients with prostate cancer: a systematic review and meta-analysis of observational studies. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 281-289 | 6.2 | 14 |
| 561 | Cognitive Trajectories in Comorbid Dementia With Schizophrenia or Bipolar Disorder: The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 604-616 | 6.5 | 3 |
| 560 | Motor signs in Alzheimer's disease and vascular dementia: Detection through natural language processing, co-morbid features and relationship to adverse outcomes. <i>Experimental Gerontology</i> , 2021 , 146, 111223 | 4.5 | 2 |
| 559 | Educational attainment trajectories among children and adolescents with depression, and the role of sociodemographic characteristics: longitudinal data-linkage study. <i>British Journal of Psychiatry</i> , 2021 , 218, 151-157 | 5.4 | 10 |
| 558 | Systematic Review and Meta-analysis: The Association Between Child and Adolescent Depression and Later Educational Attainment. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 105-118 | 7.2 | 19 |
| 557 | Factors associated with slow progression of cognitive impairment following first dementia diagnosis. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 271-285 | 3.9 | 3 |
| 556 | Long-term cardiac outcomes of depression screening, diagnosis and treatment in patients with acute coronary syndrome: the DEPACS study. <i>Psychological Medicine</i> , 2021 , 51, 964-974 | 6.9 | 2 |
| 555 | A natural language processing approach for identifying temporal disease onset information from mental healthcare text. <i>Scientific Reports</i> , 2021 , 11, 757 | 4.9 | 6 |
| 554 | Aspirin in people with dementia, long-term benefits, and harms: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 943-954 | 2.8 | 7 |
| 553 | Functional dyspepsia in depression: A population-based cohort study. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13506 | 4.6 | 3 |
| 552 | Hospital admissions for dental disorders in patients with severe mental illness in Southeast London: A register-based cohort study. <i>European Journal of Oral Sciences</i> , 2021 , 129, e12752 | 2.3 | 1 |
| 551 | The Potential of Research Drawing on Clinical Free Text to Bring Benefits to Patients in the United Kingdom: A Systematic Review of the Literature. <i>Frontiers in Digital Health</i> , 2021 , 3, 606599 | 2.3 | |
| 550 | Interactive effects of systemic inflammation and life stressors on treatment response of depressive disorders. <i>Brain, Behavior, and Immunity</i> , 2021 , 95, 61-67 | 16.6 | 2 |
| 549 | Centrally-acting anticholinergic drugs- associations with mortality, hospitalisation and cognitive decline following dementia diagnosis in people receiving antidepressant and antipsychotic drugs. <i>Aging and Mental Health</i> , 2021 , 1-9 | 3.5 | 0 |
| 548 | Health status risk factors and quality of life in 75-84-year-old individuals assessed for dementia using the short 10/66 dementia diagnostic schedule. <i>PeerJ</i> , 2021 , 9, e12040 | 3.1 | 1 |
| 547 | Centrally Acting Anticholinergic Drugs Used for Urinary Conditions Associated with Worse Outcomes in Dementia. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 2547-2552 | 5.9 | 1 |

| | | | |
|-----|--|------|---|
| 546 | Vascular surgery receipt and outcomes for people with serious mental illnesses: Retrospective cohort study using a large mental healthcare database in South London. <i>Journal of Psychosomatic Research</i> , 2021 , 147, 110511 | 4.1 | 1 |
| 545 | Associations Between COVID-19 Symptoms and Psychological Distress. <i>Frontiers in Psychiatry</i> , 2021 , 12, 721532 | 5 | 2 |
| 544 | Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study.. <i>British Journal of Psychiatry</i> , 2021 , 219, 678-685 | 5.4 | 5 |
| 543 | What gets recorded, counts: dementia recording in primary care compared with a specialist database. <i>Age and Ageing</i> , 2021 , 50, 2206-2213 | 3 | 0 |
| 542 | Inequalities in glycemic management in people living with type 2 diabetes mellitus and severe mental illnesses: cohort study from the UK over 10 years. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9, | 4.5 | 1 |
| 541 | Predictive values of tumor necrosis factor- α for depression treatment outcomes: effect modification by hazardous alcohol consumption. <i>Translational Psychiatry</i> , 2021 , 11, 450 | 8.6 | |
| 540 | Risk of hospitalised falls and hip fractures in working age adults receiving mental health care. <i>General Hospital Psychiatry</i> , 2021 , 72, 81-87 | 5.6 | 0 |
| 539 | Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2021 , 8, 100149 | | 8 |
| 538 | Synergistic effects of resilience and serum ghrelin levels on the 12-week pharmacotherapeutic response in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2021 , 295, 1489-1493 | 6.6 | 0 |
| 537 | Predictors of relapse following a stepwise psychopharmacotherapy regime in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2021 , 293, 109-116 | 6.6 | 1 |
| 536 | Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. <i>Journal of Personality Disorders</i> , 2021 , 35, 657-671 | 2.6 | |
| 535 | Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. <i>Journal of Personality Disorders</i> , 2021 , 35, 657-671 | 2.6 | |
| 534 | Predictors and outcomes of experienced and anticipated discrimination in patients treated for depression: A 2-year longitudinal study. <i>Journal of Affective Disorders</i> , 2021 , 294, 761-768 | 6.6 | |
| 533 | Real-world experience of assessing antibodies against the N-methyl-D-aspartate receptor (NMDAR-IgG) in psychiatric patients. A retrospective single-centre study. <i>Brain, Behavior, and Immunity</i> , 2021 , 98, 330-336 | 16.6 | 0 |
| 532 | An evaluation of symptom domains in the 2 years before pregnancy as predictors of relapse in the perinatal period in women with severe mental illness. <i>European Psychiatry</i> , 2021 , 64, e26 | 6 | 0 |
| 531 | A prospective investigation of depression and adverse outcomes in patients undergoing vascular surgical interventions: A retrospective cohort study using a large mental health database in South London. <i>European Psychiatry</i> , 2021 , 64, e13 | 6 | 0 |
| 530 | Quoted text in the mental healthcare electronic record: an analysis of the distribution and content of single-word quotations. <i>BMJ Open</i> , 2021 , 11, e049249 | 3 | |
| 529 | Interaction effect of serum serotonin level and age on the 12-week pharmacotherapeutic response in patients with depressive disorders.. <i>Scientific Reports</i> , 2021 , 11, 24226 | 4.9 | 0 |

| | | | |
|-----|--|------|----|
| 528 | Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK 2021 , 11, e042274 | | 0 |
| 527 | Linking electronic dementia care records to national inpatient data in dementia with Lewy bodies: Frequency, duration and cost implications of hospitalization and recording of delirium episodes. <i>Alzheimer's and Dementia</i> , 2020 , 16, e039139 | 1.2 | 1 |
| 526 | 8 Catatonia: demographic, clinical and laboratory associations in a large dataset. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, e3.3-e4 | 5.5 | |
| 525 | Mitigating mental health consequences during the COVID-19 outbreak: Lessons from China. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 407-408 | 6.2 | 9 |
| 524 | The anticholinergic effect on cognition (AEC) scale-Associations with mortality, hospitalisation and cognitive decline following dementia diagnosis. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1069-1077 | 3.9 | 8 |
| 523 | Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. <i>PLoS ONE</i> , 2020 , 15, e0230674 | 3.7 | 6 |
| 522 | Implementation of a Real-Time Psychosis Risk Detection and Alerting System Based on Electronic Health Records using CogStack. <i>Journal of Visualized Experiments</i> , 2020 , | 1.6 | 10 |
| 521 | Clinical factors associated with progression to dementia in people with late-life depression: a cohort study of patients in secondary care. <i>BMJ Open</i> , 2020 , 10, e035147 | 3 | 3 |
| 520 | Predictors of cerebrovascular event reoccurrence in patients with depression: a retrospective cohort study. <i>BMJ Open</i> , 2020 , 10, e031927 | 3 | 2 |
| 519 | Short and long-term treatment outcomes of stepwise psychopharmacotherapy based on early clinical decision in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2020 , 274, 315-325 | 6.6 | 15 |
| 518 | New Use for Old Drugs: The Protective Effect of Risperidone on Colorectal Cancer. <i>Cancers</i> , 2020 , 12, | 6.6 | 2 |
| 517 | Temporal information extraction from mental health records to identify duration of untreated psychosis. <i>Journal of Biomedical Semantics</i> , 2020 , 11, 2 | 2.2 | 4 |
| 516 | Predicting high-cost care in a mental health setting. <i>BJPsych Open</i> , 2020 , 6, e10 | 5 | 3 |
| 515 | Benefits and Harms of Statins in People with Dementia: A Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 650-658 | 5.6 | 8 |
| 514 | Suicide attempts requiring hospitalization in patients with eating disorders: A retrospective cohort study. <i>International Journal of Eating Disorders</i> , 2020 , 53, 458-465 | 6.3 | 12 |
| 513 | Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study: A Mediation Analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 598-606 | 14.5 | 14 |
| 512 | Mental health-related conversations on social media and crisis episodes: a time-series regression analysis. <i>Scientific Reports</i> , 2020 , 10, 1342 | 4.9 | 9 |
| 511 | Synergistic effects of depression and NR3C1 methylation on prognosis of acute coronary syndrome. <i>Scientific Reports</i> , 2020 , 10, 5519 | 4.9 | 2 |

| | | | |
|-----|--|-----|----|
| 510 | Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1893-1899 | 5.9 | 8 |
| 509 | Predictors of physical activity recording in routine mental healthcare. <i>Mental Health and Physical Activity</i> , 2020 , 18, 100329 | 5 | 1 |
| 508 | Ethnicity and impact on the receipt of cognitive-behavioural therapy in people with psychosis or bipolar disorder: an English cohort study. <i>BMJ Open</i> , 2020 , 10, e034913 | 3 | 3 |
| 507 | Vascular and metabolic risk factor differences prior to dementia diagnosis: a multidatabase case-control study using European electronic health records. <i>BMJ Open</i> , 2020 , 10, e038753 | 3 | 4 |
| 506 | The side effect profile of Clozapine in real world data of three large mental health hospitals. <i>PLoS ONE</i> , 2020 , 15, e0243437 | 3.7 | 5 |
| 505 | Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. <i>International Journal of Population Data Science</i> , 2020 , 5, 1355 | 1.4 | 2 |
| 504 | Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. <i>International Journal of Population Data Science</i> , 2020 , 5, 1355 | 1.4 | 2 |
| 503 | Comparative Analysis of Text Classification Approaches in Electronic Health Records 2020 , | | 4 |
| 502 | User Perspectives of Mood-Monitoring Apps Available to Young People: Qualitative Content Analysis. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e18140 | 5.5 | 9 |
| 501 | Telephone based Interventions for Psychological Problems in Hospital Isolated Patients with COVID-19. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020 , 18, 616-620 | 3.4 | 13 |
| 500 | The Development of the Military Service Identification Tool: Identifying Military Veterans in a Clinical Research Database Using Natural Language Processing and Machine Learning. <i>JMIR Medical Informatics</i> , 2020 , 8, e15852 | 3.6 | 3 |
| 499 | Risk of acute pancreatitis among people with severe mental illness. <i>Journal of Affective Disorders</i> , 2020 , 263, 722-727 | 6.6 | 1 |
| 498 | Extent of disease at first cancer presentation and previous anxiety and depressive symptoms: the HUNT study. <i>British Journal of Psychiatry</i> , 2020 , 217, 427-433 | 5.4 | 2 |
| 497 | DETERMinants of quality of life, care and costs, and consequences of INequalities in people with Dementia and their carers (DETERMIND): A protocol paper. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 290-301 | 3.9 | 4 |
| 496 | Predictors of mortality in people with late-life depression: A retrospective cohort study. <i>Journal of Affective Disorders</i> , 2020 , 266, 695-701 | 6.6 | 13 |
| 495 | Empowering Better End-of-Life Dementia Care (EMBED-Care): A mixed methods protocol to achieve integrated person-centred care across settings. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 820-832 | 3.9 | 2 |
| 494 | Late-life depression in people from ethnic minority backgrounds: Differences in presentation and management. <i>Journal of Affective Disorders</i> , 2020 , 264, 340-347 | 6.6 | 9 |
| 493 | Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. <i>Schizophrenia Research</i> , 2020 , 216, 408-415 | 3.6 | 14 |

| | | | |
|-----|--|------|----|
| 492 | Pharmacoevidence research: delivering evidence about drug safety and effectiveness in mental health. <i>Lancet Psychiatry</i> , 2020 , 7, 363-370 | 23.3 | 15 |
| 491 | T97. REAL WORLD IMPLEMENTATION OF A TRANSDIAGNOSTIC RISK CALCULATOR FOR THE AUTOMATIC DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN CLINICAL ROUTINE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S268-S268 | 1.3 | 3 |
| 490 | T109. TRAVERSING THE TRANSDIAGNOSTIC GAP BETWEEN DEPRESSION, MANIA AND PSYCHOSIS WITH NATURAL LANGUAGE PROCESSING. <i>Schizophrenia Bulletin</i> , 2020 , 46, S272-S273 | 1.3 | 78 |
| 489 | Sleep problems associated with long-term mortality in acute coronary syndrome: Effects of depression comorbidity and treatment. <i>General Hospital Psychiatry</i> , 2020 , 66, 125-132 | 5.6 | 4 |
| 488 | Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. <i>British Journal of Psychiatry</i> , 2020 , 1-9 | 5.4 | 5 |
| 487 | Generation and evaluation of artificial mental health records for Natural Language Processing. <i>Npj Digital Medicine</i> , 2020 , 3, 69 | 15.7 | 9 |
| 486 | 'Real time' monitoring of antipsychotic prescribing in patients with dementia: a study using the Clinical Record Interactive Search (CRIS) platform to enhance safer prescribing. <i>BMJ Open Quality</i> , 2020 , 9, | 1.9 | 1 |
| 485 | The association between neighbourhood characteristics and physical victimisation in men and women with mental disorders. <i>BJPsych Open</i> , 2020 , 6, e73 | 5 | 3 |
| 484 | Community treatment orders and associations with readmission rates and duration of psychiatric hospital admission: a controlled electronic case register study. <i>BMJ Open</i> , 2020 , 10, e035121 | 3 | 6 |
| 483 | Impact of matching error on linked mortality outcome in a data linkage of secondary mental health data with Hospital Episode Statistics (HES) and mortality records in South East London: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e035884 | 3 | 1 |
| 482 | Cohort profile: the eLIXIR Partnership-a maternity-child data linkage for life course research in South London, UK. <i>BMJ Open</i> , 2020 , 10, e039583 | 3 | 0 |
| 481 | T127. GENDER DIFFERENCES IN CLINICAL PRESENTATION AND ILLICIT SUBSTANCE USE DURING FIRST EPISODE PSYCHOSIS: AN ELECTRONIC CASE REGISTER NATURAL LANGUAGE PROCESSING ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S278-S279 | 1.3 | 78 |
| 480 | Clinician-recalled quoted speech in electronic health records and risk of suicide attempt: a case-crossover study. <i>BMJ Open</i> , 2020 , 10, e036186 | 3 | 2 |
| 479 | Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. <i>PLoS Medicine</i> , 2020 , 17, e1003306 | 11.6 | 2 |
| 478 | Multisite data linkage projects in mental health research. <i>Lancet Psychiatry</i> , 2020 , 7, e61 | 23.3 | 1 |
| 477 | Impact of depression at early and late phases following acute coronary syndrome on long-term cardiac outcomes. <i>Journal of Affective Disorders</i> , 2020 , 260, 592-596 | 6.6 | 2 |
| 476 | The association between dementia severity and hospitalisation profile in a newly assessed clinical cohort: the South London and Maudsley case register. <i>BMJ Open</i> , 2020 , 10, e035779 | 3 | 2 |
| 475 | Methotrexate and relative risk of dementia amongst patients with rheumatoid arthritis: a multi-national multi-database case-control study. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 38 | 9 | 5 |

| | | | |
|-----|---|------|----|
| 474 | Incidence of Type 2 Diabetes in Patients With Chronic Hepatitis C Receiving Interferon-Based Therapy. <i>Diabetes Care</i> , 2020 , 43, e63-e64 | 14.6 | 2 |
| 473 | Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study 2020 , 17, e1003306 | | |
| 472 | Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study 2020 , 17, e1003306 | | |
| 471 | Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study 2020 , 17, e1003306 | | |
| 470 | Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study 2020 , 17, e1003306 | | |
| 469 | Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study 2020 , 17, e1003306 | | |
| 468 | Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674 | | |
| 467 | Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674 | | |
| 466 | Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674 | | |
| 465 | Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674 | | |
| 464 | The side effect profile of Clozapine in real world data of three large mental health hospitals 2020 , 15, e0243437 | | |
| 463 | The side effect profile of Clozapine in real world data of three large mental health hospitals 2020 , 15, e0243437 | | |
| 462 | The side effect profile of Clozapine in real world data of three large mental health hospitals 2020 , 15, e0243437 | | |
| 461 | The side effect profile of Clozapine in real world data of three large mental health hospitals 2020 , 15, e0243437 | | |
| 460 | F55. CLINICAL OUTCOMES ASSOCIATED WITH ILLICIT SUBSTANCE USE IN FIRST EPISODE PSYCHOSIS (FEP): A TEXT MINING STUDY OF ELECTRONIC HEALTH RECORDS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S276-S276 | 1.3 | 78 |
| 459 | T131. THE EFFECT OF PALIPERIDONE PALMITATE (PP) MAINTENANCE ON HEALTH CARE PROFESSIONAL USE IN SECONDARY MENTAL HEALTH CARE: MIRROR IMAGE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S254-S254 | 1.3 | 78 |
| 458 | Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. <i>Scientific Reports</i> , 2019 , 9, 14146 | 4.9 | 12 |
| 457 | General hospital admission rates in people diagnosed with personality disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 248-255 | 6.5 | 7 |

| | | | |
|-----|---|------|----|
| 456 | Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. <i>European Journal of Epidemiology</i> , 2019 , 34, 567-577 | 12.1 | 22 |
| 455 | Post stroke depression and risk of stroke recurrence and mortality: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2019 , 50, 102-109 | 12 | 93 |
| 454 | Understanding which people with dementia are at risk of inappropriate care and avoidable transitions to hospital near the end-of-life: a retrospective cohort study. <i>Age and Ageing</i> , 2019 , 48, 672-679 | 3.7 | 16 |
| 453 | Recorded poor insight as a predictor of service use outcomes: cohort study of patients with first-episode psychosis in a large mental healthcare database. <i>BMJ Open</i> , 2019 , 9, e028929 | 3 | 14 |
| 452 | Generating Positive Psychosis Symptom Keywords from Electronic Health Records. <i>Lecture Notes in Computer Science</i> , 2019 , 298-303 | 0.9 | 3 |
| 451 | Psychiatric Diagnoses Differ Considerably in Their Associations With Alcohol/Drug-Related Problems Among Adolescents. A Norwegian Population-Based Survey Linked With National Patient Registry Data. <i>Frontiers in Psychology</i> , 2019 , 10, 1003 | 3.4 | 10 |
| 450 | The Maudsley Biomedical Research Centre (BRC) data linkage service user and carer advisory group: creating and sustaining a successful patient and public involvement group to guide research in a complex area. <i>Research Involvement and Engagement</i> , 2019 , 5, 20 | 4.4 | 12 |
| 449 | Homocysteine, rather than age of onset, is a better predictor for cognitive function in older adults with bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1473-1480 | 3.9 | 3 |
| 448 | Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019 , 6, 506-517 | 23.3 | 10 |
| 447 | An approach to linking education, social care and electronic health records for children and young people in South London: a linkage study of child and adolescent mental health service data. <i>BMJ Open</i> , 2019 , 9, e024355 | 3 | 36 |
| 446 | The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. <i>Experimental Gerontology</i> , 2019 , 120, 62-67 | 4.5 | 13 |
| 445 | Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2019 , 15, 313-314 | 1.2 | 0 |
| 444 | Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 688-695 | 2.4 | 25 |
| 443 | Reply to critical comments on the article 'Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study'. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 1411-1413 | 5.5 | 13 |
| 442 | Path analyses of risk factors for linear growth faltering in four prospective cohorts of young children in Ghana, Malawi and Burkina Faso. <i>BMJ Global Health</i> , 2019 , 4, e001155 | 6.6 | 15 |
| 441 | Real World Implementation of a Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk of Psychosis in Clinical Routine: Study Protocol. <i>Frontiers in Psychiatry</i> , 2019 , 10, 109 | 5 | 29 |
| 440 | Psychiatric comorbidity as a risk factor for the mortality of people with bulimia nervosa. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 813-821 | 4.5 | 15 |
| 439 | Ethnic differences in cognition and age in people diagnosed with dementia: A study of electronic health records in two large mental healthcare providers. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 504-510 | 3.9 | 19 |

| | | | |
|-----|---|------|----|
| 438 | Clinical Presentation, Diagnostic Features, and Mortality in Dementia with Lewy Bodies. <i>Journal of Alzheimer's Disease</i> , 2019 , 67, 995-1005 | 4.3 | 8 |
| 437 | Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 247-255 | 5.5 | 4 |
| 436 | Psychiatric comorbidity as a risk factor for mortality in people with anorexia nervosa. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 351-359 | 5.1 | 28 |
| 435 | Relapse in the first three months postpartum in women with history of serious mental illness. <i>Schizophrenia Research</i> , 2019 , 204, 46-54 | 3.6 | 14 |
| 434 | Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. <i>JAMA Network Open</i> , 2019 , 2, e198714 | 10.4 | 19 |
| 433 | Modifying effects of depression on the association between BDNF methylation and prognosis of acute coronary syndrome. <i>Brain, Behavior, and Immunity</i> , 2019 , 81, 422-429 | 16.6 | 4 |
| 432 | Efficient Reuse of Natural Language Processing Models for Phenotype-Mention Identification in Free-text Electronic Medical Records: A Phenotype Embedding Approach. <i>JMIR Medical Informatics</i> , 2019 , 7, e14782 | 3.6 | 4 |
| 431 | The association between depression and later educational attainment in children and adolescents: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e031595 | 3 | 9 |
| 430 | Interaction between BDNF val66met polymorphism and personality on long-term cardiac outcomes in patients with acute coronary syndrome. <i>PLoS ONE</i> , 2019 , 14, e0226802 | 3.7 | 7 |
| 429 | Explaining oral health inequalities in European welfare state regimes: The role of health behaviours. <i>Community Dentistry and Oral Epidemiology</i> , 2019 , 47, 40-48 | 2.8 | 11 |
| 428 | Depression and cause-specific mortality in an ethnically diverse cohort from the UK: 8-year prospective study. <i>Psychological Medicine</i> , 2019 , 49, 1639-1651 | 6.9 | 9 |
| 427 | The Incidence of Recorded Delirium Episodes Before and After Dementia Diagnosis: Differences Between Dementia With Lewy Bodies and Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 604-609 | 5.9 | 15 |
| 426 | Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. <i>Ageing Research Reviews</i> , 2019 , 50, 72-80 | 12 | 32 |
| 425 | Risk of readmission in patients with schizophrenia and schizoaffective disorder newly prescribed clozapine. <i>Journal of Psychopharmacology</i> , 2019 , 33, 449-458 | 4.6 | 13 |
| 424 | How data science can advance mental health research. <i>Nature Human Behaviour</i> , 2019 , 3, 24-32 | 12.8 | 22 |
| 423 | Paid employment and common mental disorders in 50-64-year olds: analysis of three cross-sectional nationally representative survey samples in 1993, 2000 and 2007. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 88-99 | 5.1 | |
| 422 | Participant Experiences of Attending a Community CBT Workshop for Insomnia: A Qualitative Six-Year Follow-Up. <i>Behavioral Sleep Medicine</i> , 2019 , 17, 156-173 | 4.2 | 2 |
| 421 | Safe prescribing in cognitively vulnerable patients: the use of the anticholinergic effect on cognition (AEC) tool in older adult mental health services. <i>BJPsych Bulletin</i> , 2019 , 26-30 | 1.2 | 5 |

| | | | |
|-----|--|------|-----|
| 420 | Annotating Temporal Relations to Determine the Onset of Psychosis Symptoms. <i>Studies in Health Technology and Informatics</i> , 2019 , 264, 418-422 | 0.5 | 5 |
| 419 | Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. <i>Clinical Epidemiology</i> , 2018 , 10, 31-39 | 5.9 | 11 |
| 418 | Changes in pro-inflammatory cytokine levels and late-life depression: A two year population based longitudinal study. <i>Psychoneuroendocrinology</i> , 2018 , 90, 85-91 | 5 | 21 |
| 417 | Dementia prevalence in a population at high vascular risk: the Trinidad national survey of ageing and cognition. <i>BMJ Open</i> , 2018 , 8, e018288 | 3 | 15 |
| 416 | Acute general hospital admissions in people with serious mental illness. <i>Psychological Medicine</i> , 2018 , 48, 2676-2683 | 6.9 | 22 |
| 415 | Polypharmacy in people with dementia: Associations with adverse health outcomes. <i>Experimental Gerontology</i> , 2018 , 106, 240-245 | 4.5 | 40 |
| 414 | SemEHR: A general-purpose semantic search system to surface semantic data from clinical notes for tailored care, trial recruitment, and clinical research. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2018 , 25, 530-537 | 8.6 | 42 |
| 413 | Hospitalization in people with dementia with Lewy bodies: Frequency, duration, and cost implications. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 143-152 | 5.2 | 29 |
| 412 | Antipsychotic polypharmacy prescribing and risk of hospital readmission. <i>Psychopharmacology</i> , 2018 , 235, 281-289 | 4.7 | 19 |
| 411 | Prospective associations between recalled parental bonding and perinatal depression: a cohort study in urban and rural Turkey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 385-392 | 4.5 | 2 |
| 410 | Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2018 , 14, 933-943 | 1.2 | 52 |
| 409 | Associations of acetylcholinesterase inhibitor treatment with reduced mortality in Alzheimer's disease: a retrospective survival analysis. <i>Age and Ageing</i> , 2018 , 47, 88-94 | 3 | 29 |
| 408 | Replicable and Coupled Changes in Innate and Adaptive Immune Gene Expression in Two Case-Control Studies of Blood Microarrays in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 70-80 | 7.9 | 102 |
| 407 | Predictors of emergency department attendance by people with dementia in their last year of life: Retrospective cohort study using linked clinical and administrative data. <i>Alzheimer's and Dementia</i> , 2018 , 14, 20-27 | 1.2 | 31 |
| 406 | CogStack - experiences of deploying integrated information retrieval and extraction services in a large National Health Service Foundation Trust hospital. <i>BMC Medical Informatics and Decision Making</i> , 2018 , 18, 47 | 3.6 | 41 |
| 405 | Comparisons between different elements of reported burden and common mental disorder in caregivers of ethnically diverse people with dementia in Trinidad. <i>PLoS ONE</i> , 2018 , 13, e0201165 | 3.7 | 4 |
| 404 | Effect of Escitalopram vs Placebo Treatment for Depression on Long-term Cardiac Outcomes in Patients With Acute Coronary Syndrome: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 350-358 | 27.4 | 91 |
| 403 | Inpatient use and area-level socio-environmental factors in people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1133-1140 | 4.5 | 8 |

| | | | |
|-----|---|------|----|
| 402 | Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 607-612 | 5.9 | 34 |
| 401 | Identifying Suicide Ideation and Suicidal Attempts in a Psychiatric Clinical Research Database using Natural Language Processing. <i>Scientific Reports</i> , 2018 , 8, 7426 | 4.9 | 54 |
| 400 | A Systematic Review and Meta-Analysis of the Effectiveness of Acetylcholinesterase Inhibitors and Memantine in Treating the Cognitive Symptoms of Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 45, 131-151 | 2.6 | 60 |
| 399 | Impact of Suicidal Ideation on Long-Term Cardiac Outcomes in Patients with Acute Coronary Syndrome: Sex-Specific Differences. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 311-312 | 9.4 | 4 |
| 398 | Serotonin Transporter Gene Association Between Anxiety and Long-Term Cardiac Outcomes in Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2706-2707 | 15.1 | 6 |
| 397 | Can risk assessment predict suicide in secondary mental healthcare? Findings from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1161-1171 | 4.5 | 7 |
| 396 | The Camden & Islington Research Database: Using electronic mental health records for research. <i>PLoS ONE</i> , 2018 , 13, e0190703 | 3.7 | 18 |
| 395 | Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. <i>F1000Research</i> , 2018 , 7, 210 | 3.6 | 5 |
| 394 | Using data linkage to electronic patient records to assess the validity of selected mental health diagnoses in English Hospital Episode Statistics (HES). <i>PLoS ONE</i> , 2018 , 13, e0195002 | 3.7 | 18 |
| 393 | Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. <i>Addiction</i> , 2018 , 113, 946-951 | 4.6 | 5 |
| 392 | Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. <i>Alzheimer's and Dementia</i> , 2018 , 14, 130-139 | 1.2 | 33 |
| 391 | O1.2 PERIPHERAL INFLAMMATORY MARKERS ARE PREDICTIVE OF CLINICAL CHARACTERISTICS AND OUTCOME IN PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S72-S72 | 1.3 | 78 |
| 390 | S221. QUANTITATIVE SYSTEMS PHARMACOLOGY AS AN ALTERNATIVE TO CHLORPROMAZINE EQUIVALENTS: PREDICTIVE VALIDATION FROM A CRIS DATABASE EXPERIMENT. <i>Schizophrenia Bulletin</i> , 2018 , 44, S411-S412 | 1.3 | 78 |
| 389 | S1-01-04: EPIDEMIOLOGY IN THE ERA OF BIG DATA: OPPORTUNITIES AND CHALLENGES 2018 , 14, P198-P198 | | |
| 388 | Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. <i>F1000Research</i> , 2018 , 7, 210 | 3.6 | 10 |
| 387 | O4.5. INVESTIGATING GENETIC PROFILES ASSOCIATED WITH REAL WORLD CLINICAL OUTCOMES IN PSYCHOSIS: A RETROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S84-S85 | 1.3 | 78 |
| 386 | Latent Iron Deficiency as a Marker of Negative Symptoms in Patients with First-Episode Schizophrenia Spectrum Disorder. <i>Nutrients</i> , 2018 , 10, | 6.7 | 14 |
| 385 | Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndrome-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2152-2153 | 27.4 | 1 |

| | | | |
|-----|--|------|-----|
| 384 | Longitudinal Associations Between Serum Cytokine Levels and Dementia. <i>Frontiers in Psychiatry</i> , 2018 , 9, 606 | 5 | 5 |
| 383 | Recorded atypical hallucinations in psychotic and affective disorders and associations with non-benzodiazepine hypnotic use: the South London and Maudsley Case Register. <i>BMJ Open</i> , 2018 , 8, e025216 | 3 | 3 |
| 382 | Genomic African and Native American Ancestry and 15-Year Cognitive Trajectory: Bambui Study, Brazil. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1956-1962 | 5.6 | 2 |
| 381 | Predicting parkinsonism side-effects of antipsychotic polypharmacy prescribed in secondary mental healthcare. <i>Journal of Psychopharmacology</i> , 2018 , 32, 1191-1196 | 4.6 | 6 |
| 380 | Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. <i>BMJ Open</i> , 2018 , 8, e022170 | 3 | 5 |
| 379 | Using clinical Natural Language Processing for health outcomes research: Overview and actionable suggestions for future advances. <i>Journal of Biomedical Informatics</i> , 2018 , 88, 11-19 | 10.2 | 66 |
| 378 | Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018 , 201, 70-78 | 3.6 | 19 |
| 377 | Long-term antipsychotic polypharmacy prescribing in secondary mental health care and the risk of mortality. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 123-132 | 6.5 | 15 |
| 376 | Predictors of severe relapse in pregnant women with psychotic or bipolar disorders. <i>Journal of Psychiatric Research</i> , 2018 , 104, 100-107 | 5.2 | 17 |
| 375 | Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017 , 34, 916-924 | 3.5 | 27 |
| 374 | Associations Between Left Ventricular Dysfunction and Brain Structure and Function: Findings From the SABRE (Southall and Brent Revisited) Study. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 9 |
| 373 | Natural language processing to extract symptoms of severe mental illness from clinical text: the Clinical Record Interactive Search Comprehensive Data Extraction (CRIS-CODE) project. <i>BMJ Open</i> , 2017 , 7, e012012 | 3 | 100 |
| 372 | Depression following Acute Coronary Syndrome: Time-Specific Interactions between Stressful Life Events, Social Support Deficits, and 5-HTTLPR. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 62-64 | 9.4 | 7 |
| 371 | Myocardial infarction risk and antipsychotics use revisited: a meta-analysis of 10 observational studies. <i>Journal of Psychopharmacology</i> , 2017 , 31, 1544-1555 | 4.6 | 11 |
| 370 | Ethnicity and excess mortality in severe mental illness: a cohort study. <i>Lancet Psychiatry</i> , 2017 , 4, 389-399 | 23.3 | 55 |
| 369 | Contributions of specific causes of death to lost life expectancy in severe mental illness. <i>European Psychiatry</i> , 2017 , 43, 109-115 | 6 | 44 |
| 368 | Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. <i>Lancet Psychiatry</i> , 2017 , 4, 49-56 | 23.3 | 25 |
| 367 | [P4B41]: LEVELS OF BLOOD PRESSURE, BODY MASS INDEX AND TOTAL SERUM CHOLESTEROL AT DIFFERENT TIME POINTS PRIOR TO DEMENTIA DIAGNOSIS: A CASE CONTROL STUDY OF OVER 28 MILLION ELECTRONIC HEALTH RECORDS FROM THE EMIF EHR DATA RESOURCE 2017 , 13, P1420-P1421 | | 1 |

| | | | |
|-----|--|------|----|
| 366 | Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. <i>BMJ Open</i> , 2017 , 7, e015297 | 3 | 19 |
| 365 | Intensive versus Guideline Blood Pressure and Lipid Lowering in Patients with Previous Stroke: Main Results from the Pilot 'Prevention of Decline in Cognition after Stroke Trial' (PODCAST) Randomised Controlled Trial. <i>PLoS ONE</i> , 2017 , 12, e0164608 | 3.7 | 41 |
| 364 | The association between subjective memory complaint and objective cognitive function in older people with previous major depression. <i>PLoS ONE</i> , 2017 , 12, e0173027 | 3.7 | 21 |
| 363 | Gender preference and perinatal depression in Turkey: A cohort study. <i>PLoS ONE</i> , 2017 , 12, e0174558 | 3.7 | 5 |
| 362 | Trajectories of dementia-related cognitive decline in a large mental health records derived patient cohort. <i>PLoS ONE</i> , 2017 , 12, e0178562 | 3.7 | 26 |
| 361 | ADEPt, a semantically-enriched pipeline for extracting adverse drug events from free-text electronic health records. <i>PLoS ONE</i> , 2017 , 12, e0187121 | 3.7 | 19 |
| 360 | Knowledge graph prediction of unknown adverse drug reactions and validation in electronic health records. <i>Scientific Reports</i> , 2017 , 7, 16416 | 4.9 | 32 |
| 359 | Associations of centrally acting ACE inhibitors with cognitive decline and survival in Alzheimer's disease. <i>BJPsych Open</i> , 2017 , 3, 158-164 | 5 | 23 |
| 358 | Associations of Neuropsychiatric Symptoms and Antidepressant Prescription with Survival in Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 1076-1081 | 5.9 | 20 |
| 357 | Ethnicity, mortality, and severe mental illness - Authors' reply. <i>Lancet Psychiatry</i> , 2017 , 4, 517-518 | 23.3 | |
| 356 | Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. <i>Psychological Medicine</i> , 2017 , 47, 766-775 | 6.9 | 6 |
| 355 | What proportion of patients with psychosis is willing to take part in research? A mental health electronic case register analysis. <i>BMJ Open</i> , 2017 , 7, e013113 | 3 | 18 |
| 354 | Hospital admissions for respiratory system diseases in adults with intellectual disabilities in Southeast London: a register-based cohort study. <i>BMJ Open</i> , 2017 , 7, e014846 | 3 | 10 |
| 353 | Big data and data repurposing - using existing data to answer new questions in vascular dementia research. <i>BMC Neurology</i> , 2017 , 17, 72 | 3.1 | 20 |
| 352 | [O11303]: CULTURE- AND EDUCATION-FAIR 10/66 DEMENTIA DIAGNOSTIC ASSESSMENT: VALIDITY OF THE CORE MEASURES IN SUB-SAHARAN AFRICAN POPULATIONS 2017 , 13, P226 | | |
| 351 | SemEHR: surfacing semantic data from clinical notes in electronic health records for tailored care, trial recruitment, and clinical research. <i>Lancet, The</i> , 2017 , 390, S97 | 40 | 2 |
| 350 | Analysis of diagnoses extracted from electronic health records in a large mental health case register. <i>PLoS ONE</i> , 2017 , 12, e0171526 | 3.7 | 8 |
| 349 | Clinical predictors of antipsychotic use in children and adolescents with autism spectrum disorders: a historical open cohort study using electronic health records. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 649-58 | 5.5 | 25 |

| | | | |
|-----|---|-----|-----|
| 348 | Factors associated with cognitive impairment in patients with newly diagnosed type 2 diabetes: a cross-sectional study. <i>Aging and Mental Health</i> , 2016 , 20, 840-7 | 3.5 | 17 |
| 347 | 'Big data' in mental health research: current status and emerging possibilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1055-72 | 4.5 | 44 |
| 346 | Chronic obstructive pulmonary disease and anxiety disorders: a nationwide population-based study in Taiwan. <i>General Hospital Psychiatry</i> , 2016 , 42, 1-6 | 5.6 | 7 |
| 345 | A randomised controlled trial of calcium channel blockade (CCB) with Amlodipine For the treatment of subcortical ischaemic vascular dementia (AFFECT): study protocol. <i>Trials</i> , 2016 , 17, 324 | 2.8 | 5 |
| 344 | Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. <i>British Journal of General Practice</i> , 2016 , 66, e374-81 | 1.6 | 32 |
| 343 | Cohort profile of the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register: current status and recent enhancement of an Electronic Mental Health Record-derived data resource. <i>BMJ Open</i> , 2016 , 6, e008721 | 3 | 262 |
| 342 | Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. <i>Drug and Alcohol Dependence</i> , 2016 , 164, 82-88 | 4.9 | 7 |
| 341 | Reporting of clinically diagnosed dementia on death certificates: retrospective cohort study. <i>Age and Ageing</i> , 2016 , 45, 668-73 | 3 | 43 |
| 340 | Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 627-38 | 4.5 | 12 |
| 339 | Association of asthma and anxiety: A nationwide population-based study in Taiwan. <i>Journal of Affective Disorders</i> , 2016 , 189, 98-105 | 6.6 | 28 |
| 338 | Associations between Retinal Markers of Microvascular Disease and Cognitive Impairment in Newly Diagnosed Type 2 Diabetes Mellitus: A Case Control Study. <i>PLoS ONE</i> , 2016 , 11, e0147160 | 3.7 | 11 |
| 337 | Predictive value of homocysteine for depression after acute coronary syndrome. <i>Oncotarget</i> , 2016 , 7, 69032-69040 | 3.3 | 3 |
| 336 | Cervical and breast cancer screening uptake among women with serious mental illness: a data linkage study. <i>BMC Cancer</i> , 2016 , 16, 819 | 4.8 | 35 |
| 335 | Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0167103 | 3.7 | 9 |
| 334 | PS160. Predictive value of homocysteine for depression after acute coronary syndrome: Finding from the K-DEPACS study. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19, 58-58 | 5.8 | 78 |
| 333 | Relationship between antidepressant prescription and breast cancer: a population based study in Taiwan. <i>Psycho-Oncology</i> , 2016 , 25, 803-7 | 3.9 | 7 |
| 332 | Influences of the Big Five personality traits on the treatment response and longitudinal course of depression in patients with acute coronary syndrome: A randomised controlled trial. <i>Journal of Affective Disorders</i> , 2016 , 203, 38-45 | 6.6 | 9 |
| 331 | Predictors of care home and hospital admissions and their costs for older people with Alzheimer's disease: findings from a large London case register. <i>BMJ Open</i> , 2016 , 6, e013591 | 3 | 38 |

| | | | |
|-----|--|------|----|
| 330 | Association of cannabis use with hospital admission and antipsychotic treatment failure in first episode psychosis: an observational study. <i>BMJ Open</i> , 2016 , 6, e009888 | 3 | 78 |
| 329 | Development of a brief assessment and algorithm for ascertaining dementia in low-income and middle-income countries: the 10/66 short dementia diagnostic schedule. <i>BMJ Open</i> , 2016 , 6, e010712 | 3 | 16 |
| 328 | Service and treatment engagement of people with very late-onset schizophrenia-like psychosis. <i>BJPsych Bulletin</i> , 2016 , 40, 185-6 | 1.2 | 13 |
| 327 | 'He left me a message on Facebook': comparing the risk profiles of self-harming patients who leave paper suicide notes with those who leave messages on new media. <i>BJPsych Open</i> , 2016 , 2, 217-220 | 5 | 16 |
| 326 | Risk assessment and suicide by patients with schizophrenia in secondary mental healthcare: a case-control study. <i>BMJ Open</i> , 2016 , 6, e011929 | 3 | 17 |
| 325 | O2-05-02: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIF-ad EHR Resource 2016 , 12, P232-P234 | | |
| 324 | The prevalence and correlates of self-harm in pregnant women with psychotic disorder and bipolar disorder. <i>Archives of Women's Mental Health</i> , 2016 , 19, 909-15 | 5 | 18 |
| 323 | Predictors of long-term (8months) antipsychotic polypharmacy prescribing in secondary mental healthcare. <i>Schizophrenia Research</i> , 2016 , 174, 106-112 | 3.6 | 18 |
| 322 | Novel psychoactive substances: An investigation of temporal trends in social media and electronic health records. <i>European Psychiatry</i> , 2016 , 38, 15-21 | 6 | 14 |
| 321 | Data science for mental health: a UK perspective on a global challenge. <i>Lancet Psychiatry</i> , 2016 , 3, 993-998 | 23.3 | 34 |
| 320 | Clinical outcomes and mortality associated with weekend admission to psychiatric hospital. <i>British Journal of Psychiatry</i> , 2016 , 209, 29-34 | 5.4 | 18 |
| 319 | Services for people at high risk improve outcomes in patients with first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 76-85 | 6.5 | 38 |
| 318 | Effects of depression co-morbidity and treatment on quality of life in patients with acute coronary syndrome: the Korean depression in ACS (K-DEPACS) and the escitalopram for depression in ACS (EsDEPACS) study. <i>Psychological Medicine</i> , 2015 , 45, 1641-52 | 6.9 | 14 |
| 317 | Serotonergic genes and depressive disorder in acute coronary syndrome: The Korean depression in ACS (K-DEPACS) study. <i>European Neuropsychopharmacology</i> , 2015 , 25, 882-8 | 1.2 | 7 |
| 316 | Predictors of depressive disorder following acute coronary syndrome: Results from K-DEPACS and EsDEPACS. <i>Journal of Affective Disorders</i> , 2015 , 181, 1-8 | 6.6 | 15 |
| 315 | Predictors of mortality for people aged over 65 years receiving mental health care for delirium in a South London Mental Health Trust, UK: a retrospective survival analysis. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 639-46 | 3.9 | 17 |
| 314 | Effects of depression screening on psychiatric outcomes in patients with acute coronary syndrome: Findings from the K-DEPACS and EsDEPACS studies. <i>International Journal of Cardiology</i> , 2015 , 190, 114-21 | 3.2 | 9 |
| 313 | Midlife mental distress and risk for dementia up to 27 years later: the Nord-Trøndelag Health Study (HUNT) in linkage with a dementia registry in Norway. <i>BMC Geriatrics</i> , 2015 , 15, 23 | 4.1 | 22 |

| | | | |
|-----|---|-----|----|
| 312 | Changes in mental disorder prevalence among conflict-affected populations: a prospective study in Sri Lanka (COMRAID-R). <i>BMC Psychiatry</i> , 2015 , 15, 41 | 4.2 | 11 |
| 311 | Cannabis use and treatment resistance in first episode psychosis: a natural language processing study. <i>Lancet, The</i> , 2015 , 385 Suppl 1, S79 | 4.0 | 18 |
| 310 | Associations between oral health and risk of dementia in a 37-year follow-up study: the prospective population study of women in Gothenburg. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 100-5 | 5.6 | 38 |
| 309 | BDNF methylation and depressive disorder in acute coronary syndrome: The K-DEPACS and EsDEPACS studies. <i>Psychoneuroendocrinology</i> , 2015 , 62, 159-65 | 5 | 20 |
| 308 | Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 213-22 | 6.5 | 13 |
| 307 | A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). <i>International Journal of Medical Informatics</i> , 2015 , 84, 675-82 | 5.3 | 7 |
| 306 | Extracting antipsychotic polypharmacy data from electronic health records: developing and evaluating a novel process. <i>BMC Psychiatry</i> , 2015 , 15, 166 | 4.2 | 33 |
| 305 | Neuropsychological and behavioral disturbance correlates of unawareness of memory impairment in dementia: a population-based study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015 , 28, 3-11 | 3.8 | 11 |
| 304 | Depressive symptoms are doubled in older British South Asian and Black Caribbean people compared with Europeans: associations with excess co-morbidity and socioeconomic disadvantage. <i>Psychological Medicine</i> , 2015 , 45, 1861-71 | 6.9 | 24 |
| 303 | Associations between the schizophrenia susceptibility gene ZNF804A and clinical outcomes in psychosis. <i>Translational Psychiatry</i> , 2015 , 5, e698 | 8.6 | 13 |
| 302 | Negative symptoms in schizophrenia: a study in a large clinical sample of patients using a novel automated method. <i>BMJ Open</i> , 2015 , 5, e007619 | 3 | 55 |
| 301 | Baseline characteristics, analysis plan and report on feasibility for the Prevention Of Decline in Cognition After Stroke Trial (PODCAST). <i>Trials</i> , 2015 , 16, 509 | 2.8 | 5 |
| 300 | Mental disorders and mortality: so many publications, so little change. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 410-1 | 6.5 | 18 |
| 299 | Scientific theory, the publishing crisis and the wisdom of editors. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 427 | 6.5 | 1 |
| 298 | Antipsychotic use and unexpected death: a hospital-based case-control study. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 479-88 | 6.5 | 2 |
| 297 | 5-HTTLPR genotype, asthma, diabetes and late-life depression in an older French population. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1017-22 | 3.9 | 2 |
| 296 | Risk Factors for Sudden Cardiac Death Among Patients with Alcohol Dependence: A Nested Case-Control Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1797-804 | 3.7 | 1 |
| 295 | Statin use is associated with reduced depressive symptoms in Europeans, but increased symptoms in ethnic minorities in the UK: an observational study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 172-3 | 3.8 | 2 |

| | | | |
|-----|---|-----|------|
| 294 | Correlates and Escitalopram Treatment Effects on Sleep Disturbance in Patients with Acute Coronary Syndrome: K-DEPACS and EsDEPACS. <i>Sleep</i> , 2015 , 38, 1105-11 | 1.1 | 10 |
| 293 | Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. <i>PLoS ONE</i> , 2015 , 10, e0126530 | 3.7 | 42 |
| 292 | Suicide and Other-Cause Mortality after Early Exposure to Smoking and Second Hand Smoking: A 12-Year Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2015 , 10, e0130044 | 3.7 | 16 |
| 291 | Identification of Adverse Drug Events from Free Text Electronic Patient Records and Information in a Large Mental Health Case Register. <i>PLoS ONE</i> , 2015 , 10, e0134208 | 3.7 | 42 |
| 290 | PSYCHIATRIC COMORBIDITY AND EXCESS ALL-CAUSE AND CAUSE-SPECIFIC MORTALITY IN OPIOID ADDICTS. <i>Canadian Journal of Addiction</i> , 2015 , 6, 36 | 1.8 | |
| 289 | The characteristics and health needs of pregnant women with schizophrenia compared with bipolar disorder and affective psychoses. <i>BMC Psychiatry</i> , 2015 , 15, 88 | 4.2 | 36 |
| 288 | Mood instability is a common feature of mental health disorders and is associated with poor clinical outcomes. <i>BMJ Open</i> , 2015 , 5, e007504 | 3 | 72 |
| 287 | The effect of clozapine on premature mortality: an assessment of clinical monitoring and other potential confounders. <i>Schizophrenia Bulletin</i> , 2015 , 41, 644-55 | 1.3 | 86 |
| 286 | Dynamics of resilience in forced migration: a 1-year follow-up study of longitudinal associations with mental health in a conflict-affected, ethnic Muslim population. <i>BMJ Open</i> , 2015 , 5, e006000 | 3 | 18 |
| 285 | Social support and the incidence and persistence of depression between antenatal and postnatal examinations in Turkey: a cohort study. <i>BMJ Open</i> , 2015 , 5, e006456 | 3 | 26 |
| 284 | Do antidepressants increase the risk of mania and bipolar disorder in people with depression? A retrospective electronic case register cohort study. <i>BMJ Open</i> , 2015 , 5, e008341 | 3 | 45 |
| 283 | Double trouble: Psychiatric comorbidity and opioid addiction-all-cause and cause-specific mortality. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 85-92 | 4.9 | 37 |
| 282 | Is infertility really associated with higher levels of mental distress in the female population? Results from the North-Trøndelag Health Study and the Medical Birth Registry of Norway. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2015 , 36, 38-45 | 3.6 | 21 |
| 281 | Associations between skeletal growth in childhood and cognitive function in mid-life in a 53-year prospective birth cohort study. <i>PLoS ONE</i> , 2015 , 10, e0124163 | 3.7 | 9 |
| 280 | Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134763 | 3.7 | 20 |
| 279 | Escitalopram treatment for depressive disorder following acute coronary syndrome: a 24-week double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 62-8 | 4.6 | 51 |
| 278 | A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014 , 10, 844-52 | 1.2 | 1219 |
| 277 | Alleles that increase risk for type 2 diabetes mellitus are not associated with increased risk for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35, 2883.e3-2883.e10 | 5.6 | 8 |

| | | | |
|-----|---|------|-----|
| 276 | Association of asthma and bipolar disorder: a nationwide population-based study in Taiwan. <i>Journal of Affective Disorders</i> , 2014 , 168, 30-6 | 6.6 | 16 |
| 275 | A systematic review of resilience and mental health outcomes of conflict-driven adult forced migrants. <i>Conflict and Health</i> , 2014 , 8, 13 | 4 | 107 |
| 274 | Suicide completion in secondary mental healthcare: a comparison study between schizophrenia spectrum disorders and all other diagnoses. <i>BMC Psychiatry</i> , 2014 , 14, 213 | 4.2 | 15 |
| 273 | The impact of co-morbid personality disorder on use of psychiatric services and involuntary hospitalization in people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1631-40 | 4.5 | 16 |
| 272 | A cross-sectional study of antenatal depression and associated factors in Malawi. <i>Archives of Women's Mental Health</i> , 2014 , 17, 145-54 | 5 | 79 |
| 271 | Retrospective chart review on exposure to psychotropic medications associated with neuroleptic malignant syndrome. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 52-60 | 6.5 | 36 |
| 270 | Longitudinal associations between serum cholesterol levels and suicidal ideation in an older Korean population. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 517-21 | 6.6 | 20 |
| 269 | Investigation of negative symptoms in schizophrenia with a machine learning text-mining approach. <i>Lancet, The</i> , 2014 , 383, S16 | 4.0 | 10 |
| 268 | A cohort study on mental disorders, stage of cancer at diagnosis and subsequent survival. <i>BMJ Open</i> , 2014 , 4, e004295 | 3 | 83 |
| 267 | Predictors of natural and unnatural mortality among patients with personality disorder: evidence from a large UK case register. <i>PLoS ONE</i> , 2014 , 9, e100979 | 3.7 | 34 |
| 266 | Associations between risk of mortality and atypical antipsychotic use in vascular dementia: a clinical cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1249-54 | 3.9 | 29 |
| 265 | Construct validity of the mini mental state examination across time in a sample with low-education levels: 10-year follow-up of the Bambu Cohort Study of Ageing. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1294-303 | 3.9 | 5 |
| 264 | Genetic predisposition to increased blood cholesterol and triglyceride lipid levels and risk of Alzheimer disease: a Mendelian randomization analysis. <i>PLoS Medicine</i> , 2014 , 11, e1001713 | 11.6 | 62 |
| 263 | Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. <i>Age and Ageing</i> , 2014 , 43, 562-7 | 3 | 57 |
| 262 | Developing a new model for patient recruitment in mental health services: a cohort study using Electronic Health Records. <i>BMJ Open</i> , 2014 , 4, e005654 | 3 | 27 |
| 261 | Early life factors in relation to cardiovascular risk and cardiovascular disease in old age in Bergen: a Norwegian retrospective cohort study based on the Hordaland Health Study (HUSK). <i>JRSM Open</i> , 2014 , 5, 2054270414527935 | 0.5 | 1 |
| 260 | Reply: To PMID 24730985. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 407-8 | 6.5 | 1 |
| 259 | Asthma and self-harm: a population-based cohort study in Taiwan. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 462-7 | 4.1 | 11 |

| | | | |
|-----|--|-----|----|
| 258 | A prospective study of statin use and poststroke depression. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 72-9 | 1.7 | 24 |
| 257 | Comment: How personal is Alzheimer disease?. <i>Neurology</i> , 2014 , 83, 1542 | 6.5 | 1 |
| 256 | Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. <i>Psychological Medicine</i> , 2014 , 44, 1977-87 | 6.9 | 33 |
| 255 | Personality disorder and self-rated health: a population-based cross-sectional survey. <i>Journal of Personality Disorders</i> , 2014 , 28, 319-33 | 2.6 | 25 |
| 254 | The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: a cluster randomised controlled trial. <i>Palliative Medicine</i> , 2014 , 28, 1099-109 | 5.5 | 46 |
| 253 | The provision of care for residents dying in U.K. nursing care homes. <i>Age and Ageing</i> , 2014 , 43, 375-9 | 3 | 51 |
| 252 | Suicidal ideation in elderly Korean population: a two-year longitudinal study. <i>International Psychogeriatrics</i> , 2014 , 26, 59-67 | 3.4 | 27 |
| 251 | Interactions between a serotonin transporter gene, life events and social support on suicidal ideation in Korean elders. <i>Journal of Affective Disorders</i> , 2014 , 160, 14-20 | 6.6 | 10 |
| 250 | Betel chewing and arecoline affects eotaxin-1, asthma and lung function. <i>PLoS ONE</i> , 2014 , 9, e91889 | 3.7 | 10 |
| 249 | Mini-mental state examination as a predictor of mortality among older people referred to secondary mental healthcare. <i>PLoS ONE</i> , 2014 , 9, e105312 | 3.7 | 19 |
| 248 | Factors associated with response to acetylcholinesterase inhibition in dementia: a cohort study from a secondary mental health care case register in london. <i>PLoS ONE</i> , 2014 , 9, e109484 | 3.7 | 51 |
| 247 | TextHunter--A User Friendly Tool for Extracting Generic Concepts from Free Text in Clinical Research 2014 , 2014, 729-38 | 0.7 | 24 |
| 246 | Prevalence and correlates of problematic internet experiences and computer-using time: a two-year longitudinal study in korean school children. <i>Psychiatry Investigation</i> , 2014 , 11, 24-31 | 3.1 | 16 |
| 245 | Subjective memory impairment, objective cognitive functioning and social activity in French older people: findings from the Three Cities study. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 139-45 | 2.9 | 28 |
| 244 | Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1621-7 | 4.5 | 10 |
| 243 | An investigation of factors identified at birth in relation to anxiety and depression in old age: the Hordaland Health Study (HUSK). <i>BMC Psychiatry</i> , 2013 , 13, 136 | 4.2 | 3 |
| 242 | The association between social relationships and self-harm: a case-control study in Taiwan. <i>BMC Psychiatry</i> , 2013 , 13, 101 | 4.2 | 8 |
| 241 | Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. <i>European Child and Adolescent Psychiatry</i> , 2013 , 22, 309-18 | 5.5 | 93 |

| | | | |
|-----|---|-----|-----|
| 240 | Dementia severity and weight loss: a comparison across eight cohorts. The 10/66 study. <i>Alzheimer's and Dementia</i> , 2013 , 9, 649-56 | 1.2 | 45 |
| 239 | The impact of early life factors on cognitive function in old age: The Hordaland Health Study (HUSK). <i>BMC Psychology</i> , 2013 , 1, 16 | 2.8 | 6 |
| 238 | Development and evaluation of a de-identification procedure for a case register sourced from mental health electronic records. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 71 | 3.6 | 119 |
| 237 | Impact of exposure to conflict, tsunami and mental disorders on school absenteeism: findings from a national sample of Sri Lankan children aged 12-17 years. <i>BMC Public Health</i> , 2013 , 13, 560 | 4.1 | 13 |
| 236 | Physical health and incident late-life depression: modification by cytokine genes. <i>Neurobiology of Aging</i> , 2013 , 34, 356.e1-9 | 5.6 | 18 |
| 235 | Socioeconomic disadvantage, mental disorders and risk of 12-month suicide ideation and attempt in the National Comorbidity Survey Replication (NCS-R) in US. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 71-9 | 4.5 | 16 |
| 234 | Association of SLC6A4 methylation with early adversity, characteristics and outcomes in depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 23-8 | 5.5 | 174 |
| 233 | Obsessive and compulsive symptoms in a national sample of older people: prevalence, comorbidity, and associations with cognitive function. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 263-71 | 6.5 | 9 |
| 232 | Reducing depression in nursing homes: so little, so late. <i>Lancet, The</i> , 2013 , 381, 2227-8 | 4.0 | 4 |
| 231 | A longitudinal study of SLC6A4 DNA promoter methylation and poststroke depression. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1222-7 | 5.2 | 48 |
| 230 | Comparative validity of depression assessment scales for screening poststroke depression. <i>Journal of Affective Disorders</i> , 2013 , 147, 186-91 | 6.6 | 28 |
| 229 | Response to antidepressants in major depressive disorder with melancholic features: the CRESCEND study. <i>Journal of Affective Disorders</i> , 2013 , 144, 42-50 | 6.6 | 11 |
| 228 | A longitudinal study of BDNF promoter methylation and genotype with poststroke depression. <i>Journal of Affective Disorders</i> , 2013 , 149, 93-9 | 6.6 | 64 |
| 227 | Influences of personality traits on quality of life after stroke. <i>European Neurology</i> , 2013 , 69, 185-92 | 2.1 | 21 |
| 226 | A one year longitudinal study of cytokine genes and depression in breast cancer. <i>Journal of Affective Disorders</i> , 2013 , 148, 57-65 | 6.6 | 30 |
| 225 | Prevention of Decline in Cognition after Stroke Trial (PODCAST): a study protocol for a factorial randomised controlled trial of intensive versus guideline lowering of blood pressure and lipids. <i>Trials</i> , 2013 , 14, 401 | 2.8 | 13 |
| 224 | Diagnostic procedures, revascularization, and inpatient mortality after acute myocardial infarction in patients with schizophrenia and bipolar disorder. <i>Psychosomatic Medicine</i> , 2013 , 75, 52-9 | 3.7 | 38 |
| 223 | Dementia and lower blood pressure in Latin America, India, and China: a 10/66 cross-cohort study. <i>Neurology</i> , 2013 , 81, 228-35 | 6.5 | 9 |

| | | | |
|-----|--|-----|-----|
| 222 | Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. <i>Age and Ageing</i> , 2013 , 42, 338-45 | 3 | 102 |
| 221 | Help-seeking response to subjective memory complaints in older adults: toward a conceptual model. <i>Gerontologist</i> , 2013 , 53, 462-73 | 5 | 27 |
| 220 | White matter hyperintensities and functional outcomes at 2 weeks and 1 year after stroke. <i>Cerebrovascular Diseases</i> , 2013 , 35, 138-45 | 3.2 | 30 |
| 219 | Snus use and cardiovascular risk factors in the general population: the HUNT3 study. <i>Addiction</i> , 2013 , 108, 2019-28 | 4.6 | 8 |
| 218 | Adverse oral health and cognitive decline: the health, aging and body composition study. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 177-84 | 5.6 | 63 |
| 217 | Determinants of suicidal ideation in patients with breast cancer. <i>Psycho-Oncology</i> , 2013 , 22, 2848-56 | 3.9 | 39 |
| 216 | Participation in productive activities and depression among older Europeans: survey of Health, Ageing and Retirement in Europe (SHARE). <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1157-63 | 3.9 | 42 |
| 215 | Response to Thomas Finucane. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 2060 | 5.6 | |
| 214 | Avoidable mortality in people with schizophrenia or bipolar disorder in England. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 195-201 | 6.5 | 64 |
| 213 | Midlife hypertensive status and cognitive function 20 years later: the Southall and Brent revisited study. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1489-98 | 5.6 | 26 |
| 212 | Forced migration and mental health: prolonged internal displacement, return migration and resilience. <i>International Health</i> , 2013 , 5, 19-23 | 2.4 | 52 |
| 211 | Anxiety and mortality risk in community-dwelling elderly people. <i>British Journal of Psychiatry</i> , 2013 , 203, 303-9 | 5.4 | 31 |
| 210 | Harnessing clinical psychiatric data with an electronic assessment tool (OPCRIT+): the utility of symptom dimensions. <i>PLoS ONE</i> , 2013 , 8, e58790 | 3.7 | 9 |
| 209 | Prolonged internal displacement and common mental disorders in Sri Lanka: the COMRAID study. <i>PLoS ONE</i> , 2013 , 8, e64742 | 3.7 | 46 |
| 208 | Evaluation of smoking status identification using electronic health records and open-text information in a large mental health case register. <i>PLoS ONE</i> , 2013 , 8, e74262 | 3.7 | 55 |
| 207 | Associations of polyunsaturated fatty acids with residual depression or anxiety in older people with major depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 918-25 | 6.6 | 22 |
| 206 | Serotonergic and BDNF genes and risk of depression after stroke. <i>Journal of Affective Disorders</i> , 2012 , 136, 833-40 | 6.6 | 50 |
| 205 | Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: the P-MaMiE population-based cohort study. <i>Journal of Affective Disorders</i> , 2012 , 136, 340-9 | 6.6 | 52 |

| | | | |
|-----|---|------|-----|
| 204 | The effectiveness of community day-long CBT-I workshops for participants with insomnia symptoms: a randomised controlled trial. <i>Journal of Sleep Research</i> , 2012 , 21, 270-80 | 5.8 | 33 |
| 203 | Predictors of depression in Korean breast cancer patients: A one-year longitudinal study. <i>Asia-Pacific Psychiatry</i> , 2012 , 4, 250-257 | 3.2 | 3 |
| 202 | Anxiety and depression symptoms in arterial hypertension: the influence of antihypertensive treatment. the HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2012 , 27, 63-72 | 12.1 | 33 |
| 201 | Mild cognitive impairment--the continuing challenge of its "real-world" detection and diagnosis. <i>Archives of Medical Research</i> , 2012 , 43, 609-14 | 6.6 | 21 |
| 200 | Anxiety symptoms and disorder predict activity limitations in the elderly. <i>Journal of Affective Disorders</i> , 2012 , 141, 276-85 | 6.6 | 30 |
| 199 | Depressed mood and blood pressure: the moderating effect of situation-specific arousal levels. <i>International Journal of Psychophysiology</i> , 2012 , 85, 212-23 | 2.9 | 17 |
| 198 | Associations between symptoms and all-cause mortality in individuals with serious mental illness. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 114-9 | 4.1 | 17 |
| 197 | Life expectancy at birth and all-cause mortality among people with personality disorder. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 104-7 | 4.1 | 132 |
| 196 | Relationship between depressive symptoms, anemia, and iron status in older residents from a national survey population. <i>Psychosomatic Medicine</i> , 2012 , 74, 208-13 | 3.7 | 47 |
| 195 | Anthropometry of Head Circumference, Limb Length and Dementia 2012 , 2341-2356 | | |
| 194 | Importance of thinking locally for mental health: data from cross-sectional surveys representing South East London and England. <i>PLoS ONE</i> , 2012 , 7, e48012 | 3.7 | 28 |
| 193 | Associations of BDNF genotype and promoter methylation with acute and long-term stroke outcomes in an East Asian cohort. <i>PLoS ONE</i> , 2012 , 7, e51280 | 3.7 | 67 |
| 192 | Serotonergic and BDNF genes associated with depression 1 week and 1 year after mastectomy for breast cancer. <i>Psychosomatic Medicine</i> , 2012 , 74, 8-15 | 3.7 | 21 |
| 191 | Subjective memory impairment in older adults: aetiology, salience and help seeking. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 612-20 | 3.9 | 40 |
| 190 | Associations of serotonergic genes with poststroke emotional incontinence. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 799-806 | 3.9 | 9 |
| 189 | Weekly lottery sales volume and suicide numbers: a time series analysis on national data from Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1055-9 | 4.5 | 6 |
| 188 | Prevalences of illicit drug use in people aged 50 years and over from two surveys. <i>Age and Ageing</i> , 2012 , 41, 553-6 | 3 | 46 |
| 187 | The association of dementia with upper arm and waist circumference in seven low- and middle-income countries: the 10/66 cross-sectional surveys. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012 , 67, 897-904 | 6.4 | 11 |

| | | | |
|-----|---|------|-----|
| 186 | Ascertaining instances of neuroleptic malignant syndrome in a secondary mental healthcare electronic medical records database: the SLAM BRC Case Register. <i>Therapeutic Advances in Psychopharmacology</i> , 2012 , 2, 75-83 | 4.9 | 8 |
| 185 | Associations between n-3 PUFA concentrations and cognitive function after recovery from late-life depression. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 420-7 | 7 | 26 |
| 184 | Pathways to care and help-seeking experience prior to self-harm: a qualitative study in Taiwan. <i>The Journal of Nursing Research: JNR</i> , 2012 , 20, 32-41 | 2.3 | 17 |
| 183 | Subjective cognitive impairment. <i>Current Opinion in Psychiatry</i> , 2012 , 25, 445-50 | 4.9 | 99 |
| 182 | Associations of cytokine gene polymorphisms with post-stroke depression. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 579-87 | 3.8 | 40 |
| 181 | Clinical risk assessment rating and all-cause mortality in secondary mental healthcare: the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) Case Register. <i>Psychological Medicine</i> , 2012 , 42, 1581-90 | 6.9 | 26 |
| 180 | Well controls in case-control studies. <i>Psychological Medicine</i> , 2012 , 42, 216-7 | 6.9 | |
| 179 | Personality disorders, common mental disorders and receipt of disability benefits: evidence from the British National Survey of Psychiatric Morbidity. <i>Psychological Medicine</i> , 2012 , 42, 2631-40 | 6.9 | 20 |
| 178 | Anxiety disorders in older people. <i>Reviews in Clinical Gerontology</i> , 2012 , 22, 204-217 | | 8 |
| 177 | Increased prevalence of insomnia and changes in hypnotics use in England over 15 years: analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. <i>Sleep</i> , 2012 , 35, 377-84 | 1.1 | 106 |
| 176 | Unawareness of memory impairment in dementia: a population-based study. <i>International Psychogeriatrics</i> , 2012 , 24, 931-9 | 3.4 | 55 |
| 175 | Prevalence, distribution, and impact of mild cognitive impairment in Latin America, China, and India: a 10/66 population-based study. <i>PLoS Medicine</i> , 2012 , 9, e1001170 | 11.6 | 108 |
| 174 | Functional status and all-cause mortality in serious mental illness. <i>PLoS ONE</i> , 2012 , 7, e44613 | 3.7 | 40 |
| 173 | Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. <i>Drug and Alcohol Dependence</i> , 2011 , 118, 56-61 | 4.9 | 53 |
| 172 | Physical comorbidity and 12-week treatment outcomes in Korean patients with depressive disorders: the CRESCEND study. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 311-8 | 4.1 | 8 |
| 171 | Cholesterol and serotonin transporter polymorphism interactions in late-life depression. <i>Neurobiology of Aging</i> , 2011 , 32, 336-43 | 5.6 | 23 |
| 170 | Role of BDNF val66met polymorphism on the association between physical activity and incident dementia. <i>Neurobiology of Aging</i> , 2011 , 32, 551.e5-12 | 5.6 | 30 |
| 169 | Gender differences in 12-week antidepressant treatment outcomes for a naturalistic secondary care cohort: the CRESCEND study. <i>Psychiatry Research</i> , 2011 , 189, 82-90 | 9.9 | 24 |

| | | | |
|-----|--|-----|-----|
| 168 | Associations between IQ and common mental disorders: the 2000 British National Survey of Psychiatric Morbidity. <i>European Psychiatry</i> , 2011 , 26, 390-5 | 6 | 14 |
| 167 | Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the Bambuí Cohort Study of Aging. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 3, S345-50 | 3.2 | 19 |
| 166 | Life expectancy at birth for people with serious mental illness and other major disorders from a secondary mental health care case register in London. <i>PLoS ONE</i> , 2011 , 6, e19590 | 3.7 | 416 |
| 165 | Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006. <i>BMJ, The</i> , 2011 , 343, d5422 | 5.9 | 146 |
| 164 | P2-37 Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambuí Cohort Study, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A229-A230 | 5.1 | 2 |
| 163 | Insomnia subtypes and their relationship to excessive daytime sleepiness in Brazilian community-dwelling older adults. <i>Sleep</i> , 2011 , 34, 1111-7 | 1.1 | 8 |
| 162 | Relationship between a history of a suicide attempt and treatment outcomes in patients with depression. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 449-56 | 1.7 | 27 |
| 161 | Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011 , 23, 202-13 | 3.4 | 9 |
| 160 | Could reverse causality or selective mortality explain associations between leg length, skull circumference and dementia? A South Indian cohort study. <i>International Psychogeriatrics</i> , 2011 , 23, 328-30 | 3.4 | 3 |
| 159 | Mortality and suicide after self-harm: community cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2011 , 198, 31-6 | 5.4 | 51 |
| 158 | OPCRIT+: an electronic system for psychiatric diagnosis and data collection in clinical and research settings. <i>British Journal of Psychiatry</i> , 2011 , 199, 151-5 | 5.4 | 41 |
| 157 | Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambuí Cohort Study, Brazil. <i>Journal of Sleep Research</i> , 2011 , 20, 303-10 | 5.8 | 39 |
| 156 | Improvement within 2 weeks and later treatment outcomes in patients with depressive disorders: the CRESCEND study. <i>Journal of Affective Disorders</i> , 2011 , 129, 183-90 | 6.6 | 39 |
| 155 | Stressful events, stress perception and treatment outcomes in patients with depressive disorders: the CRESCEND study. <i>Journal of Affective Disorders</i> , 2011 , 133, 528-36 | 6.6 | 12 |
| 154 | The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. <i>General Hospital Psychiatry</i> , 2011 , 33, 37-44 | 5.6 | 27 |
| 153 | Social support and antenatal depression in extended and nuclear family environments in Turkey: a cross-sectional survey. <i>BMC Psychiatry</i> , 2011 , 11, 48 | 4.2 | 51 |
| 152 | Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> , 2011 , 11, 861 | 4.1 | 73 |
| 151 | Temporal orientation in a national community sample of older people. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 144-9 | 3.9 | 2 |

| | | | |
|-----|--|------|-----|
| 150 | Adverse childhood environment and late-life cognitive functioning. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 503-10 | 3.9 | 60 |
| 149 | Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 608-14 | 3.9 | 30 |
| 148 | Synergistic associations of depression and apolipoprotein E genotype with incidence of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 893-8 | 3.9 | 22 |
| 147 | Predictors of 12-week remission in a nationwide cohort of people with depressive disorders: the CRESCEND study. <i>Human Psychopharmacology</i> , 2011 , 26, 41-50 | 2.3 | 26 |
| 146 | Longitudinal neuroimaging correlates of subjective memory impairment: 4-year prospective community study. <i>British Journal of Psychiatry</i> , 2011 , 198, 199-205 | 5.4 | 121 |
| 145 | Association of delirium post-stroke with early and late mortality. <i>Age and Ageing</i> , 2011 , 40, 271-4 | 3 | 10 |
| 144 | Mental and personality disorders and abstinence from alcohol: results from a national household survey. <i>Psychological Medicine</i> , 2011 , 41, 809-18 | 6.9 | 11 |
| 143 | Caregiver Burden and Quality of Life of Older Persons With Stroke: A Community Hospital Study in South India. <i>Journal of Applied Gerontology</i> , 2011 , 30, 643-654 | 3.3 | 17 |
| 142 | Neuropathological correlates of late-life depression in older people. <i>British Journal of Psychiatry</i> , 2011 , 198, 109-14 | 5.4 | 129 |
| 141 | The Role of n-3 Long Chain Polyunsaturated Fatty Acids in Cognitive Function 2011 , 23-38 | | |
| 140 | Moroccan national study on prevalence of mental disorders: a community-based epidemiological study. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 71-4 | 6.5 | 30 |
| 139 | Impairment, disability, social support and depression among older parents in rural Thailand. <i>Psychological Medicine</i> , 2010 , 40, 1711-21 | 6.9 | 32 |
| 138 | All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: a cohort study. <i>BMC Psychiatry</i> , 2010 , 10, 77 | 4.2 | 159 |
| 137 | Asthma and suicide mortality in young people: a 12-year follow-up study. <i>American Journal of Psychiatry</i> , 2010 , 167, 1092-9 | 11.9 | 72 |
| 136 | Gender and genotype modulation of the association between lipid levels and depressive symptomatology in community-dwelling elderly (the ESPRIT study). <i>Biological Psychiatry</i> , 2010 , 68, 125-32 | 7.9 | 60 |
| 135 | Resilience and mental health. <i>Clinical Psychology Review</i> , 2010 , 30, 479-95 | 10.8 | 571 |
| 134 | 5-HTTLPR genotype, stressful life events and late-life depression: no evidence of interaction in a French population. <i>Neurobiology of Aging</i> , 2010 , 31, 886-7 | 5.6 | 26 |
| 133 | Incidence and persistence of sleep complaints in a community older population. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 37-45 | 3.9 | 32 |

| | | | |
|-----|---|------|-----|
| 132 | Neurological signs and late-life depressive symptoms in a community population: the ESPRIT study. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 672-8 | 3.9 | 5 |
| 131 | Social phobia in late-life: is it worth a diagnosis?. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 1-3 | 6.5 | 0 |
| 130 | Relationship between vitamin D levels and depressive symptoms in older residents from a national survey population. <i>Psychosomatic Medicine</i> , 2010 , 72, 608-12 | 3.7 | 81 |
| 129 | Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2010 , 196, 31-5 | 5.4 | 28 |
| 128 | The treatment of Common Mental Disorders across age groups: results from the 2007 Adult Psychiatric Morbidity Survey. <i>Journal of Affective Disorders</i> , 2010 , 127, 96-101 | 6.6 | 41 |
| 127 | An investigation of associations between alcohol use disorder and polymorphisms on ALDH2, BDNF, 5-HTTLPR, and MTHFR genes in older Korean men. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 441-8 | 3.9 | 27 |
| 126 | General health status and vascular disorders as correlates of late-life depressive symptoms in a national survey sample. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 483-8 | 3.9 | 5 |
| 125 | Thyroid stimulating hormone, cognitive impairment and depression in an older Korean population. <i>Psychiatry Investigation</i> , 2010 , 7, 264-9 | 3.1 | 22 |
| 124 | Social Determinants of Late Life Disorders 2010 , 295-304 | | |
| 123 | The Epidemiology of Depression and Anxiety 2010 , 616-623 | | |
| 122 | Levels of anxiety and depression as predictors of mortality: the HUNT study. <i>British Journal of Psychiatry</i> , 2009 , 195, 118-25 | 5.4 | 200 |
| 121 | Physical activity improves cognitive function in people with memory impairment. <i>Evidence-Based Mental Health</i> , 2009 , 12, 57 | 11.1 | 1 |
| 120 | The course of delirium in acute stroke. <i>Age and Ageing</i> , 2009 , 38, 385-9 | 3 | 56 |
| 119 | Change in blood pressure and incident dementia: a 32-year prospective study. <i>Hypertension</i> , 2009 , 54, 233-40 | 8.5 | 153 |
| 118 | Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. <i>BMC Neurology</i> , 2009 , 9, 48 | 3.1 | 65 |
| 117 | Cognitive function and common mental disorders in older people with vascular and non-vascular disorders: a national survey. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 701-8 | 3.9 | 3 |
| 116 | The evaluation of delirium post-stroke. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 1251-6 | 3.9 | 20 |
| 115 | The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 608-13 | 4.5 | 43 |

| | | | |
|-----|--|------|-----|
| 114 | A community-based study of case fatality proportion among those who carry out suicide acts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 1005-11 | 4.5 | 31 |
| 113 | The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. <i>BMC Psychiatry</i> , 2009 , 9, 51 | 4.2 | 291 |
| 112 | Subjective memory deficits in people with and without dementia: findings from the 10/66 dementia research group pilot studies in low- and middle-income countries. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2118-24 | 5.6 | 11 |
| 111 | Association between magnesium intake and depression and anxiety in community-dwelling adults: the Hordaland Health Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 45-52 | 2.6 | 95 |
| 110 | Social activity and improvement in depressive symptoms in older people: a prospective community cohort study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 688-96 | 6.5 | 63 |
| 109 | Dimensions underlying the mini-mental state examination in a sample with low-education levels: the Bamburgh health and aging study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 863-72 | 6.5 | 24 |
| 108 | Modification by two genes of associations between general somatic health and incident depressive syndrome in older people. <i>Psychosomatic Medicine</i> , 2009 , 71, 286-91 | 3.7 | 24 |
| 107 | Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. <i>International Psychogeriatrics</i> , 2009 , 21, 729-37 | 3.4 | 5 |
| 106 | Insomnia, depression, and physical disorders in late life: a 2-year longitudinal community study in Koreans. <i>Sleep</i> , 2009 , 32, 1221-8 | 1.1 | 89 |
| 105 | Pesticide exposure and suicidal ideation in rural communities in Zhejiang province, China. <i>Bulletin of the World Health Organization</i> , 2009 , 87, 745-53 | 8.2 | 38 |
| 104 | Association of adverse childhood environment and 5-HTTLPR Genotype with late-life depression. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1281-8 | 4.6 | 91 |
| 103 | The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. <i>BMC Public Health</i> , 2008 , 8, 219 | 4.1 | 84 |
| 102 | Alzheimer's disease and vascular dementia in developing countries: prevalence, management, and risk factors. <i>Lancet Neurology</i> , 2008 , 7, 812-26 | 24.1 | 757 |
| 101 | The epidemiology of chronic fatigue, physical illness, and symptoms of common mental disorders: a cross-sectional survey from the second British National Survey of Psychiatric Morbidity. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 357-62 | 4.1 | 50 |
| 100 | BDNF genotype potentially modifying the association between incident stroke and depression. <i>Neurobiology of Aging</i> , 2008 , 29, 789-92 | 5.6 | 53 |
| 99 | The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: a preliminary randomized double-blind placebo-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1538-44 | 5.5 | 254 |
| 98 | Smoking in relation to anxiety and depression: evidence from a large population survey: the HUNT study. <i>European Psychiatry</i> , 2008 , 23, 77-84 | 6 | 145 |
| 97 | Changes in folate, vitamin B12 and homocysteine associated with incident dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008 , 79, 864-8 | 5.5 | 60 |

| | | | |
|----|---|-----|-----|
| 96 | Neuroimaging correlates of subjective memory deficits in a community population. <i>Neurology</i> , 2008 , 70, 1601-7 | 6.5 | 95 |
| 95 | Predictive value of folate, vitamin B12 and homocysteine levels in late-life depression. <i>British Journal of Psychiatry</i> , 2008 , 192, 268-74 | 5.4 | 147 |
| 94 | Public health significance of mixed anxiety and depression: beyond current classification. <i>British Journal of Psychiatry</i> , 2008 , 192, 171-7 | 5.4 | 135 |
| 93 | Late-life depression and mortality: influence of gender and antidepressant use. <i>British Journal of Psychiatry</i> , 2008 , 192, 12-8 | 5.4 | 73 |
| 92 | Oral health and cognitive function in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Psychosomatic Medicine</i> , 2008 , 70, 936-41 | 3.7 | 83 |
| 91 | A comparison of insomnia and depression as predictors of disability pension: the HUNT Study. <i>Sleep</i> , 2008 , 31, 875-80 | 1.1 | 62 |
| 90 | Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 12-29 | 4.3 | 103 |
| 89 | Associations between head circumference, leg length and dementia in a Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 41-8 | 3.9 | 37 |
| 88 | Methylenetetrahydrofolate reductase gene and risk of Alzheimer's disease in Koreans. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 454-9 | 3.9 | 24 |
| 87 | El tabaquismo relacionado con la ansiedad y la depresi3n: evidencias de una encuesta de poblaci3n: estudio HUNT. <i>European Psychiatry (Ed Espa3ola)</i> , 2008 , 15, 237-245 | | |
| 86 | Interactions between life stressors and susceptibility genes (5-HTTLPR and BDNF) on depression in Korean elders. <i>Biological Psychiatry</i> , 2007 , 62, 423-8 | 7.9 | 227 |
| 85 | Dental health, nutritional status and recent-onset dementia in a Korean community population. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 850-5 | 3.9 | 96 |
| 84 | Markers of inflammation and cognitive decline in an African-Caribbean population. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 966-73 | 3.9 | 40 |
| 83 | Dental health and cognitive impairment in an English national survey population. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1410-4 | 5.6 | 64 |
| 82 | The protocols for the 10/66 dementia research group population-based research programme. <i>BMC Public Health</i> , 2007 , 7, 165 | 4.1 | 245 |
| 81 | Age variation in life events and their relationship with common mental disorders in a national survey population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 611-6 | 4.5 | 45 |
| 80 | Delirium post-stroke. <i>Age and Ageing</i> , 2007 , 36, 613-8 | 3 | 82 |
| 79 | Prevalence of depressive symptoms and syndromes in later life in ten European countries: the SHARE study. <i>British Journal of Psychiatry</i> , 2007 , 191, 393-401 | 5.4 | 179 |

| | | | |
|----|---|-----|-----|
| 78 | Twenty-six-year change in total cholesterol levels and incident dementia: the Honolulu-Asia Aging Study. <i>Archives of Neurology</i> , 2007 , 64, 103-7 | | 138 |
| 77 | Safeguarding the rights of patients who lack capacity in general hospitals. Do the Bournewood proposals for England and Wales help or hinder?. <i>Age and Ageing</i> , 2007 , 36, 120-1 | 3 | 1 |
| 76 | Anxiety, depression, and cause-specific mortality: the HUNT study. <i>Psychosomatic Medicine</i> , 2007 , 69, 323-31 | 3.7 | 204 |
| 75 | Diabetes, common mental disorders, and disability: findings from the UK National Psychiatric Morbidity Survey. <i>Psychosomatic Medicine</i> , 2007 , 69, 543-50 | 3.7 | 119 |
| 74 | The spectrum of suicidal ideation in Great Britain: comparisons across a 16-74 years age range. <i>Psychological Medicine</i> , 2007 , 37, 795-805 | 6.9 | 50 |
| 73 | Bias in psychiatric case-control studies: literature survey. <i>British Journal of Psychiatry</i> , 2007 , 190, 204-9 | 5.4 | 63 |
| 72 | Personality disorder and cardiovascular disease: results from a national household survey. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 69-74 | 4.6 | 90 |
| 71 | Screening for mental disorders in leprosy patients: comparing the internal consistency and screening properties of HADS and GHQ-12. <i>Leprosy Review</i> , 2007 , 78, 231-242 | 0.6 | 10 |
| 70 | Leg length, cognitive impairment and cognitive decline in an African-Caribbean population. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 266-72 | 3.9 | 32 |
| 69 | Male gender influences response to an educational package for delirium prevention among older people: a stratified analysis. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 493-7 | 3.9 | 6 |
| 68 | Correlates of caregiver burden for Korean elders according to cognitive and functional status. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 853-61 | 3.9 | 24 |
| 67 | Exploring the ethnic density effect: a qualitative study of a London electoral ward. <i>International Journal of Social Psychiatry</i> , 2006 , 52, 376-91 | 8.5 | 49 |
| 66 | A prospective study of changes in subjective memory complaints and onset of dementia in South Korea. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 949-56 | 6.5 | 32 |
| 65 | Hypertension and depression in late life. <i>British Journal of Psychiatry</i> , 2006 , 188, 85 | 5.4 | 2 |
| 64 | Adult Neurology, 2nd edition Editors: J. COREY-BLOOM AND R. B. DAVID Oxford: Blackwell Publishing, 2005, £69.50. Hardback, 435 pp. ISBN: 1 4051 1766 4. <i>International Psychogeriatrics</i> , 2006 , 18, 765-766 | 3.4 | |
| 63 | Insomnia comorbidity and impact and hypnotic use by age group in a national survey population aged 16 to 74 years. <i>Sleep</i> , 2006 , 29, 1391-7 | 1.1 | 168 |
| 62 | Worry content across the lifespan: an analysis of 16- to 74-year-old participants in the British National Survey of Psychiatric Morbidity 2000. <i>Psychological Medicine</i> , 2006 , 36, 1625-33 | 6.9 | 39 |
| 61 | Outcome of major depression in Ethiopia: population-based study. <i>British Journal of Psychiatry</i> , 2006 , 189, 241-6 | 5.4 | 87 |

| | | | |
|----|---|------|-----------------|
| 60 | Vascular risk factors and incident late-life depression in a Korean population. <i>British Journal of Psychiatry</i> , 2006 , 189, 26-30 | 5.4 | 69 |
| 59 | Does social activity influence the accuracy of subjective memory deficit? Findings from a British community survey. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1108-13 | 5.6 | 31 |
| 58 | Mental health legislation and decision making capacity: autonomy in Alzheimer's disease is ignored and neglected. <i>BMJ, The</i> , 2006 , 332, 118-9 | 5.9 | 5 |
| 57 | Physical health, depression and cognitive function as correlates of disability in an older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 160-7 | 3.9 | 84 |
| 56 | Migrant status, age, gender and social isolation in very late-onset schizophrenia-like psychosis. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 1046-51 | 3.9 | 19 |
| 55 | Mitochondrial aldehyde dehydrogenase polymorphism is not associated with incidence of Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 1075-80 | 3.9 | 19 |
| 54 | The validity of the Parental Bonding Instrument as a measure of maternal bonding among young Pakistani women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 276-82 | 4.5 | 32 |
| 53 | Mental capacity assessments and discharge decisions. <i>Age and Ageing</i> , 2005 , 34, 549-50 | 3 | 15 |
| 52 | A 32-year prospective study of change in body weight and incident dementia: the Honolulu-Asia Aging Study. <i>Archives of Neurology</i> , 2005 , 62, 55-60 | | 39 ¹ |
| 51 | Vascular disease/risk and late-life depression in a Korean community population. <i>British Journal of Psychiatry</i> , 2004 , 185, 102-7 | 5.4 | 50 |
| 50 | Depressive symptoms and cognitive decline--disentangling the effect of affect. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004 , 75, 5 | 5.5 | 6 |
| 49 | Angiotensin receptor blockade with candesartan attenuates atherosclerosis, plaque disruption, and macrophage accumulation within the plaque in a rabbit model. <i>Circulation</i> , 2004 , 110, 2060-5 | 16.7 | 43 |
| 48 | Review: in older people, decline of cognitive function is more likely than improvement, but rate of change is very variable. <i>Evidence-Based Mental Health</i> , 2004 , 7, 92 | 11.1 | |
| 47 | The effect of ethnicity and gender on first-contact rates for schizophrenia-like psychosis in Bangladeshi, Black and White elders in Tower Hamlets, London. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 286-90 | 3.9 | 17 |
| 46 | Lifetime urban/rural residence, social support and late-life depression in Korea. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 843-51 | 3.9 | 48 |
| 45 | ACE genotype and cognitive decline in an African-Caribbean population. <i>Neurobiology of Aging</i> , 2004 , 25, 1369-75 | 5.6 | 16 |
| 44 | Assessment of association between mitochondrial aldehyde dehydrogenase polymorphism and Alzheimer's disease in an older Korean population. <i>Neurobiology of Aging</i> , 2004 , 25, 295-301 | 5.6 | 37 |
| 43 | Education and the association between vascular risk factors and cognitive function: a cross-sectional study in older Koreans with cognitive impairment. <i>International Psychogeriatrics</i> , 2003 , 15, 27-36 | 3.4 | 35 |

| | | | |
|----|--|-----|----|
| 42 | Are Black Caribbean Patients More Likely to Receive an Incorrect Diagnosis of Very-Late-Onset Schizophrenia-Like Psychosis Than Their White British Counterparts?. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 674-677 | 6.5 | 8 |
| 41 | Subjective memory impairment, cognitive function and depression--a community study in older Koreans. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003 , 15, 218-25 | 2.6 | 52 |
| 40 | A 30-Year Prospective Analysis of Change in Body Weight and Incident Dementia. <i>Clinical Science</i> , 2003 , 104, 39P-39P | | |
| 39 | Diagnosing dementia in a developing nation: an evaluation of the GMS-AGECAT algorithm in an older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 331-6 | 3.9 | 32 |
| 38 | Age, vascular risk, and cognitive decline in an older, British, African-Caribbean population. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1547-53 | 5.6 | 33 |
| 37 | Limb length and dementia in an older Korean population. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003 , 74, 427-32 | 5.5 | 61 |
| 36 | Are Black Caribbean patients more likely to receive an incorrect diagnosis of very-late-onset schizophrenia-like psychosis than their white British counterparts?. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 674-7 | 6.5 | 3 |
| 35 | Surveying older people from minority ethnic groups: an evaluation of a primary care sampling method for UK African-Caribbean elders. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 178-83 | 4.3 | 2 |
| 34 | Service contact and psychopathology in very-late-onset schizophrenia-like psychosis: the effects of gender and ethnicity. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 473-9 | 3.9 | 21 |
| 33 | Previous stroke but not vascular risk factors are associated with depression in a cognitively impaired older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 453-8 | 3.9 | 10 |
| 32 | Prevalence and correlates of late-life depression compared between urban and rural populations in Korea. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 409-15 | 3.9 | 51 |
| 31 | Alcoholism in older Korean men: prevalence, aetiology, and comorbidity with cognitive impairment and dementia in urban and rural communities. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 821-39 | 3.9 | 17 |
| 30 | The distribution of Mini-Mental State Examination scores in an older UK African-Caribbean population compared to MRC CFA study norms. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 745-51 | 3.9 | 31 |
| 29 | Quality of accommodation and risk of depression in later life: an analysis of prospective data from the Gospel Oak Project. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 1091-8 | 3.9 | 16 |
| 28 | Plasma homocysteine and cognitive impairment in an older British African-Caribbean population. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1227-32 | 5.6 | 37 |
| 27 | Vascular dementia: a diagnosis running out of time. <i>British Journal of Psychiatry</i> , 2002 , 180, 152-6 | 5.4 | 30 |
| 26 | Low cholesterol, cognitive function and Alzheimer s disease in a community population with cognitive impairment. <i>Journal of Nutrition, Health and Aging</i> , 2002 , 6, 320-3 | 5.2 | 13 |
| 25 | Increased first-contact rates for very-late-onset schizophrenia-like psychosis in African- and Caribbean-born elders. <i>British Journal of Psychiatry</i> , 2001 , 179, 172-4 | 5.4 | 43 |

| | | | |
|----|---|-----|-----|
| 24 | Stroke, vascular risk factors and depression: Cross-sectional study in a UK Caribbean-born population. <i>British Journal of Psychiatry</i> , 2001 , 178, 23-8 | 5.4 | 60 |
| 23 | Vascular risk and cognitive impairment in an older, British, African-Caribbean population. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 263-9 | 5.6 | 49 |
| 22 | Cognitive function in UK community-dwelling African Caribbean elders: normative data for a test battery. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 518-27 | 3.9 | 38 |
| 21 | Cerebral white matter lesions and subjective cognitive dysfunction: the Rotterdam Scan Study. <i>Neurology</i> , 2001 , 57, 2149 | 6.5 | 5 |
| 20 | Apolipoprotein E genotype, vascular risk and early cognitive impairment in an African Caribbean population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2001 , 12, 251-6 | 2.6 | 21 |
| 19 | In vivo magnetic resonance imaging of experimental thrombosis in a rabbit model. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 1556-60 | 9.4 | 73 |
| 18 | Application of cholinesterase inhibitors. <i>Lancet, The</i> , 2001 , 358, 73-4 | 4.0 | 0 |
| 17 | Neuroimaging in dementia and depression. <i>Current Opinion in Psychiatry</i> , 2001 , 14, 371-375 | 4.9 | 1 |
| 16 | NICE guidelines and the treatment of Alzheimer's disease: evidence-based medicine may be discriminatory. <i>British Journal of Psychiatry</i> , 2001 , 179, 367 | 5.4 | 0 |
| 15 | Low blood pressure and depression in the elderly. <i>British Journal of Psychiatry</i> , 2000 , 177, 181-2 | 5.4 | 4 |
| 14 | Type 2 diabetes mellitus, cognitive impairment and dementia. <i>Diabetic Medicine</i> , 1999 , 16, 93-112 | 3.5 | 443 |
| 13 | Vascular risk factors and Alzheimer's disease. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 809-13 | 2.6 | 16 |
| 12 | Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006 | | 1 |
| 11 | Mental health service activity during COVID-19 lockdown among individuals with Personality Disorders: South London and Maudsley data on services and mortality from January to May 2020 | | 2 |
| 10 | Mental health service activity during COVID-19 lockdown: South London and Maudsley data on working age community and home treatment team services and mortality from February to mid-May 2020 | | 14 |
| 9 | Using past and current data to estimate potential crisis service use in mental healthcare after the COVID-19 lockdown: South London and Maudsley data | | 2 |
| 8 | Excess mortality in mental health service users during the COVID-19 pandemic described by ethnic group: South London and Maudsley data. | | 4 |
| 7 | Comparison of mental health service activity before and shortly after UK social distancing responses to the COVID-19 pandemic: February-March 2020 | | 4 |

| | | | |
|---|--|-----|---|
| 6 | Causes of death in mental health service users during the first wave of the COVID-19 pandemic: South London and Maudsley data from March to June 2020, compared with 2015-2019 | 2 | |
| 5 | Impact of the COVID-19 pandemic on remote mental healthcare and prescribing in psychiatry | 2 | |
| 4 | Self-harm presentations to Emergency Departments and Place of Safety during the first wave of the UK COVID-19 pandemic: South London and Maudsley data on service use from February to June 2020 | 2 | |
| 3 | Antipsychotic monitoring in dementia: quality of completion of antipsychotic monitoring forms in an older adult mental health service. <i>BJPsych Bulletin</i> ,1-7 | 1.2 | |
| 2 | Life expectancy, mortality risks and cause of death in patients with serious mental illness in South East London: a comparison between 2008-2012 and 2013-2017. <i>Psychological Medicine</i> ,1-10 | 6.9 | 1 |
| 1 | Assessing the feasibility of a web-based outcome measurement system in child and adolescent mental health services [myHealthE a randomised controlled feasibility pilot study. <i>Child and Adolescent Mental Health</i> , | 2.2 | 1 |