

# Maija Salemaa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4519648/publications.pdf>

Version: 2024-02-01

34  
papers

1,150  
citations

430874

18  
h-index

395702

33  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1566  
citing authors

#	ARTICLE	IF	CITATIONS
1	Climate change reshuffles northern species within their niches. <i>Nature Climate Change</i> , 2022, 12, 587-592.	18.8	46
2	Temporal biodiversity change following disturbance varies along an environmental gradient. <i>Global Ecology and Biogeography</i> , 2021, 30, 476-489.	5.8	15
3	Site types revisited: Comparison of traditional Russian and Finnish classification systems for European boreal forests. <i>Applied Vegetation Science</i> , 2021, 24, e12525.	1.9	7
4	Distinct patterns of below- and aboveground growth phenology and litter carbon inputs along a boreal site type gradient. <i>Forest Ecology and Management</i> , 2021, 489, 119081.	3.2	12
5	Abundance and diversity of edible wild plants in managed boreal forests. <i>Forest Ecology and Management</i> , 2021, 491, 119151.	3.2	4
6	Comparing observer performance in vegetation records by efficiency graphs derived from rarefaction curves. <i>Ecological Indicators</i> , 2020, 109, 105790.	6.3	5
7	CAMPUS-S " The model of ground layer vegetation populations in forest ecosystems and their contribution to the dynamics of carbon and nitrogen. II. Parameterization, validation and simulation experiments. <i>Ecological Modelling</i> , 2020, 431, 109183.	2.5	4
8	Global warming will affect the maximum potential abundance of boreal plant species. <i>Ecography</i> , 2020, 43, 801-811.	4.5	26
9	Forest mosses sensitively indicate nitrogen deposition in boreal background areas. <i>Environmental Pollution</i> , 2020, 261, 114054.	7.5	9
10	Incorporating a model for ground lichens into multi-functional forest planning for boreal forests in Finland. <i>Forest Ecology and Management</i> , 2020, 460, 117912.	3.2	10
11	Soil total phosphorus and nitrogen explain vegetation community composition in a northern forest ecosystem near a phosphate massif. <i>Biogeosciences</i> , 2020, 17, 1535-1556.	3.3	4
12	N <sub>2</sub> fixation associated with the bryophyte layer is suppressed by low levels of nitrogen deposition in boreal forests. <i>Science of the Total Environment</i> , 2019, 653, 995-1004.	8.0	23
13	Currently legislated decreases in nitrogen deposition will yield only limited plant species recovery in European forests. <i>Environmental Research Letters</i> , 2018, 13, 125010.	5.2	32
14	Forest soil carbon stock estimates in a nationwide inventory: evaluating performance of the ROMULv and Yasso07 models in Finland. <i>Geoscientific Model Development</i> , 2016, 9, 4169-4183.	3.6	20
15	Forest management regulates temporal change in the cover of boreal plant species. <i>Forest Ecology and Management</i> , 2016, 381, 115-124.	3.2	58
16	Forest floor vegetation response to nitrogen deposition in Europe. <i>Global Change Biology</i> , 2014, 20, 429-440.	9.5	139
17	Above- and below-ground N stocks in coniferous boreal forests in Finland: Implications for sustainability of more intensive biomass utilization. <i>Forest Ecology and Management</i> , 2014, 311, 17-28.	3.2	56
18	Fine root turnover and litter production of Norway spruce in a long-term temperature and nutrient manipulation experiment. <i>Plant and Soil</i> , 2014, 374, 73-88.	3.7	93

#	ARTICLE	IF	CITATIONS
19	Fine root longevity and carbon input into soil from below- and aboveground litter in climatically contrasting forests. <i>Forest Ecology and Management</i> , 2014, 326, 79-90.	3.2	78
20	Nitrogen fixation and methanotrophy in forest mosses along a N deposition gradient. <i>Environmental and Experimental Botany</i> , 2013, 90, 62-69.	4.2	76
21	Differences in the growth response of three bryophyte species to nitrogen. <i>Environmental Pollution</i> , 2008, 152, 82-91.	7.5	51
22	Remediation of Heavy Metal-Contaminated Forest Soil Using Recycled Organic Matter and Native Woody Plants. <i>Journal of Environmental Quality</i> , 2007, 36, 1145-1153.	2.0	49
23	Element accumulation in boreal bryophytes, lichens and vascular plants exposed to heavy metal and sulfur deposition in Finland. <i>Science of the Total Environment</i> , 2004, 324, 141-160.	8.0	89
24	Copper resistance of the evergreen dwarf shrub <i>Arctostaphylos uva-ursi</i> : an experimental exposure. <i>Environmental Pollution</i> , 2003, 126, 435-443.	7.5	11
25	The effect of apical dominance on the branching architecture of <i>Arctostaphylos uva-ursi</i> in four contrasting environments. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2002, 197, 429-442.	1.2	19
26	Seed bank composition and seedling survival in forest soil polluted with heavy metals. <i>Basic and Applied Ecology</i> , 2001, 2, 251-263.	2.7	22
27	Forest Condition in Relation to Environmental Factors. <i>Forestry Sciences</i> , 2000, , 142-155.	0.4	7
28	Compensatory fertilization of Scots pine stands polluted by heavy metals. <i>Nutrient Cycling in Agroecosystems</i> , 1999, 55, 239-268.	2.2	48
29	Relationships between crown condition, tree nutrition and soil properties in the coastal <i>Picea abies</i> forests (Western Finland). <i>Scandinavian Journal of Forest Research</i> , 1998, 13, 413-420.	1.4	5
30	Copper in Scots pine forests around a heavy-metal smelter in south-western Finland. <i>Water, Air, and Soil Pollution</i> , 1995, 85, 1727-1732.	2.4	73
31	Forest condition in Finland, 1986-1990.. <i>Silva Fennica</i> , 1991, 25, .	1.3	14
32	Vitality rating of <i>Picea abies</i> by defoliation class and other vigour indicators. <i>Scandinavian Journal of Forest Research</i> , 1990, 5, 413-426.	1.4	19
33	The Vitality of Conifers in Finland, 1986-1988. , 1990, , 523-560.		19
34	A comparison of different sampling methods of quantitative vegetation analysis.. <i>Silva Fennica</i> , 1985, 19, .	1.3	6