

Morag E Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4519762/publications.pdf>

Version: 2024-02-01

27
papers

769
citations

567281

15
h-index

580821

25
g-index

28
all docs

28
docs citations

28
times ranked

972
citing authors

#	ARTICLE	IF	CITATIONS
1	Gait parameter risk factors for falls under simple and dual task conditions in cognitively impaired older people. <i>Gait and Posture</i> , 2013, 37, 126-130.	1.4	141
2	Neuropsychological, Physical, and Functional Mobility Measures Associated With Falls in Cognitively Impaired Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 987-995.	3.6	105
3	Gait impairment and falls in cognitively impaired older adults: an explanatory model of sensorimotor and neuropsychological mediators. <i>Age and Ageing</i> , 2012, 41, 665-669.	1.6	54
4	Physiological Fall Risk Factors in Cognitively Impaired Older People: A One-Year Prospective Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 181-189.	1.5	52
5	Physical impairments in cognitively impaired older people: implications for risk of falls. <i>International Psychogeriatrics</i> , 2013, 25, 148-156.	1.0	51
6	Slow gait speed is associated with executive function decline in older people with mild to moderate dementia: A one year longitudinal study. <i>Archives of Gerontology and Geriatrics</i> , 2017, 73, 148-153.	3.0	39
7	A home-based, carer-enhanced exercise program improves balance and falls efficacy in community-dwelling older people with dementia. <i>International Psychogeriatrics</i> , 2017, 29, 81-91.	1.0	35
8	Reaction Time and Postural Sway Modify the Effect of Executive Function on Risk of Falls in Older People with Mild to Moderate Cognitive Impairment. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 397-406.	1.2	35
9	Risk factors for falls in older people with cognitive impairment living in the community: Systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2021, 71, 101452.	10.9	35
10	Older People with Dementia Have Reduced Daily-Life Activity and Impaired Daily-Life Gait When Compared to Age-Sex Matched Controls. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S125-S135.	2.6	27
11	Associations Between Gait Speed and Cognitive Domains in Older People with Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S15-S21.	2.6	25
12	Managing falls in older patients with cognitive impairment. <i>Aging Health</i> , 2012, 8, 573-588.	0.3	23
13	Pilot feasibility study of a home-based fall prevention exercise program (<i>StandingTall</i>) delivered through a tablet computer (iPad) in older people with dementia. <i>Australasian Journal on Ageing</i> , 2020, 39, e278-e287.	0.9	22
14	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 655-665.	3.6	20
15	White matter hyperintensities are associated with falls in older people with dementia. <i>Brain Imaging and Behavior</i> , 2019, 13, 1265-1272.	2.1	19
16	The role of cognitive function and physical activity in physical decline in older adults across the cognitive spectrum. <i>Aging and Mental Health</i> , 2019, 23, 863-871.	2.8	17
17	Dementia. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2018, 159, 303-321.	1.8	14
18	Risk factors for falls in community-dwelling older people with mild cognitive impairment: a prospective one-year study. <i>PeerJ</i> , 0, 10, e13484.	2.0	13

#	ARTICLE	IF	CITATIONS
19	The association between white matter hyperintensity volume and gait performance under single and dual task conditions in older people with dementia: A cross-sectional study. Archives of Gerontology and Geriatrics, 2021, 95, 104427.	3.0	11
20	Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. Archives of Physical Medicine and Rehabilitation, 2021, 102, 874-880.	0.9	10
21	Inaccurate judgement of reach is associated with slow reaction time, poor balance, impaired executive function and predicts prospective falls in older people with cognitive impairment. Experimental Gerontology, 2018, 114, 50-56.	2.8	8
22	Cognitive Domain Associations with Balance Performance in Community-Dwelling Older People with Cognitive Impairment. Journal of Alzheimer's Disease, 2021, 81, 833-841.	2.6	4
23	Sunbeam Program Reduces Rate of Falls in Long-Term Care Residents With Mild to Moderate Cognitive Impairment or Dementia: Subgroup Analysis of a Cluster Randomized Controlled Trial. Journal of the American Medical Directors Association, 2022, 23, 743-749.e1.	2.5	4
24	Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	1.9	2
25	The association between white matter hyperintensity volume and cognitive/physical decline in older people with dementia: A one-year longitudinal study. Aging and Mental Health, 2022, 26, 2503-2510.	2.8	2
26	Relationship between Depressive Symptoms and Cognitive, Psychological, and Physical Performance in Community-Dwelling Older People with Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2021, 50, 482-490.	1.5	1
27	Impaired Cognition and Falls. , 2021, , 144-159.		0