

Morag E Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4519762/publications.pdf>

Version: 2024-02-01

27
papers

769
citations

567281

15
h-index

580821

25
g-index

28
all docs

28
docs citations

28
times ranked

972
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The association between white matter hyperintensity volume and cognitive/physical decline in older people with dementia: A one-year longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 2503-2510. | 2.8 | 2 |
| 2 | Sunbeam Program Reduces Rate of Falls in Long-Term Care Residents With Mild to Moderate Cognitive Impairment or Dementia: Subgroup Analysis of a Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 743-749.e1. | 2.5 | 4 |
| 3 | Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 874-880. | 0.9 | 10 |
| 4 | Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 655-665. | 3.6 | 20 |
| 5 | Cognitive Domain Associations with Balance Performance in Community-Dwelling Older People with Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 833-841. | 2.6 | 4 |
| 6 | Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. <i>BMJ Open</i> , 2021, 11, e048395. | 1.9 | 2 |
| 7 | The association between white matter hyperintensity volume and gait performance under single and dual task conditions in older people with dementia: A cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104427. | 3.0 | 11 |
| 8 | Risk factors for falls in older people with cognitive impairment living in the community: Systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2021, 71, 101452. | 10.9 | 35 |
| 9 | Impaired Cognition and Falls. , 2021, , 144-159. | | 0 |
| 10 | Relationship between Depressive Symptoms and Cognitive, Psychological, and Physical Performance in Community-Dwelling Older People with Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 482-490. | 1.5 | 1 |
| 11 | Pilot feasibility study of a homeâ€based fall prevention exercise program (<i>StandingTall</i>) delivered through a tablet computer (iPad) in older people with dementia. <i>Australasian Journal on Ageing</i> , 2020, 39, e278-e287. | 0.9 | 22 |
| 12 | The role of cognitive function and physical activity in physical decline in older adults across the cognitive spectrum. <i>Aging and Mental Health</i> , 2019, 23, 863-871. | 2.8 | 17 |
| 13 | White matter hyperintensities are associated with falls in older people with dementia. <i>Brain Imaging and Behavior</i> , 2019, 13, 1265-1272. | 2.1 | 19 |
| 14 | Associations Between Gait Speed and Cognitive Domains in Older People with Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S15-S21. | 2.6 | 25 |
| 15 | Older People with Dementia Have Reduced Daily-Life Activity and Impaired Daily-Life Gait When Compared to Age-Sex Matched Controls. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S125-S135. | 2.6 | 27 |
| 16 | Dementia. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2018, 159, 303-321. | 1.8 | 14 |
| 17 | Inaccurate judgement of reach is associated with slow reaction time, poor balance, impaired executive function and predicts prospective falls in older people with cognitive impairment. <i>Experimental Gerontology</i> , 2018, 114, 50-56. | 2.8 | 8 |
| 18 | A home-based, carer-enhanced exercise program improves balance and falls efficacy in community-dwelling older people with dementia. <i>International Psychogeriatrics</i> , 2017, 29, 81-91. | 1.0 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Slow gait speed is associated with executive function decline in older people with mild to moderate dementia: A one year longitudinal study. <i>Archives of Gerontology and Geriatrics</i> , 2017, 73, 148-153. | 3.0 | 39 |
| 20 | Reaction Time and Postural Sway Modify the Effect of Executive Function on Risk of Falls in Older People with Mild to Moderate Cognitive Impairment. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 397-406. | 1.2 | 35 |
| 21 | Neuropsychological, Physical, and Functional Mobility Measures Associated With Falls in Cognitively Impaired Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 987-995. | 3.6 | 105 |
| 22 | Gait parameter risk factors for falls under simple and dual task conditions in cognitively impaired older people. <i>Gait and Posture</i> , 2013, 37, 126-130. | 1.4 | 141 |
| 23 | Physical impairments in cognitively impaired older people: implications for risk of falls. <i>International Psychogeriatrics</i> , 2013, 25, 148-156. | 1.0 | 51 |
| 24 | Physiological Fall Risk Factors in Cognitively Impaired Older People: A One-Year Prospective Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 181-189. | 1.5 | 52 |
| 25 | Gait impairment and falls in cognitively impaired older adults: an explanatory model of sensorimotor and neuropsychological mediators. <i>Age and Ageing</i> , 2012, 41, 665-669. | 1.6 | 54 |
| 26 | Managing falls in older patients with cognitive impairment. <i>Aging Health</i> , 2012, 8, 573-588. | 0.3 | 23 |
| 27 | Risk factors for falls in community-dwelling older people with mild cognitive impairment: a prospective one-year study. <i>PeerJ</i> , 0, 10, e13484. | 2.0 | 13 |