## Naoko P Kato

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4519840/publications.pdf

Version: 2024-02-01

64 papers

1,743 citations

279701 23 h-index 40 g-index

66 all docs 66
docs citations

66 times ranked 2156 citing authors

#	Article	IF	CITATIONS
1	Comparison of self-care behaviors of heart failure patients in 15 countries worldwide. Patient Education and Counseling, 2013, 92, 114-120.	1.0	211
2	Novel Criteria of Urine Osmolality Effectively Predict Response to Tolvaptan in Decompensated Heart Failure Patients. Circulation Journal, 2013, 77, 397-404.	0.7	108
3	Less Frequent Opening of the Aortic Valve and a Continuous Flow Pump Are Risk Factors for Postoperative Onset of Aortic Insufficiency in Patients With a Left Ventricular Assist Device. Circulation Journal, 2011, 75, 1147-1155.	0.7	96
4	Health literacy is independently associated with self-care behavior in patients with heart failure. Patient Education and Counseling, 2016, 99, 1026-1032.	1.0	81
5	A systematic review of heart failure dyadic self-care interventions focusing on intervention components, contexts, and outcomes. International Journal of Nursing Studies, 2018, 77, 232-242.	2.5	77
6	Quality of Life as an Independent Predictor for Cardiac Events and Death in Patients With Heart Failure. Circulation Journal, 2011, 75, 1661-1669.	0.7	73
7	Adherence to self-care behavior and factors related to this behavior among patients with heart failure in Japan. Heart and Lung: Journal of Acute and Critical Care, 2009, 38, 398-409.	0.8	64
8	Learning Self-care After Left Ventricular Assist Device Implantation. Current Heart Failure Reports, 2014, 11, 290-298.	1.3	63
9	Two types of C/EBPα mutations play distinct but collaborative roles in leukemogenesis: lessons from clinical data and BMT models. Blood, 2011, 117, 221-233.	0.6	60
10	Late-Onset Right Ventricular Failure in Patients With Preoperative Small Left Ventricle After Implantation of Continuous Flow Left Ventricular Assist Device. Circulation Journal, 2014, 78, 625-633.	0.7	59
11	Depressive symptoms are common and associated with adverse clinical outcomes in heart failure with reduced and preserved ejection fraction. Journal of Cardiology, 2012, 60, 23-30.	0.8	52
12	Insufficient Self-Care Is an Independent Risk Factor for Adverse Clinical Outcomes in Japanese Patients With Heart Failure. International Heart Journal, 2013, 54, 382-389.	0.5	46
13	Urine Osmolality Estimated Using Urine Urea Nitrogen, Sodium and Creatinine Can Effectively Predict Response to Tolvaptan in Decompensated Heart Failure Patients. Circulation Journal, 2013, 77, 1208-1213.	0.7	45
14	Validity and Reliability of the Japanese Version of the European Heart Failure Self-Care Behavior Scale. European Journal of Cardiovascular Nursing, 2008, 7, 284-289.	0.4	43
15	Novel Risk Scoring System With Preoperative Objective Parameters Gives a Good Prediction of 1-Year Mortality in Patients With a Left Ventricular Assist Device. Circulation Journal, 2012, 76, 1895-1903.	0.7	43
16	Combination Evaluation of Preoperative Risk Indices Predicts Requirement of Biventricular Assist Device. Circulation Journal, 2012, 76, 2785-2791.	0.7	42
17	Preoperative Levels of Bilirubin or Creatinine Adjusted by Age Can Predict Their Reversibility After Implantation of Left Ventricular Assist Device. Circulation Journal, 2013, 77, 96-104.	0.7	42
18	Relationship of Depressive Symptoms With Hospitalization and Death in Japanese Patients With Heart Failure. Journal of Cardiac Failure, 2009, 15, 912-919.	0.7	37

#	Article	IF	CITATIONS
19	Development and Validation of a Heart Failure–Specific Health Literacy Scale. Journal of Cardiovascular Nursing, 2016, 31, 131-139.	0.6	33
20	Age and Preoperative Total Bilirubin Level Can Stratify Prognosis After Extracorporeal Pulsatile Left Ventricular Assist Device Implantation. Circulation Journal, 2011, 75, 121-128.	0.7	32
21	Trajectory of self-care behaviour in patients with heart failure: the impact on clinical outcomes and influencing factors. European Journal of Cardiovascular Nursing, 2020, 19, 421-432.	0.4	31
22	Trend of Clinical Outcome and Surrogate Markers During Titration of $\hat{l}^2$ -Blocker in Heart Failure Patients With Reduced Ejection Fraction. Circulation Journal, 2013, 77, 1001-1008.	0.7	26
23	Quality of Life and Influential Factors in Patients Implanted With a Left Ventricular Assist Device. Circulation Journal, 2015, 79, 2186-2192.	0.7	25
24	Parasympathetic Reinnervation Accompanied by Improved Post-Exercise Heart Rate Recovery and Quality of Life in Heart Transplant Recipients. International Heart Journal, 2015, 56, 180-185.	0.5	23
25	Urine Sodium Excretion After Tolvaptan Administration Is Dependent Upon Baseline Serum Sodium Levels. International Heart Journal, 2014, 55, 131-137.	0.5	21
26	How effective is an in-hospital heart failure self-care program in a Japanese setting? Lessons from a randomized controlled pilot study. Patient Preference and Adherence, 2016, 10, 171.	0.8	21
27	Heart Failure Telemonitoring in Japan and Sweden: A Cross-Sectional Survey. Journal of Medical Internet Research, 2015, 17, e258.	2.1	21
28	Development and Psychometric Properties of the Japanese Heart Failure Knowledge Scale. International Heart Journal, 2013, 54, 228-233.	0.5	20
29	Possible involvement of RasGRP4 in leukemogenesis. International Journal of Hematology, 2009, 89, 470-481.	0.7	18
30	Quality of life of family caregivers of patients with a left ventricular assist device in Japan. Journal of Cardiology, 2018, 71, 81-87.	0.8	17
31	NUP98-HBO1–fusion generates phenotypically and genetically relevant chronic myelomonocytic leukemia pathogenesis. Blood Advances, 2019, 3, 1047-1060.	2.5	16
32	The consequences of the <scp>COVID</scp> â€19 pandemic for selfâ€care in patients supported with a left ventricular assist device. European Journal of Heart Failure, 2020, 22, 933-936.	2.9	15
33	Bosentan improved persistent pulmonary hypertension in a case after implantation of a left ventricular assist device. Journal of Artificial Organs, 2013, 16, 101-104.	0.4	14
34	Successful Conversion From Thiazide to Tolvaptan in a Patient With Stage D Heart Failure and Chronic Kidney Disease Before Heart Transplantation. International Heart Journal, 2013, 54, 48-50.	0.5	14
35	Correction of Hyponatremia by Tolvaptan Before Left Ventricular Assist Device Implantation. International Heart Journal, 2012, 53, 391-393.	0.5	13
36	Preventive advice given by patients with type 2 diabetes to their offspring. British Journal of General Practice, 2009, 59, 37-42.	0.7	12

#	Article	IF	Citations
37	Successful Conversion to Everolimus After Cytomegalovirus Infection in a Heart Transplant Recipient. International Heart Journal, 2012, 53, 199-201.	0.5	12
38	High Dose <i>Î2</i> -Blocker Therapy Triggers Additional Reverse Remodeling in Patients With Idiopathic Non-Ischemic Cardiomyopathy. International Heart Journal, 2016, 57, 717-724.	0.5	12
39	How to demonstrate the reversibility of end-organ function before implantation of left ventricular assist device in INTERMACS profile 2 patients?. Journal of Artificial Organs, 2012, 15, 395-398.	0.4	11
40	Translation and Validation Study of the Japanese Versions of the Coronary Revascularisation Outcome Questionnaire (CROQ-J). European Journal of Cardiovascular Nursing, 2011, 10, 22-30.	0.4	9
41	Development of selfâ€care educational material for patients with heart failure in Japan: a pilot study. Australian Journal of Cancer Nursing, 2012, 14, 156-164.	0.8	9
42	Acute pulmonary vasoreactivity test with sildenafil or nitric monoxide before left ventricular assist device implantation. Journal of Artificial Organs, 2013, 16, 389-392.	0.4	9
43	Differential impacts of achieved heart rate and achieved dose of $\hat{I}^2$ -blocker on clinical outcomes in heart failure with and without atrial fibrillation. International Journal of Cardiology, 2014, 173, 331-333.	0.8	9
44	A Case With Recovery of Response to Tolvaptan Associated With Remission of Acute Kidney Injury and Increased Urine Osmolality. International Heart Journal, 2013, 54, 115-118.	0.5	9
45	An elevated ratio of early to late diastolic filling velocity recovers after heart transplantation in a time-dependent manner. Journal of Cardiology, 2012, 60, 295-300.	0.8	8
46	Successful Treatment of Hemodynamic Compromise Caused by Antibody-Mediated and Cellular Rejection in a Recipient 12 years After Heart Transplantation. International Heart Journal, 2013, 54, 328-331.	0.5	8
47	Validity and Reliability of Seattle Angina Questionnaire Japanese Version in Patients With Coronary Artery Disease. Asian Nursing Research, 2010, 4, 57-63.	0.7	7
48	Development of an Instrument for Measuring Self-Care Behaviors After Left Ventricular Assist Device Implantation. Progress in Transplantation, 2019, 29, 335-343.	0.4	7
49	Novel working hypothesis for pathogenesis of hematological malignancies: combination of mutations-induced cellular phenotypes determines the disease (cMIP-DD). Journal of Biochemistry, 2016, 159, 17-25.	0.9	4
50	Knowledge and Demand for Information about Islet Transplantation in Patients with Type $1$ Diabetes. Journal of Transplantation, 2011, 2011, 1-6.	0.3	3
51	Psychometric Testing of the Hebrew Version of the European Heart Failure Self-Care Behaviour Scale. Heart Lung and Circulation, 2020, 29, e121-e130.	0.2	3
52	Factors Associated with Self-Care Behavior of Heart Failure Patients Assessed with the European Heart Failure Self-Care Behavior Scale Japanese Version. Journal of Cardiac Failure, 2007, 13, S76.	0.7	2
53	A Randomized Controlled Pilot Study of the Japanese Heart Failure Self-Management Program: Impacts on Heart Failure Knowledge and Clinical Outcomes. Journal of Cardiac Failure, 2013, 19, S91.	0.7	2
54	Psychometric Testing of the Japanese Version of the Self-Care of Heart Failure Index. Journal of Cardiac Failure, 2013, 19, S46.	0.7	2

#	Article	IF	CITATIONS
55	Methodological quality of studies assessing validity and reliability of the European Heart Failure Self-care Behaviour Scale: a systematic review using the COSMIN methodology. European Journal of Cardiovascular Nursing, 2021, 20, 501-512.	0.4	2
56	Symptom-Monitoring and Treatment-Seeking Behaviors in Japanese Patients with Heart Failure: A Multicenter Study. Journal of Cardiac Failure, 2011, 17, S96.	0.7	1
57	Depression is an independent predictor of hospitalization in outpatients with heart failure. Journal of Cardiac Failure, 2008, 14, S148-S149.	0.7	O
58	Carvedilol Improves Clinical Outcomes in Heart Failure With Preserved Ejection Fraction (HFpEF) as Well as Reduced Ejection Fraction (HFrEF). Journal of Cardiac Failure, 2009, 15, S171-S172.	0.7	0
59	Importance of Enhancing Self-Care Behavior in Patients With Chronic Heart Failure to Prevent Re-hospitalization for Worsening Heart Failure. Journal of Cardiac Failure, 2009, 15, S137.	0.7	O
60	Could Pimobendan Improve Clinical Outcomes of Patients With Chronic Heart Failure?. Journal of Cardiac Failure, 2010, 16, S152.	0.7	0
61	Quality of Life as a Surrogate Marker to Predict Cardiac Events in Heart Failure with Reduced and Preserved Ejection Fraction. Journal of Cardiac Failure, 2012, 18, S178.	0.7	O
62	Is Achieved Heart Rate a Surrogate Maker during Titration of Beta-blocker in Heart Failure with Atrial Fibrillation?. Journal of Cardiac Failure, 2013, 19, S29.	0.7	0
63	Impact of Comorbidities on Economic and Health Outcomes for Patients With Cardiovascular Disease. Circulation Journal, 2014, 78, 588-589.	0.7	O
64	Globe is Still Heterogenous from the Perspective of Heart Failure. Journal of Cardiac Failure, 2022, 28, 367-369.	0.7	O