

Martial G Bourassa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4521228/martial-g-bourassa-publications-by-year.pdf>

Version: 2023-01-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155
papers

15,566
citations

64
h-index

124
g-index

161
ext. papers

16,801
ext. citations

7.4
avg, IF

5.59
L-index

#	Paper	IF	Citations
155	Patients with coronary artery disease unsuitable for revascularization: definition, general principles, and a classification. <i>Canadian Journal of Cardiology</i> , 2012 , 28, S50-9	2	51
154	Heart rate recovery after exercise and long-term prognosis in patients with coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 201-7	2	20
153	An early proof-of-concept of cardiac resynchronization therapy. <i>World Journal of Cardiology</i> , 2011 , 3, 374-6	2.1	2
152	Resting heart rate and metabolic syndrome in patients with diabetes and coronary artery disease in bypass angioplasty revascularization investigation 2 diabetes (BARI 2D) trial. <i>Preventive Cardiology</i> , 2010 , 13, 112-6		11
151	Long-term rates of cardiovascular events in patients with the metabolic syndrome according to severity of coronary-angiographic alterations. <i>Coronary Artery Disease</i> , 2009 , 20, 1-8	1.3	13
150	Prevention and noninvasive management of coronary atherosclerosis in patients with diabetes. <i>Current Atherosclerosis Reports</i> , 2008 , 10, 106-16	5.9	3
149	Usefulness of self-reported leisure-time physical activity to predict long-term survival in patients with coronary heart disease. <i>American Journal of Cardiology</i> , 2008 , 102, 375-9	2.9	58
148	Rhythm control versus rate control for atrial fibrillation and heart failure. <i>New England Journal of Medicine</i> , 2008 , 358, 2667-77	57.2	1144
147	Coronary heart disease in patients with diabetes: part II: recent advances in coronary revascularization. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 643-56	4.6	108
146	Coronary heart disease in patients with diabetes: part I: recent advances in prevention and noninvasive management. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 631-42	4.6	111
145	Temporal increases in subclinical levels of inflammation are associated with adverse clinical outcomes in patients with left ventricular dysfunction. <i>Journal of Cardiac Failure</i> , 2006 , 12, 353-9	1	11
144	What is the economic value of digoxin therapy in congestive heart failure patients? Results from the DIG trial. <i>Journal of Cardiac Failure</i> , 2006 , 12, 336-42	1	8
143	Quantification of the risk and predictors of hyperkalemia in patients with left ventricular dysfunction: a retrospective analysis of the Studies of Left Ventricular Dysfunction (SOLVD) trials. <i>American Heart Journal</i> , 2006 , 152, 705-12	4.7	53
142	The metabolic syndrome and its components and the long-term risk of death in patients with coronary heart disease. <i>American Heart Journal</i> , 2006 , 151, 514-21	4.7	62
141	Synthetic Antioxidants and Atherosclerosis: Human Studies 2006 , 255-277		
140	Antioxidants and Restenosis after Percutaneous Coronary Intervention: Human Studies 2006 , 337-361		
139	Long-term prognostic value of resting heart rate in patients with suspected or proven coronary artery disease. <i>European Heart Journal</i> , 2005 , 26, 967-74	9	599

138	Efficacy of ivabradine, a new selective I(f) inhibitor, compared with atenolol in patients with chronic stable angina. <i>European Heart Journal</i> , 2005 , 26, 2529-36	9	433
137	Effect of increasing metabolic syndrome score on atherosclerotic risk profile and coronary artery disease angiographic severity. <i>American Journal of Cardiology</i> , 2004 , 93, 159-64	2.9	135
136	Classification and risk stratification of patients with acute chest pain using a low discriminatory level of cardiac troponin T. <i>Clinical Cardiology</i> , 2004 , 27, 130-6	3.2	5
135	Evaluation and risk stratification of acute coronary syndromes using a low cut-off level of cardiac troponin T, combined with CK-MB mass determination. <i>Clinical Biochemistry</i> , 2004 , 37, 286-92	3.4	5
134	Native coronary disease progression exceeds failed revascularization as cause of angina after five years in the Bypass Angioplasty Revascularization Investigation (BARI). <i>Journal of the American College of Cardiology</i> , 2004 , 44, 766-74	4.6	86
133	Effect of long-acting nifedipine on mortality and cardiovascular morbidity in patients with stable angina requiring treatment (ACTION trial): randomised controlled trial. <i>Lancet, The</i> , 2004 , 364, 849-57	36.2	402
132	Enalapril reduces the incidence of diabetes in patients with chronic heart failure: insight from the Studies Of Left Ventricular Dysfunction (SOLVD). <i>Circulation</i> , 2003 , 107, 1291-6	16.3	199
131	Enalapril decreases the incidence of atrial fibrillation in patients with left ventricular dysfunction: insight from the Studies Of Left Ventricular Dysfunction (SOLVD) trials. <i>Circulation</i> , 2003 , 107, 2926-31	16.3	479
130	Effects of AGI-1067 and probucol after percutaneous coronary interventions. <i>Circulation</i> , 2003 , 107, 552-6	16.3	164
129	Incidence and clinical characteristics of the metabolic syndrome in patients with coronary artery disease. <i>Coronary Artery Disease</i> , 2003 , 14, 207-12	1.3	44
128	Symptomatic myocardial bridges: overview of ischemic mechanisms and current diagnostic and treatment strategies. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 351-9	4.6	190
127	Some questions regarding myocardial bridges still require answers: Reply. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 394-395	4.6	1
126	Long-term survival differences among low-anxious, high-anxious and repressive copers enrolled in the Montreal heart attack readjustment trial. <i>Psychosomatic Medicine</i> , 2002 , 64, 571-9	3.6	67
125	Five-year risk of cardiac mortality in relation to initial severity and one-year changes in depression symptoms after myocardial infarction. <i>Circulation</i> , 2002 , 105, 1049-53	16.3	554
124	Angina 1 year after percutaneous coronary intervention: a report from the NHLBI Dynamic Registry. <i>American Heart Journal</i> , 2002 , 144, 826-33	4.7	94
123	Differential influence of diabetes mellitus on increased jeopardized myocardium after initial angioplasty or bypass surgery: bypass angioplasty revascularization investigation. <i>Circulation</i> , 2002 , 105, 1914-20	16.3	29
122	Long-Term Survival Differences Among Low-Anxious, High-Anxious and Repressive Copers Enrolled in the Montreal Heart Attack Readjustment Trial. <i>Psychosomatic Medicine</i> , 2002 , 64, 571-579	3.6	1
121	Effects of ramipril on coronary events in high-risk persons: results of the Heart Outcomes Prevention Evaluation Study. <i>Circulation</i> , 2001 , 104, 522-6	16.3	158

120	Evaluation of patients with chest pain and normal coronary angiograms. <i>Archives of Internal Medicine</i> , 2001 , 161, 1825-33		19
119	Clinical trials of coronary revascularization: coronary angioplasty vs. coronary bypass grafting. <i>Current Opinion in Cardiology</i> , 2000 , 15, 281-6	2	4
118	Quality of life after coronary revascularization in the United States and Canada. <i>American Journal of Cardiology</i> , 2000 , 85, 548-53	2.9	18
117	Social support, depression, and mortality during the first year after myocardial infarction. <i>Circulation</i> , 2000 , 101, 1919-24	16.3	463
116	Percutaneous coronary intervention in the current era compared with 1985-1986: the National Heart, Lung, and Blood Institute Registries. <i>Circulation</i> , 2000 , 102, 2945-51	16.3	254
115	Incidence and risk factors predictive of unstable angina resulting from restenosis after percutaneous angioplasty of saphenous vein grafts. <i>American Heart Journal</i> , 2000 , 140, 827-33	4.7	4
114	Depression and health-care costs during the first year following myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 471-8	3.9	158
113	Management of coronary artery disease: therapeutic options in patients with diabetes. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 355-65	4.6	184
112	Antioxidants and Restenosis [Human Studies]. <i>Developments in Cardiovascular Medicine</i> , 2000 , 175-191		4
111	Is a strategy of intended incomplete percutaneous transluminal coronary angioplasty revascularization acceptable in nondiabetic patients who are candidates for coronary artery bypass graft surgery? The Bypass Angioplasty Revascularization Investigation (BARI). <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1627-36	4.6	46
110	Relationship of extent of revascularization with angina at one year in the Bypass Angioplasty Revascularization Investigation (BARI). <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1750-9	4.6	30
109	Gender, depression, and one-year prognosis after myocardial infarction. <i>Psychosomatic Medicine</i> , 1999 , 61, 26-37	3.6	380
108	Coronary revascularization in diabetic patients: a comparison of the randomized and observational components of the Aypass Angioplasty Revascularization Investigation (BARI). <i>Circulation</i> , 1999 , 99, 633-40	16.3	204
107	Influence of pre-PTCA strategy and initial PTCA result in patients with multivessel disease: the Bypass Angioplasty Revascularization Investigation (BARI). <i>Circulation</i> , 1999 , 100, 910-7	16.3	22
106	Factors influencing clinical outcomes after revascularization in the asymptomatic cardiac ischemia pilot (ACIP). ACIP Study Group. <i>Journal of Cardiac Surgery</i> , 1999 , 14, 1-8	1.3	5
105	Cost estimates for treatment of cardiac ischemia (from the Asymptomatic Cardiac Ischemia Pilot [ACIP] study). <i>American Journal of Cardiology</i> , 1999 , 84, 1311-6	2.9	5
104	Balloon angioplasty versus new device intervention: clinical outcomes. A comparison of the NHLBI PTCA and NACI registries. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 558-66	4.6	55
103	Biocompatibility aspects of new stent technology. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 562-71	4.6	146

102	Prevention of restenosis after angioplasty in small coronary arteries with probucol. <i>Circulation</i> , 1998 , 97, 429-36	16.3	76
101	Interobserver Reproducibility and Biological Variability of the Surgicutt II Bleeding Time. <i>Journal of Thrombosis and Thrombolysis</i> , 1998 , 6, 155-158	5	8
100	Clinical and detailed angiographic findings in patients with ambulatory electrocardiographic ischemia without critical coronary narrowing: results from the Asymptomatic Cardiac Ischemia Pilot (ACIP) Study. <i>Clinical Cardiology</i> , 1998 , 21, 86-92	3.2	0
99	Issues in the performance of quantitative coronary angiography in clinical research trials. <i>Developments in Cardiovascular Medicine</i> , 1998 , 31-46		5
98	Myocardial infarction and cardiac mortality in the Bypass Angioplasty Revascularization Investigation (BARI) randomized trial. <i>Circulation</i> , 1997 , 96, 2162-70	16.3	79
97	Randomised trial of home-based psychosocial nursing intervention for patients recovering from myocardial infarction. <i>Lancet, The</i> , 1997 , 350, 473-9	36.2	389
96	Documentation of decline in morbidity in women undergoing coronary angioplasty (a report from the 1993-94 NHLBI Percutaneous Transluminal Coronary Angioplasty Registry). National Heart, Lung, and Blood Institute. <i>American Journal of Cardiology</i> , 1997 , 80, 979-84	2.9	39
95	Prognostic significance of myocardial ischemia detected by ambulatory electrocardiography, exercise treadmill testing, and electrocardiogram at rest to predict cardiac events by one year (the Asymptomatic Cardiac Ischemia Pilot [ACIP] study). <i>American Journal of Cardiology</i> , 1997 , 80, 1395-401	2.9	43
94	The role of cardiac troponin T and other new biochemical markers in evaluation and risk stratification of patients with acute chest pain syndromes. <i>Clinical Cardiology</i> , 1997 , 20, 934-42	3.2	18
93	Diabetics with coronary disease have a prevalence of asymptomatic ischemia during exercise treadmill testing and ambulatory ischemia monitoring similar to that of nondiabetic patients. An ACIP database study. ACIP Investigators. Asymptomatic Cardiac Ischemia Pilot Investigators. <i>Circulation</i> , 1996 , 93, 2097-105	16.3	46
92	Asymptomatic Cardiac Ischemia Pilot (ACIP) Study. Relationship between exercise-induced and ambulatory ischemia in patients with stable coronary disease. <i>Circulation</i> , 1996 , 94, 1537-44	16.3	15
91	Angiographic correlates of lesion relevance and suitability for percutaneous transluminal coronary angioplasty and coronary artery bypass grafting in the Bypass Angioplasty Revascularization Investigation study (BARI). <i>American Journal of Cardiology</i> , 1996 , 77, 805-14	2.9	26
90	Asymptomatic Cardiac Ischemia Pilot (ACIP) Study. Improvement of cardiac ischemia at 1 year after PTCA and CABG. <i>Circulation</i> , 1995 , 92, 111-7	16.3	293
89	Costs and effects of enalapril therapy in patients with symptomatic heart failure: an economic analysis of the Studies of Left Ventricular Dysfunction (SOLVD) Treatment Trial. <i>Journal of Cardiac Failure</i> , 1995 , 1, 371-80	1	71
88	Asymptomatic Cardiac Ischemia Pilot (ACIP) study: effects of coronary angioplasty and coronary artery bypass graft surgery on recurrent angina and ischemia. The ACIP investigators. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 606-14	4.6	34
87	Asymptomatic Cardiac Ischemia Pilot (ACIP) study: impact of anti-ischemia therapy on 12-week rest electrocardiogram and exercise test outcomes. The ACIP Investigators. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 585-93	4.6	30
86	Asymptomatic Cardiac Ischemia Pilot (ACIP) study: outcome at 1 year for patients with asymptomatic cardiac ischemia randomized to medical therapy or revascularization. The ACIP Investigators. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 594-605	4.6	144
85	Better functional status in American than Canadian patients with heart disease: an effect of medical care?. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1115-20	4.6	23

84	A meta-analysis of randomized trials comparing coronary artery bypass grafting with percutaneous transluminal coronary angioplasty in multivessel coronary artery disease. <i>American Journal of Cardiology</i> , 1995 , 76, 1025-9	2.9	76
83	A distinction between process and outcome of lumen renarrowing after coronary angioplasty. <i>American Journal of Cardiology</i> , 1994 , 73, 962-4	2.9	2
82	Relation of neurohumoral activation to clinical variables and degree of ventricular dysfunction: a report from the Registry of Studies of Left Ventricular Dysfunction. SOLVD Investigators. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1410-20	4.6	187
81	The Asymptomatic Cardiac Ischemia Pilot (ACIP) study: design of a randomized clinical trial, baseline data and implications for a long-term outcome trial. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 1-10	4.6	88
80	Effects of treatment strategies to suppress ischemia in patients with coronary artery disease: 12-week results of the Asymptomatic Cardiac Ischemia Pilot (ACIP) study. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 11-20	4.6	100
79	Long-term vein graft patency. <i>Current Opinion in Cardiology</i> , 1994 , 9, 685-91	2	34
78	Five-year angiographic follow-up of factors associated with progression of coronary artery disease in the Coronary Artery Surgery Study (CASS). CASS Participating Investigators and Staff. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1141-54	4.6	273
77	Natural history and patterns of current practice in heart failure. The Studies of Left Ventricular Dysfunction (SOLVD) Investigators. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 14A-19A	4.6	250
76	Comparative neurohormonal responses in patients with preserved and impaired left ventricular ejection fraction: results of the Studies of Left Ventricular Dysfunction (SOLVD) Registry. The SOLVD Investigators. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 146A-153A	4.6	109
75	Definition and measurement of restenosis after successful coronary angioplasty: implications for clinical trials. <i>American Heart Journal</i> , 1993 , 125, 1394-408	4.7	28
74	Silent myocardial ischemia after coronary angioplasty: distinguishing the shadow from the substance. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 1410-1	4.6	15
73	Studies of Left Ventricular Dysfunction (SOLVD) Registry: rationale, design, methods and description of baseline characteristics. <i>American Journal of Cardiology</i> , 1992 , 70, 347-53	2.9	44
72	Prognostic importance of quantitative analysis of coronary cineangiograms. <i>American Journal of Cardiology</i> , 1992 , 69, 1022-7	2.9	19
71	Strategy of complete revascularization in patients with multivessel coronary artery disease (a report from the 1985-1986 NHLBI PTCA Registry). <i>American Journal of Cardiology</i> , 1992 , 70, 174-8	2.9	51
70	Clinical, physiologic, anatomic and procedural factors predictive of restenosis after percutaneous transluminal coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 368-76	4.6	128
69	Computerized determination of lactate threshold during three modes of exercise. <i>Heart and Vessels</i> , 1990 , 5, 76-80	2	3
68	The role of antiplatelet agents in modifying the extent of restenosis following percutaneous transluminal coronary angioplasty. <i>American Heart Journal</i> , 1990 , 119, 232-6	4.7	41
67	Aspirin and dipyridamole in the prevention of restenosis after percutaneous transluminal coronary angioplasty. <i>New England Journal of Medicine</i> , 1988 , 318, 1714-9	57.2	616

66	Restenosis after successful percutaneous transluminal coronary angioplasty: the Montreal Heart Institute experience. <i>American Journal of Cardiology</i> , 1987 , 60, 50B-55B	2.9	105
65	Prediction of sudden death from QTc interval prolongation in patients with chronic ischemic heart disease. <i>Journal of Electrocardiology</i> , 1986 , 19, 203-11	1.4	71
64	Atherosclerosis after coronary artery bypass surgery: results of recent studies and recommendations regarding prevention. <i>Cardiology</i> , 1986 , 73, 259-68	1.5	11
63	Risk of preangioplasty occlusion and myocardial infarction in one-vessel-disease patients scheduled for percutaneous transluminal coronary angioplasty. <i>Catheterization and Cardiovascular Diagnosis</i> , 1986 , 12, 292-7		2
62	Institutional differences in therapeutic decision making in the Coronary Artery Surgery Study (CASS). <i>Medical Decision Making</i> , 1986 , 6, 127-35	2.5	8
61	Changes in Tactics in Coronary Surgery 1986 , 1023-1037		
60	Haemodynamic and electrophysiologic effects of diltiazem. <i>Acta Pharmacologica Et Toxicologica</i> , 1985 , 57 Suppl 2, 21-30		9
59	Factors Influencing Clinical Outcomes After Revascularization in the Asymptomatic Cardiac Ischemia Pilot (ACIP). <i>Echocardiography</i> , 1985 , 2, 1-8	1.4	2
58	Spontaneous regression of coronary artery obstructions: incidence in 313 consecutive repeat angiograms. <i>Catheterization and Cardiovascular Diagnosis</i> , 1985 , 11, 235-45		9
57	Comparison of receiver operating curves derived from the same population: a bootstrapping approach. <i>Journal of Biomedical Informatics</i> , 1985 , 18, 125-31		25
56	Myocardial revascularization after failure of percutaneous transluminal coronary angioplasty. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1985 , 90, 265-271	1.5	42
55	Percutaneous transluminal coronary angioplasty for the treatment of variant angina. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 1046-54	4.6	51
54	Clinical and angiographic assessment 6 months after double vessel percutaneous coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1985 , 6, 1239-44	4.6	174
53	Comparative diagnostic value of exercise polarcardiography and 14-lead electrocardiography in the detection of coronary artery disease. <i>American Heart Journal</i> , 1985 , 110, 1237-41	4.7	
52	A logistic regression analysis of multiple noninvasive tests for the prediction of the presence and extent of coronary artery disease in men. <i>American Heart Journal</i> , 1985 , 110, 460-9	4.7	43
51	Failure of diltiazem to prevent restenosis after percutaneous transluminal coronary angioplasty. <i>American Heart Journal</i> , 1985 , 109, 926-31	4.7	217
50	Prognostic significance of progression of coronary artery disease. <i>American Journal of Cardiology</i> , 1985 , 55, 941-6	2.9	48
49	Noninvasive diagnostic test choices for the evaluation of coronary artery disease in women: a multivariate comparison of cardiac fluoroscopy, exercise electrocardiography and exercise thallium myocardial perfusion scintigraphy. <i>Journal of the American College of Cardiology</i> , 1984 , 4, 8-16	4.6	155

48	Clinical and angiographic predictors of new total coronary occlusion in coronary artery disease: analysis of 313 nonoperated patients. <i>American Journal of Cardiology</i> , 1984 , 54, 1176-81	2.9	116
47	Diagnostic impact of thallium scintigraphy and cardiac fluoroscopy when the exercise ECG is strongly positive. <i>American Heart Journal</i> , 1984 , 108, 260-5	4.7	9
46	Improved exercise tolerance after propranolol, diltiazem or nifedipine in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration. <i>American Journal of Cardiology</i> , 1984 , 53, 1-9	2.9	117
45	Long-term efficacy of percutaneous transluminal coronary angioplasty (PTCA): report from the National Heart, Lung, and Blood Institute PTCA Registry. <i>American Journal of Cardiology</i> , 1984 , 53, 27C-31C	2.9	161
44	Exercise, electrocardiographic and functional responses after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1984 , 53, 36C-41C	2.9	55
43	Progression of atherosclerosis in coronary arteries and bypass grafts: ten years later. <i>American Journal of Cardiology</i> , 1984 , 53, 102C-107C	2.9	143
42	Role of percutaneous transluminal coronary angioplasty in the treatment of unstable angina. Report from the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty and Coronary Artery Surgery Study Registries. <i>American Journal of Cardiology</i> , 1984 , 53, 131C-135C	2.9	77
41	The relation of risk factors to the development of atherosclerosis in saphenous-vein bypass grafts and the progression of disease in the native circulation. A study 10 years after aortocoronary bypass surgery. <i>New England Journal of Medicine</i> , 1984 , 311, 1329-32	57.2	555
40	Pathogenesis of chest pain in patients with cardiomyopathies and normal coronary arteries. <i>International Journal of Cardiology</i> , 1983 , 3, 273-80	3	12
39	Exercise stress testing in the post-myocardial infarction patient. <i>American Journal of Cardiology</i> , 1983 , 52, 664-7	2.9	22
38	Influence of partial sympathetic denervation on the results of myocardial revascularization in variant angina. <i>American Journal of Cardiology</i> , 1983 , 51, 661-7	2.9	25
37	Sudden death in two patients with variant angina and apparently minimal fixed coronary stenoses. <i>Journal of Electrocardiology</i> , 1983 , 16, 213-20	1.4	10
36	Unstable angina and progression of coronary atherosclerosis. <i>New England Journal of Medicine</i> , 1983 , 309, 685-9	57.2	226
35	Total occlusion of the left main coronary artery: the Coronary Artery Surgery Study (CASS) experience. <i>American Journal of Cardiology</i> , 1982 , 49, 2003-10	2.9	59
34	Sulfinpyrazone decreases epinephrine-induced platelet aggregation after myocardial infarction. <i>American Journal of Cardiology</i> , 1982 , 50, 938-44	2.9	5
33	QT interval measurement by a computer assisted program: a potentially useful clinical parameter. <i>Journal of Electrocardiology</i> , 1982 , 15, 15-21	1.4	29
32	Employment following aortocoronary bypass surgery in young patients. <i>Cardiology</i> , 1982 , 69, 52-9	1.5	10
31	Interobserver variability in interpreting contrast left ventriculograms (CASS). <i>Catheterization and Cardiovascular Diagnosis</i> , 1982 , 8, 341-55		20

30	Effect of coronary bypass surgery on survival patterns in subsets of patients with left main coronary artery disease. Report of the Collaborative Study in Coronary Artery Surgery (CASS). <i>American Journal of Cardiology</i> , 1981 , 48, 765-77	2.9	339
29	Importance of coronary collateral circulation in interpreting exercise test results. <i>American Journal of Cardiology</i> , 1981 , 47, 27-32	2.9	52
28	Hemodynamics and coronary flow following diltiazem administration in anesthetized dogs and in humans. <i>Chest</i> , 1980 , 78, 224-30	1.2	72
27	Hemodynamics and Coronary Flow Following Diltiazem Administration in Anesthetized Dogs and in Humans. <i>Chest</i> , 1980 , 78, 224-230	1.2	66
26	Operative risk factors in patients with left main coronary-artery disease. <i>New England Journal of Medicine</i> , 1980 , 303, 953-7	57.2	78
25	Atherosclerotic changes in coronary vein grafts six years after operation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1979 , 77, 24-31	1.5	70
24	Noninvasive assessment of aortocoronary bypass graft patency using pulsed Doppler echocardiography. <i>American Journal of Cardiology</i> , 1979 , 43, 10-6	2.9	35
23	Prophylactic coronary artery grafting in patients with few or no symptoms. <i>Annals of Thoracic Surgery</i> , 1979 , 28, 113-8	2.6	17
22	Long term follow-up of aneurysmectomy for recurrent ventricular tachycardia or fibrillation. <i>American Heart Journal</i> , 1978 , 96, 303-8	4.7	56
21	Angiographic evaluation of the natural history of normal coronary arteries and mild coronary atherosclerosis. <i>American Journal of Cardiology</i> , 1978 , 41, 216-20	2.9	124
20	Evaluation of myocardial damage during coronary artery grafting with serial determinations of serum CPK MB isoenzyme. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1978 , 75, 467-475	1.5	65
19	Successful course after supraarterial myotomy for myocardial bridging and milking effect of the left anterior descending artery. <i>Annals of Thoracic Surgery</i> , 1977 , 24, 422-9	2.6	55
18	Significance of exercise-induced junctional S-T depression in evaluation of coronary artery disease. <i>American Journal of Cardiology</i> , 1977 , 40, 492-7	2.9	47
17	External counterpulsation: coronary hemodynamics and use in treatment of patients with stable angina pectoris. <i>Catheterization and Cardiovascular Diagnosis</i> , 1977 , 3, 37-45		16
16	Myocardial bridging and milking effect of the left anterior descending coronary artery: normal variant or obstruction?. <i>American Journal of Cardiology</i> , 1976 , 37, 993-9	2.9	293
15	Therapeutic implications of diazepam in patients with elevated left ventricular filling pressure. <i>American Heart Journal</i> , 1976 , 91, 747-51	4.7	20
14	Systemic vasodilatation following diazepam after combined sympathetic and parasympathetic blockade in patients with coronary heart disease. <i>Catheterization and Cardiovascular Diagnosis</i> , 1976 , 2, 369-80		11
13	Coronary artery grafting with the saphenous vein or internal mammary artery. Comparison of late results in two consecutive series of patients. <i>Annals of Thoracic Surgery</i> , 1975 , 20, 605-18	2.6	53

12	Serial angiographic evaluation in 60 consecutive patients with aorto-coronary artery vein grafts 2 weeks, 1 year, and 3 years after operation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1974 , 67, 1-6	1.5	91
11	Systemic and coronary hemodynamic effects of diazepam in patients with normal and diseased coronary arteries. <i>Circulation</i> , 1974 , 50, 1210-6	16.3	64
10	The variant form of angina: diagnostic and therapeutic implications. <i>American Heart Journal</i> , 1974 , 87, 272-8	4.7	49
9	Patency of aortocoronary vein grafts and serum triglycerides. Three year follow-up study. <i>American Journal of Cardiology</i> , 1974 , 33, 679-80	2.9	20
8	Left anterior hemiblock during right coronary angiography. <i>Journal of Electrocardiology</i> , 1974 , 7, 275-9	1.4	3
7	Angulated views in the sagittal plane for improved accuracy of cinecoronary angiography. <i>American Journal of Roentgenology</i> , 1974 , 121, 565-74	5.3	80
6	Influence of aortocoronary saphenous vein bypass surgery on left ventricular volumes and ejection fraction. Comparison before and one year after surgery in 51 patients. <i>American Journal of Medicine</i> , 1973 , 54, 290-6	2.3	85
5	Myocardial function during atrial pacing in patients with angina pectoris and normal coronary arteriograms. Comparison with patients having significant coronary artery disease. <i>American Journal of Cardiology</i> , 1973 , 32, 257-63	2.9	199
4	Angiographic changes in aortocoronary vein grafts: lack of progression beyond the first year. <i>Circulation</i> , 1973 , 48, 633-43	16.3	33
3	Fate of left ventricular contraction following aortocoronary venous grafts. Early and late postoperative modifications. <i>Circulation</i> , 1972 , 46, 724-30	16.3	70
2	Aorta to coronary artery saphenous vein grafts. Preoperative angiographic criteria for successful surgery. <i>American Journal of Cardiology</i> , 1972 , 30, 459-65	2.9	54
1	Selective coronary arteriography by the percutaneous femoral artery approach. <i>American Journal of Roentgenology</i> , 1969 , 107, 377-83	5.3	54