

Carmen Aguilar Crespillo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4521566/carmen-aguilar-crespillo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

1,177
citations

20
h-index

33
g-index

47
ext. papers

1,374
ext. citations

4.9
avg, IF

3.53
L-index

#	Paper	IF	Citations
43	Lipocalin, Resistin and Gut Microbiota-Derived Propionate Could Be Used to Predict Metabolic Bariatric Surgery Selected Outcomes. <i>Processes</i> , 2022 , 10, 143	2.9	
42	Predictive Biomarkers of COVID-19 Severity in SARS-CoV-2 Infected Patients with Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
41	The Potential Protective Role of RUNX1 in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
40	Deregulated Serotonin Pathway in Women with Morbid Obesity and NAFLD. <i>Life</i> , 2020 , 10,	3	1
39	Relationship between IL-8 Circulating Levels and TLR2 Hepatic Expression in Women with Morbid Obesity and Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
38	Hepatocyte Notch Signaling Deregulation Related to Lipid Metabolism in Women with Obesity and Nonalcoholic Fatty Liver. <i>Obesity</i> , 2020 , 28, 1487-1493	8	2
37	Circulating microbiota-derived metabolites: a "liquid biopsy?". <i>International Journal of Obesity</i> , 2020 , 44, 875-885	5.5	30
36	Gut Microbiota-Derived Mediators as Potential Markers in Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2019 , 2019, 8507583	3	20
35	Hepcidin in morbidly obese women with non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2017 , 12, e0187065	3.7	13
34	Adipo/cytokines in atherosclerotic secretomes: increased visfatin levels in unstable carotid plaque. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 149	2.3	17
33	Proteomic Profile of Unstable Atheroma Plaque: Increased Neutrophil Defensin 1, Clusterin, and Apolipoprotein E Levels in Carotid Secretome. <i>Journal of Proteome Research</i> , 2016 , 15, 933-44	5.6	19
32	Increased Circulating Levels of Alpha-Ketoglutarate in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016 , 11, e0154601	3.7	7
31	miR33a/miR33b* and miR122 as Possible Contributors to Hepatic Lipid Metabolism in Obese Women with Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	30
30	PNPLA3 Expression Is Related to Liver Steatosis in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	17
29	Interleukin-17A Gene Expression in Morbidly Obese Women. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 17469-81	6.3	18
28	Downregulation of de Novo Fatty Acid Synthesis in Subcutaneous Adipose Tissue of Moderately Obese Women. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 29911-22	6.3	11
27	Endocannabinoid receptors gene expression in morbidly obese women with nonalcoholic fatty liver disease. <i>BioMed Research International</i> , 2014 , 2014, 502542	3	21

26	Altered fatty acid metabolism-related gene expression in liver from morbidly obese women with non-alcoholic fatty liver disease. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 22173-87	6.3	37
25	Clinical and adipocytokine changes after bariatric surgery in morbidly obese women. <i>Obesity</i> , 2014 , 22, 188-94	8	20
24	Downregulation of lipogenesis and fatty acid oxidation in the subcutaneous adipose tissue of morbidly obese women. <i>Obesity</i> , 2014 , 22, 2032-8	8	25
23	Plasma visfatin levels and gene expression in morbidly obese women with associated fatty liver disease. <i>Clinical Biochemistry</i> , 2013 , 46, 202-8	3.5	49
22	Long-term changes in leptin, chemerin and ghrelin levels following different bariatric surgery procedures: Roux-en-Y gastric bypass and sleeve gastrectomy. <i>Obesity Surgery</i> , 2013 , 23, 1790-8	3.7	81
21	Liver lipocalin 2 expression in severely obese women with non alcoholic fatty liver disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013 , 121, 119-24	2.3	35
20	Retinol binding protein-4 circulating levels were higher in nonalcoholic fatty liver disease vs. histologically normal liver from morbidly obese women. <i>Obesity</i> , 2013 , 21, 170-7	8	43
19	Adipocytokine levels in women with anorexia nervosa. Relationship with weight restoration and disease duration. <i>International Journal of Eating Disorders</i> , 2013 , 46, 855-61	6.3	29
18	Increased levels and adipose tissue expression of visfatin in morbidly obese women: the relationship with pro-inflammatory cytokines. <i>Clinical Endocrinology</i> , 2012 , 77, 691-8	3.4	41
17	Upregulation of lipocalin 2 in adipose tissues of severely obese women: positive relationship with proinflammatory cytokines. <i>Obesity</i> , 2011 , 19, 2295-300	8	64
16	New adipokines vaspin and omentin. Circulating levels and gene expression in adipose tissue from morbidly obese women. <i>BMC Medical Genetics</i> , 2011 , 12, 60	2.1	113
15	No relationship between TNF- α genetic variants and combination antiretroviral therapy-related lipodystrophy syndrome in HIV type 1-infected patients: a case-control study and a meta-analysis. <i>AIDS Research and Human Retroviruses</i> , 2011 , 27, 143-52	1.6	9
14	FABP 4 is associated with inflammatory markers and metabolic syndrome in morbidly obese women. <i>European Journal of Endocrinology</i> , 2011 , 164, 539-47	6.5	88
13	Anti-inflammatory profile of FTO gene expression in adipose tissues from morbidly obese women. <i>Cellular Physiology and Biochemistry</i> , 2010 , 26, 1041-50	3.9	25
12	Validation of the German revised Addenbrooke's cognitive examination for detecting mild cognitive impairment, mild dementia in alzheimer's disease and frontotemporal lobar degeneration. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 448-56	2.6	41
11	Polymorphisms in the interleukin-10 gene promoter and the risk of alcoholism and alcoholic liver disease in Caucasian Spaniard men. <i>Alcohol</i> , 2010 , 44, 211-6	2.7	8
10	Effect of TNF-alpha genetic variants and CCR5 Delta 32 on the vulnerability to HIV-1 infection and disease progression in Caucasian Spaniards. <i>BMC Medical Genetics</i> , 2010 , 11, 63	2.1	18
9	Parallel downregulation of retinol-binding protein-4 and adiponectin expression in subcutaneous adipose tissue of non-morbidly obese subjects. <i>European Journal of Endocrinology</i> , 2009 , 161, 87-94	6.5	12

8	PPARgamma Pro12Ala polymorphism in HIV-1-infected patients with HAART-related lipodystrophy. <i>Current HIV Research</i> , 2009 , 7, 533-40	1.3	12
7	A study on the TNF-alpha system in Caucasian Spanish patients with alcoholic liver disease. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 91-9	4.9	22
6	Caspase-3 and caspase-6 in ductal breast carcinoma: a descriptive study. <i>Histology and Histopathology</i> , 2006 , 21, 1321-9	1.4	12
5	Genetic polymorphisms of ADH2, ADH3, CYP4502E1 Dra-I and Pst-I, and ALDH2 in Spanish men: lack of association with alcoholism and alcoholic liver disease. <i>Journal of Hepatology</i> , 2004 , 41, 744-50	13.4	66
4	Beta 3-adrenoreceptor gene polymorphism and leptin. Lack of relationship in type 2 diabetic patients. <i>Clinical Endocrinology</i> , 1998 , 49, 679-83	3.4	18
3	GLUT1 gene polymorphism in non-insulin-dependent diabetes mellitus: genetic susceptibility relationship with cardiovascular risk factors and microangiopathic complications in a Mediterranean population. <i>Diabetes Research and Clinical Practice</i> , 1998 , 41, 113-20	7.4	26
2	Genetic Variation in Promoter (4G/5G) of Plasminogen Activator Inhibitor 1 Gene in Type 2 Diabetes: Absence of relationship with microangiopathy. <i>Diabetes Care</i> , 1998 , 21, 463-463	14.6	16
1	Angiotensin I-converting enzyme and angiotensinogen gene polymorphisms in non-insulin-dependent diabetes mellitus. Lack of relationship with diabetic nephropathy and retinopathy in a Caucasian Mediterranean population. <i>Metabolism: Clinical and Experimental</i> , 1997 , 46, 976-80	12.7	49