
Steven A Porcelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4522245/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Murine CD1d-Restricted T Cell Recognition of Cellular Lipids. Immunity, 2000, 12, 211-221. | 6.6 | 445 |
| 2 | Modulation of CD1d-restricted NKT cell responses by using N-acyl variants of Â-galactosylceramides. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 3383-3388. | 3.3 | 308 |
| 3 | Mycobacteria release active membrane vesicles that modulate immune responses in a TLR2-dependent manner in mice. Journal of Clinical Investigation, 2011, 121, 1471-1483. | 3.9 | 300 |
| 4 | Mycobacterium tuberculosis nuoG Is a Virulence Gene That Inhibits Apoptosis of Infected Host Cells. PLoS Pathogens, 2007, 3, e110. | 2.1 | 267 |
| 5 | Enhanced priming of adaptive immunity by a proapoptotic mutant of Mycobacterium tuberculosis. Journal of Clinical Investigation, 2007, 117, 2279-2288. | 3.9 | 259 |
| 6 | A recombinant Mycobacterium smegmatis induces potent bactericidal immunity against Mycobacterium tuberculosis. Nature Medicine, 2011, 17, 1261-1268. | 15.2 | 192 |
| 7 | A Subset of Liver NK T Cells Is Activated during Leishmania donovani Infection by CD1d-bound Lipophosphoglycan. Journal of Experimental Medicine, 2004, 200, 895-904. | 4.2 | 191 |
| 8 | Kinetics and Cellular Site of Glycolipid Loading Control the Outcome of Natural Killer T Cell Activation. Immunity, 2009, 30, 888-898. | 6.6 | 159 |
| 9 | Lipid length controls antigen entry into endosomal and nonendosomal pathways for CD1b presentation. Nature Immunology, 2002, 3, 435-442. | 7.0 | 146 |
| 10 | Suppression of autophagy and antigen presentation by Mycobacterium tuberculosis PE_PGRS47. Nature Microbiology, 2016, 1, 16133. | 5.9 | 133 |
| 11 | The diverse functions of CD1d-restricted NKT cells and their potential for immunotherapy. Immunology Letters, 2005, 100, 42-55. | 1.1 | 119 |
| 12 | Recognition of β-linked self glycolipids mediated by natural killer T cell antigen receptors. Nature Immunology, 2011, 12, 827-833. | 7.0 | 111 |
| 13 | Lipid and glycolipid antigens of CD1d-restricted natural killer T cells. Seminars in Immunology, 2010, 22, 68-78. | 2.7 | 110 |
| 14 | Mechanisms for Glycolipid Antigen-Driven Cytokine Polarization by Vα14 <i>i</i> NKT Cells. Journal of Immunology, 2010, 184, 141-153. | 0.4 | 108 |
| 15 | A Molecular Basis for the Exquisite CD1d-Restricted Antigen Specificity and Functional Responses of Natural Killer T Cells. Immunity, 2011, 34, 327-339. | 6.6 | 107 |
| 16 | Enrichment of Human CD4+ Vα24/Vβ11 Invariant NKT Cells in Intrahepatic Malignant Tumors. Journal of Immunology, 2009, 182, 5140-5151. | 0.4 | 103 |
| 17 | Invariant NKT Cells Biased for IL-5 Production Act as Crucial Regulators of Inflammation. Journal of Immunology, 2007, 179, 3452-3462. | 0.4 | 98 |
| 18 | Mycolic Acid Modification by the mmaA4 Gene of M. tuberculosis Modulates IL-12 Production. PLoS Pathogens, 2008, 4, e1000081. | 2.1 | 92 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Human Cd1b and Cd1c Isoforms Survey Different Intracellular Compartments for the Presentation of Microbial Lipid Antigens. Journal of Experimental Medicine, 2000, 192, 281-288. | 4.2 | 90 |
| 20 | The T cell antigen receptor expressed by VÂ14i NKT cells has a unique mode of glycosphingolipid antigen recognition. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 12254-12259. | 3.3 | 90 |
| 21 | A Single Subset of Dendritic Cells Controls the Cytokine Bias of Natural Killer T Cell Responses to Diverse Glycolipid Antigens. Immunity, 2014, 40, 105-116. | 6.6 | 90 |
| 22 | Synthesis and Evaluation of Sphinganine Analogues of KRN7000 and OCH. Journal of Organic Chemistry, 2005, 70, 10260-10270. | 1.7 | 87 |
| 23 | Improved Outcomes in NOD Mice Treated with a Novel Th2 Cytokine-Biasing NKT Cell Activator. Journal of Immunology, 2007, 178, 1415-1425. | 0.4 | 81 |
| 24 | Incorporation of NKT Cell-Activating Glycolipids Enhances Immunogenicity and Vaccine Efficacy of <i>Mycobacterium bovis</i> Bacillus Calmette-Guelrin. Journal of Immunology, 2009, 183, 1644-1656. | 0.4 | 74 |
| 25 | Enhanced control of Mycobacterium tuberculosis extrapulmonary dissemination in mice by an arabinomannan-protein conjugate vaccine. PLoS Pathogens, 2017, 13, e1006250. | 2.1 | 74 |
| 26 | Optimizing NKT cell ligands as vaccineÂadjuvants. Immunotherapy, 2014, 6, 309-320. | 1.0 | 73 |
| 27 | Lysosomal recycling terminates CD1d-mediated presentation of short and polyunsaturated variants of the NKT cell lipid antigen αGalCer. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 10254-10259. | 3.3 | 68 |
| 28 | A review of the PD-1/PD-L1 checkpoint in bladder cancer: From mediator of immune escape to target for treatment 1 1MPS is an investor in and consultant for Urogen. SAP is consultant and advisor for Vaccinex. The remaining authors have nothing to disclose Urologic Oncology: Seminars and Original Investigations, 2017, 35, 14-20. | 0.8 | 67 |
| 29 | Production and characterization of monoclonal antibodies against complexes of the NKT cell ligand α-galactosylceramide bound to mouse CD1d. Journal of Immunological Methods, 2007, 323, 11-23. | 0.6 | 65 |
| 30 | Combined Natural Killer T-Cell–Based Immunotherapy Eradicates Established Tumors in Mice. Cancer Research, 2007, 67, 7495-7504. | 0.4 | 64 |
| 31 | Immunization of Vγ2Vδ2 T cells programs sustained effector memory responses that control tuberculosis in nonhuman primates. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 6371-6378. | 3.3 | 63 |
| 32 | Synthetic glycolipid activators of natural killer T cells as immunotherapeutic agents. Clinical and Translational Immunology, 2016, 5, e69. | 1.7 | 57 |
| 33 | Targeting Mycobacterium tuberculosis Tumor Necrosis Factor Alpha-Downregulating Genes for the Development of Antituberculous Vaccines. MBio, 2016, 7, . | 1.8 | 52 |
| 34 | Expression of CD1d Molecules by Human Schwann Cells and Potential Interactions with Immunoregulatory Invariant NK T Cells. Journal of Immunology, 2006, 177, 5226-5235. | 0.4 | 49 |
| 35 | In vitro culture medium influences the vaccine efficacy of Mycobacterium bovis BCG. Vaccine, 2012, 30, 1038-1049. | 1.7 | 44 |
| 36 | Lysine Auxotrophy Combined with Deletion of the SecA2 Gene Results in a Safe and Highly Immunogenic Candidate Live Attenuated Vaccine for Tuberculosis. PLoS ONE, 2011, 6, e15857. | 1.1 | 42 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Tuberculosis: unsealing the apoptotic envelope. Nature Immunology, 2008, 9, 1101-1102. | 7.0 | 39 |
| 38 | Glycolipids that Elicit IFN-Î ³ -Biased Responses from Natural Killer T Cells. Chemistry and Biology, 2011, 18, 1620-1630. | 6.2 | 37 |
| 39 | Vβ2 natural killer T cell antigen receptor-mediated recognition of CD1d-glycolipid antigen. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 19007-19012. | 3.3 | 36 |
| 40 | Human CD1d knock-in mouse model demonstrates potent antitumor potential of human CD1d-restricted invariant natural killer T cells. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2963-2968. | 3.3 | 36 |
| 41 | Human and Mouse Type I Natural Killer T Cell Antigen Receptors Exhibit Different Fine Specificities for CD1d-Antigen Complex. Journal of Biological Chemistry, 2012, 287, 39139-39148. | 1.6 | 34 |
| 42 | A Rapid Fluorescence-Based Assay for Classification of iNKT Cell Activating Glycolipids. Journal of the American Chemical Society, 2011, 133, 5198-5201. | 6.6 | 33 |
| 43 | α-Galactosylceramide Analogs with Weak Agonist Activity for Human iNKT Cells Define New Candidate Anti-Inflammatory Agents. PLoS ONE, 2010, 5, e14374. | 1.1 | 31 |
| 44 | Structural Basis for the Recognition of C20:2-αGalCer by the Invariant Natural Killer T Cell Receptor-like Antibody L363*. Journal of Biological Chemistry, 2012, 287, 1269-1278. | 1.6 | 29 |
| 45 | The Type of Growth Medium Affects the Presence of a Mycobacterial Capsule and Is Associated With Differences in Protective Efficacy of BCG Vaccination Against <i>Mycobacterium tuberculosis</i> . Journal of Infectious Diseases, 2016, 214, 426-437. | 1.9 | 29 |
| 46 | A Novel Glycolipid Antigen for NKT Cells That Preferentially Induces IFN-Î ³ Production. Journal of Immunology, 2015, 195, 924-933. | 0.4 | 28 |
| 47 | Dual Modifications of α-Galactosylceramide Synergize to Promote Activation of Human Invariant Natural Killer T Cells and Stimulate Anti-tumor Immunity. Cell Chemical Biology, 2018, 25, 571-584.e8. | 2.5 | 27 |
| 48 | CD1d and Natural Killer T Cells in Immunity to Mycobacterium tuberculosis. Advances in Experimental Medicine and Biology, 2013, 783, 199-223. | 0.8 | 24 |
| 49 | Improving Mycobacterium bovis Bacillus Calmette-Guèrin as a Vaccine Delivery Vector for Viral Antigens by Incorporation of Clycolipid Activators of NKT Cells. PLoS ONE, 2014, 9, e108383. | 1.1 | 24 |
| 50 | Recombinant pro-apoptotic Mycobacterium tuberculosis generates CD8+ T cell responses against human immunodeficiency virus type 1 Env and M. tuberculosis in neonatal mice. Vaccine, 2009, 28, 152-161. | 1.7 | 23 |
| 51 | Synthesis and biological activity of α-glucosyl C24:0 and C20:2 ceramides. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 3475-3478. | 1.0 | 23 |
| 52 | Colocalization of a CD1d-Binding Glycolipid with a Radiation-Attenuated Sporozoite Vaccine in Lymph Node–Resident Dendritic Cells for a Robust Adjuvant Effect. Journal of Immunology, 2015, 195, 2710-2721. | 0.4 | 22 |
| 53 | Autoimmune response to transthyretin in juvenile idiopathic arthritis. JCI Insight, 2016, 1, . | 2.3 | 22 |
| 54 | Glycolipid activators of invariant NKT cells as vaccine adjuvants. Immunogenetics, 2016, 68, 597-610. | 1.2 | 22 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Mycobacterium tuberculosis PE_PGRS20 and PE_PGRS47 Proteins Inhibit Autophagy by Interaction with Rab1A. MSphere, 2021, 6, e0054921. | 1.3 | 22 |
| 56 | Identification of Autophagy-Inhibiting Factors of Mycobacterium tuberculosis by High-Throughput Loss-of-Function Screening. Infection and Immunity, 2020, 88, . | 1.0 | 21 |
| 57 | Stable Expression of Lentiviral Antigens by Quality-Controlled Recombinant Mycobacterium bovis BCG Vectors. Vaccine Journal, 2015, 22, 726-741. | 3.2 | 16 |
| 58 | Mycobacterium tuberculosis PPE51 Inhibits Autophagy by Suppressing Toll-Like Receptor 2-Dependent Signaling. MBio, 2022, 13, e0297421. | 1.8 | 16 |
| 59 | Rapid Identification of Immunostimulatory α-Galactosylceramides Using Synthetic Combinatorial Libraries. ACS Combinatorial Science, 2007, 9, 1084-1093. | 3.3 | 14 |
| 60 | Synthesis and biological activity of α-l-fucosyl ceramides, analogues of the potent agonist, α-d-galactosyl ceramide KRN7000. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 3223-3226. | 1.0 | 14 |
| 61 | Photoactivable Glycolipid Antigens Generate Stable Conjugates with CD1d for Invariant Natural Killer T Cell Activation. Bioconjugate Chemistry, 2018, 29, 3161-3173. | 1.8 | 14 |
| 62 | Gene Deletions in Mycobacterium bovis BCG Stimulate Increased CD8 ⁺ T Cell Responses. Infection and Immunity, 2014, 82, 5317-5326. | 1.0 | 13 |
| 63 | Identification of Mycobacterial RplJ/L10 and RpsA/S1 Proteins as Novel Targets for CD4 ⁺ T Cells. Infection and Immunity, 2017, 85, . | 1.0 | 13 |
| 64 | Rapid ex vivo expansion of highly enriched human invariant natural killer T cells via single antigenic stimulation for cell therapy to prevent graft-versus-host disease. Cytotherapy, 2018, 20, 1089-1101. | 0.3 | 13 |
| 65 | A Subset of CD8αβ+ Invariant NKT Cells in a Humanized Mouse Model. Journal of Immunology, 2015, 195, 1459-1469. | 0.4 | 11 |
| 66 | Current efforts and future prospects in the development of live mycobacteria as vaccines. Expert Review of Vaccines, 2015, 14, 1493-1507. | 2.0 | 11 |
| 67 | Mrp1 is involved in lipid presentation and iNKT cell activation by Streptococcus pneumoniae. Nature Communications, 2018, 9, 4279. | 5.8 | 11 |
| 68 | Expression Patterns of Bovine CD1 In Vivo and Assessment of the Specificities of the Anti-Bovine CD1 Antibodies. PLoS ONE, 2015, 10, e0121923. | 1.1 | 11 |
| 69 | "Endocytic pH regulates cell surface localization of glycolipid antigen loaded CD1d complexesâ€. Chemistry and Physics of Lipids, 2016, 194, 49-57. | 1.5 | 10 |
| 70 | Transcriptome Analysis of Mycobacteria-Specific CD4+ T Cells Identified by Activation-Induced Expression of CD154. Journal of Immunology, 2017, 199, 2596-2606. | 0.4 | 10 |
| 71 | Promotion or Suppression of Murine Intestinal Polyp Development by iNKT Cell Directed Immunotherapy. Frontiers in Immunology, 2019, 10, 352. | 2.2 | 10 |
| 72 | BCG-Prime and boost with Esx-5 secretion system deletion mutant leads to better protection against clinical strains of Mycobacterium tuberculosis. Vaccine, 2020, 38, 7156-7165. | 1.7 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Contribution of NKT cells to the immune response and pathogenesis triggered by respiratory viruses. Virulence, 2020, 11, 580-593. | 1.8 | 8 |
| 74 | Serial Stimulation of Invariant Natural Killer T Cells with Covalently Stabilized Bispecific T-cell Engagers Generates Antitumor Immunity While Avoiding Anergy. Cancer Research, 2021, 81, 1788-1801. | 0.4 | 8 |
| 75 | Aspirin Actions in Treatment of NSAID-Exacerbated Respiratory Disease. Frontiers in Immunology, 2021, 12, 695815. | 2.2 | 8 |
| 76 | Cutting glycolipids down to size. Nature Immunology, 2001, 2, 191-192. | 7.0 | 7 |
| 77 | Bird genes give new insights into the origins of lipid antigen presentation. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 8399-8400. | 3.3 | 7 |
| 78 | Identification of Mycobacterial Ribosomal Proteins as Targets for CD4 ⁺ T Cells That Enhance Protective Immunity in Tuberculosis. Infection and Immunity, 2018, 86, . | 1.0 | 7 |
| 79 | An Efficient and High Yield Method for Isolation of Mouse Dendritic Cell Subsets. Journal of Visualized Experiments, 2016, , e53824. | 0.2 | 6 |
| 80 | Co-localization of a CD1d-binding glycolipid with an adenovirus-based malaria vaccine for a potent adjuvant effect. Vaccine, 2017, 35, 3171-3177. | 1.7 | 6 |
| 81 | Isolation of intact RNA from murine CD4+ T cells after intracellular cytokine staining and fluorescence-activated cell sorting. Journal of Immunological Methods, 2018, 456, 77-80. | 0.6 | 6 |
| 82 | Amide-Linked C4″-Saccharide Modification of KRN7000 Provides Potent Stimulation of Human Invariant NKT Cells and Anti-Tumor Immunity in a Humanized Mouse Model. ACS Chemical Biology, 2020, 15, 3176-3186. | 1.6 | 6 |
| 83 | Suppression of Th1 Priming by TLR2 Agonists during Cutaneous Immunization Is Mediated by Recruited CCR2+ Monocytes. Journal of Immunology, 2018, 201, 3604-3616. | 0.4 | 5 |
| 84 | Structure-Function Implications of the Ability of Monoclonal Antibodies Against α-Galactosylceramide-CD1d Complex to Recognize β-Mannosylceramide Presentation by CD1d. Frontiers in Immunology, 2019, 10, 2355. | 2.2 | 5 |
| 85 | Evasion of Innate and Adaptive Immunity by Mycobacterium tuberculosis. , 0, , 747-772. | | 5 |
| 86 | Endocytic pH regulates cell surface localization of glycolipid antigen loaded CD1d complexes. Chemistry and Physics of Lipids, 2015, 191, 75-83. | 1.5 | 4 |
| 87 | Exacting Edward Jenner's revenge: The quest for a new tuberculosis vaccine. Science Translational Medicine, 2019, 11, . | 5.8 | 4 |
| 88 | Generation of IL-3–Secreting CD4+ T Cells by Microbial Challenge at Skin and Mucosal Barriers. ImmunoHorizons, 2019, 3, 161-171. | 0.8 | 4 |
| 89 | Species Specific Differences of CD1d Oligomer Loading In Vitro. PLoS ONE, 2015, 10, e0143449. | 1.1 | 3 |
| 90 | Exploiting Pre-Existing CD4+ T Cell Help from Bacille Calmette–Guérin Vaccination to Improve Antiviral Antibody Responses. Journal of Immunology, 2020, 205, 425-437. | 0.4 | 3 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Harnessing the Versatility of Invariant NKT Cells in a Stepwise Approach to Sepsis Immunotherapy. Journal of Immunology, 2021, 206, 386-397. | 0.4 | 3 |
| 92 | Isolation and in vivo Transfer of Antigen Presenting Cells. Bio-protocol, 2014, 4, . | 0.2 | 3 |
| 93 | Identification of Novel Mycobacterial Targets for Murine CD4+ T-Cells by IFNÎ ³ ELISPOT. Methods in Molecular Biology, 2018, 1808, 143-150. | 0.4 | 1 |
| 94 | Sterilization by Adaptive Immunity of a Conditionally Persistent Mutant of Mycobacterium tuberculosis. MBio, 2021, 12, . | 1.8 | 1 |
| 95 | CD1 and nonpeptide antigen recognition systems in microbial immunity. , 2003, , 21-38. | | Ο |
| 96 | Antigen Processing and Presentation by CD1 Family Proteins. , 2006, , 129-156. | | 0 |