## Louise Camenzuli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4523267/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predicting Primary Biodegradation of Petroleum Hydrocarbons in Aquatic Systems: Integrating System and Molecular Structure Parameters using a Novel Machineâ€Learning Framework. Environmental Toxicology and Chemistry, 2022, 41, 1359-1369.	4.3	4
2	Assessing toxicity of hydrophobic aliphatic and monoaromatic hydrocarbons at the solubility limit using novel dosing methods. Chemosphere, 2021, 265, 129174.	8.2	6
3	A critical review and weight of evidence approach for assessing the bioaccumulation of phenanthrene in aquatic environments. Integrated Environmental Assessment and Management, 2021, 17, 911-925.	2.9	8
4	Is the Arrhenius-correction of biodegradation rates, as recommended through REACH guidance, fit for environmentally relevant conditions? An example from petroleum biodegradation in environmental systems. Science of the Total Environment, 2020, 732, 139293.	8.0	19
5	Can a chemical be both readily biodegradable AND very persistent (vP)? Weight-of-evidence determination demonstrates that phenanthrene is not persistent in the environment. Environmental Sciences Europe, 2020, 32, .	5.5	14
6	Bioconcentration factors for hydrocarbons and petrochemicals: Understanding processes, uncertainty and predictive model performance. Chemosphere, 2019, 226, 472-482.	8.2	6
7	Application of Bayesian Networks in the development of herbs and spices sampling monitoring system. Food Control, 2018, 83, 38-44.	5.5	27
8	Tolerance and Excretion of the Mycotoxins Aflatoxin B1, Zearalenone, Deoxynivalenol, and Ochratoxin A by Alphitobius diaperinus and Hermetia illucens from Contaminated Substrates. Toxins, 2018, 10, 91.	3.4	79
9	Food Safety Issues Related to Uses of Insects for Feeds and Foods. Comprehensive Reviews in Food Science and Food Safety, 2018, 17, 1172-1183.	11.7	152
10	Long-Term Persistence of Pesticides and TPs in Archived Agricultural Soil Samples and Comparison with Pesticide Application. Environmental Science & amp; Technology, 2017, 51, 10642-10651.	10.0	110
11	Effects of Milk Yield, Feed Composition, and Feed Contamination with Aflatoxin B1 on the Aflatoxin M1 Concentration in Dairy Cows' Milk Investigated Using Monte Carlo Simulation Modelling. Toxins, 2016, 8, 290.	3.4	24
12	Local organochlorine pesticide concentrations in soil put into a global perspective. Environmental Pollution, 2016, 217, 11-18.	7.5	23
13	Uptake of Cadmium, Lead and Arsenic by Tenebrio molitor and Hermetia illucens from Contaminated Substrates. PLoS ONE, 2016, 11, e0166186.	2.5	124
14	Historical emissions of octachlorodibenzodioxin in a watershed in Queensland, Australia: Estimation from field data and an environmental fate model. Science of the Total Environment, 2015, 502, 680-687.	8.0	9
15	Sorption kinetics and equilibrium of the herbicide diuron to carbon nanotubes or soot in absence and presence of algae. Environmental Pollution, 2014, 192, 147-153.	7.5	18
16	Critical source areas for herbicides can change location depending on rain events. Agriculture, Ecosystems and Environment, 2014, 192, 85-94.	5.3	29
17	Diuron Sorbed to Carbon Nanotubes Exhibits Enhanced Toxicity to Chlorella vulgaris. Environmental Science & amp; Technology, 2013, 47, 7012-7019.	10.0	106
18	Describing the environmental fate of diuron in a tropical river catchment. Science of the Total Environment, 2012, 440, 178-185.	8.0	27

#	Article	IF	CITATIONS
19	Spatial variability of herbicide mobilisation and transport at catchment scale: insights from a field experiment. Hydrology and Earth System Sciences, 2012, 16, 1947-1967.	4.9	66