

Faheem W Guirgis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4523891/publications.pdf>

Version: 2024-02-01

45
papers

983
citations

430874

18
h-index

477307

29
g-index

45
all docs

45
docs citations

45
times ranked

1348
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential Peripheral Blood Glycoprotein Profiles in Symptomatic and Asymptomatic COVID-19. <i>Viruses</i> , 2022, 14, 553.	3.3	7
2	Efficacy of Losartan in Hospitalized Patients With COVID-19-Induced Lung Injury. <i>JAMA Network Open</i> , 2022, 5, e222735.	5.9	42
3	Quantitative and Qualitative Assessments of Cholesterol Association With Bacterial Infection Type in Sepsis and Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2021, 36, 808-817.	2.8	6
4	Lipid and Lipoprotein Dysregulation in Sepsis: Clinical and Mechanistic Insights into Chronic Critical Illness. <i>Journal of Clinical Medicine</i> , 2021, 10, 1693.	2.4	32
5	Lipid and lipoprotein predictors of functional outcomes and long-term mortality after surgical sepsis. <i>Annals of Intensive Care</i> , 2021, 11, 82.	4.6	9
6	Most emergency department patients meeting sepsis criteria are not diagnosed with sepsis at discharge. <i>Academic Emergency Medicine</i> , 2021, 28, 745-752.	1.8	9
7	HDL and persistent inflammation immunosuppression and catabolism syndrome. <i>Current Opinion in Lipidology</i> , 2021, 32, 315-322.	2.7	11
8	A hypolipoprotein sepsis phenotype indicates reduced lipoprotein antioxidant capacity, increased endothelial dysfunction and organ failure, and worse clinical outcomes. <i>Critical Care</i> , 2021, 25, 341.	5.8	17
9	Efficacy of interferon beta-1a plus remdesivir compared with remdesivir alone in hospitalised adults with COVID-19: a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1365-1376.	10.7	119
10	Updates and controversies in the early management of sepsis and septic shock. <i>Emergency Medicine Practice</i> , 2021, 23, 1-24.	0.6	2
11	Development of a Simple Sequential Organ Failure Assessment Score for Risk Assessment of Emergency Department Patients With Sepsis. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 270-278.	2.8	22
12	Sequential Organ Failure Assessment Component Score Prediction of In-hospital Mortality From Sepsis. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 810-817.	2.8	22
13	Response to the Letter: "Bias estimation of predictors and internal validity of the study" Admission characteristics predictive of in-hospital death from hospital-acquired sepsis: A comparison to community-acquired sepsis. <i>Journal of Critical Care</i> , 2020, 56, 322.	2.2	0
14	Response to Editor letter "Admission characteristics predictive of in-hospital death from hospital-acquired sepsis: A comparison to community-acquired sepsis". <i>Journal of Critical Care</i> , 2020, 56, 319-320.	2.2	0
15	Time to vasopressor initiation and organ failure progression in early septic shock. <i>Journal of the American College of Emergency Physicians Open</i> , 2020, 1, 222-230.	0.7	16
16	Lipid intensive drug therapy for sepsis pilot: A Bayesian phase I clinical trial. <i>Journal of the American College of Emergency Physicians Open</i> , 2020, 1, 1332-1340.	0.7	7
17	1621: CHOLESTEROL DIFFERENCES BETWEEN CONFIRMED SEPTIC PATIENTS AND ADJUDICATION FAILURES. <i>Critical Care Medicine</i> , 2020, 48, 786-786.	0.9	0
18	1609: ASSOCIATION OF CHOLESTEROL LEVELS WITH BACTERIAL INFECTION TYPE IN SEPSIS AND SEPTIC SHOCK. <i>Critical Care Medicine</i> , 2020, 48, 780-780.	0.9	0

#	ARTICLE	IF	CITATIONS
19	PCSK9 loss-of-function variants and risk of infection and sepsis in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) cohort. PLoS ONE, 2019, 14, e0210808.	2.5	13
20	Admission characteristics predictive of in-hospital death from hospital-acquired sepsis: A comparison to community-acquired sepsis. Journal of Critical Care, 2019, 51, 145-148.	2.2	15
21	LIPid Intensive Drug therapy for Sepsis Pilot (LIPIDS-P): Phase I/II clinical trial protocol of lipid emulsion therapy for stabilising cholesterol levels in sepsis and septic shock. BMJ Open, 2019, 9, e029348.	1.9	18
22	967: AMINOGLYCOSIDE DOSING IMPACT ON RENAL DYSFUNCTION IN PATIENTS WITH SEPSIS-INDUCED AKI. Critical Care Medicine, 2018, 46, 467-467.	0.9	0
23	HDL Cholesterol Efflux is Impaired in Older Patients with Early Sepsis: A Subanalysis of a Prospective Pilot Study. Shock, 2018, 50, 66-70.	2.1	24
24	Effect of Levocarnitine vs Placebo as an Adjunctive Treatment for Septic Shock. JAMA Network Open, 2018, 1, e186076.	5.9	35
25	HDL inflammatory index correlates with and predicts severity of organ failure in patients with sepsis and septic shock. PLoS ONE, 2018, 13, e0203813.	2.5	40
26	5: HOSPITAL-ACQUIRED SEPSIS: A DESCRIPTIVE STUDY AND COMPARISON TO COMMUNITY-ACQUIRED SEPSIS. Critical Care Medicine, 2018, 46, 3-3.	0.9	6
27	Updates and controversies in the early management of sepsis and septic shock. Emergency Medicine Practice, 2018, 20, 1-28.	0.6	1
28	Points & Pearls: Updates and controversies in the early management of sepsis and septic shock. Emergency Medicine Practice, 2018, 20, 1-2.	0.6	0
29	Naloxone Triggering the RRT: A Human Antidote?. Journal of Patient Safety, 2017, 13, 20-24.	1.7	4
30	Managing sepsis: Electronic recognition, rapid response teams, and standardized care save lives. Journal of Critical Care, 2017, 40, 296-302.	2.2	61
31	The Impact of the Sepsis-3 Septic Shock Definition on Previously Defined Septic Shock Patients*. Critical Care Medicine, 2017, 45, 1436-1442.	0.9	75
32	Exploring the Predictive Ability of Dysfunctional High-Density Lipoprotein for Adverse Outcomes in Emergency Department Patients with Sepsis: A Preliminary Investigation. Shock, 2017, 48, 539-544.	2.1	20
33	Clinical predictors of early death from sepsis. Journal of Critical Care, 2017, 42, 30-34.	2.2	28
34	Cholesterol levels and long-term rates of community-acquired sepsis. Critical Care, 2016, 20, 408.	5.8	51
35	End-tidal carbon dioxide and occult injury in trauma patients. American Journal of Emergency Medicine, 2016, 34, 2146-2149.	1.6	14
36	Ultrasound-Guided Peripheral Intravenous Catheter Training Results in Physician-Level Success for Emergency Department Technicians. Journal of Ultrasound in Medicine, 2016, 35, 2343-2352.	1.7	55

#	ARTICLE	IF	CITATIONS
37	The long-term burden of severe sepsis and septic shock. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 81, 525-532.	2.1	45
38	The bubble study: ultrasound confirmation of central venous catheter placement. <i>American Journal of Emergency Medicine</i> , 2015, 33, 315-319.	1.6	43
39	The relationship of intravenous fluid chloride content to kidney function in patients with severe sepsis or septic shock. <i>American Journal of Emergency Medicine</i> , 2015, 33, 439-443.	1.6	9
40	Carotid intima media thickness and low HDL in South Asian immigrants: could dysfunctional HDL be the missing link?. <i>Archives of Medical Science</i> , 2014, 5, 870-879.	0.9	26
41	Impact of an Abbreviated Cardiac Enzyme Protocol to Aid Rapid Discharge of Patients with Cocaine-associated Chest Pain in the Clinical Decision Unit. <i>Western Journal of Emergency Medicine</i> , 2014, 15, 180-183.	1.1	8
42	End-tidal carbon dioxide as a goal of early sepsis therapy. <i>American Journal of Emergency Medicine</i> , 2014, 32, 1351-1356.	1.6	9
43	Persistent organ dysfunction after severe sepsis: A systematic review. <i>Journal of Critical Care</i> , 2014, 29, 320-326.	2.2	34
44	Proactive rounding by the rapid response team reduces inpatient cardiac arrests. <i>Resuscitation</i> , 2013, 84, 1668-1673.	3.0	27
45	The Difficult Airway. <i>Academic Emergency Medicine</i> , 2009, 16, 1367-1368.	1.8	1