

Enã©as Gomes-Filho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/452462/publications.pdf>

Version: 2024-02-01

111
papers

3,409
citations

172386

29
h-index

168321

53
g-index

111
all docs

111
docs citations

111
times ranked

3550
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolomic profiles exhibit the influence of endoplasmic reticulum stress on sorghum seedling growth over time. <i>Plant Physiology and Biochemistry</i> , 2022, 170, 192-205.	2.8	3
2	Silicon Supplementation Induces Physiological and Biochemical Changes That Assist Lettuce Salinity Tolerance. <i>Silicon</i> , 2021, 13, 4075-4089.	1.8	9
3	H2O2 priming promotes salt tolerance in maize by protecting chloroplasts ultrastructure and primary metabolites modulation. <i>Plant Science</i> , 2021, 303, 110774.	1.7	26
4	Differential responses of dwarf cashew clones to salinity are associated to osmotic adjustment mechanisms and enzymatic antioxidative defense. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20180534.	0.3	3
5	H2O2 priming induces proteomic responses to defense against salt stress in maize. <i>Plant Molecular Biology</i> , 2021, 106, 33-48.	2.0	9
6	Nitrate and Ammonium Nutrition Modulates the Photosynthetic Performance and Antioxidant Defense in Salt-Stressed Grass Species. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 3016-3029.	1.7	4
7	Sodium uptake and transport regulation, and photosynthetic efficiency maintenance as the basis of differential salt tolerance in rice cultivars. <i>Environmental and Experimental Botany</i> , 2021, 192, 104654.	2.0	13
8	Salt-Acclimation Physiological Mechanisms at the Vegetative Stage of Cowpea Genotypes in Soils from a Semiarid Region. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 3530-3543.	1.7	3
9	Dark septate endophytic fungi mitigate the effects of salt stress on cowpea plants. <i>Brazilian Journal of Microbiology</i> , 2020, 51, 243-253.	0.8	35
10	Ammonium nutrition modulates K ⁺ and N uptake, transport and accumulation during salt stress acclimation of sorghum plants. <i>Archives of Agronomy and Soil Science</i> , 2020, 66, 1991-2004.	1.3	10
11	Combined NaCl and DTT diminish harmful ER-stress effects in the sorghum seedlings CSF 20 variety. <i>Plant Physiology and Biochemistry</i> , 2020, 147, 223-234.	2.8	7
12	New insights into molecular targets of salt tolerance in sorghum leaves elicited by ammonium nutrition. <i>Plant Physiology and Biochemistry</i> , 2020, 154, 723-734.	2.8	11
13	Metabolic changes associated with differential salt tolerance in sorghum genotypes. <i>Planta</i> , 2020, 252, 34.	1.6	28
14	Osmolyte accumulation in leaves and Na ⁺ exclusion by roots in two salt-treated forage grasses. <i>Grassland Science</i> , 2020, 66, 231-237.	0.6	1
15	The influence of dissolved oxygen around rice roots on salt tolerance during pre-tillering and tillering phases. <i>Environmental and Experimental Botany</i> , 2020, 178, 104169.	2.0	6
16	Solutos orgÃ¢nicos e inorgÃ¢nicos em <i>Salicornia neei</i> Lag. sob lÃ¢grimas de irrigaÃ§Ã£o e adubaÃ§Ã£o no semiÃ¡rido cearense. <i>Revista Verde De Agroecologia E Desenvolvimento SustentÃ¡vel</i> , 2020, 15, 360-367.	0.1	0
17	Salicylic acid modulates primary and volatile metabolites to alleviate salt stress-induced photosynthesis impairment on medicinal plant <i>Egletes viscosa</i> . <i>Environmental and Experimental Botany</i> , 2019, 167, 103870.	2.0	46
18	Sulfur-induced salinity tolerance in lettuce is due to a better P and K uptake, lower Na/K ratio and an efficient antioxidative defense system. <i>Scientia Horticulturae</i> , 2019, 257, 108764.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Salt acclimation in sorghum plants by exogenous proline: physiological and biochemical changes and regulation of proline metabolism. <i>Plant Cell Reports</i> , 2019, 38, 403-416.	2.8	68
20	Silicon modulates the activity of antioxidant enzymes and nitrogen compounds in sunflower plants under salt stress. <i>Archives of Agronomy and Soil Science</i> , 2019, 65, 1237-1247.	1.3	27
21	Recovery and germinative response of <i>Amaranthus deflexus</i> L. seeds under different levels of water stress and luminosities. <i>Comunicata Scientiae</i> , 2019, 9, 603-612.	0.4	1
22	Research Article Differential proteomics in contrasting cowpea genotypes submitted to different water regimes. <i>Genetics and Molecular Research</i> , 2019, 18, .	0.3	4
23	Salt Tolerance Induced by Exogenous Proline in Maize Is Related to Low Oxidative Damage and Favorable Ionic Homeostasis. <i>Journal of Plant Growth Regulation</i> , 2018, 37, 911-924.	2.8	60
24	Ethylene triggers salt tolerance in maize genotypes by modulating polyamine catabolism enzymes associated with H ₂ O ₂ production. <i>Environmental and Experimental Botany</i> , 2018, 145, 75-86.	2.0	66
25	Growth and photosynthetic parameters of saccharine sorghum plants subjected to salinity. <i>Acta Scientiarum - Agronomy</i> , 2018, 41, 42607.	0.6	7
26	Inducing salt tolerance in castor bean through seed priming. <i>Australian Journal of Crop Science</i> , 2018, 12, 943-953.	0.1	6
27	Nitrogen assimilation pathways and ionic homeostasis are crucial for photosynthetic apparatus efficiency in salt-tolerant sunflower genotypes. <i>Plant Growth Regulation</i> , 2018, 86, 375-388.	1.8	8
28	Lignin composition is related to xylem embolism resistance and leaf life span in trees in a tropical semiarid climate. <i>New Phytologist</i> , 2018, 219, 1252-1262.	3.5	35
29	Exogenous nitric oxide improves salt tolerance during establishment of <i>Jatropha curcas</i> seedlings by ameliorating oxidative damage and toxic ion accumulation. <i>Journal of Plant Physiology</i> , 2017, 212, 69-79.	1.6	81
30	Effects of organic vs. conventional farming systems on quality and antioxidant metabolism of passion fruit during maturation. <i>Scientia Horticulturae</i> , 2017, 222, 84-89.	1.7	48
31	Integrative Control Between Proton Pumps and SOS1 Antiporters in Roots is Crucial for Maintaining Low Na ⁺ Accumulation and Salt Tolerance in Ammonium-Supplied Sorghum bicolor. <i>Plant and Cell Physiology</i> , 2017, 58, 522-536.	1.5	56
32	Putative role of glutamine in the activation of CBL/CIPK signalling pathways during salt stress in sorghum. <i>Plant Signaling and Behavior</i> , 2017, 12, e1361075.	1.2	24
33	Optimized acid hydrolysis of the polysaccharides from the seaweed <i>Solieria filiformis</i> (K<sup>1</sup>tzing) P.W. Gabrielson for bioethanol production. <i>Acta Scientiarum - Biological Sciences</i> , 2017, 39, 423.	0.3	4
34	Physicochemical Properties of Edible Seed Hemicelluloses. <i>Open Access Library Journal (oalib)</i> , 2017, 04, 1-14.	0.1	7
35	LEAF GAS EXCHANGE AND NUTRIENTS ACCUMULATION IN COWPEA PLANTS UNDER DIFFERENT MANAGEMENT STRATEGIES WITH BRACKISH WATER. <i>Irriga</i> , 2017, 22, 129-139.	0.2	0
36	Increased drought tolerance in maize plants induced by H ₂ O ₂ is closely related to an enhanced enzymatic antioxidant system and higher soluble protein and organic solutes contents. <i>Theoretical and Experimental Plant Physiology</i> , 2016, 28, 297-306.	1.1	18

#	ARTICLE	IF	CITATIONS
37	Ammonium improves tolerance to salinity stress in Sorghum bicolor plants. <i>Plant Growth Regulation</i> , 2016, 78, 121-131.	1.8	61
38	Organic solutes in coconut palm seedlings under water and salt stresses. <i>Revista Brasileira De Engenharia Agricola E Ambiental</i> , 2016, 20, 1002-1007.	0.4	4
39	How are germination performance and seedling establishment under abiotic stress improved by seed priming? A review. <i>Australian Journal of Crop Science</i> , 2016, 10, 1047-1051.	0.1	6
40	Ultrastructural and biochemical changes induced by salt stress in <i>Jatropha curcas</i> seeds during germination and seedling development. <i>Functional Plant Biology</i> , 2015, 42, 865.	1.1	21
41	α-galactosidases from cowpea stems: properties and gene expression under conditions of salt stress. <i>Revista Ciencia Agronomica</i> , 2014, 45, 794-804.	0.1	3
42	Salt stress tolerance in cowpea is poorly related to the ability to cope with oxidative stress. <i>Acta Botanica Croatica</i> , 2014, 73, 78-89.	0.3	6
43	Plasma membrane H ⁺ -ATPase in sorghum roots as affected by potassium deficiency and nitrogen sources. <i>Biologia Plantarum</i> , 2014, 58, 507-514.	1.9	4
44	Proteomic analysis of salt stress and recovery in leaves of <i>Vigna unguiculata</i> cultivars differing in salt tolerance. <i>Plant Cell Reports</i> , 2014, 33, 1289-1306.	2.8	38
45	Nitrate: ammonium nutrition alleviates detrimental effects of salinity by enhancing photosystem II efficiency in sorghum plants. <i>Revista Brasileira De Engenharia Agricola E Ambiental</i> , 2014, 18, 8-12.	0.4	15
46	Germination and Seedling Establishment of Castor CV. BRS-ENERGY in Saline Environment. , 2014, , .		0
47	Increased Na ⁺ and Cl ⁻ accumulation induced by NaCl salinity inhibits cotyledonary reserve mobilization and alters the source-sink relationship in establishing dwarf cashew seedlings. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 2171-2182.	1.0	21
48	Influence of inorganic nitrogen sources on K ⁺ /Na ⁺ homeostasis and salt tolerance in sorghum plants. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 841-852.	1.0	21
49	Crescimento e respostas fisiológicas do meloeiro inoculado com fungos micorrízicos arbusculares sob estresse salino. <i>Semina:Ciencias Agrarias</i> , 2013, 34, .	0.1	8
50	Crescimento e acúmulo de Ânions em plantas de cajueiro anão precoce em diferentes tempos de exposição à salinidade. <i>Semina:Ciencias Agrarias</i> , 2013, 34, 3341.	0.1	2
51	Nitrato modula os teores de cloreto e compostos nitrogenados em plantas de milho submetidas à salinidade. <i>Bragantia</i> , 2013, 72, 10-19.	1.3	10
52	Enhanced salt tolerance in maize plants induced by H ₂ O ₂ leaf spraying is associated with improved gas exchange rather than with non-enzymatic antioxidant system. <i>Theoretical and Experimental Plant Physiology</i> , 2013, 25, 251-260.	1.1	58
53	The Impact of Organic Farming on Quality of Tomatoes Is Associated to Increased Oxidative Stress during Fruit Development. <i>PLoS ONE</i> , 2013, 8, e56354.	1.1	114
54	Micronutrients affecting leaf biochemical responses during pineapple development. <i>Theoretical and Experimental Plant Physiology</i> , 2013, 25, 70-78.	1.1	4

#	ARTICLE	IF	CITATIONS
55	Seed priming effects on growth, lipid peroxidation, and activity of ROS scavenging enzymes in NaCl-stressed sorghum seedlings from aged seeds. <i>Journal of Plant Interactions</i> , 2012, 7, 151-159.	1.0	25
56	Supplemental Ca ²⁺ does not improve growth but it affects nutrient uptake in NaCl-stressed cowpea plants. <i>Brazilian Journal of Plant Physiology</i> , 2012, 24, 9-18.	0.5	9
57	Seed reserve composition and mobilization during germination and early seedling establishment of <i>Cereus jamacaru</i> D.C. ssp. <i>jamacaru</i> (Cactaceae). <i>Anais Da Academia Brasileira De Ciencias</i> , 2012, 84, 823-832.	0.3	38
58	Catalase plays a key role in salt stress acclimation induced by hydrogen peroxide pretreatment in maize. <i>Plant Physiology and Biochemistry</i> , 2012, 56, 62-71.	2.8	97
59	<i>Cereus jamacaru</i> seed germination and initial seedling establishment as a function of light and temperature conditions. <i>Scientia Agricola</i> , 2012, 69, 70-74.	0.6	8
60	NH ₄ ⁺ -stimulated low-K ⁺ uptake is associated with the induction of H ⁺ extrusion by the plasma membrane H ⁺ -ATPase in sorghum roots under K ⁺ deficiency. <i>Journal of Plant Physiology</i> , 2011, 168, 1617-1626.	1.6	18
61	Purification and characterization of cytosolic and cell wall Î ² -galactosidases from <i>Vigna unguiculata</i> stems. <i>Brazilian Journal of Plant Physiology</i> , 2011, 23, 5-14.	0.5	4
62	Fruit size and quality of pineapples cv. <i>Vitãria</i> in response to micronutrient doses and way of application and to soil covers. <i>Revista Brasileira De Fruticultura</i> , 2011, 33, 505-510.	0.2	4
63	Efeito da nutriÃ§Ã£o de nitrato na tolerÃ¢ncia de plantas de sorgo sudÃ£o Ã salinidade. <i>Revista Ciencia Agronomica</i> , 2011, 42, 675-683.	0.1	23
64	Cultivo hidropÃnico de plÃntulas de sorgo sob estresse salino com sementes envelhecidas artificialmente e osmocondicionadas. <i>Ciencia Rural</i> , 2011, 41, 10-16.	0.3	0
65	Accumulation of organic and inorganic solutes in NaCl-stressed sorghum seedlings from aged and primed seeds. <i>Scientia Agricola</i> , 2011, 68, 632-637.	0.6	19
66	Efeitos do H ₂ O ₂ no crescimento e acÃmulo de solutos em plantas de milho sob estresse salino. <i>Revista Ciencia Agronomica</i> , 2011, 42, 373-381.	0.1	15
67	AvaliaÃ§Ã£o citoquÃmica durante a germinaÃ§Ã£o de sementes de sorgo envelhecidas artificialmente e osmocondicionadas, sob salinidade. <i>Revista Ciencia Agronomica</i> , 2011, 42, 223-231.	0.1	6
68	Respostas de crescimento e fisiologia do milho submetido a estresse salino com diferentes espaÃamentos de cultivo. <i>Revista Brasileira De Engenharia Agricola E Ambiental</i> , 2011, 15, 365-370.	0.4	18
69	Calcium can moderate changes on membrane structure and lipid composition in cowpea plants under salt stress. <i>Plant Growth Regulation</i> , 2011, 65, 55-63.	1.8	60
70	Salt tolerance is unrelated to carbohydrate metabolism in cowpea cultivars. <i>Acta Physiologiae Plantarum</i> , 2011, 33, 887-896.	1.0	7
71	O estresse salino retarda o desenvolvimento morfofisiolÃgico e a ativaÃ§Ã£o de galactosidases de parede celular em caules de <i>Vigna unguiculata</i> . <i>Acta Botanica Brasilica</i> , 2011, 25, 17-24.	0.8	2
72	CaracterizaÃ§Ã£o fÃsica de pedÃnculos de clones de cajueiro anÃo precoce em diferentes estÃdios de maturaÃ§Ã£o. <i>Revista Ciencia Agronomica</i> , 2011, 42, 914-920.	0.1	7

#	ARTICLE	IF	CITATIONS
73	Efeitos do estresse salino na germinaÃ§Ã£o, emergÃªncia e estabelecimento da plÃ¡ntula de cajueiro anÃ£o precoce. Revista Ciencia Agronomica, 2011, 42, 993-999.	0.1	13
74	Estabelecimento de plÃ¡ntulas de sorgo oriundas de sementes osmocondicionadas de diferentes qualidades fisiolÃ³gicas. Revista Brasileira de Ciencias Agrarias, 2011, 6, 223-229.	0.3	3
75	ECOFISIOLOGIA DA GERMINAÃ§Ã£o, ESTABELECIMENTO DE PLÃ¡NTULAS E PRODUÃ§Ã£o DE MUDAS: artigos cientÃ­ficos. , 2011, , .		0
76	ProduÃ§Ã£o e fisiologia de plantas de cajueiro anÃ£o precoce sob condiÃ§Ãµes de sequeiro e irrigado. Revista Brasileira De Engenharia Agricola E Ambiental, 2011, 15, 1014-1020.	0.4	0
77	Salt Tolerance is Associated with Differences in Ion Accumulation, Biomass Allocation and Photosynthesis in Cowpea Cultivars. Journal of Agronomy and Crop Science, 2010, 196, 193-204.	1.7	56
78	Gm-TX, a new toxic protein from soybean (Glycine max) seeds with potential for controlling insect pests. Process Biochemistry, 2010, 45, 634-640.	1.8	2
79	Pretreatment with H2O2 in maize seeds: effects on germination and seedling acclimation to salt stress. Brazilian Journal of Plant Physiology, 2010, 22, 103-112.	0.5	43
80	DeficiÃªncia nutricional em plÃ¡ntulas de feijÃ£o-de-corda decorrente da omissÃ£o de macro e micronutrientes. Revista Ciencia Agronomica, 2010, 41, 326-333.	0.1	9
81	Trocas gasosas em folhas de sol e sombreadas de cajueiro anÃ£o em diferentes regimes hÃ¡dricos. Revista Ciencia Agronomica, 2010, 41, 654-663.	0.1	17
82	Efeito do condicionamento osmÃ³tico na germinaÃ§Ã£o e vigor de sementes de sorgo com diferentes qualidades fisiolÃ³gicas. Revista Brasileira De Sementes = Brazilian Seed Journal, 2010, 32, 25-34.	0.5	11
83	Salinity Effects on Germination and Establishment of Sorghum Seedlings From Artificially Aged and Primed Seeds. Journal of New Seeds, 2010, 11, 399-411.	0.3	8
84	Physiologic responses of precocious dwarf cashew at different levels of salinity. Revista Ciencia Agronomica, 2010, 41, .	0.1	9
85	GerminaÃ§Ã£o e vigor de sementes de sorgo forrageiro sob estresse hÃ¡drico e salino. Revista Brasileira De Sementes = Brazilian Seed Journal, 2009, 31, 48-56.	0.5	25
86	Changes in soluble amino-N, soluble proteins and free amino acids in leaves and roots of salt-stressed maize genotypes. Journal of Plant Interactions, 2009, 4, 137-144.	1.0	47
87	Salt-induced changes on H ⁺ -ATPase activity, sterol and phospholipid content and lipid peroxidation of root plasma membrane from dwarf-cashew (Anacardium occidentale L.) seedlings. Plant Growth Regulation, 2009, 59, 125-135.	1.8	36
88	Trocas gasosas e teores de minerais no feijÃ£o-de-corda irrigado com Ã¡gua salina em diferentes estÃ¡dios. Revista Brasileira De Engenharia Agricola E Ambiental, 2009, 13, 873-881.	0.4	15
89	Cowpea ribonuclease: properties and effect of NaCl-salinity on its activation during seed germination and seedling establishment. Plant Cell Reports, 2008, 27, 147-157.	2.8	57
90	Physiological and biochemical changes occurring in dwarf-cashew seedlings subjected to salt stress. Brazilian Journal of Plant Physiology, 2008, 20, 105-118.	0.5	22

#	ARTICLE	IF	CITATIONS
91	Physiology of cashew plants grown under adverse conditions. Brazilian Journal of Plant Physiology, 2007, 19, 449-461.	0.5	47
92	Crescimento, partiÃ§Ã£o de matÃ©ria seca e retenÃ§Ã£o de Na ⁺ , K ⁺ e Cl ⁻ em dois genÃ³tipos de sorgo irrigados com Ãguas salinas. Revista Brasileira De Ciencia Do Solo, 2007, 31, 961-971.	0.5	37
93	Morpho-physiological responses of cowpea leaves to salt stress. Brazilian Journal of Plant Physiology, 2006, 18, 455-465.	0.5	41
94	InfluÃªncia do acÃmulo e distribuiÃ§Ã£o de Ãons sobre a aclimataÃ§Ã£o de plantas de sorgo e feijÃo-de-corda, ao estresse salino. Revista Brasileira De Engenharia Agricola E Ambiental, 2006, 10, 804-810.	0.4	16
95	Effect of salt stress on antioxidative enzymes and lipid peroxidation in leaves and roots of salt-tolerant and salt-sensitive maize genotypes. Environmental and Experimental Botany, 2006, 56, 87-94.	2.0	678
96	Antioxidant-enzymatic system of two sorghum genotypes differing in salt tolerance. Brazilian Journal of Plant Physiology, 2005, 17, 353-362.	0.5	44
97	Hydrogen peroxide pre-treatment induces salt-stress acclimation in maize plants. Journal of Plant Physiology, 2005, 162, 1114-1122.	1.6	211
98	Crescimento e fotossÃntese de plantas jovens de cajueiro anÃo precoce sob estresse salino. Revista Brasileira De Engenharia Agricola E Ambiental, 2005, 9, 90-94.	0.4	9
99	Effects of salt stress on plant growth, stomatal response and solute accumulation of different maize genotypes. Brazilian Journal of Plant Physiology, 2004, 16, 31-38.	0.5	139
100	Growth and Protein Pattern in Cowpea Seedlings Subjected to Salinity. Biologia Plantarum, 2003, 46, 341-346.	1.9	19
101	Physiological responses of NaCl stressed cowpea plants grown in nutrient solution supplemented with CaCl ₂ . Brazilian Journal of Plant Physiology, 2003, 15, 99-105.	0.5	48
102	Crescimento e nÃveis de solutos orgÃnicos e inorgÃnicos em cultivares de Vigna unguiculata submetidos Ã salinidade. Revista Brasileira De Botanica, 2003, 26, 289-297.	0.5	33
103	Isolation and partial purification of beta-galactosidases from cotyledons of two cowpea cultivars. Brazilian Journal of Plant Physiology, 2001, 13, 251-261.	0.1	7
104	Partial purification and characterization of ribonucleases from roots, stem and leaves of cowpea. Brazilian Journal of Plant Physiology, 2001, 13, 357-364.	0.1	4
105	Multiple forms of cotyledonary b-galactosidases from Vigna unguiculata quiescent seeds. Revista Brasileira De Botanica, 2000, 23, 69.	0.5	6
106	Purification and Properties of a Ribonuclease from Cowpea Cotyledons. Biologia Plantarum, 1999, 42, 525-532.	1.9	11
107	Tissue distribution and deposition pattern of a cellulosic parenchyma-specific protein from cassava roots. Brazilian Archives of Biology and Technology, 1998, 41, 1-9.	0.5	6
108	Isolation and characterization of a reserve protein from the seeds of Opuntia ficus-indica (Cactaceae). Brazilian Journal of Medical and Biological Research, 1998, 31, 757-761.	0.7	25

#	ARTICLE	IF	CITATIONS
109	Effect of Salinity on Ribonuclease Activity of <i>Vigna unguiculata</i> Cotyledons during Germination. <i>Journal of Plant Physiology</i> , 1988, 132, 307-311.	1.6	32
110	Effects of NaCl salinity in vivo and in vitro on ribonuclease activity of <i>Vigna unguiculata</i> cotyledons during germination. <i>Physiologia Plantarum</i> , 1983, 59, 183-188.	2.6	31
111	Comparison Between the Water and Salt Stress Effects on Plant Growth and Development. , 0, , .		86