
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4525617/publications.pdf Version: 2024-02-01



AMD M RACHER

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | PN Code Acquisition in DS-CDMA Wireless Systems Using Smart Antenna and S-CFAR Processor. IEEE Access, 2022, 10, 6720-6736. | 4.2 | 1 |
| 2 | Machine Learning Based Low-Cost Optical Performance Monitoring in Mode Division Multiplexed Optical Networks. Photonics, 2022, 9, 73. | 2.0 | 5 |
| 3 | Performance Investigation of Modulation Format Identification in Super-Channel Optical Networks. IEEE Photonics Journal, 2022, 14, 1-10. | 2.0 | 7 |
| 4 | Structured Light Transmission under Free Space Jamming: An Enhanced Mode Identification and Signal-to-Jamming Ratio Estimation Using Machine Learning. Photonics, 2022, 9, 200. | 2.0 | 1 |
| 5 | Sagnac Loop Based Sensing System for Intrusion Localization Using Machine Learning. Photonics, 2022, 9, 275. | 2.0 | 8 |
| 6 | Machine Learning-Based Optical Performance Monitoring for Super-Channel Optical Networks. Photonics, 2022, 9, 299. | 2.0 | 1 |
| 7 | Reconfigurable photonics-based millimeter wave signal aggregation for non-orthogonal multiple access. Optics Express, 2022, 30, 16812. | 3.4 | 2 |
| 8 | Raised Cosine Multicore Fibers For High-Density Space Division Multiplexing (H-DSDM) Systems. , 2022, , | | 0 |
| 9 | Optical Performance Monitoring in Mode Division Multiplexed Optical Networks. Journal of Lightwave Technology, 2021, 39, 491-504. | 4.6 | 23 |
| 10 | Free space optic channel monitoring using machine learning. Optics Express, 2021, 29, 10967. | 3.4 | 22 |
| 11 | ML-Based Identification of Structured Light Schemes under Free Space Jamming Threats for Secure FSO-Based Applications. Photonics, 2021, 8, 129. | 2.0 | 3 |
| 12 | Extended L-Band InAs/InP Quantum-Dash Laser in Millimeter-Wave Applications. Photonics, 2021, 8, 167. | 2.0 | 4 |
| 13 | Performance of Injection-Locked Quantum-Dash MMW Source Under Clear and Dusty Weather Conditions. IEEE Photonics Journal, 2021, 13, 1-9. | 2.0 | 3 |
| 14 | 2 Gbit/s QPSK Wireless Transmission System with Injection-locked Quantum-dash Laser 28 GHz MMW Source at 1610 nm. , 2021, , . | | 1 |
| 15 | Hybrid 28ÂGHz MMW over fiber-wireless QPSK transmission system based on mid L-band external injection-locked quantum-dash laser comb source. Optical Fiber Technology, 2021, 64, 102553. | 2.7 | 4 |
| 16 | Bidirectional MMWoF-wireless convergence system based on a 1610â€nm L-band quantum-dash laser. Optics Express, 2021, 29, 27493. | 3.4 | 6 |
| 17 | Demonstration of MMW over Fiber-FSO-Wireless 5G QPSK Transmission in Mid L-band Wavelength Region. , 2021, , . | | 2 |
| 18 | 30 GHz MMW Generation and QPSK Transmission Employing L-band Quantum-dash Laser. , 2021, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Retrofitting FSO Systems in Existing RF Infrastructure: A Non-Zero-Sum Game Technology. IEEE Open Journal of the Communications Society, 2021, 2, 2597-2615. | 6.9 | 14 |
| 20 | Self-injection Locked Quantum-dash Laser Source in Millimeter-wave-over-fiber 4 Gbits/s QPSK Transmission. , 2021, , . | | 0 |
| 21 | Investigation of InAs/InP Quantum-Dash Laser as a Source in 28 GHz MMW Wireless QPSK Transmission. , 2021, , . | | 0 |
| 22 | Photonics-based multi-band/multi-mode radar signal generation. Photonic Network Communications, 2020, 39, 91-101. | 2.7 | 7 |
| 23 | Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. Journal of Lightwave Technology, 2020, 38, 619-631. | 4.6 | 15 |
| 24 | Millimeter wave switching for single carrier and aggregated filter bank multi-carrier signals in radio over fiber networks. Optical Fiber Technology, 2020, 60, 102335. | 2.7 | 2 |
| 25 | Injection-Locked Quantum-Dash Laser in Far L-Band 192 Gbit/s DWDM Transmission. IEEE Photonics Journal, 2020, 12, 1-11. | 2.0 | 8 |
| 26 | PAPR Reduction in UFMC for 5G Cellular Systems. Electronics (Switzerland), 2020, 9, 1404. | 3.1 | 15 |
| 27 | Machine Learning Techniques for Optical Performance Monitoring and Modulation Format Identification: A Survey. IEEE Communications Surveys and Tutorials, 2020, 22, 2839-2882. | 39.4 | 70 |
| 28 | K-Band Centralized Cost-Effective All-Optical Sensing Signal Distribution Network. IEEE Photonics Journal, 2020, 12, 1-10. | 2.0 | 1 |
| 29 | Electro-absorption and Electro-optic Characterization of L-Band InAs/InP Quantum-dash Waveguide. IEEE Photonics Journal, 2020, 12, 1-10. | 2.0 | 3 |
| 30 | Modulation format identification of optical signals: an approach based on singular value decomposition of Stokes space projections. Applied Optics, 2020, 59, 5989. | 1.8 | 11 |
| 31 | Identifying structured light modes in a desert environment using machine learning algorithms. Optics Express, 2020, 28, 9753. | 3.4 | 25 |
| 32 | Wireless Transmission of Millimeter Waves Generated by L-band InAs/InP Quantum-dash Laser. , 2020, , . | | 4 |
| 33 | QPSK Modulation Effects on the RF Characteristics of Quantum-dash Laser Based WDM System. , 2020, , | | 0 |
| 34 | Three-channel Multiplexed Communication over Mid L-band InAs/InP Quantum Dash Laser. , 2020, , . | | 1 |
| 35 | Hybrid dual-injection locked 1610Ânm quantum-dash laser for MMW and THz applications. Optics Communications, 2019, 452, 355-359. | 2.1 | 8 |
| 36 | An Investigation of LPI Radar Waveforms Classification in RoF Channels. IEEE Access, 2019, 7, 124844-124853. | 4.2 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A Novel Iterative-SLM Algorithm for PAPR Reduction in 5G Mobile Fronthaul Architecture. IEEE Photonics Journal, 2019, 11, 1-12. | 2.0 | 14 |
| 38 | Automatic Modulation Classification: Investigation for Millimeter Wave Over Fiber Channels. IEEE Photonics Technology Letters, 2019, 31, 1092-1095. | 2.5 | 6 |
| 39 | Separability of Histogram Based Features for Optical Performance Monitoring: An Investigation Using t-SNE Technique. IEEE Photonics Journal, 2019, 11, 1-12. | 2.0 | 22 |
| 40 | 5G-28 GHz Signal Transmission Over Hybrid All-Optical FSO/RF Link in Dusty Weather Conditions. IEEE Access, 2019, 7, 24404-24410. | 4.2 | 60 |
| 41 | Single- and double-beam reflectarrays for Ka band communication. Sadhana - Academy Proceedings in Engineering Sciences, 2019, 44, 1. | 1.3 | 3 |
| 42 | Modulation Format Identification in Mode Division Multiplexed Optical Networks. IEEE Access, 2019, 7, 156207-156216. | 4.2 | 11 |
| 43 | Broadly Tunable Self-injection Locked InAs/InP Quantum-dash Laser Based Fiber/FSO/Hybrid Fiber-FSO Communication at 1610 nm. IEEE Photonics Journal, 2018, 10, 1-10. | 2.0 | 20 |
| 44 | Experimental Demonstration of Simultaneous Modulation Format/Symbol Rate Identification and Optical Performance Monitoring for Coherent Optical Systems. Journal of Lightwave Technology, 2018, 36, 2230-2239. | 4.6 | 35 |
| 45 | Experimental Demonstration for PAPR Reduction in OFDM System Using Partial-OSLM Technique. Journal of Circuits, Systems and Computers, 2018, 27, 1850106. | 1.5 | 3 |
| 46 | Laser phase noise impact on optical DP-MQAM: experimental investigation. Photonic Network Communications, 2018, 35, 237-244. | 2.7 | 1 |
| 47 | Effect of temperature and ridge-width on the lasing characteristics of InAs/InP quantum-dash lasers: A thermal analysis view. Optics and Laser Technology, 2018, 98, 67-74. | 4.6 | 9 |
| 48 | Radar signal transmission and switching over optical networks. Optics Communications, 2018, 410, 385-388. | 2.1 | 5 |
| 49 | Demonstration of L-band DP-QPSK transmission over FSO and fiber channels employing InAs/InP quantum-dash laser source. Optics Communications, 2018, 410, 680-684. | 2.1 | 10 |
| 50 | All-Optical 216 Gbps Super-channel Data Switching Using Co-Polarized Pump in SOA. , 2018, , . | | 0 |
| 51 | Terahertz Photonic Signal Generation Employing InAs/InP Quantum Dash Laser. , 2018, , . | | 2 |
| 52 | Millimeter Wave Switching in Radio over Fiber Networks using Semiconductor Optical Amplifier (SOA). , 2018, , . | | 3 |
| 53 | Demonstration of Photonics-Based Switching of 5G Signal Over Hybrid All-Optical Network. IEEE Photonics Technology Letters, 2018, 30, 1250-1253. | 2.5 | 6 |
| 54 | High sensitivity vanadium–vanadium pentoxide–aluminium metal–insulator–metal diode. Micro and Nano Letters, 2018, 13, 680-683. | 1.3 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Investigation and Demonstration of High Speed Full-Optical Hybrid FSO/Fiber Communication System Under Light Sand Storm Condition. IEEE Photonics Journal, 2017, 9, 1-12. | 2.0 | 62 |
| 56 | 100 Gb/s Single Channel Transmission Using Injection-Locked 1621 nm Quantum-Dash Laser. IEEE Photonics Technology Letters, 2017, 29, 543-546. | 2.5 | 16 |
| 57 | Optimizing OSSB Generation Using Semiconductor Optical Amplifier (SOA) for 5G Millimeter Wave Switching. IEEE Access, 2017, , 1-1. | 4.2 | 9 |
| 58 | Complexity reduction of equalization/pre-emphasis using set membership filtering for NG LR-PON. Photonic Network Communications, 2017, 33, 166-178. | 2.7 | 0 |
| 59 | L-Band Quantum-dash Self-Injection Locked Multiwavelength Laser Source for Future WDM Access Networks. IEEE Photonics Journal, 2017, 9, 1-7. | 2.0 | 16 |
| 60 | Investigation and demonstration of 5G signal transmission over fiber/FSO/wireless links. , 2017, , . | | 4 |
| 61 | Self-seeded quantum-dash laser based 5 m–128 Gb/s indoor free-space optical communication. Chinese Optics Letters, 2017, 15, 100604. | 2.9 | 6 |
| 62 | Self-seeded quantum-dash laser based 5 m-128 Gb/s indoor free-space optical communication: erratum. Chinese Optics Letters, 2017, 15, 123501. | 2.9 | 0 |
| 63 | Experimental demonstration of outdoor 2.2 Tbps super-channel FSO transmission system. , 2016, , . | | 25 |
| 64 | Investigation of sampling frequency impact on optical DPâ€MQAM generation. Microwave and Optical Technology Letters, 2016, 58, 1128-1131. | 1.4 | 0 |
| 65 | Enhanced Blind Equalization for Optical DP-QAM in Finite Precision Hardware. IEEE Photonics Technology Letters, 2015, 27, 181-184. | 2.5 | 2 |
| 66 | An efficient fusion technique for quality enhancement of remotely sensed images. Applied Geomatics, 2014, 6, 197-205. | 2.5 | 0 |
| 67 | FPGA-based implementation of channel-blind adaptive equalizers. , 2013, , . | | 0 |
| 68 | Up to 64 QAM/32 Gbaud flexible dual polarization transmitter for future elastic optical networks. Optical Engineering, 2013, 52, 115102. | 1.0 | 7 |
| 69 | Inverse QR decomposition (IQRD) blind equalizer for QAM coherent optical systems. , 2012, , . | | 1 |
| 70 | Candidate modulation schemes for next generation-passive optical networks (NG-PONs). , 2012, , . | | 9 |
| 71 | Simultaneous Fusion and Denoising of Panchromatic and Multispectral Satellite Images. Sensing and Imaging, 2012, 13, 119-141. | 1.5 | 4 |