

Harald Aschauer

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4525794/harald-aschauer-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

9,763
citations

46
h-index

97
g-index

174
ext. papers

11,197
ext. citations

6.2
avg. IF

4.83
L-index

#	Paper	IF	Citations
147	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. <i>Nature Genetics</i> , 2003 , 34, 27-9	36.3	1335
146	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
145	Purification and amino acid sequencing of NAF, a novel neutrophil-activating factor produced by monocytes. <i>Biochemical and Biophysical Research Communications</i> , 1987 , 149, 755-61	3.4	432
144	Genome-wide scan for autism susceptibility genes. Paris Autism Research International Sibpair Study. <i>Human Molecular Genetics</i> , 1999 , 8, 805-12	5.6	406
143	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
142	An international two-stage genome-wide search for schizophrenia susceptibility genes. <i>Nature Genetics</i> , 1995 , 11, 321-4	36.3	335
141	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
140	Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation. <i>Journal of Cell Biology</i> , 1993 , 123, 1309-20	7.3	248
139	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014 , 19, 1085-94	15.1	224
138	Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. European Multicentre Association Study of Schizophrenia (EMASS) Group. <i>Lancet, The</i> , 1996 , 347, 1294-6	4.0	214
137	Synthesis and expression in Escherichia coli of the gene encoding monocyte-derived neutrophil-activating factor: biological equivalence between natural and recombinant neutrophil-activating factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988 , 85, 2199-203	11.5	204
136	Methadone versus buprenorphine in pregnant addicts: a double-blind, double-dummy comparison study. <i>Addiction</i> , 2006 , 101, 275-81	4.6	195
135	Pharmacogenetics of tardive dyskinesia: combined analysis of 780 patients supports association with dopamine D3 receptor gene Ser9Gly polymorphism. <i>Neuropsychopharmacology</i> , 2002 , 27, 105-19	8.7	193
134	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
133	Additional support for schizophrenia linkage on chromosomes 6 and 8: a multicenter study. Schizophrenia Linkage Collaborative Group for Chromosomes 3, 6 and 8. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 580-94		147
132	A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. <i>Molecular Psychiatry</i> , 1998 , 3, 141-9	15.1	143
131	Multiparticle entanglement purification for graph states. <i>Physical Review Letters</i> , 2003 , 91, 107903	7.4	143

130	Presence of cyclophilin A in synovial fluids of patients with rheumatoid arthritis. <i>Journal of Experimental Medicine</i> , 1997 , 185, 975-80	16.6	132
129	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 1996 , 26, 1145-53	6.9	119
128	Buprenorphine versus methadone maintenance for the treatment of opioid dependence. <i>Addiction</i> , 1999 , 94, 1337-47	4.6	116
127	A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. <i>Psychological Medicine</i> , 1996 , 26, 775-83	6.9	116
126	Treatment of opioid-dependent pregnant women with buprenorphine. <i>Addiction</i> , 2000 , 95, 239-44	4.6	115
125	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. <i>Biological Psychiatry</i> , 2001 , 50, 8-12	7.9	112
124	Anxiety as a predictor of relapse in detoxified alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , 2002 , 37, 609-12	3.5	105
123	Combined analysis of 635 patients confirms an age-related association of the serotonin 2A receptor gene with tardive dyskinesia and specificity for the non-orofacial subtype. <i>International Journal of Neuropsychopharmacology</i> , 2005 , 8, 411-25	5.8	104
122	Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. <i>Neuron</i> , 2017 , 94, 1101-1111.e7	13.9	103
121	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. <i>Schizophrenia Research</i> , 1998 , 32, 101-6	3.6	102
120	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. <i>European Neuropsychopharmacology</i> , 1999 , 10, 17-20	1.2	100
119	Interrogating the Genetic Determinants of Tourette Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. <i>American Journal of Psychiatry</i> , 2019 , 176, 217-227	11.9	95
118	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 2002 , 52, 40-52	7.9	89
117	Multiparticle entanglement purification for two-colorable graph states. <i>Physical Review A</i> , 2005 , 71,	2.6	87
116	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , 2003 , 8, 942-6	15.1	84
115	Solid-phase synthesis of PYLa and isolation of its natural counterpart, PGLa [PYLa-(4-24)] from skin secretion of <i>Xenopus laevis</i> . <i>FEBS Journal</i> , 1985 , 149, 531-5		75
114	European Multicentre Association Study of Schizophrenia: a study of the DRD2 Ser311Cys and DRD3 Ser9Gly polymorphisms. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 24-8		64
113	Genome scan for susceptibility loci for schizophrenia. <i>Neuropsychobiology</i> , 2000 , 42, 175-82	4	63

112	Comparison of methadone and slow-release morphine maintenance in pregnant addicts. <i>Addiction</i> , 1999 , 94, 231-9	4.6	63
111	The analysis of a protein-polymorphism. Evolution of monomeric and homodimeric haemoglobins (erythrocruorins) of <i>Chironomus thummi thummi</i> (Insecta, Diptera). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1983 , 364, 205-17		60
110	Efficacy of fluvoxamine in preventing relapse in alcohol dependence: a one-year, double-blind, placebo-controlled multicentre study with analysis by typology. <i>Drug and Alcohol Dependence</i> , 2004 , 74, 61-70	4.9	59
109	Structure, antigenic determinants of some clinically important insect allergens: chironomid hemoglobins. <i>Science</i> , 1986 , 233, 351-4	33.3	59
108	Brain-derived neurotrophic factor (BDNF)-epigenetic regulation in unipolar and bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2014 , 168, 399-406	6.6	55
107	Biosynthesis of peptides in the skin of <i>Xenopus laevis</i> : isolation of novel peptides predicted from the sequence of cloned cDNAs. <i>Peptides</i> , 1985 , 6 Suppl 3, 17-21	3.8	55
106	Possible association between childhood absence epilepsy and the gene encoding GABRB3. <i>Biological Psychiatry</i> , 1999 , 46, 997-1002	7.9	53
105	No evidence for linkage between chromosome 5 markers and schizophrenia. <i>Human Heredity</i> , 1990 , 40, 109-15	1.1	49
104	Sequence analysis of the complete SLITRK1 gene in Austrian patients with Tourette disorder. <i>Psychiatric Genetics</i> , 2008 , 18, 308-9	2.9	48
103	Effective open-label treatment of tourette disorder with olanzapine. <i>International Clinical Psychopharmacology</i> , 2000 , 15, 23-8	2.2	48
102	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. <i>Psychiatric Genetics</i> , 2000 , 10, 131-7	2.9	47
101	Molecular and genomic studies of IMMP2L and mutation screening in autism and Tourette syndrome. <i>Molecular Genetics and Genomics</i> , 2007 , 277, 71-81	3.1	46
100	Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 177-185		46
99	Marked depression and anxiety in patients with functional dysphonia. <i>Psychiatry Research</i> , 2005 , 134, 85-91	9.9	45
98	No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated Tourette disorder patients: a [(123)I]-beta-CIT SPECT-study. <i>European Neuropsychopharmacology</i> , 2001 , 11, 69-74	1.2	45
97	Genetic association signal near NTN4 in Tourette syndrome. <i>Annals of Neurology</i> , 2014 , 76, 310-5	9.4	42
96	Linkage and mutational analysis of CLCN2 in childhood absence epilepsy. <i>Epilepsy Research</i> , 2007 , 75, 145-53	3	42
95	The primary structure of the hemoglobin of the dogfish shark (<i>Squalus acanthias</i>). Antagonistic effects of ATP and urea on oxygen affinity of an elasmobranch hemoglobin. <i>Biological Chemistry Hoppe-Seyler</i> , 1985 , 366, 589-99		42

94	Inhibition of lipid biosynthesis induces the expression of the pspA gene. <i>Microbiology (United Kingdom)</i> , 1994 , 140 (Pt 8), 1937-44	2.9	42
93	European Collaborative Project on Affective Disorders: interactions between genetic and psychosocial vulnerability factors. <i>Psychiatric Genetics</i> , 1998 , 8, 197-205	2.9	40
92	Review and Consensus on Pharmacogenomic Testing in Psychiatry. <i>Pharmacopsychiatry</i> , 2021 , 54, 5-17	2	40
91	Comprehension of metaphors in patients with schizophrenia-spectrum disorders. <i>Comprehensive Psychiatry</i> , 2014 , 55, 928-37	7.3	39
90	The soluble hyaluronidase from bull testes is a fragment of the membrane-bound PH-20 enzyme. <i>FEBS Letters</i> , 1997 , 413, 385-8	3.8	38
89	No association of clock gene T3111C polymorphism and affective disorders. <i>European Neuropsychopharmacology</i> , 2005 , 15, 51-5	1.2	38
88	Lytic effector cell activity and major depressive disorder in patients with breast cancer: a prospective study. <i>Journal of Neuroimmunology</i> , 1995 , 59, 83-9	3.5	37
87	Maternal bonding behaviour in schizophrenia and schizoaffective disorder, considering premorbid personality traits. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 663-8	2.6	36
86	Risperidone for Tourette's syndrome. <i>Lancet, The</i> , 1994 , 344, 1577-8	4.0	36
85	Linkage and association analysis of CACNG3 in childhood absence epilepsy. <i>European Journal of Human Genetics</i> , 2007 , 15, 463-72	5.3	31
84	SDZ MRL 953, a novel immunostimulatory monosaccharidic lipid A analog with an improved therapeutic window in experimental sepsis. <i>Antimicrobial Agents and Chemotherapy</i> , 1991 , 35, 500-5	5.9	30
83	Lytic effector cell function in schizophrenia and depression. <i>Journal of Neuroimmunology</i> , 1988 , 18, 291-301	3.5	30
82	Premorbid performance IQ deficit in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 414-22	6.5	28
81	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. <i>Psychiatry Research</i> , 1999 , 85, 241-6	9.9	28
80	Evaluation of CACNA1H in European patients with childhood absence epilepsy. <i>Epilepsy Research</i> , 2006 , 69, 177-81	3	27
79	IL-8 derivatives with a reduced potential to form homodimers are fully active in vitro and in vivo. <i>Cytokine</i> , 1998 , 10, 1-12	4	27
78	Genome wide high density SNP-based linkage analysis of childhood absence epilepsy identifies a susceptibility locus on chromosome 3p23-p14. <i>Epilepsy Research</i> , 2009 , 87, 247-55	3	26
77	Schizophrenia and the dopamine-beta-hydroxylase gene: results of a linkage and association study. <i>Psychiatric Genetics</i> , 1996 , 6, 17-22	2.9	26

76	Private entanglement over arbitrary distances, even using noisy apparatus. <i>Physical Review Letters</i> , 2002 , 88, 047902	7.4	25
75	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019 , 86, 577-586	7.9	24
74	Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. <i>Journal of Affective Disorders</i> , 2000 , 58, 51-61	6.6	24
73	Anticipation in schizophrenia. <i>Schizophrenia Research</i> , 1999 , 35, 25-32	3.6	24
72	Temperature dependence of the de Gennes narrowing in liquid rubidium. <i>Physical Review B</i> , 2006 , 73,	3.3	23
71	Absence of string order in the anisotropic S=2 Heisenberg antiferromagnet. <i>Physical Review B</i> , 1998 , 58, 359-365	3.3	23
70	TSH-response patterns to TRH stimulation may indicate therapeutic mechanisms of antidepressant and neuroleptic drugs. <i>Neuropsychobiology</i> , 1984 , 11, 213-8	4	22
69	Association studies of candidate genes in bipolar disorders. <i>Neuropsychobiology</i> , 2000 , 42 Suppl 1, 18-214		21
68	Inhibition of chemotactic migration of human neutrophilic granulocytes by recombinant human granulocyte-macrophage colony-stimulating factor. <i>Immunopharmacology</i> , 1990 , 19, 139-43		21
67	The TSH-response to TRH: A possible predictor of outcome to antidepressant and neuroleptic treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1983 , 7, 335-42	5.5	20
66	A longitudinal view of triggers and thresholds of suicidal behavior in depression. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 866-73	4.6	20
65	The tridimensional personality model: influencing variables in a sample of detoxified alcohol dependents. European Fluvoxamine in Alcoholism Study Group. <i>Comprehensive Psychiatry</i> , 1996 , 37, 109-114	7.3	19
64	No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993 , 243, 193-8	5.1	19
63	Die Primärstruktur des α -Amylaseinhibitors Hoe 467A aus <i>Streptomyces tendae</i> 4158. Eine neue Klasse von Inhibitoren. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1983 , 364, 1347-1356		19
62	Characterization of the apolipoprotein AI and CIII genes in the domestic pig. <i>Genomics</i> , 1993 , 15, 643-52	4.3	18
61	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29; a follow-up. <i>Journal of Psychiatric Research</i> , 2004 , 38, 357-64	5.2	16
60	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. <i>European Neuropsychopharmacology</i> , 2004 , 14, 53-8	1.2	16
59	Neurodevelopmental schizophrenia: obstetric complications, birth weight, premorbid social withdrawal and learning disabilities. <i>Neuropsychobiology</i> , 2001 , 43, 163-9	4	16

58	The unified biosocial model of personality in schizophrenia families and controls. <i>Psychopathology</i> , 1998 , 31, 45-51	3.4	16
57	Analysis of ten candidate genes in autism by association and linkage. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 125-128		15
56	Fluoxetine treatment in patients with recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 221-6	2.2	15
55	Mirtazapine in recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 39-40	2.2	15
54	Tyrosine hydroxylase polymorphism and phenotypic heterogeneity in bipolar affective disorder: a multicenter association study. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 527-32		15
53	Trazodone-induced cardiac arrhythmias: a report of two cases. <i>Human Psychopharmacology</i> , 2006 , 21, 61-2	2.3	14
52	Quetiapine in combination with citalopram in patients with unipolar psychotic depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 242-7	5.5	14
51	Concordance of genetic variation that increases risk for tourette syndrome and that influences its underlying neurocircuitry. <i>Translational Psychiatry</i> , 2019 , 9, 120	8.6	13
50	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 203-7	2.3	13
49	No evidence for a schizophrenia susceptibility gene in the vicinity of IL2RB on chromosome 22. <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 361-4		13
48	Homozygosity of the interleukin-10 receptor 1 G330R allele is associated with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 347-50	3.5	13
47	Security proof of quantum cryptography based entirely on entanglement purification. <i>Physical Review A</i> , 2002 , 66,	2.6	13
46	Plasma concentrations of haloperidol and prolactin and clinical outcome in acutely psychotic patients. <i>Pharmacopsychiatry</i> , 1988 , 21, 246-51	2	13
45	The Impact of Sex Differences on Odor Identification and Facial Affect Recognition in Patients with Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2018 , 9, 9	5	12
44	Interaction between serotonin 5-HT _{2A} receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 417-24	3.8	12
43	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. <i>Psychiatry Research</i> , 2000 , 96, 179-83	9.9	12
42	Neutron guides at the FRM-II. <i>Physica B: Condensed Matter</i> , 2000 , 283, 323-329	2.8	11
41	Synaptic processes and immune-related pathways implicated in Tourette syndrome. <i>Translational Psychiatry</i> , 2021 , 11, 56	8.6	11

40	The season of birth of schizophrenics and schizoaffectives. <i>Psychopathology</i> , 1994 , 27, 298-302	3.4	9
39	Hemoglobin D "Los Angeles" in an Austrian family: biochemical identification, clinical aspects, and kindred study. <i>Hemoglobin</i> , 1984 , 8, 353-61	0.6	9
38	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. <i>European Neuropsychopharmacology</i> , 2007 , 17, 501-5	1.2	8
37	Tourette@ syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. <i>Psychiatry Research</i> , 2008 , 157, 235-9	9.9	7
36	The temperature dependent collective dynamics of liquid Rubidium. <i>Journal of Non-Crystalline Solids</i> , 2007 , 353, 3164-3168	3.9	7
35	Personality, anxiety and functional dysphonia. <i>Personality and Individual Differences</i> , 2005 , 39, 1441-1449.3	3.3	5
34	Structure and properties of a novel neutrophil-activating factor (NAF) produced by human monocytes. <i>Agents and Actions</i> , 1989 , 26, 148-50		5
33	Effects of antidepressant treatment with clomipramine on hormonal responses to thyrotropin-releasing hormone and insulin-induced hypoglycemia: implications for the "monoamine-hypothesis". <i>Pharmacopsychiatry</i> , 1981 , 14, 100-6	2	5
32	Psychosis as a possible side-effect of treatment with glatiramer acetate. <i>International Journal of Neuropsychopharmacology</i> , 2005 , 8, 487-8	5.8	4
31	Study of family history in seasonal affective disorder. <i>Neuropsychobiology</i> , 2001 , 44, 65-9	4	4
30	Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2). <i>FEBS Letters</i> , 1994 , 347, 300-3	3.8	4
29	Heterogeneity of schizophrenia: preliminary evidence for multiple genetic loci. <i>Schizophrenia Research</i> , 1989 , 2, 39	3.6	4
28	A Sac I RFLP is detected with the 5-HT1a serotonin receptor probe G21. <i>Nucleic Acids Research</i> , 1990 , 18, 691	20.1	4
27	Zur intrinsischen Sauerstoffaffinität: Die Primärstruktur eines weiteren Ruminantia-Hämoglobins: Methionin in α 2 eines Stirnwaffenträgers, des Nordland-Elches (<i>Alces alces alces</i>). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1984 , 365, 1323-1330		3
26	Rare copy number variants in NRXN1 and CNTN6 increase risk for Tourette syndrome		3
25	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a case-control association study. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 309-15	3.8	2
24	The influence of phenotype on the outcome of linkage analysis of schizophrenia. <i>Schizophrenia Research</i> , 1996 , 22, 89-90	3.6	2
23	Natural Immunity in Schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 1987 , 496, 743-744	6.5	2

22	Analysis of ten candidate genes in autism by association and linkage 2002 , 114, 125		2
21	Quantum Communication and Decoherence. <i>Lecture Notes in Physics</i> , 2002 , 235-261	0.8	2
20	Clinical study results from a randomized controlled trial of cognitive behavioural guided self-help in patients with partially remitted depressive disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014 , 87, 178-90	3.5	1
19	Duration of untreated psychosis in a high-income versus a low- and middle-income region. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 1176-82	2.6	1
18	Biperiden and haloperidol plasma levels and extrapyramidal side effects in schizophrenic patients. <i>Neuropsychobiology</i> , 1997 , 36, 69-72	4	1
17	Premorbid performance IQ deficits in schizophrenia. <i>Schizophrenia Research</i> , 2000 , 41, 276-277	3.6	1
16	Non-concordance by gender for schizophrenia and related disorders in sibships. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994 , 244, 12-6	5.1	1
15	Natural killer cell function in adolescent and adult schizophrenic patients. <i>European Child and Adolescent Psychiatry</i> , 1993 , 2, 155-160	5.5	1
14	Identifying tissues implicated in Anorexia Nervosa using Transcriptomic Imputation		1
13	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1
12	P.1.a.010 DNA methylation of the BDNF gene in schizophrenia. <i>European Neuropsychopharmacology</i> , 2013 , 23, S165	1.2	
11	Sex-related differences in smell identification in patients with schizophrenia, their first-degree relatives and matched healthy controls. <i>European Psychiatry</i> , 2011 , 26, 1416-1416	6	
10	P01-246-3Q29 case-control association study of co-morbid migraine in bipolar affective disorder. <i>European Psychiatry</i> , 2011 , 26, 247-247	6	
9	Association of deficits in smell identification, social and basic cognition in patients with schizophrenia-spectrum disorders, their first-degree relatives and matched healthy controls. <i>European Psychiatry</i> , 2011 , 26, 1458-1458	6	
8	Niacin sensitivity in patients with schizophrenia-spectrum disorders, their 1st Degree Relatives and Healthy Controls. <i>European Psychiatry</i> , 2011 , 26, 1501-1501	6	
7	Entanglement purification with noisy apparatus can be used to factor out an eavesdropper. <i>European Physical Journal D</i> , 2002 , 18, 171-177	1.3	
6	Dopamine transporter gene polymorphism in Tourette disorder. <i>European Neuropsychopharmacology</i> , 2002 , 12, 437-438	1.2	
5	P01.43 Dopamine transporter genotypes and imaging in tourette disorder. <i>European Psychiatry</i> , 2000 , 15, 332s-332s	6	

- 4 P01.104 Relation of suicidal behaviour, central serotonergic system and temperament and character inventory. *European Psychiatry*, **2000**, 15, 347s-348s 6
- 3 P02.253 Personality in patients with chronic fatigue syndrome compared to depressed patients. *European Psychiatry*, **2000**, 15, 390s-390s 6
- 2 P02.364 Efficacy of antidepressants in the treatment of severe depression. *European Psychiatry*, **2000**, 15, 420s-421s 6
- 1 Novel Neutrophil-Activating Peptides and Their Role in Inflammation **1989**, 765-771