

# Harald Aschauer

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4525794/harald-aschauer-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

9,763  
citations

46  
h-index

97  
g-index

174  
ext. papers

11,197  
ext. citations

6.2  
avg. IF

4.83  
L-index

#	Paper	IF	Citations
147	Review and Consensus on Pharmacogenomic Testing in Psychiatry. <i>Pharmacopsychiatry</i> , <b>2021</b> , 54, 5-17	2	40
146	Synaptic processes and immune-related pathways implicated in Tourette syndrome. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 56	8.6	11
145	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	1
144	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , <b>2019</b> , 86, 577-586	7.9	24
143	Interrogating the Genetic Determinants of Tourette Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 217-227	11.9	95
142	Concordance of genetic variation that increases risk for tourette syndrome and that influences its underlying neurocircuitry. <i>Translational Psychiatry</i> , <b>2019</b> , 9, 120	8.6	13
141	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , <b>2019</b> , 179, 1469-1482.e11	56.2	402
140	The Impact of Sex Differences on Odor Identification and Facial Affect Recognition in Patients with Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 9	5	12
139	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , <b>2018</b> , 360,	33.3	666
138	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , <b>2017</b> , 174, 850-858	11.9	276
137	Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. <i>Neuron</i> , <b>2017</b> , 94, 1101-1111.e7	13.9	103
136	Comprehension of metaphors in patients with schizophrenia-spectrum disorders. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 928-37	7.3	39
135	Brain-derived neurotrophic factor (BDNF)-epigenetic regulation in unipolar and bipolar affective disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 168, 399-406	6.6	55
134	Genetic association signal near NTN4 in Tourette syndrome. <i>Annals of Neurology</i> , <b>2014</b> , 76, 310-5	9.4	42
133	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 1085-94	15.1	224
132	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 729-36	1.3	186
131	Clinical study results from a randomized controlled trial of cognitive behavioural guided self-help in patients with partially remitted depressive disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2014</b> , 87, 178-90	3.5	1

130	P.1.a.010 DNA methylation of the BDNF gene in schizophrenia. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S165	1.2	
129	Duration of untreated psychosis in a high-income versus a low- and middle-income region. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2013</b> , 47, 1176-82	2.6	1
128	Sex-related differences in smell identification in patients with schizophrenia, their first-degree relatives and matched healthy controls. <i>European Psychiatry</i> , <b>2011</b> , 26, 1416-1416	6	
127	P01-246-3Q29 case-control association study of co-morbid migraine in bipolar affective disorder. <i>European Psychiatry</i> , <b>2011</b> , 26, 247-247	6	
126	Association of deficits in smell identification, social and basic cognition in patients with schizophrenia-spectrum disorders, their first-degree relatives and matched healthy controls. <i>European Psychiatry</i> , <b>2011</b> , 26, 1458-1458	6	
125	Niacin sensitivity in patients with schizophrenia-spectrum disorders, their 1st Degree Relatives and Healthy Controls. <i>European Psychiatry</i> , <b>2011</b> , 26, 1501-1501	6	
124	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a case-control association study. <i>World Journal of Biological Psychiatry</i> , <b>2011</b> , 12, 309-15	3.8	2
123	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. <i>Nordic Journal of Psychiatry</i> , <b>2011</b> , 65, 203-7	2.3	13
122	Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. <i>World Journal of Biological Psychiatry</i> , <b>2010</b> , 11, 417-24	3.8	12
121	Genome wide high density SNP-based linkage analysis of childhood absence epilepsy identifies a susceptibility locus on chromosome 3p23-p14. <i>Epilepsy Research</i> , <b>2009</b> , 87, 247-55	3	26
120	Tourette@ syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. <i>Psychiatry Research</i> , <b>2008</b> , 157, 235-9	9.9	7
119	Sequence analysis of the complete SLITRK1 gene in Austrian patients with Tourette@ disorder. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 308-9	2.9	48
118	Homozygosity of the interleukin-10 receptor 1 G330R allele is associated with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2007</b> , 144B, 347-50	3.5	13
117	Linkage and mutational analysis of CLCN2 in childhood absence epilepsy. <i>Epilepsy Research</i> , <b>2007</b> , 75, 145-53	3	42
116	Linkage and association analysis of CACNG3 in childhood absence epilepsy. <i>European Journal of Human Genetics</i> , <b>2007</b> , 15, 463-72	5.3	31
115	Molecular and genomic studies of IMMP2L and mutation screening in autism and Tourette syndrome. <i>Molecular Genetics and Genomics</i> , <b>2007</b> , 277, 71-81	3.1	46
114	Quetiapine in combination with citalopram in patients with unipolar psychotic depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2007</b> , 31, 242-7	5.5	14
113	The temperature dependent collective dynamics of liquid Rubidium. <i>Journal of Non-Crystalline Solids</i> , <b>2007</b> , 353, 3164-3168	3.9	7

112	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. <i>European Neuropsychopharmacology</i> , <b>2007</b> , 17, 501-5	1.2	8
111	Trazodone-induced cardiac arrhythmias: a report of two cases. <i>Human Psychopharmacology</i> , <b>2006</b> , 21, 61-2	2.3	14
110	Temperature dependence of the de Gennes narrowing in liquid rubidium. <i>Physical Review B</i> , <b>2006</b> , 73,	3.3	23
109	Methadone versus buprenorphine in pregnant addicts: a double-blind, double-dummy comparison study. <i>Addiction</i> , <b>2006</b> , 101, 275-81	4.6	195
108	Evaluation of CACNA1H in European patients with childhood absence epilepsy. <i>Epilepsy Research</i> , <b>2006</b> , 69, 177-81	3	27
107	No association of clock gene T3111C polymorphism and affective disorders. <i>European Neuropsychopharmacology</i> , <b>2005</b> , 15, 51-5	1.2	38
106	Psychosis as a possible side-effect of treatment with glatiramer acetate. <i>International Journal of Neuropsychopharmacology</i> , <b>2005</b> , 8, 487-8	5.8	4
105	Marked depression and anxiety in patients with functional dysphonia. <i>Psychiatry Research</i> , <b>2005</b> , 134, 85-91	9.9	45
104	Multiparticle entanglement purification for two-colorable graph states. <i>Physical Review A</i> , <b>2005</b> , 71,	2.6	87
103	Combined analysis of 635 patients confirms an age-related association of the serotonin 2A receptor gene with tardive dyskinesia and specificity for the non-orofacial subtype. <i>International Journal of Neuropsychopharmacology</i> , <b>2005</b> , 8, 411-25	5.8	104
102	Personality, anxiety and functional dysphonia. <i>Personality and Individual Differences</i> , <b>2005</b> , 39, 1441-1449	3.3	5
101	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29; a follow-up. <i>Journal of Psychiatric Research</i> , <b>2004</b> , 38, 357-64	5.2	16
100	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. <i>European Neuropsychopharmacology</i> , <b>2004</b> , 14, 53-8	1.2	16
99	Efficacy of fluvoxamine in preventing relapse in alcohol dependence: a one-year, double-blind, placebo-controlled multicentre study with analysis by typology. <i>Drug and Alcohol Dependence</i> , <b>2004</b> , 74, 61-70	4.9	59
98	Multiparticle entanglement purification for graph states. <i>Physical Review Letters</i> , <b>2003</b> , 91, 107903	7.4	143
97	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , <b>2003</b> , 8, 942-6	15.1	84
96	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. <i>Nature Genetics</i> , <b>2003</b> , 34, 27-9	36.3	1335
95	Pharmacogenetics of tardive dyskinesia: combined analysis of 780 patients supports association with dopamine D3 receptor gene Ser9Gly polymorphism. <i>Neuropsychopharmacology</i> , <b>2002</b> , 27, 105-19	8.7	193

94	Analysis of ten candidate genes in autism by association and linkage. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 125-128		15
93	Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 177-185		46
92	Maternal bonding behaviour in schizophrenia and schizoaffective disorder, considering premorbid personality traits. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2002</b> , 36, 663-8	2.6	36
91	Entanglement purification with noisy apparatus can be used to factor out an eavesdropper. <i>European Physical Journal D</i> , <b>2002</b> , 18, 171-177	1.3	
90	Private entanglement over arbitrary distances, even using noisy apparatus. <i>Physical Review Letters</i> , <b>2002</b> , 88, 047902	7.4	25
89	Anxiety as a predictor of relapse in detoxified alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , <b>2002</b> , 37, 609-12	3.5	105
88	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , <b>2002</b> , 52, 40-52	7.9	89
87	Dopamine transporter gene polymorphism in TouretteQ disorder. <i>European Neuropsychopharmacology</i> , <b>2002</b> , 12, 437-438	1.2	
86	Security proof of quantum cryptography based entirely on entanglement purification. <i>Physical Review A</i> , <b>2002</b> , 66,	2.6	13
85	A longitudinal view of triggers and thresholds of suicidal behavior in depression. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 866-73	4.6	20
84	Analysis of ten candidate genes in autism by association and linkage <b>2002</b> , 114, 125		2
83	Quantum Communication and Decoherence. <i>Lecture Notes in Physics</i> , <b>2002</b> , 235-261	0.8	2
82	Neurodevelopmental schizophrenia: obstetric complications, birth weight, premorbid social withdrawal and learning disabilities. <i>Neuropsychobiology</i> , <b>2001</b> , 43, 163-9	4	16
81	No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated TouretteQ disorder patients: a [(123)I]-beta-CIT SPECT-study. <i>European Neuropsychopharmacology</i> , <b>2001</b> , 11, 69-74	1.2	45
80	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. <i>Biological Psychiatry</i> , <b>2001</b> , 50, 8-12	7.9	112
79	Study of family history in seasonal affective disorder. <i>Neuropsychobiology</i> , <b>2001</b> , 44, 65-9	4	4
78	Fluoxetine treatment in patients with recurrent brief depression. <i>International Clinical Psychopharmacology</i> , <b>2001</b> , 16, 221-6	2.2	15
77	Effective open-label treatment of touretteQ disorder with olanzapine. <i>International Clinical Psychopharmacology</i> , <b>2000</b> , 15, 23-8	2.2	48

76	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. <i>Psychiatric Genetics</i> , <b>2000</b> , 10, 131-7	2.9	47
75	Treatment of opioid-dependent pregnant women with buprenorphine. <i>Addiction</i> , <b>2000</b> , 95, 239-44	4.6	115
74	Neutron guides at the FRM-II. <i>Physica B: Condensed Matter</i> , <b>2000</b> , 283, 323-329	2.8	11
73	Premorbid performance IQ deficit in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , <b>2000</b> , 102, 414-22	6.5	28
72	Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. <i>Journal of Affective Disorders</i> , <b>2000</b> , 58, 51-61	6.6	24
71	Genome scan for susceptibility loci for schizophrenia. <i>Neuropsychobiology</i> , <b>2000</b> , 42, 175-82	4	63
70	Association studies of candidate genes in bipolar disorders. <i>Neuropsychobiology</i> , <b>2000</b> , 42 Suppl 1, 18-214		21
69	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. <i>Psychiatry Research</i> , <b>2000</b> , 96, 179-83	9.9	12
68	Premorbid performance IQ deficits in schizophrenia. <i>Schizophrenia Research</i> , <b>2000</b> , 41, 276-277	3.6	1
67	P01.43 Dopamine transporter genotypes and imaging in tourette disorder. <i>European Psychiatry</i> , <b>2000</b> , 15, 332s-332s	6	
66	P01.104 Relation of suicidal behaviour, central serotonergic system and temperament and character inventory. <i>European Psychiatry</i> , <b>2000</b> , 15, 347s-348s	6	
65	P02.253 Personality in patients with chronic fatigue syndrome compared to depressed patients. <i>European Psychiatry</i> , <b>2000</b> , 15, 390s-390s	6	
64	P02.364 Efficacy of antidepressants in the treatment of severe depression. <i>European Psychiatry</i> , <b>2000</b> , 15, 420s-421s	6	
63	Comparison of methadone and slow-release morphine maintenance in pregnant addicts. <i>Addiction</i> , <b>1999</b> , 94, 231-9	4.6	63
62	Buprenorphine versus methadone maintenance for the treatment of opioid dependence. <i>Addiction</i> , <b>1999</b> , 94, 1337-47	4.6	116
61	Tyrosine hydroxylase polymorphism and phenotypic heterogeneity in bipolar affective disorder: a multicenter association study. <i>American Journal of Medical Genetics Part A</i> , <b>1999</b> , 88, 527-32		15
60	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. <i>Psychiatry Research</i> , <b>1999</b> , 85, 241-6	9.9	28
59	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakastani patients. <i>European Neuropsychopharmacology</i> , <b>1999</b> , 10, 17-20	1.2	100

58	Possible association between childhood absence epilepsy and the gene encoding GABRB3. <i>Biological Psychiatry</i> , <b>1999</b> , 46, 997-1002	7.9	53
57	Genome-wide scan for autism susceptibility genes. Paris Autism Research International Sibpair Study. <i>Human Molecular Genetics</i> , <b>1999</b> , 8, 805-12	5.6	406
56	Anticipation in schizophrenia. <i>Schizophrenia Research</i> , <b>1999</b> , 35, 25-32	3.6	24
55	A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. <i>Molecular Psychiatry</i> , <b>1998</b> , 3, 141-9	15.1	143
54	European Multicentre Association Study of Schizophrenia: a study of the DRD2 Ser311Cys and DRD3 Ser9Gly polymorphisms. <i>American Journal of Medical Genetics Part A</i> , <b>1998</b> , 81, 24-8		64
53	IL-8 derivatives with a reduced potential to form homodimers are fully active in vitro and in vivo. <i>Cytokine</i> , <b>1998</b> , 10, 1-12	4	27
52	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. <i>Schizophrenia Research</i> , <b>1998</b> , 32, 101-6	3.6	102
51	Absence of string order in the anisotropic S=2 Heisenberg antiferromagnet. <i>Physical Review B</i> , <b>1998</b> , 58, 359-365	3.3	23
50	Mirtazapine in recurrent brief depression. <i>International Clinical Psychopharmacology</i> , <b>1998</b> , 13, 39-40	2.2	15
49	European Collaborative Project on Affective Disorders: interactions between genetic and psychosocial vulnerability factors. <i>Psychiatric Genetics</i> , <b>1998</b> , 8, 197-205	2.9	40
48	The unified biosocial model of personality in schizophrenia families and controls. <i>Psychopathology</i> , <b>1998</b> , 31, 45-51	3.4	16
47	Presence of cyclophilin A in synovial fluids of patients with rheumatoid arthritis. <i>Journal of Experimental Medicine</i> , <b>1997</b> , 185, 975-80	16.6	132
46	Biperiden and haloperidol plasma levels and extrapyramidal side effects in schizophrenic patients. <i>Neuropsychobiology</i> , <b>1997</b> , 36, 69-72	4	1
45	The soluble hyaluronidase from bull testes is a fragment of the membrane-bound PH-20 enzyme. <i>FEBS Letters</i> , <b>1997</b> , 413, 385-8	3.8	38
44	No evidence for a schizophrenia susceptibility gene in the vicinity of IL2RB on chromosome 22. <i>American Journal of Medical Genetics Part A</i> , <b>1997</b> , 74, 361-4		13
43	The influence of phenotype on the outcome of linkage analysis of schizophrenia. <i>Schizophrenia Research</i> , <b>1996</b> , 22, 89-90	3.6	2
42	Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. European Multicentre Association Study of Schizophrenia (EMASS) Group. <i>Lancet, The</i> , <b>1996</b> , 347, 1294-6	40	214
41	The tridimensional personality model: influencing variables in a sample of detoxified alcohol dependents. European Fluvoxamine in Alcoholism Study Group. <i>Comprehensive Psychiatry</i> , <b>1996</b> , 37, 109-14	7.3	19

40	Schizophrenia and the dopamine-beta-hydroxylase gene: results of a linkage and association study. <i>Psychiatric Genetics</i> , <b>1996</b> , 6, 17-22	2.9	26
39	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , <b>1996</b> , 26, 1145-53	6.9	119
38	A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. <i>Psychological Medicine</i> , <b>1996</b> , 26, 775-83	6.9	116
37	Additional support for schizophrenia linkage on chromosomes 6 and 8: a multicenter study. Schizophrenia Linkage Collaborative Group for Chromosomes 3, 6 and 8. <i>American Journal of Medical Genetics Part A</i> , <b>1996</b> , 67, 580-94		147
36	An international two-stage genome-wide search for schizophrenia susceptibility genes. <i>Nature Genetics</i> , <b>1995</b> , 11, 321-4	36.3	335
35	Lytic effector cell activity and major depressive disorder in patients with breast cancer: a prospective study. <i>Journal of Neuroimmunology</i> , <b>1995</b> , 59, 83-9	3.5	37
34	Non-concordance by gender for schizophrenia and related disorders in sibships. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1994</b> , 244, 12-6	5.1	1
33	Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2). <i>FEBS Letters</i> , <b>1994</b> , 347, 300-3	3.8	4
32	Risperidone for Tourette's syndrome. <i>Lancet, The</i> , <b>1994</b> , 344, 1577-8	4.0	36
31	The season of birth of schizophrenics and schizoaffectives. <i>Psychopathology</i> , <b>1994</b> , 27, 298-302	3.4	9
30	Inhibition of lipid biosynthesis induces the expression of the pspA gene. <i>Microbiology (United Kingdom)</i> , <b>1994</b> , 140 ( Pt 8), 1937-44	2.9	42
29	Characterization of the apolipoprotein AI and CIII genes in the domestic pig. <i>Genomics</i> , <b>1993</b> , 15, 643-52	4.3	18
28	Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation. <i>Journal of Cell Biology</i> , <b>1993</b> , 123, 1309-20	7.3	248
27	Natural killer cell function in adolescent and adult schizophrenic patients. <i>European Child and Adolescent Psychiatry</i> , <b>1993</b> , 2, 155-160	5.5	1
26	No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1993</b> , 243, 193-8	5.1	19
25	SDZ MRL 953, a novel immunostimulatory monosaccharidic lipid A analog with an improved therapeutic window in experimental sepsis. <i>Antimicrobial Agents and Chemotherapy</i> , <b>1991</b> , 35, 500-5	5.9	30
24	Inhibition of chemotactic migration of human neutrophilic granulocytes by recombinant human granulocyte-macrophage colony-stimulating factor. <i>Immunopharmacology</i> , <b>1990</b> , 19, 139-43		21
23	No evidence for linkage between chromosome 5 markers and schizophrenia. <i>Human Heredity</i> , <b>1990</b> , 40, 109-15	1.1	49



22	A Sac I RFLP is detected with the 5-HT1a serotonin receptor probe G21. <i>Nucleic Acids Research</i> , <b>1990</b> , 18, 691	20.1	4
21	Structure and properties of a novel neutrophil-activating factor (NAF) produced by human monocytes. <i>Agents and Actions</i> , <b>1989</b> , 26, 148-50		5
20	Heterogeneity of schizophrenia: preliminary evidence for multiple genetic loci. <i>Schizophrenia Research</i> , <b>1989</b> , 2, 39	3.6	4
19	Novel Neutrophil-Activating Peptides and Their Role in Inflammation <b>1989</b> , 765-771		
18	Lytic effector cell function in schizophrenia and depression. <i>Journal of Neuroimmunology</i> , <b>1988</b> , 18, 291-301	30.1	30
17	Plasma concentrations of haloperidol and prolactin and clinical outcome in acutely psychotic patients. <i>Pharmacopsychiatry</i> , <b>1988</b> , 21, 246-51	2	13
16	Synthesis and expression in Escherichia coli of the gene encoding monocyte-derived neutrophil-activating factor: biological equivalence between natural and recombinant neutrophil-activating factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1988</b> , 85, 9199-203	11.5	204
15	Natural Immunity in Schizophrenia. <i>Annals of the New York Academy of Sciences</i> , <b>1987</b> , 496, 743-744	6.5	2
14	Purification and amino acid sequencing of NAF, a novel neutrophil-activating factor produced by monocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>1987</b> , 149, 755-61	3.4	432
13	Structure, antigenic determinants of some clinically important insect allergens: chironomid hemoglobins. <i>Science</i> , <b>1986</b> , 233, 351-4	33.3	59
12	Solid-phase synthesis of PYLa and isolation of its natural counterpart, PGLa [PYLa-(4-24)] from skin secretion of <i>Xenopus laevis</i> . <i>FEBS Journal</i> , <b>1985</b> , 149, 531-5		75
11	The primary structure of the hemoglobin of the dogfish shark ( <i>Squalus acanthias</i> ). Antagonistic effects of ATP and urea on oxygen affinity of an elasmobranch hemoglobin. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , <b>1985</b> , 366, 589-99		42
10	Biosynthesis of peptides in the skin of <i>Xenopus laevis</i> : isolation of novel peptides predicted from the sequence of cloned cDNAs. <i>Peptides</i> , <b>1985</b> , 6 Suppl 3, 17-21	3.8	55
9	TSH-response patterns to TRH stimulation may indicate therapeutic mechanisms of antidepressant and neuroleptic drugs. <i>Neuropsychobiology</i> , <b>1984</b> , 11, 213-8	4	22
8	Zur intrinsischen Sauerstoffaffinität: Die Primärstruktur eines weiteren Ruminantia-Hämoglobins: Methionin in N2A2 eines Stirnwaffenträgers, des Nordland-Elches ( <i>Alces alces alces</i> ). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , <b>1984</b> , 365, 1323-1330		3
7	Hemoglobin D "Los Angeles" in an Austrian family: biochemical identification, clinical aspects, and kindred study. <i>Hemoglobin</i> , <b>1984</b> , 8, 353-61	0.6	9
6	The TSH-response to TRH: A possible predictor of outcome to antidepressant and neuroleptic treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>1983</b> , 7, 335-42	5.5	20
5	The analysis of a protein-polymorphism. Evolution of monomeric and homodimeric haemoglobins (erythrocytins) of <i>Chironomus thummi thummi</i> (Insecta, Diptera). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , <b>1983</b> , 364, 205-17		60

4	Die Primärstruktur des $\alpha$ -Amylaseinhibitors Hoe 467A aus <i>Streptomyces tendae</i> 4158. Eine neue Klasse von Inhibitoren. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , <b>1983</b> , 364, 1347-1356		19
3	Effects of antidepressant treatment with clomipramine on hormonal responses to thyrotropin-releasing hormone and insulin-induced hypoglycemia: implications for the "monoamine-hypothesis". <i>Pharmacopsychiatry</i> , <b>1981</b> , 14, 100-6	2	5
2	Rare copy number variants in NRXN1 and CNTN6 increase risk for Tourette syndrome		3
1	Identifying tissues implicated in Anorexia Nervosa using Transcriptomic Imputation		1