Manuela Hidalgo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4526269/manuela-hidalgo-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 2,279 28 44 g-index

80 2,490 5.3 4.82 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
80	Vermifilter and zooplankton-based reactor integration as a nature-based system for wastewater treatment and reuse. <i>Case Studies in Chemical and Environmental Engineering</i> , 2021 , 4, 100153	7.5	2
79	Zooplankton-based reactors for tertiary wastewater treatment: A pilot-scale case study. <i>Journal of Environmental Management</i> , 2021 , 278, 111538	7.9	4
78	Hollow fiber liquid phase microextraction combined with total reflection X-ray fluorescence spectrometry for the determination of trace level inorganic arsenic species in waters. <i>Talanta</i> , 2020 , 217, 121005	6.2	6
77	Uptake, translocation and ligand of silver in Lactuca sativa exposed to silver nanoparticles of different size, coatings and concentration. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121201	12.8	28
76	Assessment of zooplankton-based eco-sustainable wastewater treatment at laboratory scale. <i>Chemosphere</i> , 2020 , 238, 124683	8.4	13
75	Combination of cloud point extraction with single particle inductively coupled plasma mass spectrometry to characterize silver nanoparticles in soil leachates. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 5317-5329	4.4	11
74	Interaction of silver nanoparticles with mediterranean agricultural soils: Lab-controlled adsorption and desorption studies. <i>Journal of Environmental Sciences</i> , 2019 , 83, 205-216	6.4	9
73	A first evaluation of the analytical capabilities of the new X-ray fluorescence facility at International Atomic Energy Agency-Elettra Sincrotrone Trieste for multipurpose total reflection X-ray fluorescence analysis. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2018 , 145, 8-19	3.1	3
72	Extractability and crop transfer of potentially toxic elements from mediterranean agricultural soils following long-term sewage sludge applications as a fertilizer replacement to barley and maize crops. <i>Waste Management</i> , 2018 , 75, 312-318	8.6	30
71	Determination of silver nanoparticles in complex aqueous matrices by total reflection X-ray fluorescence spectrometry combined with cloud point extraction. <i>Journal of Analytical Atomic Spectrometry</i> , 2018 , 33, 383-394	3.7	14
70	Total reflection X-ray fluorescence as a fast multielemental technique for human placenta sample analysis. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017 , 130, 53-59	3.1	12
69	Microbial electrosynthesis of butyrate from carbon dioxide: Production and extraction. <i>Bioelectrochemistry</i> , 2017 , 117, 57-64	5.6	103
68	Analytical capabilities of total reflection X-ray fluorescence spectrometry for silver nanoparticles determination in soil adsorption studies. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2016 , 126, 71-78	3.1	14
67	Analytical capabilities of two-phase hollow-fiber liquid phase microextraction for trace multielement determination in aqueous samples by means of portable total reflection X-ray instrumentation. <i>Turkish Journal of Chemistry</i> , 2016 , 40, 1002-1011	1	4
66	Monsoonal influence on variation of hydrochemistry and isotopic signatures: Implications for associated arsenic release in groundwater. <i>Journal of Hydrology</i> , 2016 , 535, 407-417	6	25
65	Measurement uncertainty in Total Reflection X-ray Fluorescence. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015 , 111, 30-37	3.1	13
64	Determination of pharmaceutical compounds in sewage sludge using a standard addition method approach. <i>International Journal of Environmental Analytical Chemistry</i> , 2014 , 94, 1199-1209	1.8	13

63	Size-fractionation of groundwater arsenic in alluvial aquifers of West Bengal, India: the role of organic and inorganic colloids. <i>Science of the Total Environment</i> , 2014 , 468-469, 804-12	10.2	30	
62	Total reflection X-ray spectrometry (TXRF) for trace elements assessment in edible clams. <i>Applied Spectroscopy</i> , 2014 , 68, 1241-6	3.1	10	
61	Application of natural citric acid sources and their role on arsenic removal from drinking water: a green chemistry approach. <i>Journal of Hazardous Materials</i> , 2013 , 262, 1167-75	12.8	9	
60	Analytical possibilities of different X-ray fluorescence systems for determination of trace elements in aqueous samples pre-concentrated with carbon nanotubes. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013 , 88, 192-197	3.1	20	
59	Study of selenium sorption processes in volcanic ash using Total Reflection X-ray Fluorescence (TXRF). <i>Chemical Geology</i> , 2013 , 352, 19-26	4.2	17	
58	Role of Colloidal Particles as Scavengers of Groundwater Arsenic: A Case Study from Rural Bengal. <i>Procedia Earth and Planetary Science</i> , 2013 , 7, 546-549		2	
57	Determination of platinum group metal catalyst residues in active pharmaceutical ingredients by means of total reflection X-ray spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013 , 86, 50-54	3.1	21	
56	Determination of cadmium at ultratrace levels in environmental water samples by means of total reflection X-ray spectrometry after dispersive liquid I quid microextraction. <i>Journal of Analytical Atomic Spectrometry</i> , 2013 , 28, 266-273	3.7	44	
55	Determination of antibiotics (tetracyclines and sulfonamides) in biosolids by pressurized liquid extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1298, 68-75	4.5	45	
54	Dispersive micro solid-phase extraction using multiwalled carbon nanotubes combined with portable total-reflection X-ray fluorescence spectrometry for the determination of trace amounts of Pb and Cd in water samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013 , 28, 736	3.7	86	
53	Liquid phase microextraction strategies combined with total reflection X-ray spectrometry for the determination of low amounts of inorganic antimony species in waters. <i>Analytica Chimica Acta</i> , 2013 , 786, 8-15	6.6	51	
52	Naproxen Adsorption-Desorption in a Sandy Aquifer Matrix: Characterisation of Hysteretic Behavior at Two Different Temperature Values. <i>Soil and Sediment Contamination</i> , 2013 , 22, 641-653	3.2	8	
51	Analytical capabilities of laboratory, benchtop and handheld X-ray fluorescence systems for detection of metals in aqueous samples pre-concentrated with solid-phase extraction disks. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy,</i> 2012 , 67, 17-23	3.1	35	
50	Comparison of two extraction methods for the determination of selective serotonin reuptake inhibitors in sewage sludge by hollow fiber liquid-phase microextraction. <i>Journal of Separation Science</i> , 2012 , 35, 2460-8	3.4	13	
49	Simple and Fast Methods Based on Solid-Phase Extraction Coupled to Liquid Chromatography with UV Detection for the Monitoring of Caffeine in Natural, and Wastewater as Marker of Anthropogenic Impact. <i>ISRN Chromatography</i> , 2012 , 2012, 1-7		6	
48	Thiacalixarene Derivatives Incorporated in Optical-Sensing Membranes for Metal Ion Recognition. <i>Analytical Letters</i> , 2011 , 44, 1241-1253	2.2	5	
47	Arsenic determination by ICP-QMS with octopole collision/reaction cell. Overcome of matrix effects under vented and pressurized cell conditions. <i>Talanta</i> , 2011 , 85, 1941-7	6.2	28	
46	Determination of water-soluble hexavalent chromium in clinker samples by wavelength-dispersive X-ray fluorescence spectrometry after concentration in activated layers. <i>Applied Spectroscopy</i> , 2010 64 547-51	3.1	20	

45	Analytical approaches for Hg determination in wastewater samples by means of total reflection X-ray fluorescence spectrometry. <i>Talanta</i> , 2010 , 82, 821-7	6.2	51
44	Analytical possibilities of total reflection X-ray spectrometry (TXRF) for trace selenium determination in soils. <i>Analytical Chemistry</i> , 2010 , 82, 7744-51	7.8	67
43	Sequential extraction combined with isotopic analysis as a tool for studying lead contamination from mining activity. <i>International Journal of Environment and Waste Management</i> , 2010 , 5, 64	0.9	2
42	Preconcentration Methods for the Analysis of Liquid Samples by X-Ray Fluorescence Techniques. Applied Spectroscopy Reviews, 2010 , 45, 179-205	4.5	62
41	Determination of non-steroidal anti-inflammatory drugs in sewage sludge by direct hollow fiber supported liquid membrane extraction and liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 6153-8	4.5	52
40	Applicability of direct total reflection X-ray fluorescence analysis for selenium determination in solutions related to environmental and geochemical studies. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy,</i> 2010 , 65, 1002-1007	3.1	17
39	A simple and efficient method for the determination of pollutant phenols in soils with high levels of organic matter. <i>International Journal of Environmental Analytical Chemistry</i> , 2009 , 89, 293-304	1.8	2
38	Improvement approaches for the determination of Cr(VI), Cd(II), Pd(II) and Pt(IV) contained in aqueous samples by conventional XRF instrumentation. <i>X-Ray Spectrometry</i> , 2009 , 38, 9-17	0.9	20
37	Application of X-ray fluorescence spectrometry to determination and quantitation of metals in vegetal material. <i>TrAC - Trends in Analytical Chemistry</i> , 2009 , 28, 362-372	14.6	127
36	Method for the determination of Pd-catalyst residues in active pharmaceutical ingredients by means of high-energy polarized-beam energy dispersive X-ray fluorescence. <i>Analytical Chemistry</i> , 2009 , 81, 1404-10	7.8	29
35	Adsorption and Preconcentration of Pd(II), Pt(IV), and Rh(III) using Anion-Exchange Solid-Phase Extraction Cartridges (SPE)View all notes. <i>Solvent Extraction and Ion Exchange</i> , 2009 , 27, 83-96	2.5	20
34	Correction strategies over spectral interferences for arsenic determination in aqueous samples with complex matrices by quadrupole ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2009 , 24, 518	3.7	15
33	Determination of metal residues in active pharmaceutical ingredients according to European current legislation by using X-ray fluorescence spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2009 , 24, 1253	3.7	25
32	Effect of potential of ion optic system and gas-filled octapole collision cell on mass discrimination in lead isotopic measurements ((206)Pb/(207)Pb, (208)Pb/(207)Pb and (206)Pb/2(208)Pb) by quadrupole-based inductively-coupled plasma mass spectrometry. <i>European Journal of Mass</i>	1.1	2
31	High-energy polarized-beam energy-dispersive X-ray fluorescence analysis combined with activated thin layers for cadmium determination at trace levels in complex environmental liquid samples. Analytical Chemistry, 2008 , 80, 2357-64	7.8	28
30	Application of high-energy polarised beam energy dispersive X-ray fluorescence spectrometry to cadmium determination in saline solutions. <i>Journal of Analytical Atomic Spectrometry</i> , 2008 , 23, 1034	3.7	13
29	Improved instrumental sensitivity for Cd determination in aqueous solutions using Wavelength Dispersive X-ray Fluorescence Spectrometry, Rh-target tube instrumentation. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy,</i> 2008 , 63, 1329-1332	3.1	10
28	Thiacalix[4]arene derivatives as extractants for metal ions in aqueous solutions: Application to the selective facilitated transport of Ag(I). <i>Materials Science and Engineering C</i> , 2008 , 28, 985-989	8.3	18

(2003-2007)

27	Development of a new method for sulfide determination by vapor generatorIhductively coupled plasmaIhass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2007 , 62, 470-475	3.1	20
26	Selective thiacalix[4]arene bearing three amide groups as ionophore of binary Pd(II) and Au(III) extraction by a supported liquid membrane system. <i>Separation and Purification Technology</i> , 2007 , 57, 374-379	8.3	52
25	Precise and accurate determination of lead isotope ratios in mining wastes by ICP-QMS as a tool to identify their source. <i>Talanta</i> , 2007 , 73, 700-9	6.2	20
24	Lead isotope ratio measurements by ICP-QMS to identify metal accumulation in vegetation specimens growing in mining environments. <i>Science of the Total Environment</i> , 2006 , 367, 988-98	10.2	21
23	Study of the Sorption and Separation Abilities of Commercial Solid-Phase Extraction (SPE) Cartridge Oasis MAX Towards Au(III), Pd(II), Pt(IV), and Rh(III). <i>Solvent Extraction and Ion Exchange</i> , 2006 , 24, 931-942	2.5	18
22	Separation and preconcentration of Cd(II) from chloride solutions using supported liquid membranes systems. <i>Desalination</i> , 2006 , 200, 114-116	10.3	8
21	Novel and selective procedure for Cr(VI) determination by X-ray fluorescence analysis after membrane concentration. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy,</i> 2006 , 61, 407-413	3.1	41
20	Sorption of palladium(II), rhodium(III), and platinum(IV) on Fe(3)O(4) nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2006 , 301, 402-8	9.3	128
19	Extraction and Preconcentration of the Herbicide Glyphosate and its Metabolite AMPA Using Anion-Exchange Solid Phases. <i>Mikrochimica Acta</i> , 2006 , 153, 203-209	5.8	16
18	Multielemental fast analysis of vegetation samples by wavelength dispersive X-ray fluorescence spectrometry: Possibilities and drawbacks. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2005 , 60, 1363-1372	3.1	60
17	Selective recovery and preconcentration of mercury with a benzoylthiourea-solid supported liquid membrane system. <i>Analytica Chimica Acta</i> , 2005 , 547, 255-261	6.6	59
16	Comparison of EDXRF and ICP-OES after microwave digestion for element determination in plant specimens from an abandoned mining area. <i>Analytica Chimica Acta</i> , 2005 , 549, 197-204	6.6	55
15	The evaluation of different sorbents for the preconcentration of phenoxyacetic acid herbicides and their metabolites from soils. <i>Journal of Chromatography A</i> , 2005 , 1099, 55-63	4.5	19
14	Evaluation of a new solid-phase cartridge for the preconcentration of phenolic compounds in water. <i>Journal of Separation Science</i> , 2004 , 27, 613-8	3.4	14
13	Preconcentration of the herbicide glyphosate and its metabolite AMPA by immobilised metal ion affinity chromatography (IMAC). <i>Journal of Separation Science</i> , 2004 , 27, 602-6	3.4	10
12	Improved coupled-column liquid chromatographic method for the determination of glyphosate and aminomethylphosphonic acid residues in environmental waters. <i>Journal of Chromatography A</i> , 2004 , 1035, 153-7	4.5	57
11	Comparison of three-stage sequential extraction and toxicity characteristic leaching tests to evaluate metal mobility in mining wastes. <i>Analytica Chimica Acta</i> , 2004 , 524, 151-159	6.6	97
10	Selective enrichment of palladium from spent automotive catalysts by using a liquid membrane system. <i>Journal of Membrane Science</i> , 2003 , 223, 39-48	9.6	52

9	Comparison of nutrient and contaminant fluxes in two areas with different hydrological regimes (EmpordiWetlands, NE Spain). <i>Water Research</i> , 2003 , 37, 3034-46	12.5	40	
8	Facilitated transport and preconcentration of the herbicide glyphosate and its metabolite AMPA through a solid supported liquid-membrane. <i>Journal of Membrane Science</i> , 2002 , 203, 201-208	9.6	21	
7	Separation and Concentration of Pd, Pt, and Rh from Automotive Catalytic Converters by Combining Two Hollow-Fiber Liquid Membrane Systems. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 1616-1620	3.9	34	
6	The speciation of rhodium(III) in hydrochloric acid media by capillary zone electrophoresis. <i>Talanta</i> , 2002 , 56, 1061-71	6.2	26	
5	Synthesised phosphine sulphide-type macroporous polymers for the preconcentration and separation of gold (III) and palladium (II) in a column system. <i>Reactive and Functional Polymers</i> , 2001 , 49, 215-224	4.6	33	
4	Evaluation of Extraction Procedures of Organochlorine Pesticides from Natural Waters and Sediments. <i>International Journal of Environmental Analytical Chemistry</i> , 2001 , 81, 243-256	1.8	9	
3	BENZYL(2-METHOXY-3-DIPHENYLPHOSPHINO)PROPYL ETHER AS A CARRIER FOR THE SELECTIVE TRANSPORT OF Pd(II) THROUGH A SOLID SUPPORTED LIQUID MEMBRANE. <i>Solvent Extraction and Ion Exchange</i> , 2001 , 19, 329-344	2.5	6	
2	A hollow fiber supported liquid membrane based on Aliquat 336 as a carrier for rhodium(III) transport and preconcentration. <i>Journal of Membrane Science</i> , 2000 , 178, 131-139	9.6	32	
1	Transport of vanadium(V) through a tricaprylylmethylammonium solid supported liquid membrane from aqueous acetic acid/acetate solutions. <i>Journal of Membrane Science</i> , 1995 , 98, 241-248	9.6	17	